

Advanta Africa APIs

[SMS API](#) ▾

[Send SMS](#)

[Bulk SMS](#)

[Send Hashed SMS](#)

[Send OTP](#)

[Delivery Reports](#)

[Delivery Status Descriptions](#)

[SMS Balance](#)

[Common Errors](#)

[Response Codes](#)

[RESELLER SMS CREDIT API](#)

[USSD GUIDE](#)

[SHORTCODE GUIDE](#)

[SMPP API](#)

[AIRTIME API](#)

[EMAIL API](#)

SEND BULK

The **Send Bulk** API allows you to send up to **1000 unique messages** in a **single request**. Each message can have a different recipient, message content.

Info

The partnerID, apikey, and shortcode should be the same for all JSON objects within the smslist array. Any mismatch will default to using credentials in the first object.

POST Method

```
https://{{url}}/api/services/sendbulk
```

Request Body:

```
1  {
2      "count": {{count}},//
3      The count of the SMS list
4      "smslist": [
5          {
6              "partnerID": "
7              {{partnerID}}",
8              "apikey": "
9              {{apikey}}",
10             "pass_type":
11             "plain",
12             "clientsmsid":
13             {{clientsmsid1}},//Your
14             preferred dynamic
```

json

Advanta Africa APIs

[SMS API](#) ▾

[Send SMS](#)

[Bulk SMS](#)

[Send Hashed SMS](#)

[Send OTP](#)

[Delivery Reports](#)

[Delivery Status Descriptions](#)

[SMS Balance](#)

[Common Errors](#)

[Response Codes](#)

[RESELLER SMS CREDIT API](#)

[USSD GUIDE](#)

[SHORTCODE GUIDE](#)

[SMPP API](#)

[AIRTIME API](#)

[EMAIL API](#)

```
17  [{"mobile1": "0700000000",
18      "message": "
19      {{message1}}",
20      "shortcode": "
21      {{shortcode}}"
22  },
23  {
24      "partnerID": "
      {{partnerID}}",
      "apikey": "
      {{apikey}}",
      "pass_type": "
      plain",
      "mobile": "
      {{mobile2}}",
      "clientsmsid": "
      {{clientsmsid2}}",
      "message": "
      {{message2}}",
      "shortcode": "
      {{shortcode}}",
      "pass_type": "
      {{pass_type}}"
  }
]
```

Sample Success Response:

```
1  {
2      "responses":
3      [
4          {
5              "response-
6              code":200,
7              "response-
8              description":"Success",
9
10             "mobile":"xxxxxxxx",
11         }
12     ]
13 }
```

json

Advanta Africa APIs

[SMS API](#) ▾

[Send SMS](#)

[Bulk SMS](#)

[Send Hashed SMS](#)

[Send OTP](#)

[Delivery Reports](#)

[Delivery Status Descriptions](#)

[SMS Balance](#)

[Common Errors](#)

[Response Codes](#)

[RESELLER SMS CREDIT API](#)

[USSD GUIDE](#)

[SHORTCODE GUIDE](#)

[SMPP API](#)

[AIRTIME API](#)

[EMAIL API](#)

```
13
14     "clientsmsid":1234,
15         "networkid":1
16     },
17     {
18         "response-
19     code":200,
20         "response-
21     description":"Success",

    "mobile":"xxxxxxxx",

    "messageid":"xxxxxxxx",

    "clientsmsid":1234,

    "networkid":1
    }
    ]
}
```

Sample Error Response:

```
1                                     json
2     {
3         "response-code":1006,
4         "response-
description":"Invalid
credentials"
    }
```

Code Examples (POST Request)

PHP

```
1                                     php
2     <?php
3     $payload = json_encode([
4         "count" => {{count}},
5         "smslist" => [
6
```

Advanta Africa APIs

[SMS API](#) ▾

[Send SMS](#)

[Bulk SMS](#)

[Send Hashed SMS](#)

[Send OTP](#)

[Delivery Reports](#)

[Delivery Status Descriptions](#)

[SMS Balance](#)

[Common Errors](#)

[Response Codes](#)

[RESELLER SMS CREDIT API](#)

[USSD GUIDE](#)

[SHORTCODE GUIDE](#)

[SMPP API](#)

[AIRTIME API](#)

[EMAIL API](#)

```
9         "apikey" => "{$api
10         "pass_type" => "pl
11         "clientsmsid" =>
12         {{clientsmsid1}},
13         "mobile" => "{$mob
14         "message" => "
15         {{message1}}",
16         "shortcode" => "
17         {{shortcode}}"
18     ],
19     [
20         "partnerID" => "
21         {{partnerID}}",
22         "apikey" => "{$api
23         "pass_type" => "pl
24         "mobile" => "{$mob
25         "clientsmsid" =>
26         {{clientsmsid2}},
27         "message" => "
28         {{message2}}",
29         "shortcode" => "
30         {{shortcode}}",
31         "pass_type" => "
32         {{pass_type}}"
33     ]
34 ]
35 );
36
37 $curl = curl_init();
38 curl_setopt_array($curl, [
    CURLOPT_URL =>
    "https://{{url}}/api/services/
    CURLOPT_RETURNTRANSFER =>
    CURLOPT_POST => true,
    CURLOPT_POSTFIELDS => $pay
    CURLOPT_HTTPHEADER => ['Co
Type: application/json']
```

Advanta Africa APIs

[SMS API](#) ▾

[Send SMS](#)

[Bulk SMS](#)

[Send Hashed SMS](#)

[Send OTP](#)

[Delivery Reports](#)

[Delivery Status Descriptions](#)

[SMS Balance](#)

[Common Errors](#)

[Response Codes](#)

[RESELLER SMS CREDIT API](#)

[USSD GUIDE](#)

[SHORTCODE GUIDE](#)

[SMPP API](#)

[AIRTIME API](#)

[EMAIL API](#)

```
curl_close($curl),  
echo $response;  
?>
```

Node.js

```
1  const axios = require('axios'js)  
2  
3  const payload = {  
4      count: {{count}},  
5      smslist: [  
6          {  
7              partnerID: "{{part  
8              apikey: "{{apikey}}  
9              pass_type: "plain"  
10             clientsmsid: {{cli  
11             mobile: "{{mobile1  
12             message: "{{messag  
13             shortcode: "{{shor  
14         },  
15         {  
16             partnerID: "{{part  
17             apikey: "{{apikey}}  
18             pass_type: "plain"  
19             mobile: "{{mobile2  
20             clientsmsid: {{cli  
21             message: "{{messag  
22             shortcode: "{{shor  
23             pass_type: "{{pass  
24         }  
25     ]  
26 };  
27  
28 axios.post('https://{{url}}/ap  
29 payload, {  
30  
31  
32
```

Advanta Africa APIs

[SMS API](#) ▾

[Send SMS](#)

[Bulk SMS](#)

[Send Hashed SMS](#)

[Send OTP](#)

[Delivery Reports](#)

[Delivery Status Descriptions](#)

[SMS Balance](#)

[Common Errors](#)

[Response Codes](#)

[RESELLER SMS CREDIT API](#)

[USSD GUIDE](#)

[SHORTCODE GUIDE](#)

[SMPP API](#)

[AIRTIME API](#)

[EMAIL API](#)

```
},  
    .then(response => console.log(response)),  
    .catch(error => console.error(error))  
);
```

Python

```
1  import requests  
2  
3  url =  
4  "https://{{url}}/api/services/  
5  payload = {  
6      "count": {{count}},  
7      "smslist": [  
8          {  
9              "partnerID": "  
10     {{partnerID}}",  
11         "apikey": "{{apikey}}",  
12         "pass_type": "plain",  
13         "clientsmsid":  
14     {{clientsmsid1}},  
15         "mobile": "{{mobile}}",  
16         "message": "{{message}}",  
17         "shortcode": "  
18     {{shortcode}}",  
19     },  
20     {  
21         "partnerID": "  
22     {{partnerID}}",  
23         "apikey": "{{apikey}}",  
24         "pass_type": "plain",  
25         "mobile": "{{mobile}}",  
26         "clientsmsid":  
27     {{clientsmsid2}},  
28         "message": "{{message}}",  
29         "shortcode": "  
30     {{shortcode}}",  
31         "pass_type": "  
    {{pass_type}}",  
    }  
    ]
```

Advanta Africa APIs

[SMS API](#) ▾

[Send SMS](#)

[Bulk SMS](#)

[Send Hashed SMS](#)

[Send OTP](#)

[Delivery Reports](#)

[Delivery Status Descriptions](#)

[SMS Balance](#)

[Common Errors](#)

[Response Codes](#)

[RESELLER SMS CREDIT API](#)

[USSD GUIDE](#)

[SHORTCODE GUIDE](#)

[SMPP API](#)

[AIRTIME API](#)

[EMAIL API](#)

```
headers = { 'Content-Type':  
"application/json"}  
response = requests.post(url,  
json=payload, headers=headers)  
print(response.text)
```

Last Updated: 3/14/2025, 12:29:27 PM
Contributors: harrykerry