

SENDLY

"Send BOT with a link."

The serverless, peer-to-peer crypto gifting protocol for the BOT blockchain ecosystem.
Zero custodial risk. Zero mempool front-running. Zero backend dependencies.

Network: BOT Testnet (Chain ID 968) | Solidity ^0.8.24 + OpenZeppelin 5.x | November 2026

The Friction of Crypto Gifting & Onboarding

Traditional Web3 transfers require advance wallet knowledge, shutting down spontaneous social gifting and newcomer onboarding.

🛑 The Address Prerequisite Barrier

You cannot send crypto to friends or newcomers without first asking for their public wallet address. This destroys surprise gifts, holiday red envelopes, community rewards, and viral peer-to-peer acquisition.

🏦 Custodial Red Packet Vulnerabilities

Existing tipping bots on Telegram or Discord rely on centralized servers holding custody of private keys and funds. They are prone to server downtime, database leaks, platform bans, and rug pulls.

🤖 Mempool Front-Running & Link Theft

Naive claim links that embed raw private keys or pre-signed transactions are instantly intercepted by automated MEV bots scanning the public mempool, stealing the funds before the recipient can claim.

🔒 Trapped Funds & Dust Fragmentation

Most existing contracts leave fractional dust stranded due to division remainders, or permanently trap funds when a recipient fails to claim their gift within an active window.

Sendly: Trustless Gifting with Pure Client Cryptography

Lock BOT on-chain, share a link, and let recipients claim instantly with mathematical front-running immunity.

🔗 Share Via Any Social Link

Send gifts over Telegram, WhatsApp, Discord, X, or email as a simple URL fragment. Recipients open the link directly on mobile or desktop without pre-registering an address.

🛡️ Zero-Leak Ephemeral Keys

The ephemeral private key exists strictly in the browser URL fragment (`#/claim/...`), which HTTP standards guarantee is never transmitted to any web server. Zero backend, zero database.

⚡ EIP-191 Front-Running Proof

The claimer signs `computeDigest(packetId, msg.sender)` locally. Because the digest binds to the recipient's address, copied signatures are mathematically useless to MEV bots.

✨ 100% Dust-Free Conservation

Each slot receives an equal share, with any division remainder dust automatically granted to the final claimer. Payouts always add up perfectly to 100% of the locked BOT.

⏳ Trustless Expiry & Reclaim

If slots go unclaimed after the expiration timer (1 to 720 hours), the original sender can reclaim every remaining wei with a single click. Funds are never lost or stranded.

🤝 1 to 100 Multi-Claim Slots

Send individual gifts or split packets across groups of up to 100 people. Ideal for team rewards, AMA giveaways, gaming tournaments, and community celebrations.

Cryptographic Claim Flow & Smart Contract Design

How Sendly eliminates server reliance and enforces strict checks-effects-interactions on Solidity ^0.8.24.



21 / 21	256 Runs	0% Fee	100%
PASSING FOUNDRY TESTS	FUZZ INVARIANT VERIFICATION	ZERO PROTOCOL RENT-SEEKING	CHECKS-EFFECTS-INTERACTIONS

Live on BOT Testnet: Battle-Tested & Operational

Fully broadcasted, deployed, and verified on the official BohrScan block explorer.

📍 Contract Directory

Contract Address:
`0x12cD411ff4a5E07A661973FeFCBCe215B79acb4C`

Deployment Tx Hash:
`0xfe1f31bf153dd8427d93bb8d4166b614f24f5a257f9fee0e23b0be2084a25712`

Network Parameters:
Chain ID: 968 (BOT Testnet)
RPC: https://rpc.bohr.life
Explorer: https://scan.bohr.life

⚡ Verified On-Chain Activity

- **24 Confirmed Transactions:** Successfully executed across 3 distinct community wallets on BOT Testnet (8 transactions each).
- **9 Gift Packets Created:** Multi-slot packets (0.005 BOT each) created and funded with client-side ephemeral signers.
- **15 Real-Time Claims:** Zero front-running failures, EIP-191 signatures verified on-chain, and dust-free payouts confirmed.
- **Complete Audit Trail:** All 24 transaction hashes cataloged and verified on BohrScan Blockscout explorer.

Festive, Mobile-First dApp Interface

Built with Vite, React 18, TypeScript, and viem with a warm festive red-and-gold design aesthetic.

🧧 Packet Creation Studio

Intuitive form with instant one-line calculation ("N people each get about X BOT"), quick expiry buttons (1h, 24h, 7d, 30d), and optional gift messages up to 140 characters.

🔑 LocalStorage Key Persistence

The ephemeral private key is safely preserved in browser local storage, allowing the creator to easily copy the claim link again from their "My Packets" dashboard.

🎁 Festive Envelope Claiming

Mobile-optimized envelope UI with automatic cryptographic key validation, slot countdowns, real-time status badges, and instant celebration fireworks on claim.

⏱️ Live Expiry Countdowns

Every active packet features real-time countdown clocks. Once expired, creators can reclaim unclaimed BOT with a single click directly from the dashboard.

🌐 Deep Hash Routing

Pure client-side hash routing (`#/` and `#/claim/<id>/<key>`) allows instant deep-linking without server routing configuration or 404 handling.

🛡️ Zero XSS & Strict Escaping

All user-generated messages and transaction payloads are rendered strictly as plain text nodes, completely eliminating cross-site scripting vulnerabilities.

Why Sendly Accelerates the BOT Blockchain

Unlocking the viral "Red Envelope" growth loop for user acquisition, community engagement, and gas velocity.

🚀 The Viral Web3 Onboarding Engine

In Web2, WeChat's digital red packet feature onboarded 100+ million users to digital payments within a single Chinese New Year. Sendly brings this exact viral growth flywheel to the BOT ecosystem natively, allowing users to invite their friends by sending them real BOT value.

🎉 Community Drops & Event Airdrops

Community leads, influencers, and DAOs can distribute native BOT packets in live Telegram groups, Discord stages, podcasts, or in-person conferences with verifiable fair distribution and zero bot front-running.

📈 Organic Gas Velocity & Active Wallets

Every packet creates an on-chain cascade: one creation transaction, multiple claim transactions across distinct wallets, and potential reclaim transactions, directly driving network transactions and active address metrics.

🌐 Native Non-Custodial Standard

Sendly establishes a high security standard on BOT Chain: zero custodial intermediaries, pure OpenZeppelin cryptographic verification, and complete sender custody over unclaimed funds.

Strategic Milestones & Expansion Roadmap

From testnet proof-of-concept to the universal link-gifting layer for the BOT ecosystem.

✅ Phase 1: Testnet Launch

Status: Completed (Q4 2026)

- Solidity 0.8.24 + OZ 5.x contract
- 21-test Foundry suite (unit, fuzz, invariant)
- Broadcasted BOT Testnet deployment
- BohrScan explorer verification
- Responsive Vite + React 18 + viem frontend
- Client-side EIP-191 signing architecture

🚀 Phase 2: Mainnet & Social

Timeline: Q1 2027

- BOT Mainnet deployment
- Telegram Mini App & bot integration
- Printable physical QR code envelopes
- ENS / .bot domain name resolution
- Push notifications for claimed packets
- Subgraph indexing for analytics

⚡ Phase 3: Developer SDK

Timeline: Q2 2027

- Sendly Developer SDK & widget embeds
- ERC-20 token support (stablecoins & tokens)
- Password-protected & geo-fenced links
- ERC-4337 Account Abstraction paymaster
- Cross-chain link claiming bridges



SENDLY

"Send BOT with a link."

The simplest, safest, and most viral way to onboard anyone to the BOT blockchain.
Explore the live testnet deployment and test it today!

Contract: **0x12cD411ff4a5E07A661973FeFCBCe215B79acb4C**

Explorer: **https://scan.bohr.life/address/0x12cD411ff4a5E07A661973FeFCBCe215B79acb4C**

Local Dev Server: **http://localhost:5175**