Assignment-1

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-1</title>
</head>
<body>
    <h2><u>Bootstrap 5 Containers:</u></h2>
    <div class="container-fluid bg-dark text-white py-3">
        <h2>Responsive containor</h2>
        <div class="container bg-primary text-center">
            <h3>My First Bootstrap Page</h3>
            <h6>This part is inside a .container class</h6>
            <p>The .container class provides a responsive fixed width container</p>
            <p>Resize the browser window to see that the container width will change at different breakpoint</p>
        </div>
        <h2>Fluid containers</h2>
        <div class="container-fluid bg-success text-center">
            <h2>My First Bootstrap Page</h2>
            <p>This part is inside a .container-fluid class.</p>
            <p>The .container-fluid class provides a full width container, spanning the entire width of the viewport.</p>
        </div>
    </div>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4" crossorigin="anonymous"></script>
</body>
</html>
```

Output

Assignment-2

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-2</title>
</head>
<body>
    <h2><u>Container Border and Color:</u></h2>
    <div class="container border border-light bg-light mb-3 p-4">
        <h4>My First Bootstrap Page</h4>
        <p>This container has a border and some extra padding and margin</p>
    </div>
    <div class="container border border-dark bg-dark mb-2 p-4 text-white">
        <h4>My First Bootstrap Page</h4>
        <p>This container has a dark baground color and a white text, and some extra
padding and margin</p>
    </div>
    <div class="container border border-primary bg-primary mb-2 p-4 text-white">
        <h4>My First Bootstrap Page</h4>
        <p>This container has a blue baground color and a white text, and some extra
padding and margin</p>
    </div>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Output

Assignment-3

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-3</title>
    <style>
        body{
            margin: 2%;
        }
        p{
            font-size: 30px;
            text-align: center;
            font-weight: 600;
        }
    </style>
</head>
<body>
    <h2><u>Grid:</u></h2>
    <p>Grid system</p>
    <div class="container text-start mb-3">
        <div class="row">
            <div class="col bg-primary py-3">
                Column-1
            </div>
            <div class="col bg-success py-3">
                Column-2
            </div>
            <div class="col bg-warning py-3">
                Column-3
            </div>
        </div>
    </div>
    <div class="container text-start border border-4 border-dark rounded-3 text-center
text-white px-4 py-3">
        <div class="row my-2 bg-primary">
            <div class="col py-3">
                Column-1
            </div>
            <div class="col py-3">
                Column-2
            </div>
            <div class="col py-3">
                Column-3
            </div>
        </div>
        <div class="row my-2 bg-success">
            <div class="col py-3">
```

```html
            Column-1
        </div>
        <div class="col py-3">
            Column-2
        </div>
        <div class="col py-3">
            Column-3
        </div>
    </div>
    <div class="row my-2 bg-warning">
        <div class="col py-3">
            Column-1
        </div>
        <div class="col py-3">
            Column-2
        </div>
        <div class="col py-3">
            Column-3
        </div>
    </div>
</div>
<div class="container text-start border border-4 border-dark rounded-3 text-center
text-white px-4 py-3 mt-2">
    <div class="row my-2 bg-danger">
        <div class="col py-3">
            Column-1
        </div>
        <div class="col py-3">
            Column-2
        </div>
        <div class="col py-3">
            Column-3
        </div>
        <div class="col py-3">
            Column-4
        </div>
        <div class="col py-3">
            Column-5
        </div>
    </div>
    <div class="row my-2 bg-info">
        <div class="col py-3">
            Column-1
        </div>
        <div class="col py-3">
            Column-2
        </div>
        <div class="col py-3">
            Column-3
        </div>
    </div>
    <div class="row my-2 bg-success">
        <div class="col py-3">
            Column-1
        </div>
        <div class="col py-3">
            Column-2
```

```
            </div>
        </div>
    </div>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Output

Assignment-4

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-4</title>
</head>
<body>
    <div class="m-4">
        <h3><u>Bootstrap Heading:</u></h3>
        <div class="px-4">
            <h1><u>Headings</u></h1>
            <p class="h1">Bootstrap Heading -1</p>
            <p class="h2">Bootstrap Heading -2</p>
            <p class="h3">Bootstrap Heading -3</h2>
            <p class="h4">Bootstrap Heading -4</h3>
            <p class="h5">Bootstrap Heading -5</h4>
            <p class="h6">Bootstrap Heading -6</h5>
        </div>
    </div>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Output

Assignment-5

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-5</title>
</head>
<body class="m-3">
    <h2><u>Bootstrap color:</u></h2>
    <div class="pt-3">
        <h3>Bootstrap Colors</h3>
        <div class="container mb-5">
            <h3>Background Color</h3>
            <div class="mb-2 bg-primary">This text is important.</div>
            <div class="mb-2 bg-success">This text indicates success.</div>
            <div class="mb-2 bg-info">This text represents some information.</div>
            <div class="mb-2 bg-warning">This text represents a warning.</div>
            <div class="mb-2 bg-danger">This text represents danger.</div>
            <div class="mb-2 bg-secondary">Secondary background color.</div>
            <div class="mb-2 bg-dark text-white">Dark grey background color.</div>
            <div class="mb-2 bg-light">Light grey background color.</div>
        </div>
        <div class="container-fluid bg-info">
            <h2>Text Color</h2>
            <p class="text-primary">.text-primary</p>
            <p class="text-secondary">.text-secondary</p>
            <p class="text-success">.text-success</p>
            <p class="text-danger">.text-danger</p>
            <p class="text-warning bg-dark">.text-warning</p>
            <p class="text-info bg-dark">.text-info</p>
            <p class="text-light bg-dark">.text-light</p>
            <p class="text-dark">.text-dark</p>
            <p class="text-body">.text-body</p>
            <p class="text-muted">.text-muted</p>
            <p class="text-white bg-dark">.text-white</p>
            <p class="text-black-50">.text-black-50</p>
            <p class="text-white-50 bg-dark">.text-white-50</p>
        </div>
    </div>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Bootstrap color:

Assignment-6

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-6</title>
</head>
<body>
    <h2 class="m-3"><b><u>Bootstrap Images:</u></b></h2>
    <div class="container text-center">
        <h2>Bootstrap 5 Images</h2>
        <div class="container bg-secondary d-flex justify-content-between mb-5">
            <div class="px-5">
                <h4>Rounded Corners</h4>
                <img src="../img/1.jpeg" class="rounded-3" alt="football">
            </div>
            <div class="px-5">
```

```
                    <h4>Circle</h4>
                    <img src="../img/2.jpeg" class="rounded-circle" alt="football">
                </div>
                <div class="px-5">
                    <h4>Thumbnail</h4>
                    <img src="../img/4.jpeg" class="img-thumbnail" alt="football">
                </div>
            </div>
            <div class="container">
                <h2>Aligning Images</h2>
                <img src="../img/3.jpeg" class="float-start" alt="football">
                <img src="../img/3.jpeg" class="float-end" alt="football">
            </div>
            <div class="d-flex container-fluid mb-4">
                <div class="mx-auto">
                    <h4>Centered Image</h4>
                    <img src="../img/3.jpeg" alt="football">
                </div>
            </div>
            <div class="container-fluid">
                <h4>Responsive Image</h4>
                <img src="../img/6.jpeg" class="img-fluid" alt="football">
            </div>
        </div>
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Output

Bootstrap Images:

Assignment-7

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-7</title>
</head>
<body class="p-4">
    <h3>Bootstrap Alerts:</h3>
    <div class="container-fluid  m-6">
        <div class="alert alert-success" role="alert">
            <b>Sucess!</b> Used to indicate successfule or Positive action.
        </div>
        <div class="alert alert-info " role="alert">
            <b>Info!</b> Usec to indicate informative change or action.
        </div>
        <div class="alert alert-warning" role="alert">
            <b>Warning!</b> Used to indicate a warning that might need attention.
        </div>
        <div class="alert alert-danger" role="alert">
            <b>Danger!</b> Used to indicate a dangerous potentially negative action.
        </div>
        <div class="alert alert-primary" role="alert">
            <b>Primary!</b> Used to indicate an important action.
        </div>
        <div class="alert alert-secondary" role="alert">
            <b>Secondary!</b> Used to indicate a slightly less important action.
        </div>
        <div class="alert alert-dark" role="alert">
            <b>Dark!</b> Dark grey alert.
        </div>
        <div class="alert alert-light" role="alert">
            <b>Light!</b> Light grey alert.
        </div>
    </div>
    <h3>Bootstrap Alert Links</h3>
    <div class="container-fluid m-6">
        <div class="alert alert-success" role="alert">
            <b>Success!</b> You should <a href="#" class="alert-link">read this
message</a>.
        </div>
        <div class="alert alert-info" role="alert">
            <b>Info!</b> You should <a href="#" class="alert-link">read this message</a>.
        </div>
        <div class="alert alert-warning" role="alert">
            <b>Warning!</b> You should <a href="#" class="alert-link">read this
message</a>.
        </div>
```

```html
        <div class="alert alert-danger" role="alert">
            <b>Danger!</b> You should <a href="#" class="alert-link">read this
message</a>.
        </div>
        <div class="alert alert-primary" role="alert">
            <b>Primary!</b> You should <a href="#" class="alert-link">read this
message</a>.
        </div>
        <div class="alert alert-secondary" role="alert">
            <b>Secondary!</b> You should <a href="#" class="alert-link">read this
message</a>.
        </div>
        <div class="alert alert-dark role="alert">
            <b>Dark!</b> You should <a href="#" class="alert-link">read this message</a>.
        </div>
        <div class="alert alert-light" role="alert">
            <b>Light!</b> You should <a href="#" class="alert-link">read this message</a>.
        </div>
    </div>
    <h3>Alert Dismissing</h3>
    <div class="container-fluid m-6">
        <div class="alert alert-success alert-dismissible fade show" role="alert">
            <strong>Success!</strong> This alerte box could indicate a successful or
positive action.
            <button type="button" class="btn-close" data-bs-dismiss="alert" aria-
label="Close"></button>
        </div>
        <div class="alert alert-info alert-dismissible fade show" role="alert">
            <strong>Info!</strong> This alerte box could indicate a neutral informative
change or action.
            <button type="button" class="btn-close" data-bs-dismiss="alert" aria-
label="Close"></button>
        </div>
        <div class="alert alert-warning alert-dismissible fade show" role="alert">
            <strong>Warning!</strong> This alerte box could indicate a warning that might
need attention.
            <button type="button" class="btn-close" data-bs-dismiss="alert" aria-
label="Close"></button>
        </div>
    </div>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Bootstrap Alerts:

Sucess! Used to indicate successfule or Positive action.

Info! Usec to indicate informative change or action.

Warning! Used to indicate a warning that might need attention.

Danger! Used to indicate a dangerous potentially negative action.

Primary! Used to indicate an important action.

Secondary! Used to indicate a slightly less important action.

Dark! Dark grey alert.

Light! Light grey alert.

Bootstrap Alert Links

Success! You should **read this message**.

Info! You should **read this message**.

Warning! You should **read this message**.

Danger! You should **read this message**.

Primary! You should **read this message**.

Secondary! You should **read this message**.

Dark! You should **read this message**.

Light! You should **read this message**.

Alert Dismissing

Success! This alerte box could indicate a successful or positive action. ✕

Info! This alerte box could indicate a neutral informative change or action. ✕

Warning! This alerte box could indicate a warning that might need attention. ✕

Assignment-8

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-8</title>
</head>
<body>
    <div class="container- m-4">
        <h3 class="mb-5"><u>Bootstrap Buttons:</u></h3>
        <hr>
        <div class="container-fluid m-3">
            <h4>Bootstrap Buttons</h4>
            <h6><u>Button Styles</u></h6>
            <button type="button" class="border border-0 bg-light py-3">Basic</button>
            <button type="button" class="btn btn-primary">Primary</button>
            <button type="button" class="btn btn-secondary">Secondary</button>
            <button type="button" class="btn btn-info">Info</button>
            <button type="button" class="btn btn-warning">Warning</button>
            <button type="button" class="btn btn-success">Success</button>
            <button type="button" class="btn btn-danger">Danger</button>
            <button type="button" class="btn btn-dark">Dark</button>
            <button type="button" class="btn btn-light">Light</button>
            <button type="button" class="btn btn-link">Link</button>
        </div>
        <hr>
        <div class="container-fluid m-3">
            <h4>Button Element</h4>
            <a class="btn btn-success" href="#" role="Link Button">Link</a>
            <button class="btn btn-success" type="submit">Button</button>
            <input class="btn btn-success" type="button" value="Input Button">
            <input class="btn btn-success" type="submit" value="Submit Button">
            <input class="btn btn-success" type="reset" value="Reset Button">
        </div>
        <hr>
        <div class="container-fluid m-3">
            <h4>Button Outline</h4>
            <button type="button" class="btn btn-outline-primary">Primary</button>
            <button type="button" class="btn btn-outline-secondary">Secondary</button>
            <button type="button" class="btn btn-outline-danger">Danger</button>
            <button type="button" class="btn btn-outline-warning">Warning</button>
            <button type="button" class="btn btn-outline-info">Info</button>
            <button type="button" class="btn btn-outline-success">Success</button>
            <button type="button" class="btn btn-outline-dark">Dark</button>
        </div>
        <hr>
        <div class="container-fluid m-3">
            <h4>Button Sizes</h4>
```

```html
                <button type="button" class="btn btn-primary btn-lg">Large</button>
                <button type="button" class="btn btn-primary">Default</button>
                <button type="button" class="btn btn-primary btn-sm">small</button>
            </div>
            <hr>
            <div class="container-fluid m3 d-grid">
                <h4>Block Level Button</h4>
                <button class="btn btn-primary" type="button">Full-width-Button</button>
            </div>
            <hr>
            <div class="container-fluid m-3 d-grid gap-2">
                <h4>Block Level Buttons with Gap</h4>
                <button class="btn btn-primary" type="button">Full-width-Button</button>
                <button class="btn btn-primary" type="button">Full-width-Button</button>
                <button class="btn btn-primary" type="button">Full-width-Button</button>
            </div>
            <hr>
            <div class="container-fluid m-3">
                <h4>Active/Disabled Buttons</h4>
                <button type="button" class="btn btn-primary active" data-bs-toggle="button"
aria-pressed="true">Active</button>
                <button type="button" class="btn btn-primary" disabled data-bs-
toggle="button">Disabled</button>
            </div>
            <hr>
            <div class="container-fluid m-3">
                <h4>Spinner Buttons</h4>
                <button class="btn btn-success" type="button" disabled>
                    <span class="spinner-border spinner-border-sm" role="status" aria-
hidden="true"></span>
                    <span class="visually-hidden">Loading...</span>
                </button>
                <button class="btn btn-warning" type="button" disabled>
                    <span class="spinner-border spinner-border-sm" role="status" aria-
hidden="true"></span>
                    Loading...
                </button>
                <button class="btn btn-success" type="button" disabled>
                    <span class="spinner-grow spinner-grow-sm" role="status" aria-
hidden="true"></span>
                    <span class="visually-hidden">Loading...</span>
                </button>
                <button class="btn btn-warning" type="button" disabled>
                    <span class="spinner-grow spinner-grow-sm" role="status" aria-
hidden="true"></span>
                    Loading...
                </button>
            </div>
        </div>
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Bootstrap Buttons:

Assignment-9

Code

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-9</title>
</head>
<body>
    <div class="container-fluid m-4">
        <h3 class="mb-5"><u>Bootstrap Buttons Groups:</u></h3>
        <h5 class="text-center">Bootstrap Button Groups</h5>
        <hr>
        <div class="container-fluid m-3">
            <h4>Button Grouns</h4>
```

```html
        <div class="btn-group">
            <button type="button" class="btn btn-info">Back</button>
            <button type="button" class="btn btn-info">Submit</button>
            <button type="button" class="btn btn-info">Next</button>
        </div>
    </div>
    <hr>
    <div class="container-fluid m-3">
        <h4>Large Buttons:</h4>
        <div class="btn-group btn-group-lg">
            <button type="button" class="btn btn-success">Back</button>
            <button type="button" class="btn btn-success">Submit</button>
            <button type="button" class="btn btn-success">Next</button>
        </div>
        <h4>Default Buttons:</h4>
        <div class="btn-group">
            <button type="button" class="btn btn-success">Back</button>
            <button type="button" class="btn btn-success">Submit</button>
            <button type="button" class="btn btn-success">Next</button>
        </div>
        <h4>Small Buttons:</h4>
        <div class="btn-group btn-group-sm">
            <button type="button" class="btn btn-success">Back</button>
            <button type="button" class="btn btn-success">Submit</button>
            <button type="button" class="btn btn-success">Next</button>
        </div>
    </div>
    <hr>
    <div class="container-fluid m-3">
        <h4>Vertical Button Groups</h4>
        <div class="btn-group-vertical">
            <button type="button" class="btn btn-success">Back</button>
            <button type="button" class="btn btn-success">Submit</button>
            <button type="button" class="btn btn-success">Next</button>
        </div>
    </div>
    <hr>
    <div class="container-fluid m-3">
        <h4>Button Group Side by Side</h4>
        <div class="btn-toolbar" role="toolbar" aria-label="Toolbar with button
groups">
            <div class="btn-group me-2">
                <button type="button" class="btn btn-success">Back</button>
                <button type="button" class="btn btn-success">Submit</button>
                <button type="button" class="btn btn-success">Next</button>
            </div>
            <div class="btn-group">
                <button type="button" class="btn btn-warning">Back</button>
                <button type="button" class="btn btn-warning">Submit</button>
                <button type="button" class="btn btn-warning">Next</button>
            </div>
        </div>
    </div>
    <hr>
    <div class="container-fluid m-3">
        <h4>Nesting Button Groups & Dropdown Menus</h4>
        <div class="btn-group">
```

```html
                <button type="button" class="btn btn-primary">1</button>
                <button type="button" class="btn btn-primary">2</button>
                <div class="btn-group">
                    <button type="button" class="btn btn-primary dropdown-toggle" data-bs-
toggle="dropdown" aria-expanded="false">3</button>
                    <ul class="dropdown-menu">
                        <li><a class="dropdown-item" href="#">4</a></li>
                        <li><a class="dropdown-item" href="#">5</a></li>
                    </ul>
                </div>
            </div>
        </div>
    </div>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Output

Assignment-10

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
```

```html
        <title>Bootstrap | Assignment-10</title>
</head>
<body>
    <div class="container- m-4">
        <h3 class="mb-4"><u>Bootstrap Badges:</u></h3>
        <h4 class="text-center">Bootstrap Badges</h4>
        <hr>
        <div class="container-fluid m-3">
            <h3>Badges</h3>
            <h5>Bootstrap <span class="badge bg-primary">Badge</span></h5>
        </div>
        <hr>
        <div class="container-fluid m-3">
            <h3>Buttons</h3>
            <button type="button" class="btn btn-primary">
                Whatapps <span class="badge text-bg-secondary">10</span>
            </button>
        </div>
        <hr>
        <div class="container-fluid m-3">
            <h3>Positioned</h3>
            <button type="button" class="btn btn-primary position-relative">
                Inbox <span class="position-absolute top-0 start-100 translate-middle
badge rounded-pill bg-danger">20+</span>
            </button>
        </div>
    </div>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Output

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-11</title>
</head>
<body>
    <div class="container-fluid m-5">
        <h2 class="mb-5"><u>Bootstrap Progress Bars:</u></h2>
        <h5 class="text-center">Bootstrap Progress Bars</h5>
        <hr>
        <div class="container m-3">
            <h4>Basic Progress Bar</h4>
            <div class="progress">
                <div class="progress-bar w-100" role="progressbar" aria-label="Basic example" aria-valuenow="75" aria-valuemin="0" aria-valuemax="100"></div>
            </div>
        </div>
        <hr>
        <div class="container m-3">
            <h4>Progress Bar Label</h4>
            <div class="progress">
                <div class="progress-bar" role="progressbar" aria-label="Example with label" style="width: 75%;" aria-valuenow="75" aria-valuemin="0" aria-valuemax="100">75%</div>
            </div>
        </div>
        <hr>
        <div class="container m-3">
            <h4>Colered Progress Bars</h4>
            <div class="progress">
                <div class="progress-bar bg-warning" role="progressbar" aria-label="Example with label" style="width: 50%;" aria-valuenow="50" aria-valuemin="0" aria-valuemax="100">50%</div>
            </div>
        </div>
        <hr>
        <div class="container m-3">
            <h4>Striped Progress Bars</h4>
            <div class="progress">
                <div class="progress-bar progress-bar-striped" role="progressbar" aria-label="Default striped example" style="width: 40%" aria-valuenow="40" aria-valuemin="0" aria-valuemax="100">40%</div>
            </div>
        </div>
        <hr>
        <div class="container m-3">
```

```html
        <h4>Animated Progress Bars</h4>
        <div class="progress">
            <div class="progress-bar progress-bar-striped progress-bar-animated bg-danger" role="progressbar" aria-label="Animated striped example" aria-valuenow="55" aria-valuemin="0" aria-valuemax="100" style="width: 55%">55%</div>
        </div>
        <h4>Multiple bars</h4>
        <div class="progress">
            <div class="progress-bar" role="progressbar" aria-label="Segment one" style="width: 20%" aria-valuenow="20" aria-valuemin="0" aria-valuemax="100">20%</div>
            <div class="progress-bar progress-bar-striped bg-success" role="progressbar" aria-label="Segment two" style="width: 30%" aria-valuenow="30" aria-valuemin="0" aria-valuemax="100">30%</div>
            <div class="progress-bar progress-bar-striped progress-bar-animated bg-warning" role="progressbar" aria-label="Segment three" style="width: 40%" aria-valuenow="40" aria-valuemin="0" aria-valuemax="100">40%</div>
        </div>
    </div>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4" crossorigin="anonymous"></script>
</body>
</html>
```

Output

Bootstrap Progress Bars:

Assignment-12

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
```

```html
        <link rel="icon" href="../../../img/icon.png">
        <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
        <title>Bootstrap | Assignment-12</title>
</head>
<body>
    <div class="container-fluid m-4">
        <h3 class="mb-5"><u>Bootstrap Spinner:</u></h3>
        <hr>
        <h5 class="text-center">Bootstrap Spinner</h5>
        <hr>
        <div class="container m-3">
            <h4>Border Spinner</h4>
            <div class="spinner-border" role="status">
                <span class="visually-hidden">Loading...</span>
            </div>
        </div>
        <hr>
        <div class="container m-3">
            <h4>Colors Spinner</h4>
            <div class="spinner-border text-primary" role="status">
                <span class="visually-hidden">Loading...</span>
            </div>
            <div class="spinner-border text-danger" role="status">
                <span class="visually-hidden">Loading...</span>
            </div>
            <div class="spinner-border text-warning" role="status">
                <span class="visually-hidden">Loading...</span>
            </div>
            <div class="spinner-border text-dark" role="status">
                <span class="visually-hidden">Loading...</span>
            </div>
        </div>
        <hr>
        <div class="container m-3">
            <h4>Growing Spinner</h4>
            <div class="spinner-grow" role="status">
                <span class="visually-hidden">Loading...</span>
            </div>
        </div>
        <hr>
        <div class="container m-3">
            <h4>Growing color Spinner</h4>
            <div class="spinner-grow text-secondary" role="status">
                <span class="visually-hidden">Loading...</span>
            </div>
            <div class="spinner-grow text-info" role="status">
                <span class="visually-hidden">Loading...</span>
            </div>
            <div class="spinner-grow text-primary" role="status">
                <span class="visually-hidden">Loading...</span>
            </div>
            <div class="spinner-grow text-success" role="status">
                <span class="visually-hidden">Loading...</span>
            </div>
        </div>
```

```html
            <hr>
            <div class="container m-3">
                <h4>Alignment Spinner</h4>
                <div class="spinner-grow mx-5" role="status">
                    <span class="visually-hidden">Loading...</span>
                </div>
            </div>
            <hr>
            <div class="container m-3">
                <h4>Size Spinner</h4>
                <div class="spinner-border spinner-border-sm" role="status">
                    <span class="visually-hidden">Loading...</span>
                </div>
                <div class="spinner-grow spinner-grow-sm" role="status">
                    <span class="visually-hidden">Loading...</span>
                </div>
                <div class="spinner-border" style="width: 3rem; height: 3rem;" role="status">
                    <span class="visually-hidden">Loading...</span>
                </div>
                <div class="spinner-grow" style="width: 3rem; height: 3rem;" role="status">
                    <span class="visually-hidden">Loading...</span>
                </div>
            </div>
        </div>
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Output

Bootstrap Spinner:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-13</title>
</head>
<body>
    <div class="container-fluid m-4">
        <h2 class="mb-5"><u>Bootstrap Pagination:</u></h2>
        <hr>
        <h4 class="text-center">Bootstrap Pagination</h4>
        <hr>
        <div class="container m-3">
            <h4>Basic Pagination</h4>
            <nav aria-label="Page navigation example">
                <ul class="pagination">
                    <li class="page-item"><a class="page-link" href="#">Previous</a></li>
                    <li class="page-item"><a class="page-link" href="#">1</a></li>
                    <li class="page-item"><a class="page-link" href="#">2</a></li>
                    <li class="page-item"><a class="page-link" href="#">3</a></li>
                    <li class="page-item"><a class="page-link" href="#">Next</a></li>
                </ul>
            </nav>
        </div>
        <hr>
        <div class="container m-3">
            <h4>Disabled and active states</h4>
            <nav aria-label="...">
                <ul class="pagination">
                    <li class="page-item disabled">
                        <a class="page-link">Previous</a>
                    </li>
                    <li class="page-item"><a class="page-link" href="#">1</a></li>
                    <li class="page-item active" aria-current="page">
                        <a class="page-link" href="#">2</a>
                    </li>
                    <li class="page-item"><a class="page-link" href="#">3</a></li>
                    <li class="page-item">
                        <a class="page-link" href="#">Next</a>
                    </li>
                </ul>
            </nav>
        </div>
        <hr>
        <div class="container m-3">
            <h4>Pagination Sizing</h4>
            <nav aria-label="...">
```

```html
                    <ul class="pagination pagination-lg">
                        <li class="page-item disabled">
                            <a class="page-link">Previous</a>
                        </li>
                        <li class="page-item"><a class="page-link" href="#">1</a></li>
                        <li class="page-item active" aria-current="page">
                            <a class="page-link" href="#">2</a>
                        </li>
                        <li class="page-item"><a class="page-link" href="#">3</a></li>
                        <li class="page-item">
                            <a class="page-link" href="#">Next</a>
                        </li>
                    </ul>
                </nav>
                <nav aria-label="...">
                    <ul class="pagination pagination-sm">
                        <li class="page-item disabled">
                            <a class="page-link">Previous</a>
                        </li>
                        <li class="page-item"><a class="page-link" href="#">1</a></li>
                        <li class="page-item active" aria-current="page">
                            <a class="page-link" href="#">2</a>
                        </li>
                        <li class="page-item"><a class="page-link" href="#">3</a></li>
                        <li class="page-item">
                            <a class="page-link" href="#">Next</a>
                        </li>
                    </ul>
                </nav>
            </div>
        </div>
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Assignment-14

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-14</title>
</head>
<body>
    <div class="container-fluid m-4">
        <h2 class="mb-5"><u>Bootstrap List Group:</u></h2>
        <hr>
        <h4 class="text-center">Bootstrap List Groups</h4>
        <hr>
        <div class="container m-3">
            <h4>Basic List Groups</h4>
            <ul class="list-group">
                <li class="list-group-item">To Do List</li>
                <li class="list-group-item">Study</li>
                <li class="list-group-item">Pay Bills</li>
```

```html
            <li class="list-group-item">call mom</li>
            <li class="list-group-item">Drop an email</li>
        </ul>
    </div>
    <hr>
    <div class="container m-3">
        <h4>Active State</h4>
        <ul class="list-group">
            <li class="list-group-item active" aria-current="true">Home</li>
            <li class="list-group-item">Picture</li>
            <li class="list-group-item">Music</li>
            <li class="list-group-item">Video</li>
        </ul>
    </div>
    <hr>
    <div class="container m-3">
        <h4>Numbered</h4>
        <ol class="list-group list-group-numbered">
            <li class="list-group-item d-flex justify-content-between align-items-start bg-primary">
                <div class="ms-2 me-auto">
                    <div class="fw-bold">Open Tickets</div>
                </div>
                <span class="badge bg-primary rounded-pill bg-danger">20</span>
            </li>
            <li class="list-group-item d-flex justify-content-between align-items-start bg-danger">
                <div class="ms-2 me-auto">
                    <div class="fw-bold">close Tickets</div>
                </div>
                <span class="badge bg-primary rounded-pill bg-warning">45</span>
            </li>
            <li class="list-group-item d-flex justify-content-between align-items-start bg-success">
                <div class="ms-2 me-auto">
                    <div class="fw-bold">Solved Tickets</div>
                </div>
                <span class="badge bg-primary rounded-pill bg-dark">14</span>
            </li>
        </ol>
    </div>
    <hr>
    <div class="container m-3">
        <h4>Checkboxes</h4>
        <ul class="list-group">
            <li class="list-group-item">
                <input class="form-check-input me-1" type="checkbox" value="" id="firstCheckbox">
                <label class="form-check-label" for="firstCheckbox">
                    First checkbox <br>
                    <small>with support text underneath to add more detail</small>
                </label>
            </li>
            <li class="list-group-item">
                <input class="form-check-input me-1" type="checkbox" value="" id="secondCheckbox">
                <label class="form-check-label" for="secondCheckbox">
```

```html
                    Second checkbox <br>
                    <small>some other text gose here</small>
                </label>
            </li>
            <li class="list-group-item">
                <input class="form-check-input me-1" type="checkbox" value="" id="thirdCheckbox">
                <label class="form-check-label" for="thirdCheckbox">
                    Third checkbox <br>
                    <small>And we end with another snippet of text</small>
                </label>
            </li>
        </ul>
    </div>
</div>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4" crossorigin="anonymous"></script>
</body>
</html>
```

Output

Bootstrap List Group:

Bootstrap List Groups

Basic List Groups

To Do List
Study
Pay Bills
call mom
Drop an email

Active State

Home
Picture
Music
Video

Numbered

1. **Open Tickets**	20
2. **close Tickets**	45
3. **Solved Tickets**	14

Checkboxes

☐ First checkbox with support text underneath to add more detail
☐ Second checkbox some other text gose here
☐ Third checkbox And we end with another snippet of text

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-15</title>
</head>
<body>
    <div class="container-fluid mt-4">
        <h2 class="mb-5"><u>Bootstrap Card:</u></h2>
        <nav class="navbar navbar-expand-lg bg-primary">
            <div class="container-fluid mx-5">
                <a class="navbar-brand text-white" href="#">
                    <img src="https://getbootstrap.com/docs/5.2/assets/brand/bootstrap-logo.svg" alt="Logo" width="30" height="24" class="d-inline-block align-text-top">
                    Bootstrap
                </a>
                <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarText" aria-controls="navbarText" aria-expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse" id="navbarNav">
                    <ul class="navbar-nav">
                        <li class="nav-item">
                            <a class="nav-link text-white" aria-current="page" href="#">Home</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link text-white" aria-current="page" href="#">About</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link text-white" aria-current="page" href="#">Courses</a>
                        </li>
                        <li class="nav-item dropdown">
                            <a class="nav-link dropdown-toggle text-white" href="#" role="button" data-bs-toggle="dropdown" aria-expanded="false">
                                Help
                            </a>
                            <ul class="dropdown-menu">
                                <li><a class="dropdown-item" href="#">Me</a></li>
                                <li><a class="dropdown-item" href="#">You</a></li>
                                <li><a class="dropdown-item" href="#">Us</a></li>
                            </ul>
                        </li>
                        <li class="nav-item">
```

```html
                            <a class="nav-link text-white" aria-current="page"
href="#">Blog</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link disabled text-white" aria-current="page"
href="#">Contact</a>
                        </li>
                    </ul>
                </div>
            </div>
        </nav>
        <div class="m-5">
            <h2>Learn Programming</h2>
            <p>Access the 4K ultra HD content absolute FREE on the justjun channel, Enroll
on the course and start you discussion today!</p>
            <div class="container row">
                <div class="card col m-2 p-0" style="width: 20rem">
                    <img src="../img/html.jpeg" alt="html" height="100%" width="100%"/>
                    <div class="card-body">
                        <h5 class="card-title">Learn HTML5</h5>
                        <p class="card-text">
                            Learn HTMl5 and build powerful interactive websites in
minutes. Enroll this course to learn everthing from scratch for free!
                        </p>
                        <a href="#" class="btn btn-primary">Enroll Now</a>
                    </div>
                    <div class="card-footer">
                        Last Updated on; August, 2020
                    </div>
                </div>
                <div class="card col m-2 p-0" style="width: 20rem">
                    <img src="../img/css.jpeg" alt="html" height="100%" width="100%"/>
                    <div class="card-body">
                        <h5 class="card-title">Learn CSS3</h5>
                        <p class="card-text">
                            Learn CSS and build powerful interactive websites in minutes.
Enroll this course to learn everthing from scratch for free!
                        </p>
                        <a href="#" class="btn btn-primary">Enroll Now</a>
                    </div>
                    <div class="card-footer">
                        Last Updated on; August, 2020
                    </div>
                </div>
                <div class="card col m-2 p-0" style="width: 20rem">
                    <img src="../img/js.jpeg" alt="html" height="100%" width="100%"/>
                    <div class="card-body">
                        <h5 class="card-title">Learn JavaScript</h5>
                        <p class="card-text">
                            Learn JavaScript and build powerful interactive websites in
minutes. Enroll this course to learn everthing from scratch for free!
                        </p>
                        <a href="#" class="btn btn-primary">Enroll Now</a>
                    </div>
                    <div class="card-footer">
                        Last Updated on; August, 2020
                    </div>
```

```
                    </div>
                </div>
            </div>
        </div>
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Output

Bootstrap Card:

Assignment-16

Code

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-16</title>
</head>
<body>
    <div class="container-fluid m-4 ">
        <h2 class="mb-5"><u>Bootstrap DropDown:</u></h2>
        <h4 class="text-center">Bootstrap Dropdowns</h4>
        <div class="container d-flex justify-content-evenly m-5">
            <div class="btn-group dropdown">
```

```html
                    <button type="button" class="btn btn-light btn-lg dropdown-toggle" data-
bs-toggle="dropdown" aria-expanded="false">
                        Document
                    </button>
                    <ul class="dropdown-menu">
                        <li><a class="dropdown-item" href="#">Photo</a></li>
                        <li><a class="dropdown-item" href="#">Movies</a></li>
                        <li><a class="dropdown-item" href="#">Music</a></li>
                        <li><a class="dropdown-item" href="#">Games</a></li>
                        <li><a class="dropdown-item p-0"><hr><a class="dropdown-item pl-2"
href="#">Trash</a></a></li>
                    </ul>
                </div>
                <div class="btn-group dropdown">
                    <button type="button" class="btn btn-dark btn-lg dropdown-toggle" data-bs-
toggle="dropdown" aria-expanded="false">
                        Document
                    </button>
                    <ul class="dropdown-menu">
                        <li><a class="dropdown-item" href="#">Photo</a></li>
                        <li><a class="dropdown-item" href="#">Movies</a></li>
                        <li><a class="dropdown-item" href="#">Music</a></li>
                        <li><a class="dropdown-item" href="#">Games</a></li>
                        <li><a class="dropdown-item p-0"><hr><a class="dropdown-item pl-2"
href="#">Trash</a></a></li>
                    </ul>
                </div>
            </div>
        </div>
        <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Output

Bootstrap DropDown:

Bootstrap Dropdowns

Document ▾   Document ▾

Photo

Movies

Music

Games

Trash

Activate Windows
Go to Settings to activate Windows.

Assignment-17

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-17</title>
</head>
<body>
    <div class="container-fluid m-4">
        <h2 class="mb-5"><u>Bootstrap Modal:</u></h2>
        <h4 class="text-center">Bootstrap Modal</h4>
        <div class="container d-flex justify-content-evenly mt-5">
            <button type="button" class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#staticBackdrop">
                Launch Bootstrap Modal
            </button>
            <div class="modal fade" id="staticBackdrop" data-bs-backdrop="static" data-bs-keyboard="false" tabindex="-1" aria-labelledby="staticBackdropLabel" aria-hidden="true">
                <div class="modal-dialog">
                    <div class="modal-content">
                        <div class="modal-header border-0">
```

```
                    <h1 class="modal-title fs-5" id="staticBackdropLabel">Modal
title</h1><button type="button" class="btn-close" data-bs-dismiss="modal" aria-
label="Close"></button>
                    </div>
                    <div class="modal-body">
                        This is a modal sheet, a variation of the modal that docs
itself to the bottom of the viewport like the mewer share sheets in iOS
                    </div>
                    <div class="d-grid m-2 gap-2">
                        <button type="button" class="btn btn-primary">Save
changes</button>
                        <button type="button" class="btn btn-light text-dark" data-bs-
dismiss="modal">Close</button>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Output

Assignment-18

Code

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="author" content="Rahul Hosakoti">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="icon" href="../../../img/icon.png">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
rbsA2VBKQhggwzxH7pPCaAqO46MgnOM80zW1RWuH61DGLwZJEdK2Kadq2F9CUG65" crossorigin="anonymous">
    <title>Bootstrap | Assignment-11</title>
</head>
<body>
    <div class="container m-5">
        <h2 class="mb-4"><u>Bootstrap Navbar:</u></h2>
        <hr>
        <h4 class="text-center">Bootstrap Navbar</h4>
        <hr>
        <nav class="navbar navbar-expand-lg bg-success">
            <div class="container-fluid">
                <a class="navbar-brand text-white" href="#">
                    ISM UNIV
                </a>
                <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarText" aria-controls="navbarText" aria-expanded="false" aria-
label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse" id="navbarNav">
                    <ul class="navbar-nav">
                        <li class="nav-item">
                            <a class="nav-link text-white active" aria-current="page"
href="#">Home</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link text-light" aria-current="page"
href="#">Link</a>
                        </li>
                        <li class="nav-item">
                            <a class="nav-link text-light disabled" aria-current="page"
href="#">Disbled</a>
                        </li>
                        <li class="nav-item dropdown">
                            <a class="nav-link dropdown-toggle text-light" href="#"
role="button" data-bs-toggle="dropdown" aria-expanded="false">
                                Dropdown
                            </a>
                            <ul class="dropdown-menu">
                                <li><a class="dropdown-item" href="#">Web</a></li>
                                <li><a class="dropdown-item" href="#">Python</a></li>
                                <li><a class="dropdown-item" href="#">IOT</a></li>
                            </ul>
                        </li>
```

```html
                </ul>
            </div>
            <form class="d-flex" role="search">
                <input class="form-control me-2" type="search" placeholder="Search"
aria-label="Search">
            </form>
        </div>
    </nav>
    <nav class="navbar navbar-expand-lg mx-5">
        <div class="container">
            <a class="navbar-brand" href="#">
                ISM UNIV
            </a>
            <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarText" aria-controls="navbarText" aria-expanded="false" aria-
label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
                <ul class="navbar-nav">
                    <li class="nav-item">
                        <a class="nav-link active" aria-current="page"
href="#">Home</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" aria-current="page" href="#">Link</a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link disabled" aria-current="page"
href="#">Disbled</a>
                    </li>
                    <li class="nav-item dropdown">
                        <a class="nav-link dropdown-toggle" href="#" role="button"
data-bs-toggle="dropdown" aria-expanded="false">
                            Dropdown
                        </a>
                        <ul class="dropdown-menu">
                            <li><a class="dropdown-item" href="#">Web</a></li>
                            <li><a class="dropdown-item" href="#">Python</a></li>
                            <li><a class="dropdown-item" href="#">IOT</a></li>
                        </ul>
                    </li>
                </ul>
            </div>
            <form class="d-flex" role="search">
                <input class="form-control me-2" type="search" placeholder="Search"
aria-label="Search">
            </form>
        </div>
    </nav>
    </div>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-kenU1KFdBIe4zVF0s0G1M5b4hcpxyD9F7jL+jjXkk+Q2h455rYXK/7HAuoJl+0I4"
crossorigin="anonymous"></script>
</body>
</html>
```

Output

Bootstrap Navbar:

Bootstrap Navbar

ISM UNIV   Home   Link   Disbled   Dropdown ▼   Search

ISM UNIV   Home   Link   Disbled   Dropdown ▼   Search

Activate Windows
Go to Settings to activate Windows.