



Version March 20, 2026

SourceKit User Guide

Evidence-based technical talent discovery

URL

`getsourcekit.vercel.app`

Version date

March 20, 2026

Scenario

ML Engineer at Anthropic +
Websets workflow

Provider stack



What You Need Before You Start

Browser

- Use Google Chrome for consistent login and capture behavior.

Account access

- Use an approved SourceKit account with search permissions.
- Ensure search quota and external provider keys are active.

Have these details ready

- Role context: `ML Engineer` + target company `Anthropic`.
- Target-company shortlist (for example: Anthropic, OpenAI, DeepMind, Stripe, Datadog).
- Target-repository signals (for example: PyTorch, vLLM, Ray, model serving, distributed training).
- Webset criteria text for reusable recurring sourcing workflows.

Step 1: Open SourceKit and sign in

Do this: Go to `getsourcekit.vercel.app` and authenticate with your approved Google account.

You should see: You should see the SourceKit login screen and then your recruiter workspace after sign-in.

TARGET


SourceKit sign-in screen in Chrome.

AREA TO FRAME

Branding, auth form, and primary sign-in call to action.

OUTPUT PATH

`../output/guide-screenshots/user-guide/step-01-sign-in.png`



Live application screenshot.

Tip

Use the same work account every time so your saved searches and settings persist.

Step 2: Open New Search workspace

Do this: Select `New Search` to start from role and company context before running discovery.

You should see: You should see the Research & Strategy screen with role input fields and quick templates.

TARGET


Recruiter dashboard after opening New Search.

AREA TO FRAME

Left navigation, role inputs, and quick-template area.

OUTPUT PATH

`../output/guide-screenshots/user-guide/step-02-new-search.png`



Live application screenshot.

Tip

Role-first setup is the fastest path for specialized technical hiring.

Step 3: Set role and company

Do this: Choose the Anthropic quick template to prefill role and company details.

You should see: You should see `Staff ML Engineer` and `Anthropic` in the Role + Company fields.

TARGET


Research & Strategy form with Anthropic quick template applied.

AREA TO FRAME

Prefilled role and company fields with surrounding context.

OUTPUT PATH

`../output/guide-screenshots/user-guide/step-03-role-company.png`



Live application screenshot.

Tip

Edit both fields if needed before strategy generation starts.

Step 4: Build sourcing strategy

Do this: Click `Build Sourcing Strategy` to generate targeting guidance from your role context.

You should see: You should see strategy progress items such as target repositories and competitor mapping.

TARGET


Research & Strategy screen during strategy generation.

AREA TO FRAME

Progress module and generated targeting signals.

OUTPUT PATH

```
../output/guide-screenshots/user-guide/step-04-build-strategy.png
```



Live application screenshot.

Best practice

Use this output to seed target companies, repo names, and skills in your search query.

Step 5: Define target companies and repos in query

Do this: Open `Results` and write a technical query with company targets and repository signals.

You should see: You should see your query in the search bar while ranked results remain visible below.

TARGET


Results tab with query text populated from strategy notes.

AREA TO FRAME

Search query plus first rows of ranked results.

OUTPUT PATH

`../output/guide-screenshots/user-guide/step-05-query.png`



Live application screenshot.

Best practice

Keep company targets short and list concrete repo ecosystems such as `PyTorch`, `vLLM`, and `Ray`.

Step 6: Run search and monitor progress

Do this: Click `Search` and wait while SourceKit parses repositories, enriches profiles, and scores candidates.

You should see: You should see live status lines and loading cards until ranking finishes.

TARGET


Results screen while the search is actively running.

AREA TO FRAME

Progress states and loading cards that explain the current stage.

OUTPUT PATH

`../output/guide-screenshots/user-guide/step-06-search-progress.png`



Live application screenshot.

Tip

Do not change filters until scoring completes to avoid rework.

Step 7: Handle no-results searches

Do this: If your query is too narrow, read the built-in tips and adjust company or repository constraints.

You should see: You should see the `No engineers found` guidance with concrete ways to broaden search.

TARGET


Results state that shows how to recover from an over-targeted search.

AREA TO FRAME

Guidance text, broadened targeting, and visible results context.

OUTPUT PATH

`../output/guide-screenshots/user-guide/step-07-broaden.png`



Live application screenshot.

Common issue

Remove one or two company constraints first, then rerun with repository names still intact.

Step 8: Open completed runs in History

Do this: Go to `History` and select the completed sourcing run you want to review.

You should see: You should see recent runs with timestamps and engineer count.

TARGET


History tab with completed search runs listed.

AREA TO FRAME

Recent runs, timestamps, and result counts.

OUTPUT PATH

`../output/guide-screenshots/user-guide/step-08-history.png`



Live application screenshot.

Tip

Completed webset-backed runs appear here as well, so this is the fastest place to reopen results.

Step 9: Review ranked candidate pipeline

Do this: Open the run from History to load the ranked candidate list in **Results**.

You should see: You should see scored engineer cards with repository evidence, language signals, and quick actions.

TARGET


Completed ranked result list loaded from History.

AREA TO FRAME

Candidate cards, scores, and visible evidence snippets.

OUTPUT PATH

```
../output/guide-screenshots/user-guide/step-09-ranked-results.png
```



Live application screenshot.

Score meaning

The score measures verifiable GitHub output and is not a substitute for interviews.

Step 10: Review query details before action

Do this: Expand `Query details` to verify the exact search text and parsed criteria.

You should see: You should see the expanded query panel directly above ranked results.

TARGET


Expanded query details panel in Results.

AREA TO FRAME

Parsed criteria, exact query text, and relationship to ranked results.

OUTPUT PATH

`../output/guide-screenshots/user-guide/step-10-query-details.png`



Live application screenshot.

Best practice

Confirm parsed criteria before exporting so the final slate matches your role brief.

Step 11: Inspect an individual candidate profile

Do this: Click a candidate card to open the profile side panel.

You should see: You should see summary, EEA breakdown, notable work, and outreach tools in one panel.

TARGET


Candidate profile side panel opened from the results list.

AREA TO FRAME

Summary, EEA breakdown, notable work, and outreach actions.

OUTPUT PATH

```
../output/guide-screenshots/user-guide/step-11-candidate-profile.png
```



Live application screenshot.

Tip

Use EEA and repo evidence directly in personalized outreach.

Step 12: Open Websets from strategy workflow

Do this: Navigate to **Websets** to turn your strategy into a reusable sourcing definition.

You should see: You should see the Create Webset form with search query, criteria, and enrichment sections.

TARGET


Websets tab before filling the reusable sourcing definition.

AREA TO FRAME

Create Webset form structure and the top of the builder.

OUTPUT PATH

../output/guide-screenshots/user-guide/step-12-websets-start.png



Live application screenshot.

Tip

Websets are best for recurring roles with stable technical criteria.

Step 13: Create webset criteria from sourcing strategy

Do this: Add criteria for target companies, repository signals, and enrichment fields from your strategy notes.

You should see: You should see a complete Webset definition ready for creation.

TARGET


Filled Webset builder with sourcing logic translated into criteria.

AREA TO FRAME

Criteria content, enrichment fields, and reusable definition inputs.

OUTPUT PATH

```
../output/guide-screenshots/user-  
-guide/step-13-webset-criteria.p  
ng
```



Live application screenshot.

Best practice

Use criteria that describe evidence, such as concrete repo contribution patterns or infrastructure ownership.

Step 14: Submit Webset and watch completion status

Do this: Click `Create Webset` and confirm whether the run is accepted or an error is shown.

You should see: You should see either a success flow or a visible notification if creation fails.

TARGET


Immediate Webset submission state after clicking Create Webset.

AREA TO FRAME

Submission feedback and visible success or failure messaging.

OUTPUT PATH

`../output/guide-screenshots/user-guide/step-14-webset-submit.png`



Live application screenshot.

Common issue

If you see `Failed to fetch`, verify provider keys and retry before checking History for results.

Step 15: Export candidate output

Do this: From Results, open **Export** and choose CSV or JSON for handoff.

You should see: You should see export options available directly from the ranked list.

TARGET


Results screen with export controls visible.

AREA TO FRAME

Export menu options alongside the shortlist context.

OUTPUT PATH

../output/guide-screenshots/user-guide/step-15-export.png



Live application screenshot.

Tip

Finalize filters before export so recruiter handoff stays focused.

Troubleshooting

Strategy build remains in progress

Continue in Results tab and refine with query, repo signals, and filters while strategy service recovers.

No engineers found

Broaden the query by removing one or two company constraints and keeping technical repo signals.

Webset create shows Failed to fetch

Check provider keys and account limits, then retry from the same saved criteria.

Completed run not visible in Results

Open History and select the completed run entry to reload ranked candidates.

Export disabled or empty

Confirm results are loaded and active filters are not removing all rows.