

Workflow and user experience write-up

SellKit is a manual-first BD sourcing workspace for Mariah Rubino. It helps her tune the target profile, review scored prospects with evidence, and prepare outreach packets without automatically sending email, touching LinkedIn, or writing to a CRM.

SCOPE

Current workflow, Additional Context onboarding, review queue, evidence review, and manual handoff UX.

Mode: Human approval before every send.

1. Tune Mariah's profile

Five required onboarding answers plus optional Additional Context.

2. Review the queue

Search, filter, sort, and inspect scored targets before taking action.

3. Read evidence

Target rationale, score factors, buying committee, signal sources, and email confidence.

4. Approve manually

Prepare copy, LinkedIn note, and CRM CSV only after human approval.

Start in the review workspace

The first screen keeps Mariah in a work queue, not a marketing page. The top band confirms onboarding status and manual-send policy. The provider architecture is collapsed by default so the highest-frequency action, reviewing targets, is visible immediately.

The screenshot shows the SellKit review workspace. At the top, the user is logged in as Mariah Rubino. The interface includes a top navigation bar with the SellKit logo, a dropdown menu for 'Workstream Enterprise Software', and a search bar. Below the navigation bar, there's a section for 'Mariah onboarding' with status indicators: '5/5 answered', 'Human approval before send', and 'Saved to account'. A button 'Edit Onboarding' is present. The main section is titled 'PROVIDER ARCHITECTURE' with the instruction 'Use providers as stages, not substitutes'. It shows a workflow with five stages: 1. Discovery (1,842), 2. Enrichment (1,103), 3. Scoring (542), 4. Review (68), and 5. Approved (23). A 'Filters' button is next to the stages. Below the stages, there's a 'Review Queue' section with a search bar and filters for 'All Scores', 'All Status', and 'Newest First'. A table lists targets in the queue, including Sarah Chen (Datadog, Score 92, New), Michael Torres (Atlassian, Score 88, New), Priya Nair (GitLab, Score 85, New), James Lee (Snowflake, Score 82, New), Melissa Harper (MongoDB, Score 78, New), and David Okafor (Okta, Score 75, Reviewed). To the right of the queue, there's a detailed view of Sarah Chen, including her profile, company (Datadog), location (New York, NY, USA), and a 'WHY THIS TARGET' section. Below this, there's a 'Review Gate' section with a 'Review Checklist' showing 4 of 5 checks ready before approval. The checklist includes 'Account fit' (Ready) and 'Buyer fit' (Ready). A 'Verified Email' section shows the email address sarah.chen@datadoghq.com with a 'Verified - Confidence: High' status.

Review Queue Overview. Mariah sees onboarding state, provider stage summary, queue controls, the selected target, and evidence-backed review cards.

UX intent

The page assumes Mariah wants to make a decision quickly. High-level provider details are available but not forced into the main path.

Use onboarding to calibrate fit, signals, and voice

Edit Onboarding is the control panel for Mariah's preferences. The first five questions remain the required setup. Additional Context is optional and captures everything the structured questions miss: niches, exclusions, regions, deal-size floors, and positioning notes.

3. One-line offer

What SellKit should say she is selling.

Expert operators and fractional consultants for urgent technical initiatives.

4. Buying signals

Rank the strongest triggers and define what a good signal looks like.

New leadership, senior hiring spike, expansion funding, product launch, platform initiative.

5. Email voice

Paste one or two real emails, subject style, length, and whether to mention the signal.

Short, plain, direct. Mention the specific signal in the first sentence.

Additional context (optional)

Constraints, niches, deal sizes, regions, exclusions - anything the five questions miss. 0/2000

Example: prioritize Fortune 500 platform teams, avoid public sector, mention change management only when the signal suggests a rollout.

write access is required for V1.

Save Progress

PROVIDER ARCHITECTURE

Use providers as stages, not substitutes

Manual-first workflow

Show providers

1. Discovery

1,842

2. Enrichment

1,103

3. Scoring

542

4. Review

68

5. Approved

23

Filters

Review Queue 10

Q Search queue

All Scores

All Status

Newest First

SC

Sarah Chen

VP, IT · Datadog

New York, NY, USA 12+ yrs in role LinkedIn

92

New

WHY THIS TARGET

Datadog has a timely funding signal, and Sarah is close enough to the initiative to evaluate outside expert help. The strongest angle is AI, data, and product operators who have shipped enterprise adoption programs.

Optional context field. The field sits after Email voice, has helper text, and includes a live 2,000-character counter.

3. One-line offer

What SellKit should say she is selling.

Expert operators and fractional consultants for urgent technical initiatives.

4. Buying signals

Rank the strongest triggers and define what a good signal looks like.

New leadership, senior hiring spike, expansion funding, product launch, platform initiative.

write access is required for V1.

Save Progress

5. Email voice

Paste one or two real emails, subject style, length, and whether to mention the signal.

Short, plain, direct. Mention the specific signal in the first sentence.

Additional context (optional)

Constraints, niches, deal sizes, regions, exclusions - anything the five questions miss.

220/2000

Prioritize enterprise platform teams buying change management consultants, product/engineering leaders, and domain experts. Avoid public sector accounts. Strongest fit is a large technical rollout with executive urgency.

Saved context is treated as data for fit and tone calibration. It cannot override manual approval or provider guardrails.

PROVIDER ARCHITECTURE

Use providers as stages, not substitutes

Manual-first workflow Show providers

1. Discovery
1,842

2. Enrichment
1,103

3. Scoring
542

4. Review
68

5. Approved
23

Filters

Review Queue 10

All Scores

All Status

SC

Sarah Chen

VP, IT · Datadog

New York, NY, USA 12+ yrs in role LinkedIn

92 New

WHY THIS TARGET

Datadog has a timely funding signal, and Sarah is close enough to the initiative to evaluate outside expert help. The strongest angle is AI, data, and product operators who have shipped enterprise adoption programs.

Filled context. Example context is framed around expert services for big tech: change management consultants, product and engineering leaders, domain experts, exclusions, and rollout urgency.

What Mariah should enter

- Strong niches: platform modernization, AI adoption, transformation work, change management.
- Strong buyer situations: large rollout, executive urgency, senior hiring spike, new initiative owner.
- Exclusions: regions, sectors, deal sizes, industries, title patterns, or accounts to avoid.

What the app does with it

- Treats it as calibration data for fit and tone.
- Stores changes in an append-only history table.
- Never treats context as permission to send, enrich, or automate LinkedIn.

Save context, then choose whether to re-score

When Additional Context changes, SellKit does not spend provider credits automatically. Instead, it marks the queue as potentially stale and asks Mariah whether to re-score. This keeps cost and workflow control with the human operator.

SellKit Workstream Enterprise Software

Search targets, accounts, or signals...

MR Mariah Rubino

Mariah onboarding 5/5 answered Human approval before send Saved to account

Captures target profile, buyers, offer, signals, and email voice for the draft queue. [Edit Onboarding](#)

PROVIDER ARCHITECTURE [Manual-first workflow](#) [Show providers](#)

Use providers as stages, not substitutes

1. Discovery 1,842 2. Enrichment 1,103 3. Scoring 542 4. Review 68 5. Approved 23

Review Queue 10

Onboarding context changed - re-score queue?
Current scores were prepared before the latest Additional Context save. Re-score remains manual. [Re-score queue](#)

Search queue

All Scores All Status

Newest First

Target	Company	Score	Status	Added
☒ Sarah Chen	Datadog	92	New	28m ago
☐ Michael Torres	Atlassian	88	New	1h ago
☐ Priya Nair	GitLab	85	New	2h ago
☐ James Lee	Snowflake	82	New	3h ago
☐ Melissa Harper	MongoDB	78	New	4h ago

Sarah Chen
VP, IT - Datadog
New York, NY, USA 12+ yrs in role LinkedIn

WHY THIS TARGET
Datadog has a timely funding signal, and Sarah is close enough to the initiative to evaluate outside expert help. The strongest angle is AI, data, and product operators who have shipped enterprise adoption programs.

Company Size	Industry	Revenue	Technologies
1,001-5,000	Software	\$1.3B	AWS, Kubernetes, GCP

Review Gate
Human approval required
No email or CRM write before approval

Verified Email
sarah.chen@datadoghq.com
Verified - Confidence: High

Review Checklist
4 of 5 checks are ready before approval. [Approval pending](#)

Check	Status
☒ Account fit Datadog matches the enterprise software ICP: 1,001-5,000, Software, AWS, Kubernetes, GCP.	Ready
☒ Buyer fit VP, IT is a plausible sponsor or evaluator for expert services tied to product, engineering, IT, or transformation work.	Ready

Outreach Packet [Needs approval](#)

Email, LinkedIn note, CRM row, and evidence in one handoff.

☐ Draft ☐ Approval ☐ Export

1. Manual email [Copy](#)

To sarah.chen@datadoghq.com
Subject Quick thought for Datadog

Hi Sarah,

I noticed Datadog is scaling Kubernetes and expanding AI observability. It made me think there may be a timely reason to compare notes on how your team is approaching this.

Would it be useful to grab 20 minutes next week?

[Download .eml Draft](#)

Non-blocking stale-score banner. The queue remains usable, but Mariah gets a clear prompt that saved context changed after the current scores were prepared.

Important behavior

The button is intentionally manual. In this phase it is a no-spend stub that marks the local queue current. A later persisted scoring job can attach the same UX to a real re-score run.

Review one target at a time with evidence visible

The central review panel explains why the selected person is worth considering. Mariah can inspect the company fit, buyer fit, review gate, verified email, and checklist before approving anything. The outreach packet is visible on large screens so the decision and draft stay connected.

The screenshot displays the SellKit interface. At the top, there's a navigation bar with 'SellKit' and 'Workstream Enterprise Software'. Below this, a 'Mariah onboarding' section shows progress: '5/5 answered', 'Human approval before send', and 'Saved to account'. The main area is titled 'PROVIDER ARCHITECTURE' with the instruction 'Use providers as stages, not substitutes'. A progress bar shows five stages: 1. Discovery (1,842), 2. Enrichment (1,103), 3. Scoring (542), 4. Review (68), and 5. Approved (23). The 'Review Queue' (10) is on the left, listing targets like Sarah Chen (Datadog, score 92), Michael Torres (Atlassian, score 88), Priya Nair (GitLab, score 85), James Lee (Snowflake, score 82), and Melissa Harper (MongoDB, score 78). The central panel for Sarah Chen shows her profile, a 'WHY THIS TARGET' section explaining her value, a 'Review Gate' requiring human approval, a 'Verified Email' confirmation, a 'Review Checklist' with 'Account fit' and 'Buyer fit' marked 'Ready', and an 'Outreach Packet' draft email.

Evidence-first review. Score, target rationale, review gate, verified email, checklist, and manual email draft are all visible in the same decision frame.

AREA	WHAT MARIAH LEARNS	UX PURPOSE
Queue	Who is available for review, score, status, company, and recency.	Fast triage without opening each target.
Why this target	The specific signal and expert-services angle.	Shows the outreach reason in plain language.
Review checklist	Account fit, buyer fit, signal evidence, email confidence, draft readiness.	Prevents approval from becoming a blind click.

AREA	WHAT MARIAH LEARNS	UX PURPOSE
Outreach packet	Email, LinkedIn note, CRM export status, and approval state.	Keeps handoff actions tied to reviewed evidence.

5

Approve draft, but keep sends manual

Approval changes the target state and unlocks the manual CRM export path. Email copy and .eml download remain blocked until approved sender footer details are configured. This makes the product usable in a policy-constrained environment without hiding the missing setup.

SellKit

Workstream

Enterprise Software

Search targets, accounts, or signals...

MR

Mariah Rubino

Mariah onboarding

5/5 answered

Human approval before send

Saved to account

Edit Onboarding

PROVIDER ARCHITECTURE

Use providers as stages, not substitutes

Manual-first workflow

Show providers

1. Discovery

1,842

2. Enrichment

1,103

3. Scoring

542

4. Review

68

5. Approved

23

Filters

Review Queue

10

Onboarding context changed - re-score queue?

Current scores were prepared before the latest Additional Context save. Re-score remains manual.

Re-score queue

Search queue

All Scores

All Status

Newest First

Target	Company	Score	Status	Added	
☒	Sarah Chen	Datadog	92	Reviewed	28m ago
☐	Michael Torres	Atlassian	88	New	1h ago
☐	Priya Nair	GitLab	85	New	2h ago
☐	James Lee	Snowflake	82	New	3h ago
☐	Melissa Harper	MongoDB	78	New	4h ago

SC

Sarah Chen

VP, IT - Datadog

New York, NY, USA

12+ yrs in role

LinkedIn

92

Reviewed

WHY THIS TARGET

Datadog has a timely funding signal, and Sarah is close enough to the initiative to evaluate outside expert help. The strongest angle is AI, data, and product operators who have shipped enterprise adoption programs.

Company Size

1,001-5,000

Industry

Software

Revenue

\$1.3B

Technologies

AWS, Kubernetes, GCP

Review Gate

Human approval required

No email or CRM write before approval

Verified Email

sarah.chen@datadoghq.com

Verified - Confidence: High

Review Checklist

4 of 5 checks are ready before approval.

Account fit

Datadog matches the enterprise software ICP: 1,001-5,000, Software, AWS, Kubernetes, GCP.

Ready

Buyer fit

VP, IT is a plausible sponsor or evaluator for expert services tied to product, engineering, IT, or transformation work.

Ready

Footer needed

Approve Draft

Reject

Outreach Packet

Email, LinkedIn note, CRM row, and evidence in one handoff.

Draft

Approval

Export

Needs sender footer

Add the approved sender address and unsubscribe link before copying or downloading email drafts. CRM export can still be prepared manually.

1. Manual email

Copy

To

sarah.chen@datadoghq.com

Subject

Quick thought for Datadog

Hi Sarah,

I noticed Datadog is scaling Kubernetes and expanding AI observability. It made me think there may be a timely reason to compare notes on how your team is approaching this.

Would it be useful to grab 20 minutes

Manual handoff after approval. The packet clearly shows approval and export readiness, while email handoff remains gated by sender footer setup.

Manual-first guardrail

SellKit prepares approved work for Mariah to review and move manually. It does not send email, automate LinkedIn, or write to Salesforce from this flow.

Mobile keeps the same workflow readable

The mobile layout stacks the form and turns the queue into cards. The Additional Context field remains usable, the counter stays visible, and no horizontal scrolling is introduced.

funding, product launch, platform initiative.

5. Email voice

Paste one or two real emails, subject style, length, and whether to mention the signal.

Short, plain, direct. Mention the specific signal in the first sentence.

Additional context (optional)

0/2000

Constraints, niches, deal sizes, regions, exclusions - anything the five questions miss.

Example: prioritize Fortune 500 platform teams, avoid public sector, mention change management only when the signal suggests a rollout.

V1 operating mode

- ✓ Provider keys stay server-side in Supabase.
- ✓ Onboarding saves to this signed-in account.
- ✓ No Microsoft, Salesforce, or LinkedIn write access is required for V1.

Save Progress

PROVIDER ARCHITECTURE

Use providers as stages, not substitutes

Mobile onboarding. The optional context field and V1 operating-mode guardrails remain readable on a narrow screen.

UX assessment and recommended improvements

The current experience is coherent for a human-in-the-loop operator. The strongest pieces are the collapsed provider architecture, visible manual-send status, review checklist, and evidence-first packet. A few small changes would make it easier for a nontechnical user.

Working well

- The first screen is a work queue, not a landing page.
- Mariah can tune targeting in plain English.
- Context changes do not trigger automatic spend.
- The app separates approval, email copy, and CRM export.
- Evidence and draft live close together on desktop.

Recommended next refinements

- Rename `Re-score queue` to `Mark scores current` while it remains a V1 stub.
- Add a tiny setup health panel for sender footer, provider keys, CRM policy, and approved domain.
- Add an "Example context" shortcut next to the textarea for nontechnical users.
- Show when context was last saved and who changed it.
- When real persisted scoring is wired, show estimated cost before re-score starts.

Data and guardrail model

Additional Context is intentionally designed as calibration, not instruction. The backend stores the latest context on the onboarding profile and writes every text change to history. Score versioning fields are ready for persisted scoring, but the current user flow does not trigger provider spend automatically.

OBJECT	PURPOSE	USER IMPACT
<code>context_text</code>	Latest optional onboarding context, up to 2,000 characters.	Lets Mariah add nuance without changing the five required questions.
<code>context_source</code>	Tracks whether context came from manual entry, guide paste, or future API import.	Keeps future "Send to Sell" paths auditable.
<code>onboarding_context_history</code>	Append-only record of context changes.	Supports review and rollback conversations without overwriting history.
<code>context_version</code>	Version/hash a score can be stamped with when persisted scoring is wired.	Explains why older scores need review after context changes.

Generated from the local SellKit app at `/sellkit`. Screenshots are stored in `output/guide-screenshots/sellkit-additional-context/`.