



PLUGIN YOUR GAMES

Yandex Ads for Mobile Applications

To use the ad mediation module, you need to install [Plugin Your Games 2.0](#).
Required documentation sections to read: [Getting Started](#) and [Platforms](#).

Tip

You can get the ad mediation from the [Unity Asset Store](#).

Yandex Ads for Mobile Applications

About Yandex Mobile Ads

SDK Installation Help

Module Settings

About Yandex Mobile Ads

[Yandex Mobile Ads](#) is an SDK that allows you to connect the Yandex Advertising Network (YAN) to your mobile app on Android or iOS.

Moreover, Yandex Mobile Ads functions as an **ad mediation platform** — meaning you can connect other ad networks as well.

The platform automatically manages different ad networks, such as Google AdMob, Unity Ads, and others.

You can connect multiple popular ad networks to your game, and the intelligent waterfall will select the most profitable ad source in real time.

This mediation and waterfall system can increase your revenue and expand your regional ad coverage.

The SDK supports various ad formats, including interstitials, rewarded videos, and banners.

Using real-time auction algorithms, the system automatically selects the most profitable ad to display to the user.

Ads will work in Google Play, Ru Store, and all other mobile app stores.
To configure the plugin module, simply insert your app key into the appropriate field.

Then install the Yandex Mobile Ads SDK, the EDM package, and configure your project according to the official documentation.

Below, you'll find a short explanation of how to do this!

To **connect additional ad networks** besides YAN, you'll need to register accounts for each network and fill in their IDs in your YAN account.

Payments will be made separately by each connected network.

If you're an indie developer, it may be sufficient to connect one additional network — for example, Unity Ads.

Payments can be received to a bank account that supports **SWIFT** and **IBAN** transfers.

Users from CIS regions will mostly see YAN ads, while users from other regions will see ads from Unity Ads or other connected networks.

SDK Installation Help

In addition to reading this documentation, also check the **official Yandex Mobile Ads documentation**.

It provides detailed information, including video tutorials on SDK setup and ad network integration.

To avoid errors during package import, make sure via **Unity Package Manager** that **Advertisement/Advertisement Legacy Package Manager** is **not** installed in your project.

If it is — remove it.

To work properly, both SDK and EDM require that you install the **Android** and **iOS** platform modules for your Unity Editor.

Without them, you'll encounter build errors.

First, install **EDM (External Dependency Manager)** — a Unity tool that manages plugin dependencies and automatically downloads the required libraries for Android and iOS.

Install the latest **.tgz** version by visiting **this page**.

The **.tgz** package is installed via **Unity Package Manager** (click the + icon → **Install package from tarball...**).

Download the Yandex Mobile Ads SDK from GitHub.

⚠ Warning

It's **not recommended** to install the **.unitypackage** version from the **Releases** section — instead, download the ZIP archive using the green button.

If you plan to use **all ad networks**, you'll need the **mobileads-mediation** folder, which includes every adapter.

Otherwise, use the **mobileads-sdk** folder and only the network folders you intend to include.

Simply move the contents of the **Assets** folder from the archive into your project's **Assets** folder.

After returning to Unity, EDM will likely prompt you to install dependencies — click **Yes**.

If no window appears, you can manually force an update:

in the top menu, go to **Assets** → **External Dependency Manager** → **Android Resolver** → **Force Resolve**.

Ensure that the following options are enabled under **Edit** → **Project Settings** → **Player** → **Publishing Settings**:

Custom Main Gradle Template and **Custom Gradle Properties Template**.

When connecting *Google AdMob*, you must create a *Custom Main Manifest* [following YAN's documentation](#).

If you use **mobileads-mediation** or import the **Google AdMob adapter** separately, make sure to fill in the network ID — otherwise, various issues may occur.

To simplify and speed up Android builds, you can use my tool [Android Wi-Fi Connect \(ADB Build\)](#).

Module Settings

In YAN, create an app and the required ad units for it.

Paste the ad unit IDs into the corresponding fields in the platform settings:

Project settings for the platform YandexMobileAds

☒ Show First Adv	☐
☒ Use Yandex Metrica	☐
☐ Metrica Counter ID	0
☒ Save Local	☒
☒ Save Cloud	☐
☒ Auto Pause Game	☐
☒ Archiving Build	☐

Common options

Yandex Mob Ads Testing Mode	☒
Yandex Mob Set Age Restricted Us	☒
Yandex Mob Inter Ad ID	
Yandex Mob Reward Ad ID	
Yandex Mob Banner Ad ID	
Yandex Mob App Open Ad Enable	☒
Yandex Mob App Open Ad ID	

Show First Adv — ad shown at first game launch (create an ad unit of type **App Open Ad** and paste its ID into **Yandex Mob App Open Ad ID**).

Save Cloud and **Save Local** — if either saving option is enabled, the save modules will function and store data in **PlayerPrefs** on mobile devices.

Auto Pause Game — can be disabled, since the Yandex Ads SDK automatically mutes and pauses the game during ad playback.

Archiving Build — archiving is not required for mobile applications.

Yandex Mob Ads Testing Mode — keep this enabled during development and testing. Before release, uncheck it.

Yandex Mob Set Age Restricted Us — set an age restriction. Uncheck it if your game is suitable for children.

Yandex Mob Inter Ad ID — ID of the interstitial ad unit.

Yandex Mob Reward Ad ID — ID of the rewarded ad unit.

Yandex Mob Banner Ad ID — ID of the banner ad unit.

Yandex Mob App Open Ad ID — ID of the **App Open Ad** unit (shown when reopening the app after it was closed).

 **Important**

Before showing interstitial or rewarded ads, you must first call the loading method. It's recommended to subscribe to ad loading events and trigger the show method once the ad has been successfully loaded.

Methods and events:

```
YG2.optionalPlatform.LoadInterAdv();  
YG2.optionalPlatform.LoadRewardedAdv();  
YG2.optionalPlatform.onLoadedInterAdv;  
YG2.optionalPlatform.onLoadedRewardedAdv;
```

There are also ad click events:

```
YG2.optionalPlatform.onClickedInterAdv;  
YG2.optionalPlatform.onClickedRewardedAdv;
```

To use banner ads, import the **BannerAdv** module.

This module allows you to display banner ads at the bottom, top, left, or right side of the screen.

Simply call the banner display method and specify the screen position where the banner should appear.

The banner works best when positioned **top** or **bottom**.

The banner load method is optional and doesn't affect the operation of the Yandex Ads module.

Both the banner removal and hiding methods perform the same action — they remove the banner from view.

You can use either one.

Note

More details: [Which modules are supported by each platform](#)