

LIVEHUNT 12 // KQL CHEAT SHEET

Query Quick-Reference

Every hunting query by kill-chain stage · GF-INC-2026-0704

SC = LAW-SilentCorridor (ASIM) · **CR** = LAW-Cyber-Range (Defender XDR / MDE). Scope every query to the 3 hosts + incident window. Teaching-grade — verify field names with getschema.

C01 // Scope & Triage

3 queries

► SilentCorridor · table discovery

```
search "GF-WS01" or "GF-SRV01" or "GF-DC01"
| where TimeGenerated between (datetime(2026-07-04T10:00:00Z)..datetime(2026-07-05T03:00:00Z))
| summarize Events=count() by Table=$table | sort by Events desc
```

► SilentCorridor · host ↔ IP map

```
WindowsNetwork_CL
| where DvcHostname has_any ("GF-WS01","GF-SRV01","GF-DC01")
| where SrcIpAddr startswith "10.1.0."
| summarize count() by DvcHostname, SrcIpAddr | sort by DvcHostname asc, count_desc
```

► Cyber-Range · Defender alert attribution

```
AlertEvidence
| where DeviceName has_any ("GF-WS01","GF-SRV01","GF-DC01")
| distinct AlertId, DeviceName
| join kind=inner (AlertInfo | project AlertId, Title, Severity, AttackTechniques) on AlertId
| project DeviceName, Title, Severity, AttackTechniques
```

C02 // Initial Access

1 query

► SilentCorridor · initial-access parent

```
WindowsProcess_CL
| where DvcHostname has "GF-WS01"
| where ActingProcessFilePath has "python.exe"
| project TimeGenerated, ActorUsername, TargetProcessCommandLine | sort by TimeGenerated asc
```

C03 // Execution

1 query

► SilentCorridor · shells & LOLBins

```
WindowsProcess_CL
| where DvcHostname has "GF-WS01"
| where TargetProcessFilePath has_any ("powershell","cmd.exe","certutil","rundll32","mshta")
| project TimeGenerated, ActingProcessFilePath, TargetProcessCommandLine | sort by TimeGenerated asc
```

C04 // Persistence

1 query

► SilentCorridor · persistence verbs

```
WindowsProcess_CL
| where DvcHostname has "GF-WS01"
| where TargetProcessCommandLine has_any ("schtasks","New-ScheduledTask","reg add","RunOnce","sc ","GFUpdater")
| project TimeGenerated, ActorUsername, TargetProcessCommandLine
```

C05 // Privilege Escalation

1 query

► SilentCorridor · privileged identity

```
WindowsAuth_CL
| where TargetUsername has "sancadmin"
| summarize count() by TargetDomain, DvcHostname, LogonType, EventResult
```

C06 // Defence Evasion

2 queries

► SilentCorridor · impair defenses

```
WindowsProcess_CL
| where TargetProcessCommandLine has_any ("amsiInitFailed","AmsiUtils","-bxor","FromBase64String","Set-
MpPreference","DisableRealtimeMonitoring")
| project TimeGenerated, DvcHostname, TargetProcessCommandLine
```

► Cyber-Range · Defender tamper events

```
DeviceEvents
| where DeviceName has_any ("GF-WS01","GF-DC01")
| where ActionType has_any ("Amsi","Tamper","DefenderConfig","Antivirus")
| project TimeGenerated, DeviceName, ActionType, InitiatingProcessCommandLine
```

C07 // Credential Access

2 queries

► SilentCorridor · soft cred access

```
WindowsProcess_CL
| where DvcHostname has "GF-WS01"
| where TargetProcessCommandLine has_any ("Get-ADUser","cmdkey /list","ConsoleHost_history","sekurlsa","comsvcs","lsass")
```

► Cyber-Range · LSASS handle access

```
WindowsProcessAccess_CL
| where DvcHostname has_any ("GF-WS01","GF-DC01")
| where TargetProcessFilePath has "lsass"
| project TimeGenerated, DvcHostname, ActingProcessFilePath
```

C08 // Discovery

1 query

► SilentCorridor · recon verbs

```
WindowsProcess_CL
| where DvcHostname has_any ("GF-WS01","GF-SRV01","GF-DC01")
| where TargetProcessCommandLine has_any ("whoami","net view","net group","nltest","Get-ADUser","Get-
ADComputer","repadmin","Test-NetConnection")
```

C09 // Lateral Movement

1 query

► SilentCorridor · auth / hop map

```
WindowsAuth_CL
| where DvcHostname has_any ("GF-WS01","GF-SRV01","GF-DC01")
| where TargetUsername has_any ("svc_backup","t.harris","sancadmin","d.williams")
| summarize count(), First=min(TimeGenerated) by TargetUsername, EventResult, LogonType, SrcIpAddress, DvcHostname | sort
by First asc
```

C10 // Command & Control

2 queries

► Cyber-Range · C2 egress by process

```
DeviceNetworkEvents
| where DeviceName has_any ("GF-WS01","GF-DC01")
```

```
| where InitiatingProcessFileName in~ ("powershell.exe","python.exe","rundll32.exe","certutil.exe")
| summarize count() by RemoteUrl, RemoteIP, InitiatingProcessFileName, RemotePort
```

► SilentCorridor · C2 DNS

```
WindowsDNS_CL
| where DnsQuery has_any ("cloud-endpoint","lognpacific","blob.core")
| project TimeGenerated, DvcHostname, DnsQuery
```

C11 // Collection & Exfiltration

2 queries

► SilentCorridor · collect / stage / archive

```
WindowsProcess_CL
| where TargetProcessCommandLine has_any ("Compress-Archive","robocopy","Copy-Item","exfil","staged","Finance")
| project TimeGenerated, DvcHostname, TargetProcessCommandLine
```

► Cyber-Range · exfil destination

```
DeviceNetworkEvents
| where RemoteUrl has "blob.core.windows.net"
| project TimeGenerated, DeviceName, InitiatingProcessFileName, RemoteUrl, RemoteIP
```

C12 // Impact — Golden Ticket

1 query

► Cyber-Range · crown-jewel alert on DC

```
AlertInfo
| where Title has_any ("Golden Ticket","secrets theft","Impacket","RemoteExec")
| join kind=inner (AlertEvidence | distinct AlertId, DeviceName) on AlertId
| where DeviceName has "GF-DC01" | project TimeGenerated, Title, Severity, AttackTechniques
```

C13 // Handover Detections

2 queries

► Detect: automation/LLM tool spawning a shell

```
WindowsProcess_CL
| where ActingProcessFilePath has_any ("python.exe","node.exe")
| where TargetProcessFilePath has_any ("powershell","cmd.exe","pwsh")
```

► Detect: spray landing (fail→success in 10m)

```
WindowsAuth_CL
| where TargetUsername has_any ("svc_","admin")
| summarize Fail=countif(EventResult=='Failure'), Ok=countif(EventResult=='Success') by TargetUsername, DvcHostname,
bin(TimeGenerated,10m)
| where Fail>0 and Ok>0
```