Questions: Virtues such as faith, hope, charity, and others attain their true virtuous nature only when they are practiced with courage. Courage

A: Moral courage involves physical harm.

B: Physical courage is related to one's career and future.

C: Physical courage is primarily emotional in nature.

D: Physical courage is the same as moral courage.

Questions: This is a text with $E\!=\!mc^2$ This is a text with $E\!=\!mc^2$

Again Equation with $E = mc^2$

A: This is a text with $E = mc^2$

B: This is a text with $E = mc^2$

C: This is a text with $E = mc^2$

D: This is a text with $E = mc^2$

Questions: This is a text with $e^{i\pi} + 1 = 0$

A: This is a text with $e^{i\pi} + 1 = 0$

B: This is a text with $e^{i\pi} + 1 = 0$

C: This is a text with $e^{i\pi} + 1 = 0$

D: This is a text with $e^{i\pi} + 1 = 0$

Questions: Ampere-Maxwell Law Equation $\vec{\nabla} \times \vec{H} = \vec{J} + \frac{\partial \vec{D}}{\partial t}$,

A: Ampere-Maxwell Law Equation $\vec{\nabla} \times \vec{H} = \vec{J} + \frac{\partial \vec{D}}{\partial t}$,

B: Ampere-Maxwell Law Equation $\vec{\nabla} \times \vec{H} = \vec{J} + \frac{\partial \vec{D}}{\partial t}$,

C: Ampere-Maxwell Law Equation $\vec{\nabla} \times \vec{H} = \vec{J} + \frac{\partial \vec{D}}{\partial t}$,

D: Ampere-Maxwell Law Equation $\vec{\nabla} \times \vec{H} = \vec{J} + \frac{\partial \vec{D}}{\partial t}$,

Questions: This is Stokes Theorem $\iint_{S} \vec{\nabla} \times \vec{B} \cdot d\vec{S} = \oint_{C} \vec{B} \cdot d\vec{l},$

A: This is Stokes Theorem
$$\iint_{S} \vec{\nabla} \times \vec{B} \cdot d\vec{S} = \oint_{C} \vec{B} \cdot d\vec{l},$$

A: This is Stokes Theorem
$$\iint_{S} \vec{\nabla} \times \vec{B} \cdot d\vec{S} = \oint_{C} \vec{B} \cdot d\vec{l},$$
B: This is Stokes Theorem
$$\iint_{S} \vec{\nabla} \times \vec{B} \cdot d\vec{S} = \oint_{C} \vec{B} \cdot d\vec{l},$$
C: This is Stokes Theorem
$$\iint_{S} \vec{\nabla} \times \vec{B} \cdot d\vec{S} = \oint_{C} \vec{B} \cdot d\vec{l},$$
D: This is Stokes Theorem
$$\iint_{S} \vec{\nabla} \times \vec{B} \cdot d\vec{S} = \oint_{C} \vec{B} \cdot d\vec{l},$$

C: This is Stokes Theorem
$$\iint_{S} \vec{\nabla} \times \vec{B} \cdot d\vec{S} = \oint_{C} \vec{B} \cdot d\vec{l},$$

D: This is Stokes Theorem
$$\iint_{S} \vec{\nabla} \times \vec{B} \cdot d\vec{S} = \oint_{C} \vec{B} \cdot d\vec{l}$$