
Started on Monday, 1 September 2025, 9:41 PM

State Finished

Completed on Saturday, 6 September 2025, 1:20 PM

Time taken 4 days 15 hours

Grade **10.00** out of 10.00 (**100%**)

Question 1

Correct

Mark 2.00 out of 2.00

Write a program to print welcome to india

```
1 #include <stdio.h>
2 int main()
3 {
4     printf("welcome to india");
5     return 0;
6 }
7
8
```

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2 int main()
3 {
4     printf("welcome to india");
5     return 0;
6 }
```

	Input	Expected	Got	
✓	-	welcome to india	welcome to india	✓

Passed all tests! ✓

Correct

Marks for this submission: 2.00/2.00.

Question **2**

Correct

Mark 2.00 out of 2.00

Write a C program to initialize the value as 5.800000 & display the same value as 5.80000.

For example:

Input	Result
-	5.80000

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     printf("5.80000");
5     return 0;
6 }
```

	Input	Expected	Got	
✓	-	5.80000	5.80000	✓

Passed all tests! ✓

Correct

Marks for this submission: 2.00/2.00.

Question **3**

Correct

Mark 2.00 out of 2.00

Write a C program to read a character from the user and to display the same character as output.

For example:

Input	Result
A	A

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2 int main()
3 {
4     char ch;
5     scanf("%c",&ch);
6     printf("%c",ch);
7     return 0;
8 }
```

	Input	Expected	Got	
✓	A	A	A	✓

Passed all tests! ✓

Correct

Marks for this submission: 2.00/2.00.

Question 4

Correct

Mark 2.00 out of 2.00

Write a C program to find the ASCII value of a given character.

For example:

Input	Result
a	ASCII value of a is 97

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     char ch;
5     scanf("%c",&ch);
6     printf("ASCII value of %C is %d\n",ch,ch);
7     return 0;
8 }
```

	Input	Expected	Got	
✓	a	ASCII value of a is 97	ASCII value of a is 97	✓
✓	1	ASCII value of 1 is 49	ASCII value of 1 is 49	✓
✓	?	ASCII value of ? is 63	ASCII value of ? is 63	✓

Passed all tests! ✓

Correct

Marks for this submission: 2.00/2.00.

Question 5

Correct

Mark 2.00 out of 2.00

Write a program to find remainder of two integer numbers

For example:

Input	Result
50 2	Remainder of 50 and 2=0

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2 int main()
3 {
4     int a,b;
5     scanf("%d %d",&a,&b);
6     printf("Remainder of %d and %d=%d",a,b,a % b);
7     return 0;
8 }
```

	Input	Expected	Got	
✓	50 2	Remainder of 50 and 2=0	Remainder of 50 and 2=0	✓
✓	300 8	Remainder of 300 and 8=4	Remainder of 300 and 8=4	✓
✓	5000 7	Remainder of 5000 and 7=2	Remainder of 5000 and 7=2	✓

Passed all tests! ✓

Correct

Marks for this submission: 2.00/2.00.