

[Dashboard](#) / [My courses](#) / [TTM1](#) / [DAY-I Datatypes & Operators](#) / [M1-D1-L1-Datatypes & Operators-Automata Coding-\(Home Work\)](#)

Started on	Saturday, 30 August 2025, 8:56 PM
State	Finished
Completed on	Monday, 1 September 2025, 2:07 PM
Time taken	1 day 17 hours
Grade	5.00 out of 5.00 (100%)

Question 1

Correct

Mark 1.00 out of 1.00

Write a program to print welcome to india

```
1 #include <stdio.h>
2 int main()
3 {
4     printf("welcome to india");
5     return 0;
6 }
7
8
```

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2 int main()
3 {
4     printf("welcome to india");
5     return 0;
6 }
```

	Input	Expected	Got	
✓	-	welcome to india	welcome to india	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **2**

Correct

Mark 1.00 out of 1.00

Write a C program to initialize the value as 5.800000 & display the same value as 5.80000.

For example:

Input	Result
-	5.80000

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     printf("5.80000");
5     return 0;
6 }
```

	Input	Expected	Got	
✓	-	5.80000	5.80000	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **3**

Correct

Mark 1.00 out of 1.00

Write a C program to read only positive integer value from the user and display the same value as output.

For example:

Input	Result
65000	65000
-1	4294967295

Answer: (penalty regime: 0 %)

Reset answer

```

1
2
3 #include <stdio.h>
4
5 int main() {
6     int num;
7     unsigned int uNum;
8     scanf("%d", &num);
9
10    // Store signed integer into unsigned variable
11    uNum = (unsigned int)num;
12
13    printf("%u\n", uNum);
14
15    return 0;
16 }
17
18

```

	Input	Expected	Got	
✓	65000	65000	65000	✓
✓	-1	4294967295	4294967295	✓
✓	0	0	0	✓
✓	256	256	256	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question 4

Correct

Mark 1.00 out of 1.00

Write a C program to find the ASCII value of a given character.

For example:

Input	Result
Z	ASCII value of Z is 90

Answer: (penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     char ch;
5     scanf("%c", &ch);
6     printf("ASCII value of %c is %d\n" ,ch,ch);
7     return 0;
8 }
```

	Input	Expected	Got	
✓	Z	ASCII value of Z is 90	ASCII value of Z is 90	✓
✓	z	ASCII value of z is 122	ASCII value of z is 122	✓
✓	w	ASCII value of w is 119	ASCII value of w is 119	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

Question **5**

Correct

Mark 1.00 out of 1.00

Write a program to add the two numbers and print the result in percentage?

For example:

Input	Result
100 200	Result:3 percent

Answer: (penalty regime: 0 %)

Reset answer

```
1 #include <stdio.h>
2 int main()
3 {
4     int a,b,sum;
5     float percent;
6     scanf("%d %d",&a,&b);
7     sum=a+b;
8     percent=(sum/1000.0)*10;
9     printf("Result:%.f percent\n", percent);
10    return 0;
11 }
```

	Input	Expected	Got	
✓	100 200	Result:3 percent	Result:3 percent	✓
✓	400 300	Result:7 percent	Result:7 percent	✓
✓	3 2	Result:0 percent	Result:0 percent	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

◀ M1-D1-L2

Jump to...

[M1-D1-L1-Datatypes & Operators-Automata Coding-\(Weekly Challenge\)-SEB ►](#)