

Professional Review Score Card – CMO Review

The case referenced below, initially reviewed by our Expert Review Panel has been further reviewed by me as the Chief Quality Officer for Fortis Qualitas. The results of my review are now being returned for your files.

Following my review, this case has been determined to be a category _____, as defined by the Fortis Qualitas quality program. This varies from the original evaluation of this case as a category _____.

Patient Name:

Radiologist ID:

Patient ID:

Interpretation Quality Score:

Date of Birth:

Report Accuracy:

Accession Number:

Report Quality:

Date of Study:

Confirmed Category (CMO):

Study Description:

Chief Medical Officer:

Report Accuracy CMO Review Comments:

Report Quality CMO Review Comments:

Report Accuracy

- | | |
|-----------------------------------|---|
| 1 No variance: | Reviewer agrees with primary interpretation. |
| 2 Interpretation variance: | Variance is unlikely to affect patient care and/or outcome. |
| 3 Interpretation variance: | Variance may affect patient care and/or outcome or require further assessment. |
| 4 Interpretation variance: | Variance is, or would be expected to directly affect patient care and/or outcome. |
| 5 Sentinel event: | Event that may cause a serious unexpected or unanticipated outcome, death or serious physical or psychological injury, or the risk thereof. |

Report Quality

The report includes a conclusion or impression?

The report addresses clinical history and/or symptoms or provides differential diagnosis?

The report addresses the relevant positive and/or negative findings?

The report is organised in a structured format?

The report text contains no errors that would impact patient care or outcome?

Interpretation Quality Score

The Interpretation Quality Score (IQS) is the radiologist's score out of a possible 200 points (comprising of dictation accuracy and dictation quality scores). The Fortis Qualitas threshold is 180 points or greater.



Fortis Qualitas | Imaging's Strongest Quality Solution
Ph. +1 480 409 1882
quality@fortisqualitas.com
www.fortisqualitas.com