# **APEX Testing Framework Overview**

Version: 1.0 Date: 2025-08-22 Author: Mark Andrew Ray-Smith Cityline Ltd


## **Overview**

APEX includes a comprehensive testing framework that covers all aspects of the rules engine, from individual rule evaluation to complete end-to-end scenarios. The testing framework is designed to support multiple testing strategies, from unit tests for individual components to integration tests for complete workflows.

# **Testing Architecture**

## **Multi-Layer Testing Strategy**

APEX employs a multi-layer testing strategy that ensures comprehensive coverage across all system components, including the new pipeline orchestration capabilities:



# **Testing Framework Components**

#### 1. Core Engine Testing

- RulesEngine Tests: Core rule execution functionality
- Expression Evaluator Tests: SpEL expression processing
- Rule Chain Tests: Complex rule chaining patterns
- Performance Tests: Execution time and throughput benchmarks

#### 2. Service Layer Testing

- Rules Service Tests: High-level service functionality
- Enrichment Service Tests: Data enrichment capabilities
- Configuration Service Tests: YAML configuration loading and validation
- · Data Source Tests: External data source integration

### 3. API Layer Testing

- REST Controller Tests: HTTP endpoint functionality
- Integration Tests: Complete API workflows

- Performance Tests: API response times and throughput
- . Error Handling Tests: Exception scenarios and recovery

#### 4. Bootstrap Demo Testing

- Infrastructure Tests: Database setup and data generation
- Scenario Tests: Individual scenario execution
- Performance Tests: End-to-end processing benchmarks
- Integration Tests: Complete demo workflows

# **Test Categories and Coverage**

# **Unit Tests (95%+ Coverage Target)**

#### **Engine Core Tests**

```
@ExtendWith(MockitoExtension.class)
class RulesEngineTest {
   private ExpressionEvaluatorService evaluatorService;
   @InjectMocks
   private RulesEngine rulesEngine;
   @Test
   void shouldExecuteSimpleRule() {
       // Given
       Rule rule = Rule.builder()
            .id("test-rule")
            .condition("#age >= 18")
            .build();
       Map<String, Object> facts = Map.of("age", 25);
       when(evaluatorService.evaluate("#age >= 18", facts)).thenReturn(true);
        RuleResult result = rulesEngine.executeRule(rule, facts);
        // Then
       assertThat(result.isTriggered()).isTrue();
        assertThat(result.getRuleId()).isEqualTo("test-rule");
   }
}
```

#### **Service Layer Tests**

```
@ExtendWith(MockitoExtension.class)
class EnrichmentServiceTest {
    @Mock
    private LookupServiceRegistry registry;
    @Mock
    private ExpressionEvaluatorService evaluatorService;
    @InjectMocks
```

```
private EnrichmentService enrichmentService;

@Test
void shouldEnrichObjectWithDataset() {
    // Given
    YamlRuleConfiguration config = createTestConfiguration();
    Map<String, Object> data = Map.of("currency", "USD");

    // When
    Object enrichedData = enrichmentService.enrichObject(config, data);

    // Then
    assertThat(enrichedData).isNotNull();
    // Additional assertions for enriched data
}
```

## **Integration Tests**

#### **End-to-End Workflow Tests**

```
@SpringBootTest
@TestPropertySource(properties = {
    "spring.datasource.url=jdbc:h2:mem:testdb",
    "logging.level.dev.mars.apex=DEBUG"
})
class RulesEngineIntegrationTest {
    @Autowired
    private RulesEngineService rulesEngineService;
    @Autowired
    private YamlConfigurationLoader configurationLoader;
    @Test
    void shouldExecuteCompleteWorkflow() {
        // Given
        YamlRuleConfiguration config = configurationLoader
            .loadFromClasspath("test-configurations/complete-workflow.yaml");
        Map<String, Object> testData = createTestData();
        List<RuleResult> results = rulesEngineService.executeRules(config, testData);
        // Then
        assertThat(results).hasSize(3);
        assertThat(results).allMatch(RuleResult::isTriggered);
}
```

#### **Database Integration Tests**

```
@SpringBootTest
@Testcontainers
class DatabaseIntegrationTest {

    @Container
    static PostgreSQLContainer<?> postgres = new PostgreSQLContainer<>("postgres:13")
        .withDatabaseName("apex_test")
        .withUsername("test")
```

```
.withPassword("test");

@DynamicPropertySource
static void configureProperties(DynamicPropertyRegistry registry) {
    registry.add("spring.datasource.url", postgres::getJdbcUrl);
    registry.add("spring.datasource.username", postgres::getUsername);
    registry.add("spring.datasource.password", postgres::getPassword);
}

@Test
void shouldConnectToDatabase() {
    // Test database connectivity and operations
}
```

#### **Performance Tests**

#### **Benchmark Tests**

```
@BenchmarkMode(Mode.AverageTime)
@OutputTimeUnit(TimeUnit.MILLISECONDS)
@State(Scope.Benchmark)
public class RulesEnginePerformanceTest {
   private RulesEngine rulesEngine;
   private Rule testRule;
   private Map<String, Object> testFacts;
   @Setup
   public void setup() {
        rulesEngine = new RulesEngine();
        testRule = createComplexRule();
        testFacts = createLargeFactSet();
   }
   @Benchmark
   public RuleResult benchmarkRuleExecution() {
        return rulesEngine.executeRule(testRule, testFacts);
   }
   @Benchmark
   public List<RuleResult> benchmarkBatchExecution() {
        return rulesEngine.executeRules(createRuleSet(), testFacts);
}
```

#### **Load Tests**

```
RuleResult result = rulesEngine.executeRule(testRule, testFacts);
    if (result.isTriggered()) {
        successCount.incrementAndGet();
    }
    }
    finally {
        latch.countDown();
    }
});
}
latch.await(30, TimeUnit.SECONDS);
assertThat(successCount.get()).isGreaterThan(threadCount * operationsPerThread * 0.95);
}
```

## **Demo and Bootstrap Tests**

#### **Bootstrap Demo Tests**

```
@SpringBootTest
class CustodyAutoRepairBootstrapTest {
    @Test
    void shouldExecuteAllScenarios() {
        CustodyAutoRepairBootstrap bootstrap = new CustodyAutoRepairBootstrap();
        // When
        bootstrap.run();
        // Then
        // Verify all scenarios executed successfully
        // Check performance metrics
        // Validate audit trail
   }
    @Test
    void shouldMeetPerformanceTargets() {
        // Test sub-100ms processing targets
        // Verify throughput requirements
        // Check memory usage
    }
}
```

# **Testing Tools and Frameworks**

## **Core Testing Stack**

### JUnit 5

- Parameterized Tests: Test multiple scenarios with different data
- Dynamic Tests: Generate tests at runtime based on configuration
- Test Lifecycle: Comprehensive setup and teardown management
- · Assertions: Rich assertion library for comprehensive validation

#### **Mockito**

- . Mock Objects: Isolate units under test from dependencies
- Behavior Verification: Verify interactions with mock objects
- · Argument Matchers: Flexible argument matching for complex scenarios
- Spy Objects: Partial mocking for integration scenarios

#### **TestContainers**

- Database Testing: Real database instances for integration tests
- External Services: Mock external services with real containers
- Network Testing: Test network connectivity and failover scenarios
- Environment Isolation: Clean test environments for each test

#### **Spring Boot Test**

- Application Context: Full Spring application context for integration tests
- · Web Layer Testing: Test REST controllers and web endpoints
- Data Layer Testing: Test repository and data access layers
- Configuration Testing: Test Spring configuration and profiles

### **Specialized Testing Tools**

#### **Performance Testing**

- JMH (Java Microbenchmark Harness): Accurate performance benchmarking
- Custom Metrics: Application-specific performance measurements
- Memory Profiling: Memory usage analysis and optimization
- · Throughput Testing: Concurrent execution and scalability testing

### **Configuration Testing**

- YAML Validation: Comprehensive configuration file validation
- · Schema Testing: Test configuration schemas and constraints
- Environment Testing: Test different environment configurations
- Migration Testing: Test configuration migration and compatibility

# **Test Execution Strategies**

#### **Local Development Testing**

#### **Quick Test Suite**

```
# Run fast unit tests only
mvn test -Dtest="*Test" -DfailIfNoTests=false

# Run specific test categories
mvn test -Dgroups="unit"
mvn test -Dgroups="integration"
mvn test -Dgroups="performance"
```

#### **Comprehensive Testing**

```
# Run all tests including integration tests
mvn verify

# Run with coverage reporting
mvn clean verify jacoco:report

# Run performance benchmarks
mvn test -Dtest="*PerformanceTest"
```

## **Continuous Integration Testing**

### **Pipeline Configuration**

```
# GitHub Actions example
name: APEX Test Suite
on: [push, pull_request]
jobs:
 unit-tests:
   runs-on: ubuntu-latest
   steps:
     - uses: actions/checkout@v2
     - uses: actions/setup-java@v2
          java-version: '21'
     - run: mvn test -Dgroups="unit"
 integration-tests:
   runs-on: ubuntu-latest
   services:
     postgres:
       image: postgres:13
         POSTGRES_PASSWORD: test
   steps:
     - uses: actions/checkout@v2
     - uses: actions/setup-java@v2
         java-version: '21'
      - run: mvn test -Dgroups="integration"
 performance-tests:
   runs-on: ubuntu-latest
   steps:
     - uses: actions/checkout@v2
     uses: actions/setup-java@v2
       with:
          java-version: '21'
     - run: mvn test -Dgroups="performance"
```

## **Test Data Management**

#### **Test Data Strategies**

- Embedded Test Data: Small datasets embedded in test classes
- External Test Files: YAML and JSON files for complex test scenarios
- Generated Test Data: Programmatically generated data for large-scale tests
- Database Test Data: SQL scripts for database-dependent tests

#### **Test Data Examples**

```
@TestConfiguration
public class TestDataConfiguration {

    @Bean
    @Primary
    public DataServiceManager testDataServiceManager() {
        return new DemoDataServiceManager(); // Pre-populated with test data
    }

    @Bean
    public YamlRuleConfiguration testRuleConfiguration() {
        return YamlConfigurationLoader.loadFromClasspath("test-configurations/comprehensive-test.yaml");
    }
}
```

# **Test Coverage and Quality Metrics**

# **Coverage Targets**

- Unit Tests: 95%+ line coverage, 90%+ branch coverage
- Integration Tests: 80%+ end-to-end workflow coverage
- Performance Tests: 100% critical path coverage
- API Tests: 100% endpoint coverage

### **Quality Metrics**

- Test Execution Time: Unit tests < 10ms, Integration tests < 1s
- Test Reliability: 99.9%+ success rate in CI/CD pipeline
- Test Maintainability: Clear, readable, and well-documented tests
- Test Coverage: Comprehensive coverage of business logic and edge cases
- Pipeline Testing: Complete ETL workflow validation and performance testing NEW

## Reporting and Analysis

```
<!-- Maven Surefire Plugin Configuration -->
    <groupId>org.apache.maven.plugins
    <artifactId>maven-surefire-plugin</artifactId>
    <configuration>
        <groups>unit,integration
        <parallel>methods</parallel>
        <threadCount>4</threadCount>
        <reportFormat>xml</reportFormat>
    </configuration>
</plugin>
<!-- JaCoCo Coverage Plugin -->
<plugin>
    <groupId>org.jacoco/groupId>
    <artifactId>jacoco-maven-plugin</artifactId>
   <executions>
        <execution>
           <goals>
```

# **Best Practices**

## **Test Organization**

- Package Structure: Mirror main package structure in test packages
- Naming Conventions: Clear, descriptive test method names
- Test Categories: Use JUnit 5 tags to categorize tests
- Test Documentation: Document complex test scenarios and expectations

## **Test Implementation**

- . Single Responsibility: Each test should verify one specific behavior
- · Test Independence: Tests should not depend on execution order
- Clear Assertions: Use descriptive assertion messages
- . Test Data: Use meaningful test data that reflects real-world scenarios

## **Performance Testing**

- . Baseline Measurements: Establish performance baselines for regression testing
- Environment Consistency: Use consistent test environments for reliable results
- · Resource Monitoring: Monitor CPU, memory, and I/O during performance tests
- Trend Analysis: Track performance trends over time

### **Maintenance**

- Regular Review: Regularly review and update test suites
- Refactoring: Refactor tests when production code changes
- Test Cleanup: Remove obsolete tests and update outdated scenarios
- Documentation: Keep test documentation current with code changes

# **Available Testing Documentation**

### **Detailed Testing Guides**

- APEX Testing Guide: Comprehensive testing methodology
- Engine Executor Testing: Rule engine testing strategies
- Service Layer Testing: Service testing patterns

• Testing Quick Reference: Quick reference for common testing scenarios

## **Testing Examples**

- Executor Testing Examples: Practical testing examples
- Service Testing Examples: Service layer testing examples
- Quick Reference Guide: Quick testing reference

# **Running Tests**

#### **Quick Start**

```
# Run all unit tests
mvn test

# Run specific test class
mvn test -Dtest=RulesEngineTest

# Run tests with specific tag
mvn test -Dgroups="unit"

# Run with coverage
mvn clean verify jacoco:report
```

## **Advanced Testing**

```
# Run performance benchmarks
mvn test -Dtest="*PerformanceTest" -Djmh.iterations=10

# Run integration tests with TestContainers
mvn test -Dgroups="integration" -Dtestcontainers.reuse.enable=true

# Run bootstrap demo tests
mvn test -Dtest="*BootstrapTest"
```

Last Updated: August 22, 2025 Testing Framework Version: 1.0-SNAPSHOT APEX Version: 1.0-SNAPSHOT

This comprehensive testing overview provides the foundation for understanding and implementing effective testing strategies for APEX applications. The multi-layer approach ensures comprehensive coverage while maintaining test performance and reliability.