



References

EXTERIOR WALLS TO BE 8" MASONRY . ONE #5 BAR @ 48" O.C. FILL ALL CELLS AT BAR LOCATIONS AND ON CORNERS. SEE STRUCTURAL DRAWINGS FOR DETAILS

INTERIOR PARTITIONS TO BE OF METAL STUDS @ 16" O.C. AND 1/2" OR 5/8" GYPSUMBOARD ON EACH SIDE. BATTERED INSULATION BETWEEN BATHROOMS AND BEDROOMS OR HALWAYS

INTERIOR/EXTERIOR LOAD BEARING PARTITIONS TO BE OF 2X6 WOOD STUDS @ 16" O.C. SEE ENGINEERING PLANS FOR SPECS AND INFORMATION

INTERIOR PARTITIONS TO HAVE AND 1/2" OR 5/8" GYPSUMBOARD ON EACH SIDE. BATTERED INSULATION ON EXTERIOR PARTITIONS TO HAVE 3/4" PLYWOOD, TYVEK, METAL LATH AND STUCCO FINISH. TEXTURE TO MATCH EXISTING

INDICATES NEW DOOR. SEE DOOR SCHEDULE FOR DETAILS

INDICATES NEW WINDOW. SEE WINDOWS SCHEDULE FOR DETAILS

EXTERIOR SPIRAL STAIR TO COMPLY WITH THE FLORIDA BUILDING CODE 2020

STAIR TO BE OF ALUMINUM AND TO HAVE A CLEAR SPACE OF 26 3/4" BETWEEN INTERIOR SIDE OF THE THE RAILING AND THE CENTER OF THE STAIR. HANDRAILS TO BE AT 42".

Date	Project #	Revisions #	Date
10/12/21	MAS21 - 1005	1005/19	
	Drawn by	MAS	
	Checked by	MAS	
	Total sheets		

The Liebig Residence
333 15th Avenue South
Naples Florida

MAS Design, Planning
and Construction
www.masdesignplan.com
239 825 0653

