



Laboratório
Nacional de
Computação
Científica

COMOD
Coordenação de Modelagem Computacional

Relatório de Atividades

Servidor: Marcio Borges

Petrópolis-RJ
August 21, 2023

1 Introduction

1 INTRODUCTION

[Kingma and Welling \(2022\)](#) introduced the variational auto-encoding, a stochastic inference and learning algorithm.

⌘

[Higgins et al. \(2016\)](#)

2 ZHANG ET AL. (2022)

Variational auto-encoder (VAE) model is a generative network based on variational Bayes (VB) inference proposed by [Kingma and Welling \(2014\)](#).

[Zhang et al. \(2022\)](#) proposed a method to reconstruct porous media based on VAE and Fisher information with good quality and efficiency.

REFERENCES

REFERENCES

- Irina Higgins, Loïc Matthey, Arka Pal, Christopher P. Burgess, Xavier Glorot, Matthew M. Botvinick, Shakir Mohamed, and Alexander Lerchner. beta-vae: Learning basic visual concepts with a constrained variational framework. In *International Conference on Learning Representations*, 2016.
- Diederik P Kingma and Max Welling. Auto-encoding variational bayes. In *International conference on learning representations*, pages 14–27, 2014.
- Diederik P Kingma and Max Welling. Auto-encoding variational bayes, 2022.
- Ting Zhang, Tu Hongyan, Xia Pengfei, and Du Yi. Reconstruction of porous media using an information variational auto-encoder. *Transport in Porous Media*, 143(2):271–295, 2022. doi: [10.1007/s11242-022-01769-5](https://doi.org/10.1007/s11242-022-01769-5). URL <https://doi.org/10.1007/s11242-022-01769-5>.