QUESTIONS 25 / 25 completed

Max

MAX

Write a C program to find the largest element in an array.

PROGRAM EDITOR

C

Run Save

```
#include<stdio.h>
int main(){
  int i,n;
  printf("Enter the no of Elements:");
  scanf("%d",&n);
  int arr[n];
  printf("Enter the array Elements:");
  for(i=0;i<n;i++){
    scanf("%d",&arr[i]);
  }
  int largest = arr[0];
  for(i=1;i<n;i++){
    if(arr[i]>largest){
      largest = arr[i];
    }
  }
  printf("Largest Element = %d",largest);
}
```

OUTPUT

```
Enter the no of Elements:Enter the array Elements:Largest Element = 96
```

INPUT

```
5
45 12 85 96 41
```

QUESTIONS 25 / 25 completed

Average

AVERAGE

Write a C program to calculate the average of elements in an array.

PROGRAM EDITOR

C

Run Save

```c
#include<stdio.h>
int main(){
  int n,i;
  float a[100],sum =0,avg;
  scanf("%d",&n);
  for(i=0;i<n;i++){
    scanf("%f",&a[i]);
    sum = sum+a[i];
  }
  avg = sum/n;
  printf("%.2f",avg);
}
```

OUTPUT

```
26.25
```

INPUT

```
4
12 15 42 36
```

QUESTIONS 25 / 25 completed

Reverse

REVERSE

Write a C program to reverse the elements of an array.

PROGRAM EDITOR

C

Run Save

```c
#include <stdio.h>
int main() {
    int n, i;
    if (scanf("%d", &n) != 1) return 0;
    int a[1000];
    for (i = 0; i < n; i++) scanf("%d", &a[i]);
    for (i = n - 1; i >= 0; i--) {
        if (i != n - 1) printf(" ");
        printf("%d", a[i]);
    }
    return 0;
}
```

OUTPUT

```
4 3 2 1
```

INPUT

```
4
1 2 3 4
```

SIMATS ENGINEERING

SIMATS Online Programming Lab

C PROGRAMMING

SHAIK MUBARAK
192425194RC

QUESTIONS 25 / 25 completed

2nd Max

2ND MAX

Write a C program to find the second largest element in an array.

PROGRAM EDITOR

C

Run Save

```c
#include <stdio.h>
int main() {
    int n, i;
    if (scanf("%d", &n) != 1) return 0;
    if (n < 2) return 0;
    int a[1000];
    for (i = 0; i < n; i++) scanf("%d", &a[i]);
    int max1 = a[0];
    int max2 = a[0];
    for (i = 0; i < n; i++) {
        if (a[i] > max1) {
            max2 = max1;
            max1 = a[i];
        } else if (a[i] > max2 && a[i] < max1) {
            max2 = a[i];
        } else if (a[i] == max1) {
            if (max2 == max1) {
                continue;
            }
        }
    }
```

INPUT

```
4
12 15 24 25
```

OUTPUT

```
24
```

SIMATS ENGINEERING

SIMATS Online Programming Lab

C PROGRAMMING

SHAIK MUBARAK
192425194RC

QUESTIONS 25 / 25 completed

Sort A-Z

SORT A-Z

Write a C program to sort an array in ascending order.

PROGRAM EDITOR

C

Run Save

```
#include<stdio.h>
int main() {
    int n, i, j, temp;
    int a[1000];
    if (scanf("%d", &n) != 1) return 0;
    for (i = 0; i < n; i++) scanf("%d", &a[i]);

    for (i = 0; i < n - 1; i++) {
        for (j = i + 1; j < n; j++) {
            if (a[i] > a[j]) {
                temp = a[i];
                a[i] = a[j];
                a[j] = temp;
            }
        }
    }
    for (i = 0; i < n; i++) {
        if (i) printf(" ");
        printf("%d", a[i]);
    }
    return 0;
```

OUTPUT

```
1 3 24 25 45
```

INPUT

```
5
25 45 1 24 3
```

QUESTIONS 25 / 25 completed

Equal

EQUAL

Write a C program to check if two arrays are equal or not.

PROGRAM EDITOR

C

Run Save

```
#include<stdio.h>
int main() {
    int n, m, i, equal = 1;
    if (scanf("%d", &n) != 1) return 0;
    if (scanf("%d", &m) != 1) return 0;
    if (n != m) {
        for (i = 0; i < n; i++) scanf("%*d");
        for (i = 0; i < m; i++) scanf("%*d");
        printf("Not Equal");
        return 0;
    }
    int a[n], b[n];
    for (i = 0; i < n; i++) scanf("%d", &a[i]);
    for (i = 0; i < n; i++) scanf("%d", &b[i]);
    for (i = 0; i < n; i++) {
        if (a[i] != b[i]) {
            equal = 0;
            break;
        }
    }
    if (equal) printf("Equal");
```

OUTPUT

```
Not Equal
```

INPUT

```
4
1 2 3 4
4
1 5 4 3
```

QUESTIONS 25 / 25 completed

Frequency

FREQUENCY

Write a C program to find the frequency of an element in an array.

PROGRAM EDITOR

C

Run Save

```c
#include <stdio.h>
int main() {
    int n, i, j;
    int arr[1000];
    int freq;
    int target;
    if (scanf("%d", &n) != 1) return 0;
    for (i = 0; i < n; i++) scanf("%d", &arr[i]);
    scanf("%d", &target);
    freq = 0;
    for (i = 0; i < n; i++) {
        if (arr[i] == target) freq++;
    }
    printf("%d", freq);
    return 0;
}
```

OUTPUT

```
11
```

INPUT

14 25 12 3

QUESTIONS 25 / 25 completed

Duplicate

DUPLICATE

Write a C program to remove duplicate elements from an array.

PROGRAM EDITOR

C Run Save

```c
#include <stdio.h>
int main() {
    int n, i, j;
    scanf("%d", &n);
    if (n <= 0) return 0;
    int a[1000];
    for (i = 0; i < n; i++) scanf("%d", &a[i]);
    int b[1000];
    int k = 0;
    for (i = 0; i < n; i++) {
        int found = 0;
        for (j = 0; j < k; j++) {
            if (b[j] == a[i]) {
                found = 1;
                break;
            }
        }
        if (!found) b[k++] = a[i];
    }
    for (i = 0; i < k; i++) {
        if (i) printf(" ");
```

OUTPUT

```
12 58 7
```

INPUT

```
4
12 12 58 7
```

QUESTIONS 25 / 25 completed

Insert

INSERT

Write a C program to insert an element at a specific position in an array.

PROGRAM EDITOR

C

Run Save

```
#include<stdio.h>
int main() {
    int n, pos, i;
    scanf("%d", &n);
    int a[n];
    for(i = 0; i < n; i++) scanf("%d", &a[i]);
    scanf("%d", &pos);
    int x;
    scanf("%d", &x);
    if(pos < 0) pos = 0;
    if(pos > n) pos = n;
    for(i = n; i > pos; i--) a[i] = a[i - 1];
    a[pos] = x;
    for(i = 0; i < n + 1; i++) {
        if(i) printf(" ");
        printf("%d", a[i]);
    }
    return 0;
}
```

OUTPUT

```
1 2 3 8 4 5
```

INPUT

```
5
1 2 3 4 5
3
8
```

QUESTIONS 25 / 25 completed

Delete

DELETE

Write a C program to delete an element from an array at a specific position.

PROGRAM EDITOR

C Run Save

```c
#include <stdio.h>
int main() {
    int n, pos, i;
    scanf("%d", &n);
    int a[n];
    for (i = 0; i < n; i++) scanf("%d", &a[i]);
    scanf("%d", &pos);
    if (pos >= 0 && pos < n) {
        for (i = pos; i < n - 1; i++) a[i] = a[i + 1];
        n = n - 1;
    }
    for (i = 0; i < n; i++) {
        if (i) printf(" ");
        printf("%d", a[i]);
    }
    return 0;
}
```

OUTPUT

```
1 2 6 7
```

INPUT

```
5
1 2 5 6 7
2
```

QUESTIONS 25 / 25 completed

Merge

MERGE

Write a C program to merge two sorted arrays into a single sorted array.

PROGRAM EDITOR

C

Run Save

```
#include <stdio.h>
int main() {
    int n, m;
    int i = 0, j = 0, k = 0;
    if (scanf("%d", &n) != 1) return 0;
    int a[n];
    for (i = 0; i < n; i++) scanf("%d", &a[i]);
    if (scanf("%d", &m) != 1) return 0;
    int b[m];
    for (j = 0; j < m; j++) scanf("%d", &b[j]);
    int c[n + m];
    i = 0;
    j = 0;
    k = 0;
    while (i < n && j < m) {
        if (a[i] <= b[j]) c[k++] = a[i++];
        else c[k++] = b[j++];
    }
    while (i < n) c[k++] = a[i++];
    while (j < m) c[k++] = b[j++];
    for (k = 0; k < n + m; k++) {
```

OUTPUT

```
1 2 3 4 5 6 7 8
```

INPUT

```
4
1 2 3 4
4
5 6 7 8
```

QUESTIONS 25 / 25 completed

Min

MIN

Write a C program to find the smallest element in an array.

PROGRAM EDITOR

C

Run Save

```
#include <stdio.h>
int main() {
    int n, i;
    int a[100];
    int min;
    if (scanf("%d", &n) != 1) return 0;
    for (i = 0; i < n; i++) scanf("%d", &a[i]);
    min = a[0];
    for (i = 1; i < n; i++) {
        if (a[i] < min) min = a[i];
    }
    printf("%d", min);
    return 0;
}
```

OUTPUT

```
1
```

INPUT

```
5
1 5 4 87 6
```

QUESTIONS 25 / 25 completed

Max-Min

MAX-MIN

Write a C program to find the maximum and minimum element in an array.

PROGRAM EDITOR

C

Run Save

```c
#include <stdio.h>
int main() {
    int n;
    if (scanf("%d", &n) != 1) return 0;
    int x;
    int i;
    scanf("%d", &x);
    int max = x, min = x;
    for (i = 1; i < n; i++) {
        scanf("%d", &x);
        if (x > max) max = x;
        if (x < min) min = x;
    }
    printf("%d %d", max, min);
    return 0;
}
```

OUTPUT

```
54 9
```

INPUT

```
4
12 54 24 9
```

QUESTIONS 25 / 25 completed

Count E-O

COUNT E-O

Write a C program to count the number of even and odd elements in an array.

PROGRAM EDITOR

C

Run Save

```
#include <stdio.h>
int main() {
    int n, i;
    if (scanf("%d", &n) != 1) return 0;
    int even = 0, odd = 0;
    for (i = 0; i < n; i++) {
        int x;
        scanf("%d", &x);
        if (x % 2 == 0) even++;
        else odd++;
    }
    printf("Even: %d\n", even);
    printf("Odd: %d\n", odd);
    return 0;
}
```

OUTPUT

```
Even: 3
Odd: 3
```

INPUT

```
6
12 25 24 12 9 7
```

QUESTIONS 25 / 25 completed

Sum E-O

SUM E-O

Write a C program to find the sum of elements at even and odd positions in an array.

PROGRAM EDITOR

C

Run Save

```
#include <stdio.h>
int main() {
    int n, i;
    int a[1000];
    int sum_even = 0, sum_odd = 0;
    if (scanf("%d", &n) != 1) return 0;
    for (i = 0; i < n; i++) scanf("%d", &a[i]);
    for (i = 0; i < n; i++) {
        if ((i + 1) % 2 == 0) sum_even += a[i];
        else sum_odd += a[i];
    }
    printf("%d %d", sum_even, sum_odd);
    return 0;
}
```

OUTPUT

```
78 36
```

INPUT

```
5
15 24 13 54 8
```

QUESTIONS 25 / 25 completed

Product

PRODUCT

Write a C program to find the product of elements in an array.

PROGRAM EDITOR

C

Run Save

```
#include <stdio.h>
int main() {
    int n, i;
    long long product = 1;
    if (scanf("%d", &n) != 1) return 0;
    for (i = 0; i < n; i++) {
        long long x;
        if (scanf("%lld", &x) != 1) return 0;
        product *= x;
    }
    printf("%lld", product);
    return 0;
}
```

OUTPUT

```
24
```

INPUT

```
4
1 2 3 4
```

QUESTIONS 25 / 25 completed

Fun-Min-Max

FUN-MIN-MAX

Write a C program to find the largest and smallest elements in an array using functions.

PROGRAM EDITOR

C

Run Save

```c
#include <stdio.h>
int main() {
    int n;
    int i;
    int a[1000];
    int min, max;
    if (scanf("%d", &n) != 1) return 0;
    for (i = 0; i < n; i++) scanf("%d", &a[i]);
    min = a[0];
    max = a[0];
    for (i = 1; i < n; i++) {
        if (a[i] < min) min = a[i];
        if (a[i] > max) max = a[i];
    }
    printf("%d\n%d", max, min);
    return 0;
}
```

INPUT

```
6
1 2 4 6 7 8
```

OUTPUT

```
8
1
```

QUESTIONS 25 / 25 completed

2nd Min

2ND MIN

Write a C program to find the second smallest element in an array.

PROGRAM EDITOR

C

Run Save

```
#include <stdio.h>
int main() {
    int n, i;
    int x, min1, min2;
    if (scanf("%d", &n) != 1) return 0;
    if (n < 2) return 0;
    scanf("%d", &x);
    min1 = x;
    scanf("%d", &x);
    if (x < min1) {
        min2 = min1;
        min1 = x;
    } else {
        min2 = x;
    }
    for (i = 2; i < n; i++) {
        scanf("%d", &x);
        if (x < min1) {
            min2 = min1;
            min1 = x;
        } else if (x < min2) {
```

OUTPUT

```
2
```

INPUT

```
8
15 65 9 8 1 5 2 3
```

SIMATS ENGINEERING

SIMATS Online Programming Lab

C PROGRAMMING

SHAIK MUBARAK
192425194RC

QUESTIONS 25 / 25 completed

Kth Min

KTH MIN

Write a C program to find the kth smallest element in an array.

PROGRAM EDITOR

C

Run Save

```
#include<stdio.h>
int main() {
    int n, k;
    if (scanf("%d %d", &n, &k) != 2)
      return 0;
    int a[1000];
    for (int i = 0; i < n; i++)
      scanf("%d", &a[i]);
    for (int i = 0; i < n - 1; i++) {
        for (int j = 0; j < n - 1 - i; j++) {
            if (a[j] > a[j + 1]) {
                int t = a[j];
                a[j] = a[j + 1];
                a[j + 1] = t;
            }
        }
    }
    if (k >= 1 && k <= n)
      printf("%d", a[k - 1]);
    return 0;
}
```

OUTPUT

```
2
```

INPUT

```
5
1 2 3  4 5
```

35°C
Partly sunny

Search

ENG
IN

68%

QUESTIONS 25 / 25 completed

Missing

MISSING

Write a C program to find the missing number in an array of integers.

PROGRAM EDITOR

C

Run Save

```c
#include <stdio.h>
int main() {
    int n;
    if (scanf("%d", &n) != 1) return 0;
    long long sum = 0;
    for (int i = 0; i < n - 1; i++) {
        long long x;
        scanf("%lld", &x);
        sum += x;
    }
    long long total = (long long)n * (n + 1) / 2;
    long long missing = total - sum;
    printf("%lld", missing);
    return 0;
}
```

OUTPUT

```
4
```

INPUT

```
5
1 2 3 5
```

QUESTIONS 25 / 25 completed

Unique

UNIQUE

Write a C program to print all the unique elements in an array.

PROGRAM EDITOR

C Run Save

```c
#include<stdio.h>
int main() {
    int n, i, j, found;
    if (scanf("%d", &n) != 1)
      return 0;
    int a[1000];
    for (i = 0; i < n; i++)
      scanf("%d", &a[i]);
    for (i = 0; i < n; i++) {
        found = 0;
        for (j = 0; j < i; j++) {
            if (a[j] == a[i]) {
                found = 1;
                break;
            }
        }
        if (!found) {
            int unique = 1;
            for (j = i + 1; j < n; j++) {
                if (a[j] == a[i]) {
                    unique = 0;
```

OUTPUT

```
1 2 3 59 5
```

INPUT

```
5
1 2 3 59 5
```

SIMATS ENGINEERING

SIMATS Online Programming Lab

C PROGRAMMING

SHAIK MUBARAK
192425194RC

QUESTIONS 25 / 25 completed

Rotate

ROTATE

Write a C program to rotate an array to the left by n positions.

PROGRAM EDITOR

C

Run Save

```c
#include<stdio.h>
int main() {
    int n, i, j, temp;
    if (scanf("%d", &n) != 1) return 0;
    if (n <= 0) return 0;
    int a[n];
    for (i = 0; i < n; i++) scanf("%d", &a[i]);
    int d;
    scanf("%d", &d);
    if (d < 0) {
        d = (-d) % n;
        d = n - d;
    } else {
        d = d % n;
    }
    for (i = 0; i < d; i++) {
        temp = a[0];
        for (j = 0; j < n - 1; j++) a[j] = a[j + 1];
        a[n - 1] = temp;
    }
    for (i = 0; i < n; i++) {
```

OUTPUT

```
12 23 54 1 3
```

INPUT

```
5
12 23 54 1 3
```

SIMATS ENGINEERING

SIMATS Online Programming Lab

C PROGRAMMING

SHAIK MUBARAK
192425194RC

QUESTIONS 25 / 25 completed

Check Sort

CHECK SORT

Write a C program to check if an array is sorted in ascending or descending order.

PROGRAM EDITOR

C

Run Save

```
#include<stdio.h>
int main() {
    int n, i;
    if (scanf("%d", &n) != 1)
      return 0;
    int a[1000];
    for (i = 0; i < n; i++)
      scanf("%d", &a[i]);
    int asc = 1, desc = 1;
    for (i = 1; i < n; i++) {
        if (a[i] < a[i-1]) asc = 0;
        if (a[i] > a[i-1]) desc = 0;
    }
    if (asc && !desc)
      printf("Ascending");
    else if (desc && !asc)
      printf("Descending");
    else if (asc && desc)
      printf("Ascending");
    else printf("Not Sorted");
    return 0;
```

OUTPUT

```
Ascending
```

INPUT

```
5
 1 2 3 4 5
```

SIMATS ENGINEERING

SIMATS Online Programming Lab

C PROGRAMMING

SHAIK MUBARAK
192425194RC

QUESTIONS 25 / 25 completed

Pointer- Rev

POINTER- REV

Write a C program to print the elements of an array in reverse order using pointers.

PROGRAM EDITOR

C

Run Save

```c
#include <stdio.h>
int main() {
    int n, i;
    if (scanf("%d", &n) != 1)
      return 0;
    int a[n];
    for (i = 0; i < n; i++)
      scanf("%d", &a[i]);
    for (i = n - 1; i >= 0; i--) {
        printf("%d", *(a + i));
        if (i != 0) printf(" ");
    }
    return 0;
}
```

OUTPUT

```
16 15 14 13 12
```

INPUT

```
5
12 13 14 15 16
```

SIMATS ENGINEERING

SIMATS Online Programming Lab

C PROGRAMMING

SHAIK MUBARAK
192425194RC

QUESTIONS 25 / 25 completed

Median

MEDIAN

Write a C program to find the median of an array.

PROGRAM EDITOR

C

Run Save

```
#include <stdio.h>
int main() {
    int n, i, j;
    scanf("%d", &n);
    if (n <= 0) return 0;
    int a[2000];
    for (i = 0; i < n; i++) scanf("%d", &a[i]);
    for (i = 0; i < n - 1; i++) {
        for (j = i + 1; j < n; j++) {
            if (a[i] > a[j]) {
                int t = a[i];
                a[i] = a[j];
                a[j] = t;
            }
        }
    }
    if (n % 2 == 1) {
        printf("%d", a[n / 2]);
    } else {
        double median = (a[n / 2 - 1] + a[n / 2]) / 2.0;
        if (median == (int)median) printf("%d", (int)median);
```

OUTPUT

```
6
```

INPUT

5
12 5 5 6 7