

QUESTIONS 8 / 8 completed

Rectangle ▾

RECTANGLE

Write a program that calculates the area of a rectangle given its length and width.

Problem Description:
Write a program that calculates the area of a rectangle given its length and width. The program should prompt the user to enter the length and width of the rectangle as input, then calculate the area

PROGRAM EDITOR

C ▾

Run

Save

```
1 #include<stdio.h>
2 int main(){
3     int l,b,area;
4     printf("enter the length and breadth : ");
5     scanf("%d %d",&l,&b);
6     area = l*b;
7     printf("Area of the rectangle is = %d ",area);
8 }
```

OUTPUT

```
enter the length and breadth : Area of the rectangle is = 50
```

INPUT

10 5

QUESTIONS 8 / 8 completed

ODD EVEN

ODD EVEN

Write a program that checks whether a number is even or odd.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main(){
3     int n;
4     printf("Enter the Number: ");
5     scanf("%d",&n);
6     if(n%2==0)
7         printf("%d is Even\n",n);
8     else
9         printf("%d is odd\n",n);
10 }
```

OUTPUT

```
Enter the Number: 5 is odd
```

INPUT

5

QUESTIONS 8 / 8 completed

Leap

LEAP

Write a program that determines whether a year is a leap year or not. A year is a leap year if it is divisible by 4, but not divisible by 100 unless it is also divisible by 400.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main(){
3     int year;
4     printf("Enter the Year: ");
5     scanf("%d", &year);
6     if((year%400==0)|| (year%4==0 && year%100!=0))
7         printf("%d is a leap year\n",year);
8     else
9         printf("%d is not a leap year\n",year);
10 }
```

OUTPUT

```
Enter the Year: 2026 is not a leap year
```

INPUT

2026

QUESTIONS 8 / 8 completed

Max-Min

MAX-MIN

Write a program that takes three integers as input and prints the maximum and minimum of the three.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main(){
3     int a,b,c,max,min;
4     printf("Enter teh three Elements: ");
5     scanf("%d%d%d",&a,&b,&c);
6     if(a>=b && a>=c)
7         max=a;
8     else if(b>=a && b>=c)
9         max=b;
10    else
11        max=c;
12    if(a<=b && a<=c)
13        min=a;
14    else if(b<=a && b<=c)
15        min=b;
16    else
17        min=c;
18    printf("Maximum = %d\n",max);
19    printf("Minimum = %d\n",min);
20 }
```

OUTPUT

```
Enter teh three Elements: Maximum = 85
Minimum = 22
```

INPUT

22 85 56

QUESTIONS 8 / 8 completed

Sum-Avg

SUM-AVG

Write a program that takes a list of numbers as input and computes the sum and average of the numbers.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main(){
3     int n,i;
4     float num[100],sum=0.0,avg;
5     printf("Enter the number of elements: ");
6     scanf("%d",&n);
7     printf("Enter %d numbers:\n",n);
8     for(i=0;i<n;i++){
9         scanf("%f",&num[i]);
10        sum+=num[i];
11    }
12    avg = sum/n;
13    printf("Sum = %.2f\n",sum);
14    printf("Average = %.2f\n",avg);
15 }
```

OUTPUT

```
Enter the number of elements: Enter 5 numbers:
Sum = 150.00
Average = 30.00
```

INPUT

```
5
10
20
30
40
50
```

QUESTIONS 8 / 8 completed

Arithmetic

ARITHMETIC

Write a program that takes two numbers as input and prints their sum, difference, product, and quotient.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main(){
3     int a,b;
4     printf("Enter the numbers: ");
5     scanf("%d %d",&a,&b);
6     printf("Addition = %d\n",a+b);
7     printf("Subtraction = %d\n",a-b);
8     printf("Multiplication = %d\n",a*b);
9     if(b!=0){
10         printf("Division =%d\n",a/b);
11         printf("modulus = %d\n",a%b);
12     }
13     else{
14         printf("Division and modulus not possible\n");
15     }
16 }
```

OUTPUT

```
Enter the numbers: Addition = 25
Subtraction = 15
Multiplication = 100
Division =4
modulus = 0
```

INPUT

20 5

QUESTIONS 8 / 8 completed

Convert

CONVERT

Write a program that converts Celsius to Fahrenheit. The formula is Fahrenheit = (Celsius * 1.8) + 32.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main(){
3     float fahrenheit,temp;
4     printf("Enter the temperature in celsius:");
5     scanf("%f",&temp);
6     fahrenheit = ( temp*9/5)+32;
7     printf("Temperature in fahrenheit:%.2f\n",fahrenheit);
8 }
```

OUTPUT

```
Enter the temperature in celsius:Temperature in fahrenheit:122.00
```

INPUT

50

QUESTIONS 8 / 8 completed

Swap 2 No's

SWAP 2 NO'S

C Program to Swap Two Numbers.
Swapping two numbers in C programming means swapping the values of two variables.
For example, there are two variables m & n. Value of m is "2" & value of n is "3".
Before Swapping: m value = 2; n value = 3
After Swapping: m value = 3; n value = 2

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main(){
3     int a,b,c;
4     printf("Enter the numbers: ");
5     scanf("%d %d",&a,&b);
6     c= a;
7     a= b;
8     b= c;
9     printf("After Swapping: a= %d,b=%d",a,b);
10 }
```

OUTPUT

Enter the numbers: After Swapping: a= 5,b=4

INPUT

4 5