



Shop Visit History Report

IIN: Z3311

Serial Number: 13-182449-08502

Part Number: 3822611-1

Item No	Part No	Part TSN	Part CSN	Part TSO	Part CSO	Part TSR	Part CSR	Fitment/ Removal	Date	Parent Serial Number	Parent TSN	Parent CSN	Visit Remarks
1	3822611-1	0	0	0	0	0	0	FITMENT	28-Jun-2013	P2273	0	0	
2	3822611-1	7184	4819	7184	4819	7184	4819	REMOVAL	16-Sep-2017	P2273	7184	4819	OVERHAUL
3	3822611-1	7184	4819	0	0	0	0	FITMENT	17-Oct-2017	P2273	7184	4819	OVERHAUL-ARC 330055685

*** End Of Report ***



Shop Visit History Report

IIN: Z0000

Serial Number: P2273

Part Number: 3800550-1

Item No	Part No	Part TSN	Part CSN	Part TSO	Part CSO	Fitment/ Removal	Date	A/C Regn	Position	TSN	CSN	Visit No.	Visit Remarks
1	3800550-1	0	0	0	0	FITMENT	28-Jun-2013	SWU	APU	0	0	20131009001	
2	3800550-1	7184	4819	7184	4819	REMOVAL	16-Sep-2017	SWU	APU	19991	2377	20171101001	OVERHAUL
3	3800550-1	7184	4819	0	0	FITMENT	17-Oct-2017	-		0	0	20171101001	OVERHAULED BY HONEYWELL W/O 5011527375
4	3800550-1	7186	4825	2	6	REMOVAL	17-Oct-2017	-		2	6	20171101002	DMM HRS/CYCS RELEASED AFTER APU FINAL TESTING
5	3800550-1	7186	4825	2	6	FITMENT	15-Nov-2017	SNB	APU	11340	1341	20171101002	-

*** End Of Report ***



[illegible][illegible]

Honeywell International Inc.
Engines & Systems
P.O. Box 52181
Phoenix, Arizona 85072-2181

AX6167

Material Number 3800550-1
Material Desc ENGINE OUTLINE GAS TURBINE

Serial Number P-2273

Mfg. Revision AC

ESS - Engines - Phoenix
Honeywell International Inc
111 South 34th Street
PHOENIX AZ 85072
USA

BOM	Material	Material Description	Rev	Serial Number	Lot Number	Batch	Ref.Des	Quantity
1	3826980-13	ENGINE COMPRESSOR MODULE	AM	P-1394				1,0
2	3840124-3	BEARING SET, THRUST BALL, SPLIT INNER RI		13-162255-10955				1,0
2	3844488-3	SEAL INTSTG			13-150609-007			1,0
2	3822341-5	IMPELLER, COMPRESSOR, SECOND STAGE	B	13-182449-08511	131034133			1,0
3	3822347-1	FORGING COMPRESSOR	-	13-182449-08511				1,0
2	3822611-1	IMPELLER, COMPRESSOR FIRST STAGE	C	13-182449-08502	131034137			1,0
3	S9008BT45	PIN, STRAIGHT, HEADLESS	PY					1,0
3	3822482-1	SEAL, AIR ROTATING	-					1,0
3	3822346-1	FORGING COMPRESSOR FIRST STAGE	-	13-182449-08502				1,0
2	3827191-1	HOUSING, CENTRIFUGAL COMPRESSOR, STAGE 1			13-3300-036			1,0
2	3826919-5	HOUSING, ENGINE COMP - 2ND STG			12-162053-972			1,0
1	3883499-3	ACTUATOR, INLET GUIDE VANE		1552				1,0
1	3805034-10	GEARBOX ASSEMBLY	A	P-1401				1,0
2	3860835-2	BEARING, ROLLER, CYLINDRICAL		13-162255-17733				1,0
2	3503876-6	DRIVESHAFT ASSY	J	1734	1			1,0
2	3860832-2	BEARING SET, ROLLER, CYLINDRICAL, MATCHE		13-162255-12612				1,0
2	3860832-2	BEARING SET, ROLLER, CYLINDRICAL, MATCHE		13-162255-12641				1,0
2	3860836-2	BEARING SET, ROLLER, CYLINDRICAL, MATCHE		13-162255-15519				1,0
2	3860836-2	BEARING SET, ROLLER, CYLINDRICAL, MATCHE		13-162255-15523				1,0
2	3860836-2	BEARING SET, ROLLER, CYLINDRICAL, MATCHE		13-162255-16604				1,0
2	3860839-2	BEARING SET, ROLLER, CYLINDRICAL, MATCHE		13-162370-03173				1,0
2	3863163-8	HOUSING ASSEMBLY, MATCHED SET	AC	13-1034-38578				1,0
3	3863096-1	CARRIER, BEARING	H					1,0
3	3863162-117	CASTING, HOUSING, GEARBOX	H					1,0
3	3863094-911	BUSHING SLEEVE	-					1,0

Subject to U.S. Export Regulations

Due A/F hours/cycles for APU life limited parts at installation 0 / 0

APU Description : AUXILIARY POWER UNIT

Part Number : 3800550-1

Serial number : P2273

IIN : Z0000

Aircraft Reg : SWU

Position : APU

Date Installed : 28-Jun-2013

TSN / CSN(at installation) : 0 / 0

TSLV / CSLV : - / -

Remarks :

Item No	ATA Chapter	Position	IIN	Part Number	Part Description	Serial Number	TSO# LL(HR)	CSO# LL(CYC)	TSN	CSN	Airframe due Hours Cycles	
1	49-00-00	APU	Z0000	3800550-1	AUXILIARY POWER UNIT	P2273	0	0	0	0	NA	NA
2	49-23-00		Z3311	3822611-1	IMPELLER COMPRESSOR 1ST STAGE	13-182449-08502		27000 *	0	0		27000
3	49-23-00		Z3312	3822341-5	IMPELLER, COMPRESSOR 2ND STG	13-182449-08511		27000 *	0	0		27000
4	49-23-00		Z3313	3822612-1	IMPELLER COMPRESSOR LOAD	13-182449-08188		27000 *	0	0		27000
5	49-25-00		Z3511	3842151-3	ROTOR ASSEMBLY, 1ST STAGE	12-168522-01537		27000 *	0	0		27000
6	49-25-00		Z3512	3842155-4	ROTOR ASSEMBLY, 2ND STAGE	12-168522-01912		27000 *	0	0		27000
7	49-25-00		Z3513	3842160-6	ROTOR ASSEMBLY, 3RD STAGE	12-156101-09303		27000 *	0	0		27000

*** End Of Report ***



Note : #TSO/CSO only applicable to Module and Non-Life Limited Parts.

*** - Life Calculation on Revised Life-Limit ** - Life Calculation on Soft Life Limit * - Life Calculation on Hard Life Limit



Available hours/cycles for APU life limited parts at removal

APU Description : AUXILIARY POWER UNIT

Part Number : 3800550-1

Serial number : P2273

IIN : Z0000

Ex Aircraft Reg : SWU

Position : APU

Date Removed : 16-Sep-2017

TSN / CSN(at removal) : 7184 / 4819

TSLV / CSLV : 7184 / 4819

Remarks : OVERHAUL

Item No	ATA Chapter	Position	IIN	Part Number	Part Description	Serial Number	TSO# LL(HR)	CSO# LL(CYC)	TSN	CSN	Available Hours	Cycles
1	49-00-00	APU	Z0000	3800550-1	AUXILIARY POWER UNIT	P2273	7184	4819	7184	4819	NA	NA
2	49-23-00		Z3311	3822611-1	IMPELLER COMPRESSOR 1ST STAGE	13-182449-08502		27000 *	7184	4819		22181
3	49-23-00		Z3312	3822341-5	IMPELLER, COMPRESSOR 2ND STG	13-182449-08511		27000 *	7184	4819		22181
4	49-23-00		Z3313	3822612-1	IMPELLER COMPRESSOR LOAD	13-182449-08188		27000 *	7184	4819		22181
5	49-25-00		Z3511	3842151-3	ROTOR ASSEMBLY, 1ST STAGE	12-168522-01537		27000 *	7184	4819		22181
6	49-25-00		Z3512	3842155-4	ROTOR ASSEMBLY, 2ND STAGE	12-168522-01912		27000 *	7184	4819		22181
7	49-25-00		Z3513	3842160-6	ROTOR ASSEMBLY, 3RD STAGE	12-156101-09303		27000 *	7184	4819		22181

*** End Of Report ***



Note : #-TSO/CSO only applicable to Module and Non-Life Limited Parts.

*** - Life Calculation on Revised Life Limit ** - Life Calculation on Soft Life Limit * - Life Calculation on Hard Life Limit

GTCP 331-500[B] PERFORMANCE DATA SHEET

NOTIFICATION NUMBER : 330005518		SERVICE ORDER : 5011527375			
APU MODEL : GTCP331-500[B]		PART NUMBER : 3800550-1		SERIAL NUMBER : P-2273	
OPERATION TEXT : LAB TEST					
OPERATION NO : 0220					
		MANUAL : EM 49-26-57			
		REVISION : 20			
QUANTITY		UNITS	NO LOAD	103°F ECS MODE	103°F MES MODE
BAROMETRIC PRESSURE		PSIA	14.59	14.59	14.59
FUEL INLET PRESSURE		PSIG	25.5	20.8	20.3
OIL PUMP DISCHARGE PRESSURE		PSIG	64.6	63.5	63.4
OIL PUMP DISCHARGE TEMPERATURE		°F	160	163	162
GEARBOX PRESSURE		PSIA	14.96	14.89	14.86
COMPRESSOR INLET TEMPERATURE	MEASURED	°F	96.5	99.2	98.5
APU INLET TEMPERATURE (T2) (ARINC)		°F	101.5	103.7	101.8
TURBINE DISCHARGE TEMPERATURE (UNIT RAKES)	UPPER (EGT 1)	°F	717.4	1063.9	1087.6
	LOWER (EGT 2)	°F	725.3	1076.7	1112.1
EXHAUST GAS TOTAL TEMPERATURE (LA)	MEASURED	°F	739.3	1075.6	1103.4
	CORRECTED	°F		1100.6	1097.3
ORIFICE INLET AIR PRESSURE		" Hg		75.6	86.5
ORIFICE INLET TEMPERATURE		°F		410.5	420.1
ORIFICE DELTA PRESSURE		" H ₂ O		59.92	24.48
IGV POSITION** (IGVPOS)		DEGREES		12.5	5.0
IGV PERFORMANCE ADJ (IGVPERADJ)		DEGREES		5.0	
BLEED AIRFLOW	ACTUAL	LBS/MIN		474.86	320.04
	CORRECTED	LBS/MIN		470.8	299.2
RESTRICTED AIRFLOW (DISC. CORR. FLOW)		LBS/MIN		166.88	106.02
BLEED AIR TOTAL PRESSURE	INDICATED	PSIA		54.5	58.2
	CORRECTED	PSIA		54.2	54.3
BLEED AIR TOTAL TEMPERATURE	INDICATED	°F		420.7	430.9
	CORRECTED	°F		424.6	427.7
UNIT VIBRATION	ACCESSORY	IN/SEC	0.23	0.14	0.15
	TURBINE	IN/SEC	0.34	0.36	0.39
TURBINE WHEEL SPEED		RPM	39041	39041	39038
SHAFT LOAD	APPLIED	SHP		179.3	179.4
	CORRECTED	SHP		180.7	180.7
FUEL CONSUMPTION	INDICATED	LBS/HR	336.8	626	653
	CORRECTED	LBS/HR		628.00	627.24

TEST TECHNICIAN :

HONEYWELL (S)
TEST 09

Stamp & Sign

DATE :

16-Oct-2017

QUALITY CONTROL :



Stamp & Sign

DATE :

17 OCT 2017

TURBINE ACCEPTANCE TAG AND TRACEABILITY INPUT LIFE LIMITED PARTS RECORD/TRACE INPUT PAGE

PART NO: 3800550-1

SERIAL NO: P-2273

CUSTOMER: SINGAPORE AIRLINES LTD

MODEL: GTCP331-500B

SERIES: 62

DATE: 17-Oct-17

S/O NO: 5011527375

TSN: 7184:03

CSN: 4819

TSR: NA

CSR: NA

NOTIFICATION NO: 330005518

TSO: 0:00

CSO: 0

DESCRIPTION	PART NO	SERIAL NO	LOT NO	TSN	CSN	LIFE LIMITS (CYCLES)	REMARKS
D/COMP IMPELLER	3822612-1	13-182449-08188	-	7184:03	4819	27000	OVERHAULED
1ST STG IMPELLER	3822611-1	13-182449-08502	-	7184:03	4819	27000	OVERHAULED
2ND STG IMPELLER	3822341-5	1618244923700	-	00	00	27000	NEW
1ST T-WHEEL ASSY	3842151-3	12-168522-01537					OVERHAULED
DISK PART NO	3842152-1		-	7184:03	4819	27000	
2ND T-WHEEL ASSY	3842155-4	12-168522-01912					OVERHAULED
DISK PART NO	3842156-1		-	7184:03	4819	27000	
3RD T-WHEEL ASSY	3842160-6	12-156101-09303	-	7184:03	4819	27000	OVERHAULED

APU ACCESSORIES RECORD/NDIC

DESCRIPTION	PART NO.	SERIAL NO.	SERIES	CHG NOS	REMARKS
STARTER CTRL VLV	3283076-5	1578	1	-	REPAIRED
AIR TURB STARTER	3505814-3	1541	1	-	OVERHAULED UNIT TRANSFERRED FROM SINGAPORE AIRLINES LTD APU S/N: P-2290
STARTER MOTOR	2704442-5	1234	2	-	OVERHAULED
FUEL CLUSTER	3879008-1	CUA11725	-	-	VISUAL INSPECTED / TESTED
IGV ACTUATOR	3883499-3	1552	-	-	VISUAL INSPECTED / TESTED
PNEU CLUSTER	3884863-7	P-1525	1	-	REPAIRED
CHECK VALVE	3202854-1	1401	1	-	REPAIRED
SURGE CTRL VALVE	3290814-5	3290814/888	1	-	OVERHAULED
LUBE CLUSTER	4131000-6	1668	2	-	REPAIRED
AIR OIL COOLER	160488-2	1664	2	-	CLEANED & FLUSHED / VISUAL INSPECTED / TESTED
TEMP CTRL VALVE	160536-1	1508	2	-	VISUAL INSPECTED / TESTED
IGNITION UNIT	3876195-9	J17340052	-	-	NEW
IGNITION SYS ASSY	3888275-10	-	-	-	REPAIRED (ALTERNATE OUTGOING S/N: J17340052)
G/BOX ASSY	3805034-11	P-1401	-	-	MODIFIED / REPAIRED
DRIVEN COMP	3804011-10	P-1398	-	-	OVERHAULED
COMP MODULE	3826980-13	P-1394	-	-	OVERHAULED
TURB MODULE	3844517-7	P-1393	-	-	OVERHAULED
OIL LEVEL SENSOR	3876211-3	-	-	-	VISUAL INSPECTED / TESTED (ALTERNATE OUTGOING S/N: 97424-DT1471)
DMM	304643-2	GE12119	1	-	VISUAL INSPECTED

REMARKS: APU HOURS AND CYCLES ARE BASED AT THE POINT OF ASSEMBLY AND OBTAINED FROM THE DMM.

INSPECTOR SIGNATURE & STAMP:



FORM: GTCP331-500B-G16-R.7 (ddmmyy 290615)



1. Approving Competent Authority/Country EASA		2. AUTHORISED RELEASE CERTIFICATE EASA FORM 1			3. Form Tracking Number 20170003746072Y02 330055685	
4. Organisation Name and Address: Honeywell Aerospace Singapore Pte Ltd (Gul Circle) 161 Gul Circle Singapore 629619					5. Work Order/Contract/Invoice 10453748 330006248 Page 1 of 1	
6. Item	7. Description	8. Part No	9. Qty	10. Serial No.	11. Status/Work	
001	IMPELLER, COMPRESSOR FIRST STAGE	3822611-1	1	13-182449-08502	OVERHAULED	
12. Remarks THE SERVICE SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH: IRM 49-24-79 Rev 9, APR/29/2016 <div style="display: flex; justify-content: space-between;"> <div style="width: 30%;"> TSN HH.DD (HH:MM) CSN 7184.05 (7184:03) TSO 4819.00 CSO 0.00 (0:00) CSO 0.00 </div> <div style="width: 60%; text-align: center;"> <div style="border: 1px solid red; width: 20px; height: 100px; margin: 0 auto;"></div> </div> </div>						
13a. Certifies that the items identified above were manufactured in conformity to: <input type="checkbox"/> approved design data and are in condition for safe operation <input type="checkbox"/> non-approved design data specified in block 12			14a <input checked="" type="checkbox"/> Part-145.A.50 Release to Service <input type="checkbox"/> Other regulation specified in block 12 Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12, was accomplished in accordance with Part-145 and in respect to that work the items are considered ready for release to service.			
13b. Authorised Signature		13c. Approval/Authorisation Number		14b. Authorised Signature 		14c. Certificate/Approval Ref. No EASA.145.0076
13d. Name		13e. Date (dd mmm yyyy)		14d. Name Chou Nyee Hoong		14e. Date (dd mmm yyyy) 09 OCT 2017
USER/INSTALLER RESPONSIBILITIES This certificate does not automatically constitute authority to install the item(s). Where the user/installer performs work in accordance with regulation of an airworthiness authority different than the airworthiness authority specified in block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts items from the airworthiness authority specified in block 1. Statements in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						



1. Approving Civil Aviation Authority/Country: FAA/United States	2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG	3. Form Tracking Number: 20170003746076Y03 330055685
--	--	--

4. Organization Name and Address: Honeywell Aerospace Singapore Pte Ltd (Gul Circle) 161 Gul Circle Singapore 629619	Repair Station FT4Y192M	5. Work Order/Contract/Invoice Number: 10453748 330006248 Page 1 of 1
---	----------------------------	--


6.Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status / Work:
001	IMPELLER, COMPRESSOR FIRST STAGE	3822611-1	1	13-182449-08502	OVERHAULED

12. Remarks:

THE SERVICE SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH:
IRM 49-24-79 Rev 9, APR/29/2016

	HH.DD	(HH:MM)
TSN	7184.05	(7184:03)
CSN	4819.00	
TSO	0.00	(0:00)
CSO	0.00	

SEE ATTACHED DOCUMENTS AS APPLICABLE FOR WORK PERFORMED

13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12.		14a. <input checked="" type="checkbox"/> 14 CFR 43.9 Return to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature:	13c. Approval/Authorization No.:	14b. Authorized Signature: 	14c. Approval/Certificate No.: FT4Y192M
13d. Name (Typed or Printed):	13e. Date(dd/mmm/yyyy):	14d. Name (Typed or Printed): Chou Nyee Hoong	14e. Date (dd/mmm/yyyy): 09/OCT/2017

User / Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Country SINGAPORE		2. CIVIL AVIATION AUTHORITY OF SINGAPORE AUTHORIZED RELEASE CERTIFICATE CAAS(AW)95				3. Form Tracking Number: 20170003746071Y06 330055685	
4. Organization Name and Address: Honeywell Aerospace Singapore Pte Ltd (Gul Circle) 161 Gul Circle Singapore 629619						Repair Station AWI/38	
						5. Work Order/Contract/Invoice Number: 10453748 330006248 Page 1 of 1	

6.Item:	7. Description:	8. Part Number:	9. Eligibility:*	10. Quantity:	11. Serial / Batch Number:	12. Status / Work:
001	IMPELLER, COMPRESSOR FIRST STAGE	3822611-1	N/A	1	13-182449-08502	OVERHAULED

13. Remarks :
 THE SERVICE SPECIFIED HAS BEEN ACCOMPLISHED IN ACCORDANCE WITH:
 IRM 49-24-79 Rev 9, APR/29/2016

	HH.DD	(HH:MM)
TSN	7184.05	(7184:03)
CSN	4819.00	
TSO	0.00	(0:00)
CSO	0.00	

 SEE ATTACHED DOCUMENTS AS APPLICABLE FOR WORK PERFORMED

14. NEW PARTS Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in condition for safe operation <input type="checkbox"/> Non-approved design data specified in Block 13		19. USED PARTS <input checked="" type="checkbox"/> SAR-145.50 Release to Service <input type="checkbox"/> Other regulation specified in Block 13. Certifies that unless otherwise specified in Block 13, the work identified in Block 12 and described in Block 13 was accomplished in accordance with SAR 145 and the Air Navigation Order and in respect to that work the items are considered ready for release to service.	
15. Authorized Signature:	16. CAAS Approval No.:	20. Authorized Signature:	21. CAAS Approval No.:
		 	AWI/38
17. Name (Typed or Printed):	18. Date (dd mmm yyyy):	22. Name (Typed or Printed):	23. Date (dd mmm yyyy):
		Chou Nyee Hoong	09 OCT 2017

User / Installer Responsibilities
 1. It is important to understand that the existence of the Certificate alone does not automatically constitute authority to install the part/component/assembly.
 2. Where the user/installer works in accordance with the national regulations of an Airworthiness Authority different from the Civil Aviation Authority of Singapore(CAAS), it is essential that the user/installer ensures that his/her Airworthiness Authority accepts parts/components/assemblies from the CAAS.
 3. Statements 14 and 19 do not constitute installation certification. In all cases, the aircraft maintenance record must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.



Available hours/cycles for APU life limited parts

APU Description : AUXILIARY POWER UNIT

Part Number : 3800550-1

Serial number : P2273

IIN : Z0000

Aircraft Reg : -

Position :

Date Installed : 17-Oct-2017

TSN / CSN : 7184 / 4819

TSLV / CSLV : 0 / 0

Remarks : OVERHAULED BY HONEYWELL W/O 5011527375

Item No	ATA Chapter	Position	IIN	Part Number	Part Description	Serial Number	TSO# LL(HR)	CSO# LL(CYC)	TSN	CSN	Available Hours	Cycles
1	49-00-00		Z0000	3800550-1	AUXILIARY POWER UNIT	P2273	0	0	7184	4819	NA	NA
2	49-23-00		Z3311	3822611-1	IMPELLER COMPRESSOR 1ST STAGE	13-182449-08502		27000*	7184	4819		22181
3	49-23-00		Z3312	3822341-5	IMPELLER, COMPRESSOR 2ND STG	1618244923700		27000*	0	0		27000
4	49-23-00		Z3313	3822612-1	IMPELLER COMPRESSOR LOAD	13-182449-08188		27000*	7184	4819		22181
5	49-25-00		Z3511	3842151-3	ROTOR ASSEMBLY, 1ST STAGE	12-168522-01537		27000*	7184	4819		22181
6	49-25-00		Z3512	3842155-4	ROTOR ASSEMBLY, 2ND STAGE	12-168522-01912		27000*	7184	4819		22181
7	49-25-00		Z3513	3842160-6	ROTOR ASSEMBLY, 3RD STAGE	12-156101-09303		27000*	7184	4819		22181

*** End Of Report ***



Note : #-TSO/CSO only applicable to Module and Non-Life Limited Parts.

*** - Life Calculation on Revised Life Limit ** - Life Calculation on Soft Life Limit * - Life Calculation on Hard Life Limit



Available hours/cycles for APU life limited parts

APU Description : AUXILIARY POWER UNIT

Part Number : 3800550-1

Serial number : P2273

IIN : Z0000

Aircraft Reg : SNB

Position : APU

Date Installed : 15-Nov-2017

TSN / CSN : 10878 / 7124

TSLV / CSLV : 3694 / 2305

Remarks : AT REMOVAL DATED 23NOV2019

Item No	ATA Chapter	Position	IIN	Part Number	Part Description	Serial Number	TSO# LL(HR)	CSO# LL(CYC)	TSN	CSN	Available Hours	Cycles
1	49-00-00	APU	Z0000	3800550-1	AUXILIARY POWER UNIT	P2273	3694	2305	10878	7124	NA	NA
2	49-23-00		Z3311	3822611-1	IMPELLER COMPRESSOR 1ST STAGE	13-182449-08502		27000 *	10878	7124		19876
3	49-23-00		Z3312	3822341-5	IMPELLER, COMPRESSOR 2ND STG	1618244923700		27000 *	3694	2305		24695
4	49-23-00		Z3313	3822612-1	IMPELLER COMPRESSOR LOAD	13-182449-08188		27000 *	10878	7124		19876
5	49-25-00		Z3511	3842151-3	ROTOR ASSEMBLY, 1ST STAGE	12-168522-01537		27000 *	10878	7124		19876
6	49-25-00		Z3512	3842155-4	ROTOR ASSEMBLY, 2ND STAGE	12-168522-01912		27000 *	10878	7124		19876
7	49-25-00		Z3513	3842160-6	ROTOR ASSEMBLY, 3RD STAGE	12-156101-09303		27000 *	10878	7124		19876

*** End Of Report ***



Note : #-TSO/CSO only applicable to Module and Non-Life Limited Parts.

*** - Life Calculation on Revised Life Limit ** - Life Calculation on Soft Life Limit * - Life Calculation on Hard Life Limit