# ShellHacks (https://www.shellhacks.com/)

Linux Hacks and Guides

BLOG (HTTPS://WWW.SHELLHACKS.COM/BLOG/)

# "Yes/No" in Bash Script - Prompt for Confirmation

Posted on Tuesday December 27th, 2016 (https://www.shellhacks.com/yes-no-bash-script-prompt-confirmation/) by admin (https://www.shellhacks.com/author/admin/)

(https://www.shellhacks.com/yes-no-bash-script-prompt-confirmation/)

Very often in bash scrips you need to ask for user input that requires a Yes or No answer.

For example, you may want to put a quick "Are you sure?" prompt for **confirmation before execution** of some potentially dangerous part of a **bash script**.

In this article you'll find three easiest and fastest ways to prompt for "Yes/No" confirmation in bash script.

## Prompt To Continue In Bash

The best way to **prompt for a confirmation to continue** in a bash script is to use the read command (source (http://stackoverflow.com/questions/1885525/how-do-i-prompt-a-user-for-confirmation-in-bash-script)):

```
read -p "Are you sure? " -n 1 -r
echo  # (optional) move to a new line
if [[ ! $REPLY =~ ^[Yy]$ ]]
then
    exit 1
fi
```

# Simple "Yes/No" Dialog In Bash

One of the most widely used method to ask user for a confirmation in a bash script is to combine read + case commands (source (http://stackoverflow.com/questions/226703/how-do-i-prompt-for-input-in-a-linux-shell-script)):

```
while true; do
  read -p "Do you wish to install this program?" yn
  case $yn in
    [Yy]* ) make install; break;;
    [Nn]* ) exit;;
    * ) echo "Please answer yes or no.";;
  esac
done
```

### Select From "Yes/No" Menu In Bash

/

Another easy method is to use select command (source (http://stackoverflow.com/questions/226703/how-do-i-prompt-for-input-in-a-linux-shell-script)):

```
echo "Do you wish to install this program?"
select yn in "Yes" "No"
case $yn in
    Yes ) make install;;
    No ) exit;;
esac
```

No comments yet (https://www.shellhacks.com/yes-no-bash-script-prompt-confirmation/#respond)

BASH (HTTPS://WWW.SHELLHACKS.COM/TAG/BASH/)

#### LEAVE A REPLY

Comment	
	//
Name	
Email Control of the	
POST REPLY	
K HOWTO: USE AIRCRACK-NG – WIFI PASSWORD HACKER – TUTORIAL (HTTPS://WWW.SHELLHACKS.COM/HOW-TO-USE-AIRCRACK-NG-WIFI-PASSWO HACKER-TUTORIAL/)	RD-
UBUNTU, CENTOS – ENABLE OR DISABLE SERVICE AUTOSTART IN LINUX ▶ (HTTPS://WWW.SHELLHACKS.COM/UBUNTU-CENTOS-ENABLE-DISAE	₃LE-
SERVICE-AUTOSTART-LINI	JX/)
CATEGORIES	
Blog (https://www.shellhacks.com/blog/)	
Databases (https://www.shellhacks.com/databases/)	
Version control (https://www.shellhacks.com/version-control/)	
	^

TAGS

ACCESS-CONTROL (HTTPS://WWW.SHELLHACKS.COM/TAG/ACCESS-CONTROL/) AIRCRACK-NG (HTTPS://WWW.SHELLHACKS.COM/TAG/AIRCRACK-NG/) ANONYMITY (HTTPS://WWW.SHELLHACKS.COM/TAG/ANONYMITY/) APACHE (HTTPS://WWW.SHELLHACKS.COM/TAG/APACHE/) ARCHIVE (HTTPS://WWW.SHELLHACKS.COM/TAG/ARCHIVE/) BASH (HTTPS://WWW.SHELLHACKS.COM/TAG/BASH/) BOOT (HTTPS://WWW.SHELLHACKS.COM/TAG/BOOT/) CISCO (HTTPS://WWW.SHELLHACKS.COM/TAG/CISCO/) COMMAND-LINE (HTTPS://WWW.SHELLHACKS.COM/TAG/COMMAND-LINE/) CURL (HTTPS://WWW.SHELLHACKS.COM/TAG/CURL/) DNS (HTTPS://WWW.SHELLHACKS.COM/TAG/DNS/) DOCKER (HTTPS://WWW.SHELLHACKS.COM/TAG/DOCKER/) ENCODING (HTTPS://WWW.SHELLHACKS.COM/TAG/ENCODING/) ENCRYPTION (HTTPS://WWW.SHELLHACKS.COM/TAG/ENCRYPTION/) FTP (HTTPS://WWW.SHELLHACKS.COM/TAG/FTP/) GIT (HTTPS://WWW.SHELLHACKS.COM/TAG/GIT/) HASH (HTTPS://WWW.SHELLHACKS.COM/TAG/HASH/) HISTORY (HTTPS://WWW.SHELLHACKS.COM/TAG/HISTORY/) ISO (HTTPS://WWW.SHELLHACKS.COM/TAG/ISO/) JOHN-THE-RIPPER (HTTPS://WWW.SHELLHACKS.COM/TAG/JOHN-THE-RIPPER/) MAIL (HTTPS://WWW.SHELLHACKS.COM/TAG/MAIL/) MOD-WSGI (HTTPS://WWW.SHELLHACKS.COM/TAG/MOD-WSGI/) MONITORING (HTTPS://WWW.SHELLHACKS.COM/TAG/MONITORING/) MOUNT (HTTPS://WWW.SHELLHACKS.COM/TAG/MOUNT/) MYSQL (HTTPS://WWW.SHELLHACKS.COM/TAG/MYSQL/) NETWORK (HTTPS://WWW.SHELLHACKS.COM/TAG/NETWORK/) NMAP (HTTPS://WWW.SHELLHACKS.COM/TAG/NMAP/) OPENSSL (HTTPS://WWW.SHELLHACKS.COM/TAG/OPENSSL/) PASSWORD (HTTPS://WWW.SHELLHACKS.COM/TAG/PASSWORD/) PDF (HTTPS://WWW.SHELLHACKS.COM/TAG/PDF/) PERFORMANCE (HTTPS://WWW.SHELLHACKS.COM/TAG/PERFORMANCE/) PROXY (HTTPS://WWW.SHELLHACKS.COM/TAG/PROXY/) PYTHON (HTTPS://WWW.SHELLHACKS.COM/TAG/PYTHON/) REGEX (HTTPS://WWW.SHELLHACKS.COM/TAG/REGEX/) REPOSITORY (HTTPS://WWW.SHELLHACKS.COM/TAG/REPOSITORY/) SALT-STACK (HTTPS://WWW.SHELLHACKS.COM/TAG/SALT-STACK/) SSH (HTTPS://WWW.SHELLHACKS.COM/TAG/SSH/) TELNET (HTTPS://WWW.SHELLHACKS.COM/TAG/TELNET/) TEXT-PROCESSING (HTTPS://WWW.SHELLHACKS.COM/TAG/TEXT-PROCESSING/) TOR (HTTPS://WWW.SHELLHACKS.COM/TAG/TOR/) TSM (HTTPS://WWW.SHELLHACKS.COM/TAG/TSM/) VSFTPD (HTTPS://WWW.SHELLHACKS.COM/TAG/VSFTPD/) WGET (HTTPS://WWW.SHELLHACKS.COM/TAG/WGET/) WINDOWS (HTTPS://WWW.SHELLHACKS.COM/TAG/WINDOWS/) YUM (HTTPS://WWW.SHELLHACKS.COM/TAG/YUM/)

 $@\ 2011-2017\ Shell Hacks.\ All\ rights\ reserved.\ The me\ by\ Colorlib\ (http://colorlib.com/)\ Powered\ by\ WordPress\ (http://wordpress.org/)\ Powered\ (http://wordpress.org/)\ Pow$ 

^