

LEOPARD GECKO · EUBLEPHARIS MACULARIUS

Keep your leopard gecko the right way from day one.

A complete, checked-fact printable manual: belly-heat setup, the three-hide humidity system, insect-only feeding by age, health triage, and the routines that keep a gecko thriving for decades.

22 pages

Beginner

Print or tablet

Version 1.0 · August 2026



CONTENTS

What's inside

Every page is written to be used, not just read once.

GETTING STARTED

How to Use This Package	3
-------------------------	---

SECTION 01 · QUICK PROFILE

Quick Profile & Cost Overview	4
-------------------------------	---

SECTION 02 · FULL CARE GUIDE

Housing & Enclosure	5
Heat, UVB & the Three-Hide System	6
Diet & Feeding by Age	7
Handling	8
Common Mistakes & Enrichment	9

SECTION 03 · HEALTH & COMMON ISSUES

Health Red Flags & What to Tell the Vet	10
Cryptosporidiosis	11
Metabolic Bone Disease & Impaction	12
Shedding, Tail Loss, Egg Binding & Prolapse	13

SECTION 04 · QUICK REFERENCE

Setup Checklist & Temperature/Humidity Targets	14
Emergency & Quick Targets Card	15

SECTION 05 · OWNER TOOLS

Budget & Shopping List	16
First 30 Days Checklist	17
Symptom Quick Reference	18
Daily, Weekly & Seasonal Routine	19
Owner Log	20
Enrichment Checklist	21

REFERENCE

Glossary	22
----------	----

START HERE

How to use this package

Three ways to get value from it, depending on where you are right now.

If you haven't set up yet

Read pages 5 through 9 in order before buying anything. Housing size and the three-hide humidity system are expensive and stressful to redo once your gecko is settled in. Get the enclosure size and the belly-heat setup right the first time, then use the Budget & Shopping List on page 16 to buy once.

If your gecko is already set up

Jump to the Setup Checklist and Temperature/Humidity Targets on page 14 to audit what you have, and the Health Red Flags section starting on page 10 if anything seems off.

Print these first

- | | |
|--|--|
| ☐ Page 14: Setup Checklist & Temperature/Humidity Targets | ☐ Page 19: Daily, Weekly & Seasonal Routine |
| ☐ Page 15: Emergency & Quick Targets Card | ☐ Page 20: Owner Log |
| ☐ Page 18: Symptom Quick Reference | ☐ Page 21: Enrichment Checklist |

WHY THIS PACKAGE EXISTS

Leopard gecko husbandry has moved on from a lot of what older care sheets still repeat, especially the old 20-gallon-long enclosure standard and the idea that heat should come from an overhead bulb rather than a thermostat-controlled heat mat. This package reflects current enclosure-size, heat, and humidity standards, cross-checked against veterinary and herpetological sources, not recycled forum advice.

NOT A SUBSTITUTE FOR

A reptile-experienced veterinarian. This is a husbandry reference for day-to-day care. Anything urgent or health-related is always a vet call, not a page in this book.

SECTION 01

Quick profile

Everything at a glance before you read the detail.

Scientific name	<i>Eublepharis macularius</i>
Adult size	7 to 11 in (18 to 28 cm)
Captive lifespan	15 to 20+ years in captivity with good care (wild lifespan is much shorter, roughly 6 to 8 years, due to predation and harsh conditions)
Native range	Pakistan, Afghanistan, Iran, India, and Nepal; rocky desert, arid grassland, and dry scrubland
Diet type	Obligate insectivore, insects only, never fruit or vegetables
Enclosure minimum (adult)	36×18×18 in, front-opening, screen top (see page 5)
Handling difficulty	Beginner; tail loss (autotomy) is a real risk if grabbed by the tail
Distinguishing traits	True, movable eyelids and no toe pads, unlike most gecko species; can't climb glass

Cost overview

Initial setup

\$250 to \$400 typical for enclosure, heat mat and thermostat, hides, and starter supplies (excludes the gecko itself).

Monthly ongoing

\$20 to \$50 for feeder insects, supplements, and electricity, averaged over the year.

BUDGET FOR THE WORST CASE TOO

Emergency care isn't rare enough to ignore. Sick or emergency vet visits commonly run \$100 to \$800+, and a fecal PCR test for cryptosporidiosis (page 11) is worth budgeting for at your first vet visit. Neither is likely if you follow this package, but both are real enough to plan for.

Fun facts worth knowing

- Leopard geckos have true, movable eyelids, unlike most other gecko species, and no toe pads, so they can't climb glass.
- Over 100 color morphs are recognized in captivity, the result of decades of selective breeding.
- They're most active at dusk and dawn (crepuscular), which is why an evening feeding schedule suits them better than a morning one.

Housing & enclosure

36×18×18 in is the current minimum for a single adult, well beyond the old 20-gallon-long standard many older care sheets still repeat (a 20-gallon-long is roughly 30×12×12 in, dramatically smaller, and no longer considered adequate by experienced keepers). Hatchlings can start in something as small as a 10-gallon tank while small, but plan to upgrade as they grow. Choose a front-opening, well-ventilated enclosure with an escape-proof screen top.



NEVER

House two leopard geckos together, or two males in any combination. This species is not social or communal, and males will fight over territory even in a large enclosure.

Substrate

Paper towel or ceramic tile are the safest choices, especially while you're new to keeping geckos, and they eliminate impaction risk entirely. Never use calcium sand or other fine loose sand, both carry a real impaction risk if ingested (page 12). Experienced keepers sometimes run a bioactive or naturalistic substrate mix for healthy adults, but it's not where a beginner should start.

What the diagram doesn't show

- Three hides minimum, not the two used by most other reptiles. Page 6 covers why the humid hide is the single most important setup detail for this species.
- A shallow water dish stays available at all times, even though most hydration comes from the humid hide and occasional light misting.
- Hatchlings can start in a smaller 10-gallon tank, but upgrade to the full 36×18×18 in minimum well before adulthood.

Heat, UVB & the three-hide system

ZONE	TARGET
Warm hide surface	88 to 92°F (some keepers run 90 to 95°F), measured at the surface, not the air
Cool side	72 to 78°F
Nighttime	Drop to around 70°F is normal and healthy; tolerable down to 60°F
General enclosure humidity	30 to 40%
Humid hide (inside only)	70 to 80%

Measure the warm hide's surface temperature with a probe thermometer placed where your gecko actually rests, not the air above it.

Belly heat, not overhead heat

Leopard geckos thermoregulate through belly heat, not overhead basking. The primary heat source is an under-tank heat mat placed under the warm hide, always run on a thermostat. Never run a heat mat without one, an unregulated mat is a real burn and fire risk. Skip colored night bulbs, they disrupt sleep; use a ceramic heat emitter instead if your room needs supplemental heat overnight.

THE THREE-HIDE SYSTEM: THE SINGLE MOST IMPORTANT DETAIL HERE

Keep the general enclosure at 30 to 40% humidity, and separately provide a dedicated humid hide at 70 to 80% humidity (damp substrate inside), placed on the cool or middle side. Don't raise whole-enclosure humidity to hit that 70 to 80% figure, that trades a shedding problem for a respiratory infection risk instead. This one feature prevents most shedding problems in this species (page 13).

UVB, optional but recommended

Unlike diurnal baskers such as bearded dragons, UVB isn't strictly required for a leopard gecko. It's still worth providing: a low-output T5 HO 5 to 6% UVB tube, targeting a UVI of 0.5 to 1.5 at gecko level for normally pigmented animals, and 0.5 to 0.7 or lower for albino or lighter morphs, which are more UVB-sensitive. UVB supplements calcium dosing, it doesn't replace it (page 7).

UVI targets

0.5 to 1.5 at the gecko's level for normally pigmented animals. Dial back to **0.5 to 0.7 or lower** for albino and other light-sensitive morphs.

Why bother if it's optional

Gould et al. (2018) and research from Wageningen University found that even 2 hours of low-level UVB exposure a day measurably raises vitamin D3 through skin synthesis, a real benefit even though it isn't mandatory the way it is for baskers.

Diet & feeding by age

Leopard geckos are obligate insectivores. Insects only, never fruit or vegetables.

Staples & treats

Staples

Crickets, dubia roaches, discoid roaches, mealworms, superworms, black soldier fly larvae (calciworms/Phoenix worms), and captive-bred hornworms (blue-green). Buy hornworms only from a reptile supplier, wild hornworms are bright green and toxic.

Occasional treats only

Waxworms and superworms, both high in fat. Superworms are adults-only, their size and hard exoskeleton make them a risk for smaller geckos.

NEVER FEED

Wild-caught insects or fireflies. Fireflies are toxic, and wild insects carry pesticide and parasite risk. Keep every insect no larger than the space between your gecko's eyes, a common cause of impaction (page 12).

Feeding schedule by age

AGE	FEEDING
Hatchling / young	Daily, insects about 1/4 in
Juvenile	Daily or every 1 to 2 days
Adult (tail as thick as the neck)	Every 2 to 4 days; some sources say every-other-day to every 5 days, treat it as a range and watch body condition and tail plumpness rather than a fixed calendar

Evening feeding matches their natural dusk-and-dawn activity better than a morning feeding does.

Supplements & gut-loading

Gut-load feeder insects for 24 to 48 hours before offering them, this is what actually delivers most of their nutrition to your gecko. Dust with plain calcium at most feedings, more often for juveniles. Alternate in calcium with D3 a couple times a week if UVB exposure is minimal or absent, and add a reptile multivitamin about once a week.

Handling

Leopard geckos tolerate handling well once settled, but the tail is a real physiological structure, not a toy, and getting that part right matters more than anything else in this section.

Settling in

Wait 1 to 2 weeks after bringing a new gecko home, until it stops fleeing or hiding and eats normally, before starting regular handling. Young geckos under about 3 inches should wait until they reach roughly 6 inches before regular handling begins.

Session length

- ☐ Start with 5-minute sessions every other day
- ☐ Build gradually toward 10 to 20 minutes
- ☐ Young geckos: cap at a few short sessions a week
- ☐ Evening sessions work best, matching their natural activity

Correct pickup

Use a two-handed scoop, one hand under the body supporting the hips and tail base, and let your gecko walk onto your hand rather than grabbing it from above. Stay low to the ground, leopard geckos can jump and dart, and a fall is a real injury risk.

NEVER

Grab or lift a leopard gecko by the tail, ever. The tail stores fat reserves and makes up roughly a quarter of total body mass. Dropping it (autotomy) is a real physiological event, not a cosmetic one, and it never grows back looking the same. Full detail on page 13.

Reading the signs

Chirping or squeaking, screaming (more common in juveniles), rapid tail flicking, fast retreats, or refusing food afterward all mean the session went on too long or too rough. End calmly and try shorter next time.

TIMING & HYGIENE

Never handle during a shed or within about 48 hours of a large meal, regurgitation is a real risk. Leopard geckos can carry Salmonella, wash your hands before and after every handling session, especially in a household with kids.

Common mistakes & enrichment

Mistakes that cause the most harm

- Sizing to the old 20-gallon-long standard (roughly 30×12×12 in) instead of the current 36×18×18 in minimum (page 5).
- Running a heat mat without a thermostat. This is a real burn and fire risk, not a theoretical one.
- Raising whole-enclosure humidity to 70 to 80% instead of providing a dedicated humid hide, this trades a shedding problem for a respiratory infection risk (page 6).
- Using loose sand or calcium sand, a real impaction risk even though it's marketed as reptile-safe.
- Grabbing or restraining by the tail, causing permanent, avoidable tail loss (page 13).
- Feeding insects larger than the space between your gecko's eyes.
- Skipping quarantine for a new gecko. Cryptosporidiosis can spread silently from an asymptomatic carrier (page 11).
- Handling within 48 hours of a big meal, or during a shed.

Enrichment, by priority

Heat & hides first

Correct belly heat and all three hides, including a genuinely maintained humid hide, matter more than any add-on decoration (page 6).

Feeding presentation

Tong-feeding, short supervised insect hunts, and evening feeding timing engage natural hunting behavior.

Low structure & cover

Low branches, cork flats or tubes, and stacked slate. Floor space matters more than height for this ground-dwelling species.

Dig box, then novelty rotation

A tray of diggable substrate satisfies natural digging behavior without converting the whole floor to loose substrate. Rotating one item occasionally is the lowest priority of the five.

WHAT THE RESEARCH ACTUALLY SHOWS

Bashaw et al. (2016) tested five enrichment types on leopard geckos; thermal and feeding enrichment produced the strongest engagement, while mirror and visual enrichment was the weakest. Rickman et al. (2025) found enriched housing improved welfare indicators, and geckos preferred naturalistic, enriched conditions over standard sparse setups in preference tests.

Health red flags

What to watch for, and what to actually tell the vet.

CONTACT A VET PROMPTLY IF YOU SEE

Tail thinning to a stick-like shape, weight loss or appetite loss, a bloated or extended belly, foul-smelling feces or undigested food in the stool, limb swelling or pathological fractures, retained shed constricting a toe or the tail tip, straining without producing waste, or tremors and difficulty eating.

What to tell the vet

- ☐ Current warm-hide surface and cool-side temps, plus both humidity readings (general and inside the humid hide)
- ☐ Tail thickness and weight trend from the Owner Log
- ☐ When symptoms started and whether they're worsening
- ☐ Diet and feeding frequency over the last two weeks

Why heat, humidity & quarantine come up first

Most of the conditions in this section, metabolic bone disease, impaction, and shedding problems, trace back to a heat, calcium, or humidity setup problem more often than anything else. Cryptosporidiosis (page 11) is the exception: it's a parasite, not a setup problem, which is exactly why quarantine for any new gecko matters so much.

Normal vs. concerning

NORMAL	CONCERNING
A thick, plump tail that stores visible fat	A tail thinning toward a stick-like shape
Skiping an occasional meal	Refusing food for an extended stretch with ongoing weight loss
Brief lethargy after a big meal or during a shed	Persistent lethargy with no clear trigger

Cryptosporidiosis

The defining health risk for this species, and the reason quarantine matters so much.

Cryptosporidiosis, sometimes called "stick tail disease," is a severe, highly contagious parasite with no cure currently available. Leopard geckos are the most commonly diagnosed reptile species for it, and an estimated half of captive leopard geckos may carry it, not all of them symptomatic.

Signs

The tail thins to a stick-like shape as it loses its fat reserve, alongside emaciation, weight loss, appetite loss, passing undigested food, foul-smelling feces, and a bloated or extended belly.

Diagnosis & treatment

Diagnosed with a fecal PCR test, though false negatives happen, one clear test doesn't fully rule it out. The main treatment drug is paromomycin, which manages the parasite rather than curing it. If there's no response within a month, the outlook is generally poor, and mortality for symptomatic cases runs around 50%.

NO CURE MEANS PREVENTION IS EVERYTHING

Quarantine any new gecko for 60 to 90 days before introducing it to others. Asymptomatic carriers can spread cryptosporidiosis silently, and a single clear fecal test at purchase doesn't guarantee a gecko is free of it.

WHY THIS GETS ITS OWN PAGE

Unlike most of the conditions in this package, cryptosporidiosis isn't primarily a husbandry mistake you can fix. It's a parasite with a genuinely high stakes outlook, which is why a stick-thin tail deserves an immediate vet visit and fecal PCR test rather than a wait-and-see approach.

Metabolic bone disease & impaction

Metabolic Bone Disease (MBD)

Cause: most common in geckos kept without UVB, adequate calcium, or adequate heat, largely preventable once those three are handled correctly (pages 6 and 7). **Signs:** pathological fractures, twisted or bent limbs, a soft or deformed jaw (rubber jaw), tremors, difficulty eating, lethargy, and weight loss. **Response:** handle extremely gently, remove climbing decor since falls can fracture weakened bones, and see a vet promptly.

PREVENTION BEATS TREATMENT

Correct heat (page 6), consistent calcium dusting (page 7), and even optional low-level UVB together prevent nearly all MBD cases in this species.

Impaction

Cause: usually loose substrate, especially sand, or oversized prey; low belly heat, dehydration, and parasites all contribute. **Signs:** a bloated abdomen, appetite loss, weight loss, and a lack of normal bowel movements. **Response:** warm baths and gentle belly massage help mild cases; a true blockage may need surgery.

CONCRETE SIGNAL

A firm lump along the belly with no bowel movement for several days is a vet visit, not a wait-and-see situation.

Shedding, tail loss, egg binding & prolapse

Shedding problems (dysecdysis)

Cause: low humidity or vitamin A deficiency. **Signs:** retained shed building up around the eyes, toes, and tail tip; left unaddressed, it can constrict circulation badly enough to cause tissue death and lost digits. **Response:** never peel dry stuck shed, soak in shallow lukewarm water first to loosen it. A genuinely maintained humid hide (page 6) prevents most of this before it starts.

Tail loss (caudal autotomy)

The tail stores fat reserves and makes up roughly a quarter of total body mass and about a third of body length, so dropping it is a real physiological event, not a cosmetic one. Triggers include being grabbed by the tail, being badly frightened, rough handling, or an attack by a cagemate (page 5, never house two together). If a tail drops: move your gecko to clean paper-towel substrate immediately, keep the enclosure especially clean while it heals, avoid handling for 1 to 2 weeks, and watch the stump for swelling, discharge, discoloration, or a foul smell, any of which mean a vet visit. Regrowth takes 4 to 8 weeks, but the new tail comes back shorter, thicker, and visually different. It never looks the same again.

PREVENTION LIVES ON PAGE 8

Never grab or lift a leopard gecko by the tail. That single habit prevents nearly every avoidable case of autotomy.

Egg binding (dystocia) & vent prolapse

Egg binding (females): straining, restlessness, depression, and appetite loss. It can be fatal without intervention, treat it as a same-day vet situation. **Vent or cloacal prolapse:** tissue visibly protruding from the vent. This is an emergency, get to a vet immediately.

Setup checklist & temperature/humidity targets

Essential setup checklist

- ☐ 36×18×18 in enclosure, front-opening, screen top
- ☐ Under-tank heat mat + thermostat (never run without one)
- ☐ Three hides: warm dry, cool dry, and humid
- ☐ Paper towel or ceramic tile substrate
- ☐ Shallow water dish
- ☐ Digital probe thermometer for hide surface
- ☐ Thermometer/hygrometer for general enclosure and the humid hide
- ☐ Optional low-output T5 HO 5 to 6% UVB fixture
- ☐ Plain calcium, calcium/D3, and multivitamin supplements
- ☐ Feeder insect source lined up

Temperature & humidity targets

TARGET	RANGE
Warm hide surface	88 to 92°F (some keepers run 90 to 95°F)
Cool side	72 to 78°F
Nighttime	Drop to around 70°F normal; tolerable to 60°F
General enclosure humidity	30 to 40%
Humid hide (inside only)	70 to 80%
UVI at gecko level (optional)	0.5 to 1.5 (0.5 to 0.7 or lower, albino/light morphs)

Before your gecko comes home

- ☐ Enclosure fully set up and running 24 to 48 hours first
- ☐ Heat mat tested on its thermostat, warm hide surface confirmed with a probe thermometer
- ☐ General humidity and humid-hide humidity both confirmed, not by feel
- ☐ Feeder insect source and a quarantine plan for any future new gecko lined up

Emergency & quick targets

CALL A REPTILE VET NOW IF

Tail thinning to a stick shape · bloated or extended belly · straining without producing waste · limb swelling or fractures · retained shed constricting a toe or tail tip · egg-binding signs in females · tissue protruding from the vent · tremors or difficulty eating

READING	TARGET
Warm hide surface	88 to 92°F
Cool side	72 to 78°F
Nighttime low	~70°F normal; tolerable to 60°F
General enclosure humidity	30 to 40%
Humid hide (inside only)	70 to 80%
UVI at gecko level (optional)	0.5 to 1.5 (0.5 to 0.7 albino/light morphs)

HAVE THIS READY WHEN YOU CALL

Warm-hide and cool-side temps, both humidity readings, tail thickness trend, last bowel movement, and feeding history over the last two weeks.

Budget & shopping list

The gecko itself

SOURCE / TIER	TYPICAL COST
Standard / wild-type, pet store	\$20 to \$45
Reputable breeder, basic morphs	\$50 to \$150
Popular morphs	\$75 to \$300
Rare designer morphs	\$500 to \$3,500+
Live shipping, if bought online	add \$35 to \$100

Setup & ongoing

ITEM	TYPICAL COST
Enclosure (36×18×18 in)	\$50 to \$250
Heat mat + thermostat	\$50 to \$70
UVB fixture + bulb (optional)	\$20 to \$50
Thermometer / hygrometer	\$15 to \$40
Substrate	\$10 to \$25
Hides + water dish (3 minimum)	\$30 to \$60
Initial vet exam + fecal test	\$150 to \$215
Feeder insects (monthly)	\$10 to \$30
Calcium / vitamin supplements (monthly)	\$2 to \$10
Electricity (monthly)	under \$15
Substrate / misc (monthly)	\$4 to \$20

A typical first setup runs roughly \$250 to \$400 total, and ongoing costs run \$20 to \$50 a month; the individual ranges above show the full possible spread if you buy premium in every category at once. Annual wellness exam: \$85 to \$105. Sick or emergency visits: \$100 to \$800+.

WHERE NOT TO CUT CORNERS

The initial vet exam with a fecal test (your best early read on cryptosporidiosis, page 11), the thermostat, and the enclosure size. An unregulated heat mat is a fire and burn risk, and undersizing the enclosure is the single most common setup mistake for this species.

First 30 days checklist

Week 1

- ☐ Let your gecko settle: minimal handling, focus on feeding and observing appetite (page 8)
- ☐ Confirm all temps and humidity readings with an actual thermometer/hygrometer, not "feels right"
- ☐ Schedule an initial vet exam with a fecal test within the first couple weeks (page 11)

Week 2 to 3

- ☐ Begin very short handling sessions once your gecko is eating normally and no longer fleeing or hiding
- ☐ Establish a consistent feeding and supplement schedule
- ☐ Start the Owner Log on page 20

Week 4

- ☐ Review the weight and tail-thickness trend from the Owner Log
- ☐ Confirm the heat mat's thermostat is holding the warm hide surface steady
- ☐ Introduce first enrichment items from page 21

Days 31 to 90

- ☐ If housing more than one gecko, complete the 60 to 90 day quarantine period before any introduction (page 11)
- ☐ Re-check general and humid-hide humidity directly, don't rely on "it looked damp"
- ☐ Look back at the Owner Log for any slow drift in weight, tail thickness, or temps
- ☐ Start rotating enrichment on the monthly schedule from page 21

Symptom quick reference

SYMPTOM	LIKELY CAUSE	ACTION
Tail thinning to a stick shape	Possible cryptosporidiosis	Vet + fecal PCR promptly (page 11)
Bloated belly, no bowel movement	Impaction	Vet promptly (page 12)
Soft/deformed jaw, bent limbs	Metabolic bone disease	Vet immediately (page 12)
Retained shed on toes/tail tip	Low humidity (dysecdysis)	Soak, never peel dry (page 13)
Dropped tail	Autotomy, a stress/defense response	Clean substrate, watch the stump (page 13)
Straining, restless female	Possible egg binding	Same-day vet (page 13)
Tissue protruding from vent	Vent prolapse	Emergency, vet immediately (page 13)
Refusing food, weight loss	Several possible causes	Vet visit, bring the Owner Log (page 20)
Chirping or screaming when handled	Stress or rough handling	Review technique (page 8)

Daily, weekly & seasonal routine

Daily

- ☐ Check warm-hide surface temp and cool-side temp
- ☐ Feed per the age-based schedule on page 7
- ☐ Refresh the water dish
- ☐ Quick visual check: tail plumpness, eyes, appetite, posture

Weekly

- ☐ Mist or refresh the humid hide's damp substrate
- ☐ Spot-clean substrate
- ☐ Weigh and log in the Owner Log
- ☐ Confirm the thermostat is holding steady

Monthly

- ☐ Full substrate change and enclosure deep clean
- ☐ Review the Owner Log for slow trends, not just single readings
- ☐ Rotate or refresh one enrichment item

Seasonal

- ☐ Reassess room temperature swings between summer and winter, the heat mat may need a thermostat adjustment
- ☐ Double-check UVB bulb output and replacement schedule if you run one

Owner log

Photocopy this page, or track digitally. Consistency matters more than the format.

DATE	WEIGHT	TAIL CONDITION	WARM HIDE °F	COOL SIDE °F	APPETITE	NOTES

WHY BOTHER LOGGING

Tail thickness and a steady weight trend are your best early warning system. Cryptosporidiosis and several other conditions in this package show up as a change in the tail or weight before anything else is visible.

Equipment log

ITEM	INSTALLED	REPLACE BY
Heat mat		
Thermostat		
UVB bulb (if used)		
Thermometer/hygrometer batteries		

Vet visit log

DATE	REASON	FOLLOW-UP

Enrichment checklist

Setup

- ☐ Low branches, cork flats/tubes, or stacked slate, anchored securely
- ☐ A dig box with diggable substrate
- ☐ All three hides in place, including a genuinely damp humid hide

Monthly review

- ☐ Rotate or reposition one furnishing to refresh the layout
- ☐ Offer a supervised tong-feeding or short insect hunt session
- ☐ Reassess whether climbing and cover items still fit current body size

Enrichment log

DATE	ACTIVITY	HOW IT WENT

REFERENCE

Glossary

Autotomy	The voluntary dropping of a tail as a stress or defense response; in leopard geckos the tail regrows but never looks the same again.
Cryptosporidiosis	A severe, contagious parasite with no cure currently available; the defining health risk for this species.
Dysecdysis	Incomplete or "stuck" shedding, most often affecting the eyes, toes, and tail tip.
Fecal PCR	A stool test used to diagnose cryptosporidiosis; false negatives happen, so one clear test doesn't fully rule it out.
Gut-loading	Feeding nutritious food to feeder insects before offering them, so the nutrition passes through.
Impaction	A gastrointestinal blockage, often from substrate or oversized prey.
MBD	Metabolic Bone Disease: weakened bones from inadequate UVB, calcium, or heat.
Morph	A distinct captive color or pattern variety; over 100 are recognized in leopard geckos.
Quarantine	Keeping a new or unwell gecko fully separate from others for 60 to 90 days, including separate tools and hand-washing between handling.
UVI	UV Index: the measurement scale used to describe UVB intensity at a given point in the enclosure.

Compiled from veterinary and herpetological sources, cross-checked against current Beastly Facts guides at time of publication. This package is a husbandry reference, not a substitute for a reptile-experienced veterinarian, and is not a live website mirror. No external links or website CTAs appear in this document.

© Beastly Facts · Version 1.0 · August 2026