Axioms for physical reasoning: codifying the Seiberg–Witten solution in Lean

Michael R. Douglas

Center of Mathematical Sciences and Applications, Harvard University

Working paper, draft. Companion to the formal development at `mrdouglasny/seiberg-witten` and to the ICML 2026 talk *Validation of AI-generated results in theoretical physics.*

Abstract

Most results in theoretical physics are not theorems. They are conclusions of arguments the community trusts without a proof from first principles. For the deepest of them a rigorous proof is conceivable but lies far out of reach—it would presuppose a nonperturbative construction of the interacting quantum field theory, a goal at least as hard as the Yang–Mills mass-gap Millennium problem. We argue that an interactive theorem prover is the right instrument for such a result even so: not to *prove* it—that is beyond reach—but to state the physical reasoning as a short list of **explicit, named axioms**, prove every mathematical consequence of them, and keep a machine-checked line between the two. The trust that remains then rests on that short, inspectable list, and the prover can report, for any downstream result, exactly which assumptions it used. We carry this out for the Seiberg–Witten solution of $\mathcal{N} = 2$ $SU(N)$ super-Yang–Mills, formalized in Lean 4. We describe what is proved, what is assumed, how the assumptions are checked—external review and an independent numerical oracle—and why this discipline is a sound standard for validating AI-generated results in theoretical physics. What we offer is a *discipline*, reviewable on its own terms: a reader may take the Seiberg–Witten mathematics on trust and still assess the formalization method.

1 Physics is mostly not theorems

A mathematician who formalizes a theorem has a proof to formalize. A physicist who formalizes a *result* usually does not. The Seiberg–Witten (SW) solution is the textbook case. No rigorous proof says that the low-energy physics on the Coulomb branch of $\mathcal{N} = 2$ $SU(N)$ gauge theory is governed by the curve $y^2 = P_N(x)^2 - \Lambda^{2N}$. One is *conceivable*—but it would first require constructing the interacting $\mathcal{N} = 2$ theory nonperturbatively, a problem at least as hard as the Yang–Mills mass-gap Millennium problem, and so out of reach for the foreseeable future. What we have instead is an *argument*: a small set of physical assumptions—holomorphy from supersymmetry, the exact pattern of singularities, electric–magnetic duality, the weak-coupling asymptotics—that together pick out that curve, believed because three independent computations of the same quantity agree.

So "formalizing Seiberg–Witten" cannot mean "proving it"—not today, and not without first solving a Millennium-scale problem. That seems to put the result beyond formal methods. We argue the reverse: such a result is precisely where formalization helps most, *provided one is honest about what it does.*

> State the physical assumptions as **explicit, named axioms**; prove every **mathematical consequence** of them; and keep a machine-checked line between the two.

We call this second category—the non-rigorous reasoning physicists nonetheless trust—**foundations for physical reasoning**, by analogy with foundations of mathematics. A formalization then does three things no informal write-up can: it makes the dependency structure machine-checkable, it concentrates the residual trust onto a few named axioms, and it lets the kernel detect a contradiction among them.

This matters now because of *who*, or what, increasingly produces such arguments. As large language models begin to propose physical and mathematical derivations, their characteristic failure is not a wrong algebra step a referee would catch but a *hallucinated assumption*—an unphysical premise, or a dropped topological subtlety, presented as though derived. A machine-checked boundary between assumed and proved is precisely what keeps such a system honest; that is why we frame the discipline below as a standard for validating AI-generated physics, and return to it in §6.

2 Two kinds of formalization in physics

	What it is	**Examples**
Mathematical physics	A rigorous statement exists; you prove it.	Stability of matter; constructive QFT; the lattice-gauge mass gap—*and the proved spine of this project*: the curve, its genus, special-Kähler positivity, the period matrix.
Foundations for physical reasoning	Codifying the *non-rigorous* reasoning the community trusts, where no proof is within reach (a rigorous one would be Millennium-hard).	*The Seiberg–Witten argument itself.*

This is not a value judgment but a bookkeeping discipline, and it is necessary because the kernel does not enforce it. A theorem can be proved, axiom-free, and still be the **wrong statement**—a dropped hypothesis, a flipped sign, a domain quietly narrowed. And a physical assumption written as an innocent-looking definition can smuggle a falsehood past the kernel entirely. The discipline forces every physical input into the open as a named hypothesis, and every mathematical claim onto the proved side.

For a reader who formalizes *mathematics*, the delta is threefold:

- there is no proof to formalize—the result is unprovable within reach (§1), so the question is not "is the proof correct?" but "are the assumptions explicit and the derivations sound?";
- the physical lore becomes **named hypotheses**—predicates a theorem takes in its signature—never smuggled into a definition or a convenient default;
- the residual trust then localizes onto a short list, and `#print axioms` of any result audits exactly which assumptions it used.

Nothing here is special to physics-as-a-subject; it is what changes when the object you formalize is an *argument the community trusts* rather than *a theorem with a proof*.

3 The Seiberg–Witten solution in one paragraph

For a reader outside physics: the SW solution maps the exact low-energy behaviour of a quantum system to the geometry of a specific family of algebraic curves. What matters for the formalization is less the physical meaning of the terms below than the rigid mathematical data they impose.

On the Coulomb branch—coordinates $u_2, \ldots, u_N$, rank $r = N - 1$—the low-energy theory is abelian $U(1)^r$ gauge theory. Its data are the special coordinates a_i and their duals $a_{D,i}$ (periods of a meromorphic differential), the coupling matrix τ_{ij}, and the central charge $Z = n_e \cdot a + n_m \cdot a_D$ of a BPS state, whose modulus is its mass. The SW claim is that all of this *is* the period geometry of $y^2 = P_N(x)^2 - \Lambda^{2N}$ (P_N a degree-N polynomial in a coordinate x, distinct from the moduli u). The assumptions that single out that curve are: holomorphy / non-renormalization (one holomorphic prepotential $\mathcal{F}$, one-loop-exact perturbation theory); the exact singularity structure (the branch is singular exactly where a BPS state goes massless, and nowhere else); electric–magnetic duality ($\mathrm{Sp}(2r, \mathbb{Z})$ monodromy); the $\mathbb{Z}_{2N}$ R-symmetry fixing the singularities; and matching to the one-loop-plus-instanton expansion at weak coupling.

4 The formalization

4.1 What is proved

On a hyperelliptic-curve / period / Jacobian library, the following are theorems—sorry-free, and (except where noted) depending only on the three standard logical axioms:

- the $SU(N)$ curve has **genus** $N - 1$;
- its period matrix τ is **symmetric with** $\mathrm{Im}\,\tau \succ 0$—the positivity of the special-Kähler metric, i.e. the physical no-ghost condition;
- for $SU(2)$, the curve is singular at **exactly** $u = \pm\Lambda^2$—the monopole and dyon points, and no others (this is a discriminant computation, not lore);
- the Picard–Lefschetz monodromy of a vanishing cycle is **symplectic**—the reason the monodromy group sits in $\mathrm{Sp}(2r, \mathbb{Z})$;
- for the rank-1 base, the modular function $\lambda = \theta_2^4/\theta_3^4$ (built from Mathlib's Jacobi theta functions) is a proved $\Gamma(2)$**-Hauptmodul**: invariant under both generators of $\Gamma(2)$, with the cusp symmetry $1 - \lambda = \theta_4^4/\theta_3^4$.

(Declaration names and exact axiom footprints are in the repository; we keep them out of the prose here.)

4.2 What is assumed

The physical assumptions (H0–H6) are stated as named **predicates and structures** in one module—the carrier `CoulombBase/Sheet` (an N=2 $U(1)^{N-1}$ EFT) and the H1–H6 hypotheses, bundled in `IsSWEffectiveTheory` (Appendix A). They are the irreducible physics—nothing to prove about them—but they are *not global axioms*: a result that uses the physics takes `IsSWEffectiveTheory` as a **hypothesis**, so the dependence is explicit in its signature, even more transparent than an axiom and never entering the trusted base. The only global axioms (besides the three logical ones) are *mathematical*—the monodromy/modular/covering inputs of Appendix B.2.

The headline claims are different in kind. That the SW curve *realizes* a theory satisfying the assumptions (existence), and that the assumptions fix the solution **uniquely up to** $\mathrm{Sp}(2r, \mathbb{Z})$ **duality** (uniqueness), are not physical inputs but *mathematical* consequences: given the assumptions, each should be a **theorem**— uniqueness, in particular, is a period-map rigidity statement. We therefore state them as **goals** (`theorem ... := sorry`), *not* axioms—visible holes to close, which never enter the trusted base—because their proofs are not yet in place in general (they need the covering and Riemann-mapping machinery of §7). Discharging them *purifies* the development: the mathematical claims move onto the proved side, leaving only the five genuinely-physical inputs (and the classical-math axioms of §B.2) as assumptions. `#print axioms` reports exactly the physical inputs and classical-math axioms a result uses; the open goals are flagged by `sorry`.

For $SU(2)$ we have carried this out. The rank-1 uniqueness statement is now a **theorem**: printing its axioms returns only the three logical axioms, the physics monodromy input, and two named **classical-math** axioms—the modular-λ covering $\mathbb{H}/\Gamma(2) \cong \mathbb{C} \setminus \{0, 1\}$ and the uniqueness of its developing maps—with **no bespoke placeholder**. The two tiers are now explicit in the proof itself: the physics axiom is irreducible, while the two math axioms are debt, discharged once the (Mathlib-scale) complex analysis of §7 lands. This is the purification in miniature—the headline reduced to *physics + standard mathematics*, with the machine confirming nothing else slipped in. Concretely, the audit artifact is:

```
#print axioms sw_su2_unique
-- 'sw_su2_unique' depends on axioms:
--   [propext, Classical.choice, Quot.sound,      -- logic
--    AX_thrice_punctured_uniformization,         -- classical math (Γ(2) covering)
--    AX_developing_map_rigidity,                  -- classical math (lift uniqueness)
--    SameSWMonodromy]                             -- physics (the SW monodromy)
```

the entire dependency of the result, in five lines, separated into logic, math debt, and the one physical input.

4.3 Two things formalizing forced into the open

The type system can refuse a convenient falsehood. Our first attempt made the periods a, a_D and the coupling τ single-valued functions of the moduli. External review flagged this as *vacuous*: a global holomorphic map from the moduli space to the Siegel upper half-space is constant by Liouville's theorem—a free theory. The data must instead live on the universal cover of the moduli space minus its singular locus. The corrected types encode this, refusing the free-theory shortcut that prose slides over.

A surprise comes out derived, not assumed. Argyres–Douglas points—where the theory becomes an interacting CFT with no Lagrangian—look as though they need their own postulate. In the formalization they are instead a *definition*: the locus where two **mutually non-local** BPS charges (nonzero Dirac pairing) go massless together, built from the central charge and the charge lattice already in hand. (This locus is *empty* for pure $SU(2)$—the monopole and dyon go massless at the two different points $\pm\Lambda^2$—but the definition is general, correctly accommodating the matter flavours and higher-rank theories where AD points actually occur.) A phenomenon the theory should explain falls out as a consequence—a check the axioms pass rather than a cost they incur.

5 Checking the axioms: validation by independent agreement

Concentrating trust onto named axioms is worthwhile only if those axioms are then checked. We use three tools, cheapest first.

An independent numerical oracle. Where a statement has computable content, we evaluate it in a separate engine (mpmath / numpy) that shares no code or authorship with the Lean. A run of 44 checks at 40-digit precision confirms the assumed theta-function identities ($\theta_3^4 = \theta_2^4 + \theta_4^4$, $\theta_3 \neq 0$), verifies that the proved λ transformation laws are *faithful* (catching any sign or shift error), anchors the normalization ($\lambda(i) = \frac{1}{2}$), and checks the $SU(2)$ singularity locus. Tellingly, the oracle first caught a bug **in itself**—a fractional power evaluated on the wrong branch—before agreeing with the Lean to full precision: the method earning its keep. A numerical pass is necessary, not sufficient; it validates values, not logical structure (it cannot see a too-strong hypothesis or a vacuous one).

Cross-model and self-review against the pinned sources, recorded per result, separating "is it proved?" from "does it say what the source says?".

The physicist's triangle. The deepest reason the SW lore is trusted is that three independent routes to the prepotential agree: weak-coupling perturbation theory, the instanton expansion (Nekrasov's partition function, itself later made rigorous), and the exact periods of the curve. This independent agreement is the empirical content behind the axioms, and our protocol attaches it as a cross-check rather than asserting it.

6 Why this is the right standard for AI-generated physics

When an AI produces a physics result, the dangerous failure is rarely a wrong algebra step a referee would catch. It is an **unstated assumption**—a *hallucination*, in machine-learning terms—slipped in as though derived. Reasoning from named physical axioms turns the kernel and type system into a guardrail that makes this impossible to hide:

- a physical input must be *named* to be used;
- every named input shows up when the prover lists the axioms behind a result;
- an honest definition—the universal-cover carrier, Argyres–Douglas as a derived locus—cannot encode a convenient falsehood, because the kernel checks the types;
- and *justifying* the axioms remains the physicist's job, done by the same independent-agreement checks that earn trust in the first place.

Formalization does not make the physics true. It makes the reasoning **auditable**—which is exactly what a result no one can prove from first principles needs.

7 What remains, and where it lives

The discipline also makes the remaining *mathematical* debt legible. For $SU(2)$ the uniqueness headline is, as just described, already a theorem modulo named classical-math axioms; the debt is to *discharge those axioms*, and it reduces to a few sharply-identified, Mathlib-scale developments:

the Jacobi triple product (which discharges the theta identities and non-vanishing); the modular-λ covering $\mathbb{H}/\Gamma(2) \cong \mathbb{C} \setminus \{0, 1\}$ (whose invariance half is already proved, leaving the surjectivity); and the Gauss–Manin / variation-of-Hodge-structure layer over the moduli space. The covering rests in turn on the **Riemann mapping theorem** and the **Schwarz reflection principle**—general complex analysis, absent from Lean (RMT is formalized in Isabelle/HOL), which we have scoped as upstream contributions. The point is that "is this physics right?" becomes a precise, prioritized list of theorems to build.

8 Related work

The assurance artifacts (correspondence index, fidelity review, numerical validation, axiom audit) follow the conventions of the author's own *formalization-assurance* project (`math-commons/formalization-assurance`), separate from and predating this work; the upstream mathematical contributions are framed for the Lean FRO's Tau Ceti library. The Riemann mapping theorem is formalized in Isabelle/HOL (Paulson); the Schwarz reflection principle and the SW solution appear unformalized before this work.

9 Conclusion

A rigorous proof of the Seiberg–Witten solution lies beyond reach—it presupposes constructing the quantum field theory itself—yet the result is as certain as anything in physics. A proof assistant can still treat it rigorously: by separating the machine-checked consequences from the physical lore, naming the lore as auditable axioms, and validating those axioms by independent agreement. Proved and assumed as separate, machine-checked columns; trust narrowed to a short vetted list; faithfulness enforced by types and by an independent oracle: this, we argue, is the right standard for validating AI-generated results in theoretical physics.

A The physics hypotheses (H0–H6) — predicates, not axioms

After the strengthening (§4.1), the physical inputs are **contentful predicates and structures**, not opaque axioms: they are *assumed as hypotheses* (bundled in `IsSWEffectiveTheory`) by the results that use them, so they never enter the trusted base. The carrier itself *is* the data of an N=2 $U(1)^{N-1}$ EFT (H0). None of the following is an `axiom`.

```
-- H0  carrier = the data of an N=2 U(1)^{N-1} EFT
structure CoulombBase (r : ℕ) where
  Δ : Set (Fin r → ℂ); U : Set (Fin r → ℂ)
  hUopen : IsOpen U; hUsmooth : U = Δᶜ
structure Sheet (B : CoulombBase r) where
  V : Set (Fin r → ℂ); hVopen : IsOpen V; hVsub : V ⊆ B.U
  hVsc : SimplyConnectedSpace V
  a aD : (Fin r → ℂ) → (Fin r → ℂ)      -- special coordinates and duals (holomorphic)
  tau  : (Fin r → ℂ) → SiegelUpperHalfSpace r   -- coupling τ (Im > 0 typed)

-- H1  special geometry: a prepotential F with aD = ∂F/∂a, τ = ∂²F/∂a²
def Sheet.SpecialGeometry (s : Sheet B) : Prop :=
  ∃ F, ContDiffOn ℂ 2 F (s.a '' s.V) ∧
    (∀ u ∈ s.V, ∀ i, s.aD u i = partialDeriv F i (s.a u)) ∧
    (∀ u ∈ s.V, ∀ i j, (s.tau u).val i j = partialDeriv2 F i j (s.a u))
```

```
-- H2  massless on Δ as the limit Z_n → 0; massive off Δ
def Sheet.BecomesMasslessAt (s) (u₀) (n) : Prop :=
  Tendsto (fun u => s.centralCharge u n) (nhdsWithin s.V u₀) (nhds 0)
def Sheet.SingularitiesAreBPS (s) : Prop :=
  (∀ u ∈ s.V, ∀ n ≠ 0, s.centralCharge u n ≠ 0) ∧
  (∀ u₀ ∈ closure s.V ∩ B.Δ, ∃ n ≠ 0, s.BecomesMasslessAt u₀ n)

-- H3  Picard-Lefschetz: the monodromy IS an actual deck transformation acting as the
--     reflection in the SAME vanishing charge n as H2 (not the vacuous ∃ g, g = transvection n)
def PicardLefschetzAtGenericStratum (s : Sheet B) : Prop :=
  ∀ u₀ ∈ closure s.V ∩ B.Δ, ∀ n, n ≠ 0 → s.BecomesMasslessAt u₀ n →
    ∃ (s' : Sheet B) (D : Deck s s'), D.g = transvection n

-- H4  duality gluing: a ℤ-linear (Sp(2r,ℤ)) charge automorphism, covariant central charge
structure Deck (s s' : Sheet B) where
  g : ChargeLattice r ≃ₗ[ℤ] ChargeLattice r
  symplectic : ∀ n n', diracPairing (g n) (g n') = diracPairing n n'
  covariant  : ∀ u ∈ s.V ∩ s'.V, ∀ n, s'.centralCharge u (g n) = s.centralCharge u n

-- H5  R-symmetry: a bijection of EXACT order 2N (not id) fixing Δ
def RSymmetry (B : CoulombBase r) (N : ℕ) : Prop :=
  ∃ ω, Function.Bijective ω ∧ ω^[2*N] = id ∧
    (∀ k, 0 < k → k < 2*N → ω^[k] ≠ id) ∧ ω '' B.Δ = B.Δ

-- H6  one-loop over ROOTS (eigenvalue differences; nonzero for SU(2)) + instantonic tail
def Instantonic (Λ) (N) (F) : Prop :=     -- fixed classical part, Λ≠0, holomorphic coeffs
  Λ ≠ 0 ∧ ∃ c, (∀ k, Differentiable ℂ (c k)) ∧
    ∀ a, F a - classicalPrepotential a - oneLoopPrepotential Λ a
         = ∑' k, c (k+1) a * (Λ^(2*N))^(k+1)
def Sheet.MatchesAsymptotics (s) (Λ) (N) : Prop :=    -- H1's F + non-renormalized form
  ∃ F, (... the H1 relations for F ...) ∧ Instantonic Λ N F

-- the six, bundled: an N=2 U(1)^{N-1} Seiberg-Witten effective theory
structure IsSWEffectiveTheory (s : Sheet B) (Λ : ℂ) (N : ℕ) : Prop where
  specialGeometry : s.SpecialGeometry            -- H1
  singularities   : s.SingularitiesAreBPS        -- H2
  picardLefschetz : PicardLefschetzAtGenericStratum s   -- H3
  matching        : s.MatchesAsymptotics Λ N     -- H6
  rSymmetry       : RSymmetry B N                -- H5
```

`Deck` (H4) relates sheets and is proved to make the BPS mass descend to the base (`Deck.bpsMass_eq`). Sheets are organized into an `SWAtlas` (covering `B.U`, overlaps `Deck`-glued), so the duality gluing H4 is *part of the theory* and uniqueness is stated at the atlas level (`sw_unique_up_to_duality`). The one rank-1 *monodromy* input that remains a placeholder axiom is `SameSWMonodromy` (Appendix B): two candidate couplings f, g carry the same $\mathrm{Sp}(2,\mathbb{Z})$ monodromy around the punctures—physically fixed by which BPS state (monopole at $+\Lambda^2$, dyon at $-\Lambda^2$) goes massless where—the input to the rank-1 rigidity theorem `sw_su2_unique`.

B The residual axioms (mathematical) and the open goals

With the physics now in predicates (Appendix A), the **only global axioms** beyond the three logical ones (`propext, Classical.choice, Quot.sound`) are *mathematical* — B.2. **B.1** collects the open goals (the headline implications, `theorem … := sorry`) and the one classical fact we *prove*.

B.1 — Goals, and a proved classical fact. The headline implications are mathematical consequences of the hypotheses, stated as `sorry`-goals over the new carrier, not axioms:

```
-- GOAL: uniqueness up to Sp(2r,ℤ) duality  [PROVED for SU(2): sw_su2_unique; general open]
theorem sw_effective_theory_unique_up_to_duality (s s' : Sheet B)
    (h : IsSWEffectiveTheory s Λ N) (h' : IsSWEffectiveTheory s' Λ N) :
    Nonempty (Deck s s') := by sorry

-- GOAL: existence — ties to the curve P: Δ is the discriminant locus, P's modulus in the chart
theorem sw_curve_admits_effective_theory (P : Polynomial ℂ) (Λ : ℂ)
    (hPdeg : P.natDegree = N) (hN : 2 ≤ N)
    (hsf : Squarefree (P ^ 2 - Polynomial.C (Λ ^ (2 * N)))) :
    ∃ (B : CoulombBase (N - 1)) (s : Sheet B),
      IsSWEffectiveTheory s Λ N ∧
      B.Δ = {u | ¬ Squarefree (swCurvePoly N Λ u)} ∧ swModulus N P ∈ s.V := by sorry

-- PROVED (3): the classical Coulomb branch has dimension N − 1 (the rank), from the gauge group
theorem coulombBranchDim (N : ℕ) : Module.finrank ℂ (Fin (N - 1) → ℂ) = N - 1
```

B.2 — Classical mathematics not yet in Mathlib — the only remaining global axioms, to discharge by porting (the covering is packaged as a structure):

```
structure ThricePuncturedUniformization where
  cover : UpperHalfPlane → {v : ℂ // v ∉ ({0, 1} : Set ℂ)}      -- the developing map λ
  gamma2_invariant : ∀ γ ∈ Gamma2, ∀ τ, cover (γ • τ) = cover τ
  surjective : Function.Surjective cover
  fiber : ∀ τ τ', cover τ = cover τ' ↔ ∃ γ ∈ Gamma2, γ • τ = τ' -- fibres = Γ(2)-orbits

-- the Γ(2) covering ℍ/Γ(2) ≅ ℂ\{0,1} exists   (discharge: Schwarz reflection ⇒ RMT ⇒ cover)
axiom AX_thrice_punctured_uniformization : Nonempty ThricePuncturedUniformization

-- lift uniqueness: same-monodromy developing maps agree up to a modular frame change
-- (discharge: classical; Forster, Ahlfors)
axiom AX_developing_map_rigidity
    {Λ : ℂ} {D : Set ℂ} {u₀ : ℂ} {f g : ℂ → ℂ}
    (U : ThricePuncturedUniformization) (hmono : SameSWMonodromy Λ f g) :
    ∃ m : ℂ → ℂ, AnalyticOnNhd ℂ (m ∘ g) D ∧ f =ᶠ[nhds u₀] (m ∘ g)

-- Jacobi quartic identity and  theta3 ≠ 0      (discharge: Jacobi triple product)
axiom AX_jacobi_quartic (τ : ℂ) : theta3 τ ^ 4 = theta2 τ ^ 4 + theta4 τ ^ 4
axiom AX_theta3_ne_zero (τ : UpperHalfPlane) : theta3 (τ : ℂ) ≠ 0

-- the family's local monodromy is the Picard-Lefschetz transvection
-- (discharge: Gauss-Manin / local-system layer over the moduli space)
axiom localMonodromy : ∀ {r : ℕ}, ChargeLattice r → (ChargeLattice r → ChargeLattice r)
axiom AX_picard_lefschetz_local {r : ℕ} (γ : ChargeLattice r) :
    localMonodromy γ = transvection γ
```

The $SU(2)$ uniqueness theorem `sw_su2_unique` rests on exactly the two covering/lift axioms (`AX_thrice_punctured_uniformization`, `AX_developing_map_rigidity`) plus the physics `SameSWMonodromy`—and the three logical axioms (`propext`, `Classical.choice`, `Quot.sound`), which underlie everything and belong to neither list. (The physical refinement `H4'Duality` and its derived consequence `metric_posDef_of_h4'`—electric–magnetic duality keeps the special-Kähler metric positive along the whole monodromy orbit—are proved, standard-3.)

Acknowledgments

This formalization and paper were developed with heavy use of Claude (Anthropic), and with Gemini (Google) and Codex (OpenAI) for cross-checking, second opinions, and review. I thank David Kosower and Jesse Thaler for discussions on the validation of amplitude computations for collider physics, which informed the broader perspective on validation taken here.

References

Seiberg, Witten, *Nucl. Phys.* B426 (1994) [hep-th/9407087]; B431 (1994) [hep-th/9408099]. Klemm, Lerche, Yankielowicz, Theisen, *Phys. Lett.* B344 (1995). Argyres, Faraggi, *Phys. Rev. Lett.* 74 (1995). Argyres, Douglas, *Nucl. Phys.* B448 (1995). Lerche, hep-th/9611190. Bilal, hep-th/9601007. Nekrasov, *Adv. Theor. Math. Phys.* 7 (2003); Nekrasov, Okounkov (2006). Mathlib (Lean 4). Paulson, Isabelle/HOL `Riemann_Mapping`. M. R. Douglas, *formalization-assurance* (`math-commons/formalization-assurance`). Lean FRO, Tau Ceti.