

# Introduction to Molecular Spectroscopy

## Fundamental Concepts in Spectroscopy and Electrodynamics

Mike Reppert

August 19, 2019

# Outline for Today:

## 1 Syllabus

## 2 Introduction to Spectroscopy and Electrodynamics

- What is spectroscopy?
- What is the Electromagnetic Field?
  - The field as a force map
  - The field as a flow map
  - The field as a propagating wave

# Syllabus

# Web Page

[https://mreppert.github.io/education/chm676/  
index.html](https://mreppert.github.io/education/chm676/index.html)

# Introduction to Spectroscopy and Electrodynamics

# What is Spectroscopy?

# What is Spectroscopy?


**Spectroscopy:** *The study of the interaction of light and matter*

# What is Spectroscopy?

**Spectroscopy:** *The study of the interaction of light and matter*

A few examples:

## Linear(ish)






# What is Spectroscopy?


**Spectroscopy:** *The study of the interaction of light and matter*

A few examples:

## Linear(ish)



## Multidimensional




# What is Spectroscopy?


**Spectroscopy:** *The study of the interaction of light and matter*

A few examples:


## Linear(ish)



## Multidimensional



## Imaging



STORM Image Credit:


[www.sciencemag.org/features/2016/05/superresolution-microscopy](http://www.sciencemag.org/features/2016/05/superresolution-microscopy)

# What is the Electromagnetic field?

# What is the Electromagnetic field?

## A Force Map:


The **electric field**  $e(\mathbf{r})$  describes the hypothetical force experienced by a *stationary* particle with infinitesimal charge at location  $\mathbf{r}$ .




# What is the Electromagnetic field?

## A Force Map:

The **electric field**  $e(\mathbf{r})$  describes the hypothetical force experienced by a *stationary* particle with infinitesimal charge at location  $\mathbf{r}$ .




The **magnetic field**  $b(\mathbf{r})$  describes the *additional* hypothetical force experienced by a *moving* particle with infinitesimal charge at location  $\mathbf{r}$ .




# What is the Electromagnetic field?

## A Force Map:

The **electric field**  $e(\mathbf{r})$  describes the hypothetical force experienced by a *stationary* particle with infinitesimal charge at location  $\mathbf{r}$ .



The **magnetic field**  $\mathbf{b}(\mathbf{r})$  describes the *additional* hypothetical force experienced by a *moving* particle with infinitesimal charge at location  $\mathbf{r}$ .




## The Lorentz Force Law:

$$\mathbf{F}_{EM} = q \left( \mathbf{e}(\mathbf{r}, t) + \frac{\mathbf{v}}{c} \times \mathbf{b}(\mathbf{r}, t) \right).$$


# The Cross Product

## Right-hand Rule



# The Cross Product

## Right-hand Rule



## Cyclotron



RHR image credit: [https://commons.wikimedia.org/wiki/File:Right\\_hand\\_rule\\_cross\\_product.svg](https://commons.wikimedia.org/wiki/File:Right_hand_rule_cross_product.svg)


Cyclotron image credit:  
<https://blogs.plos.org/thestudentblog/2016/02/26/lawrence/>



# What is the Electromagnetic field?

## A Flow Map:

The electric (magnetic) field can be interpreted as the *velocity field* for a fictitious electrical (magnetic) “substance.”



# What is the Electromagnetic field?

## A Flow Map:

**Gauss's Law** says that the total flow rate of electrical fluid *out of* any closed surface is proportional to the total charge *enclosed by* the surface.

$$\nabla \cdot \mathbf{e} \equiv \frac{\partial e_x}{\partial x} + \frac{\partial e_y}{\partial y} + \frac{\partial e_z}{\partial z} = 4\pi\rho(\mathbf{x}, t)$$

# What is the Electromagnetic field?

## A Flow Map:

**Gauss's Law** says that the total flow rate of electrical fluid *out of* any closed surface is proportional to the total charge *enclosed by* the surface.

$$\nabla \cdot \mathbf{e} \equiv \frac{\partial e_x}{\partial x} + \frac{\partial e_y}{\partial y} + \frac{\partial e_z}{\partial z} = 4\pi\rho(\mathbf{x}, t)$$

**Gauss's Law for Magnetism** says that the total flow rate of magnetic fluid out of any closed surface is zero.

$$\nabla \cdot \mathbf{b} = 0.$$

# What is the Electromagnetic field?


## A Flow Map:

**Gauss's Law** says that the total flow rate of electrical fluid *out of* any closed surface is proportional to the total charge *enclosed by* the surface.

$$\nabla \cdot \mathbf{e} \equiv \frac{\partial e_x}{\partial x} + \frac{\partial e_y}{\partial y} + \frac{\partial e_z}{\partial z} = 4\pi\rho(\mathbf{x}, t)$$

**Gauss's Law for Magnetism** says that the total flow rate of magnetic fluid out of any closed surface is zero.

$$\nabla \cdot \mathbf{b} = 0.$$



In two dimensions:

$$\nabla \cdot \mathbf{v} \sim \frac{dv_x}{dx} + \frac{dv_y}{dy}$$

# What is the Electromagnetic field?

## A Flow Map:

The **Maxwell-Faraday Equation** says that temporal changes in the magnetic field produce “swirls” in the electric field.

$$\nabla \times \mathbf{e} + \frac{1}{c} \frac{\partial \mathbf{b}}{\partial t} = 0$$

# What is the Electromagnetic field?

## A Flow Map:

The **Maxwell-Faraday Equation** says that temporal changes in the magnetic field produce “swirls” in the electric field.

$$\nabla \times \mathbf{e} + \frac{1}{c} \frac{\partial \mathbf{b}}{\partial t} = 0$$

**Ampere's Law** says that both flowing currents *and* temporal changes in the electric field produce “swirls” in the magnetic field

$$\nabla \times \mathbf{b} - \frac{1}{c} \frac{\partial \mathbf{e}}{\partial t} = \frac{4\pi}{c} \mathbf{j}(\mathbf{x}, t),$$

# What is the Electromagnetic field?

## A Flow Map:


The **Maxwell-Faraday Equation** says that temporal changes in the magnetic field produce “swirls” in the electric field.

$$\nabla \times \mathbf{e} + \frac{1}{c} \frac{\partial \mathbf{b}}{\partial t} = 0$$

**Ampere's Law** says that both flowing currents *and* temporal changes in the electric field produce “swirls” in the magnetic field

$$\nabla \times \mathbf{b} - \frac{1}{c} \frac{\partial \mathbf{e}}{\partial t} = \frac{4\pi}{c} \mathbf{j}(\mathbf{x}, t),$$

$$\nabla \times \mathbf{v} = \begin{vmatrix} \hat{\mathbf{x}} & \hat{\mathbf{y}} & \hat{\mathbf{z}} \\ \frac{\partial}{\partial x} & \frac{\partial}{\partial y} & \frac{\partial}{\partial z} \\ v_x & v_y & v_z \end{vmatrix}$$




# What is the Electromagnetic field?

## A Propagating Wave:

According to Maxwell's equations:

- A changing E-field creates a B-field
- A changing B-field creates an E-field...

...self-propagation!





# Infinities in Field-Particle Interactions

The Lorentz Force Law:

$$\mathbf{F}_{EM} = q \left( \mathbf{e}(\mathbf{r}, t) + \frac{\mathbf{v}}{c} \times \mathbf{b}(\mathbf{r}, t) \right).$$

# Infinities in Field-Particle Interactions

The Lorentz Force Law:


$$\mathbf{F}_{EM} = q \left( \mathbf{e}(\mathbf{r}, t) + \frac{\mathbf{v}}{c} \times \mathbf{b}(\mathbf{r}, t) \right) . \leftarrow \text{Not really true!}$$

# Infinities in Field-Particle Interactions

The Lorentz Force Law:

$$\mathbf{F}_{EM} = q \left( \mathbf{e}(\mathbf{r}, t) + \frac{\mathbf{v}}{c} \times \mathbf{b}(\mathbf{r}, t) \right) . \leftarrow \text{Not really true!}$$

*The electric field always diverges in the vicinity of point particles*



# Infinites in Field-Particle Interactions

The Lorentz Force Law:

$$\mathbf{F}_{EM} = q \left( \mathbf{e}(\mathbf{r}) + \frac{\mathbf{v}}{c} \times \mathbf{b}(\mathbf{r}) \right) . \leftarrow \text{Not for point particles!}$$

*The electric field always diverges in the vicinity of point particles*

Okay for point-particles:

$$\mathbf{F}_{EM} = q \left( \mathbf{e}^{(\text{eff})} + \frac{\mathbf{v}}{c} \times \mathbf{b}(\mathbf{r}) \right) ,$$

where

$$\mathbf{e}^{(\text{eff})} = \lim_{\mathbf{r}' \rightarrow \mathbf{r}} \left( \mathbf{e}(\mathbf{r}') - q \frac{\mathbf{r}}{|\mathbf{r}' - \mathbf{r}|^2} \right)$$