
Blindstop

THE PLAIN-ENGLISH GUIDE · FOR WRITING THE DEMO TWEET

Your stop-loss, sealed. Invisible until it fires.

Blindstop gives traders on Hyperliquid stop-losses that nobody else can see. This guide explains what we built in everyday words, what's proven so far, and gives you ready-to-post tweets and a script for the demo video. No technical background needed.



A preview of the app. Prices are examples.

01 · THE PROBLEM

On Hyperliquid, everyone can see your stop


A stop-loss is an order that says “if the price drops to X, sell, so I don’t lose more.” Almost every trader uses one.

What’s going wrong

- Hyperliquid is a popular crypto trading platform where **every order is public**, stop-losses included.
- Free tools show where lots of stop-losses are **bunched up** at the same price.
- Traders with deep pockets can **push the price into that zone on purpose**, trigger everyone’s stops, then let the price bounce back.
- This is called **“stop hunting”**. People have organized it openly, and smaller traders say they get hunted even with tiny positions.

Why nothing fixed it yet

- Some other exchanges offer hidden orders, but only **on their own platform**, not on Hyperliquid.
- Privacy tools like Gloam can hide **who owns** a wallet. They don’t hide **where its stops are**.
- So on Hyperliquid, until now, there was **no way to keep your stop-loss price private**.



From the Blindstop website: the same price chart twice. On the left, your stop is a line anyone can aim at. On the right, there’s nothing to aim at.

THE ONE-LINE PITCH

Gloam hides **who you are**. Blindstop hides **where your stops are**.

02 · HOW IT WORKS

Set it once, sleep easy

Four steps. The trader only does the first one; Blindstop handles the rest.

1

You set a stop

You pick your price. It's **locked on your own device** before it goes anywhere, like sealing a letter.

2

It's watched in secret

A **sealed computer** that not even we can look inside checks the price every few seconds.

3

Your trade is closed

When the price reaches your level, it **closes your position** straight away and records what happened.

4

You can prove it

Afterwards, you can **publish proof** of exactly where your stop was, and when you set it.

Hidden from everyone

- Your stop-loss and take-profit prices
- How much of your position they'll close
- Which coin they're for
- Which wallet they protect

Still visible, like on any exchange

- Your open position and its liquidation price
- The moment a stop closes your trade
- That your account uses Blindstop, and when you set stops

Be upfront about this list. Honesty is part of the pitch.

The easiest analogy

A normal stop-loss is like taping a note to your front door that says **"I'll sell everything if the price hits $94,800."** Anyone walking past can read it. Blindstop puts that note in a **sealed envelope**, hands it to a **trusted guard** who can't be bribed or peeked at, and the guard acts the moment the price gets there.

Why it's safe to use

YOUR MONEY

Blindstop can **only close trades**. It can never withdraw, send or move your funds.

FAKE PRICES

It reads the price **straight from Hyperliquid**. Nobody can feed it a fake one.

SAFETY NET

Optional **backup stop** near liquidation, in case Blindstop is ever offline.

03 · WHAT'S REAL TODAY


What you can say **with confidence**

Every line below is backed by something anyone can check. Stick to these and nobody can poke holes in the post.

CLAIM	STATUS
Live on test networks (NEAR testnet + Hyperliquid testnet). Test money only.	● Done
Stops are **locked in the browser** and opened only inside the secure sealed computer.	● Done, tested live
The sealed computer **checks every 3 seconds** and signs every check on the NEAR blockchain.	● Done, visible on the Status page
9 out of 9 break-in attempts blocked: fake reports, replays, stealing someone else's order, faking prices, and more.	● Done, log in the repo
The order-signing code matches **Hyperliquid's official software, byte for byte**.	● Done, automated tests
Anyone can **check a stop was genuine** after it finished (the "Check a stop" page).	● Done
Open source. All code is public on GitHub.	● Done
A hidden stop **closing a real position on Hyperliquid**, end to end, on camera.	● Next: needs test funds, then record
Private funding through Gloam.	○ Manual steps for now

One rule before you post

Post the demo video **after** the live run (the orange row) is recorded. Until then, say "working on testnet" and show the setup, the hidden stop, the empty public order list and the Status page. Don't say it has closed a real trade until the video shows it.



Left: the Status page shows live that protection is on. Right: "Check a stop" confirms a past stop is genuine.

04 · WORDS THAT WORK

Say it like a person

The audience is traders, not engineers. Swap jargon for what it means to them.

SAY THIS	INSTEAD OF THIS
hidden stop-loss	~~sealed / encrypted order~~
a sealed computer nobody can look inside	~~TEE, Intel TDX enclave, OutLayer worker~~
locked on your device before it leaves	~~ECIES, X25519, ChaCha20-Poly1305~~
recorded on the NEAR blockchain	~~commitment hash on a NEAR smart contract~~
it can close your trades, never withdraw	~~approved Hyperliquid agent wallet~~
checks the price every 3 seconds	~~keeper ticks every 3000 ms~~
publish proof / check a stop	~~reveal preimage, verify commitment~~
stop hunting	~~liquidity cluster exploitation~~

If someone asks…

“Can you take my money?” No. It can only close positions. Hyperliquid itself blocks that kind of permission from withdrawing.

“Who can see my price?” Only you and the sealed computer. Not other traders, not Hyperliquid’s public list, not us.

“What if it goes down?” Stops pause until it’s back, and the Status page shows it. Turn on the safety net for a backup stop near liquidation.

If someone asks…

“Is it as fast as a normal stop?” Nearly. It triggers within a few seconds. In a very sudden move the fill can be a bit worse.

“Why NEAR?” NEAR’s OutLayer runs the sealed computer, and NEAR keeps the tamper-proof record of every stop.

“Is it real money?” Not yet: it’s running on test networks for the hackathon.

QUICK FACTS TO KEEP HANDY

Name	Works with	Built on
Blindstop	Hyperliquid	NEAR + OutLayer
Event	**Tracks**	**Code**
NEAR HACKATHON	Privacy · DeFi · Security	`github.com/mrfomoweb3/blindstop`

05 · READY-TO-POST TWEETS

The demo post

THE HACKATHON REQUIRES THE POST TO

- ✓ say it was built at **NEAR HACKATHON**
- ✓ use **#NEARHackathon**
- ✓ tag **@NEARProtocol**
- ✓ attach the **demo video**

OPTION A · PUNCHY

Every stop-loss on Hyperliquid is public. Whales can see where they're bunched up and push the price there on purpose.

So we built Blindstop: stop-losses nobody can see until they fire.

Built at NEAR HACKATHON with @NEARProtocol 👇
#NEARHackathon

attach demo video 248 / 280

OPTION B · STORY

Ever been stopped out by a wick that reversed a second later?

That's often not bad luck. On Hyperliquid your stop-loss is public, and it can be hunted.

Blindstop hides it in a sealed computer that closes your trade when the price gets there.

#NEARHackathon @NEARProtocol

attach demo video 273 / 280

OPTION C · ONE-LINER

Gloam hides who you are. Blindstop hides where your stops are.

Private stop-losses for Hyperliquid, built at NEAR HACKATHON. Demo 👇 @NEARProtocol #NEARHackathon

attach demo video 162 / 280

Posting tips

- Lead with the **pain** (getting stopped out), not the tech.
- Put the video in the **first** tweet. That's what judges and the timeline see.
- Reply to your own post with the GitHub link, so the main tweet stays clean.

06 · THE THREAD

Six tweets that tell the whole story

Use this after the first tweet if you want more reach. Each one stands on its own.

1/ Every stop-loss on Hyperliquid is public. Anyone can see where they sit, and big traders push the price there on purpose to trigger them.

We built Blindstop at NEAR HACKATHON to fix that. 🧵 @NEARProtocol #NEARHackathon

+ demo video — 223 / 280

2/ With Blindstop, you set your stop-loss like normal, but it's locked on your device before it goes anywhere.

It never appears in Hyperliquid's public order list. There's nothing to hunt.

+ screenshot: empty public list — 189 / 280

3/ A sealed computer runs on NEAR's OutLayer. Not even we can look inside. It checks the price every 3 seconds and closes your trade the moment your level is hit.

+ screenshot: Status page — 162 / 280

4/ It can close your trades. It can never withdraw your money. Hyperliquid itself blocks that permission from moving funds.

You can also add a backup stop near liquidation, just in case.

text only — 187 / 280

5/ After a stop finishes, you can publish proof of exactly where it was and when you set it. Recorded on NEAR, so it can't be changed later.

We threw 9 break-in attempts at it. All 9 blocked.

+ screenshot: "Genuine" — 192 / 280

6/ Gloam hides who you are. Blindstop hides where your stops are.

Live on testnet. Open source: github.com/mrfomoweb3/blindstop

text only — 120 / 280

07 · THE DEMO VIDEO

Two minutes, six shots

Screen-record the app and talk over it. Keep it calm and simple: show, then say what it means.

TIME	ON SCREEN	SAY
0:00	A stop-loss tracker / chart with stops bunched at one price	“On Hyperliquid every stop-loss is public. People can see where they cluster, and hunt them.”
0:20	Blindstop “My positions”: turn on protection, then **Open a trade**: BTC, Long, $50, 3×	“Blindstop gives you a separate trading wallet. It can close your trades, never withdraw. I open a trade right here.”
0:40	Type a take-profit just above the price, click **Hide my stop**. Show “Orders anyone can see: 0”	“I set my stop. It’s locked on my device. Hyperliquid’s public list shows nothing.”
1:05	Price reaches the level; position closes; History shows **Triggered** with the fill price	“The price got there, and the sealed computer closed my trade in seconds.”
1:35	History, then **Publish proof**, then Check a stop: **Genuine**	“And anyone can check my stop was set before the move.”
1:50	Home page headline	“Gloam hides who you are. Blindstop hides where your stops are.”

Before you hit record

- ✓ Status page shows **Protection is on** (green)
- ✓ The trading wallet has test money (steps 1–4 done before recording)
- ✓ Safety net **off** for the recording, so the public list really shows 0
- ✓ Browser zoom ~110%, dark mode, notifications off

Keep it honest

- Say “on testnet” once, early.
- Only show the trade closing if it really closed in the recording.
- Don’t promise speeds or features that aren’t in the video.

LINKS

Code: `github.com/mrfomoweb3/blindstop` · NEAR contract: `blindstop.testnet`