








FOUNDATION PLAN&PLINTH BEAM PLAN OF TOILET BLOCK



BAR NO :- 1 TO 6- 12Ø TOR MAIN STEEL
RINGS :- 8Ø TOR 2 LEGGED @ 4" C/C 7 NOS. FROM SUPPORTS
BEAM -PB1 @ 6" C/C IN MIDDLE



BAR NO :- 1 TO 6- 12Ø TOR MAIN STEEL
RINGS :- 8Ø TOR 2 LEGGED @ 4" C/C 7 NOS. FROM SUPPORTS
BEAM -PB2 @ 6" C/C IN MIDDLE



NOTES:-
* IF THERE IS ANY DISCREPANCY REGARDING DIMENSIONS, ARCHITECTURAL DRAWINGS MAY BE CONSULTED.
* WRITTEN DIMENSIONS SHOULD BE FOLLOWED.
* DRAWING IS NOT TO BE SCALED.
* M-20 (1:1½:3) GRADE CONCRETE TO BE USED IN ALL CONCRETE WORKS.
* Ø TOR MEANS DIAMETER IN MM FOR TOR STEEL BARS.
* STEEL SHUTTERING IS TO BE USED FOR ALL CONCRETE WORKS.
* LEAN CONCRETE WILL PROJECT 75 BEYOND THE R.C.C BEAMS
* DEVELOPMENT LENGTH (L_d) OF STEEL IS 57 TIMES THE DIAMETER OF THE BAR.
* CEMENT MORTAR RATIO IN 230 TH. BRICK WORK IS 1:6.
* CEMENT MORTAR RATIO IN 115 TH. BRICK WORK IS 1:4.
* EARTH FILLING IN FOUNDATIONS SHOULD BE DONE EQUALLY ON BOTH SIDES OF FOUNDATION WALL.
* WHEREVER PLINTH BEAM LIES DIRECTLY ON EARTH, P.C.C 100 THICK (1:4:8) MAY BE LAID.
* STEEL BARS OF PLINTH BEAMS SHALL BE L-SHAPED OVER LAPED BY A LENGTH OF 49 TIMES THE DIAMETER OF THE BARS AT ALL CORNERS & JUNCTIONS.

ENGINEER :-

CLIENT :- XEN PANCHAYATI RAJ,NUH

PROJECT :-

STRUCTURAL DRAWINGS OF PANCHYAT
OFFICE AT VILLAGE GHASERA, DISTT. NUH

TITLE :-

TOILET BLOCK

SUB TITLE :-

FOUNDATION PLAN&PLINTH BEAM
PLAN&DETAIL

DRG. NO. :-

JC/PR/NUH/2420/6

SCALE :-

1 : 100

DATE :-

9 July 2022

DRAWN BY:-

SIMRAN

DSN BY:-

JASBIR

CKD. BY:-

K.B. MANOCHA

JC TECHNOCRATS PVT. LTD
(Formerly known as Jindals Consortium, Since 1990)
STRUCTURAL ENGINEERS, HIGHWAY & BRIDGE DESIGNERS, PROJECT MANAGEMENT CONSULTANTS
ROAD SAFETY AUDITORS, PROOF CONSULTANTS, SURVEYORS AND SOIL INVESTIGATORS
REGD.OFF. : S.C.F-9, VIKAS VIHAR, AMBALA CITY-134003, HARYANA. P/E: 0171-2550913, MOB:-91-98966-70914
DELHI : # 678, GREEN VIEW APARTMENTS, SECTOR 19, POCKET-2, DWARKA, NEW DELHI. MOB:-91-99964-70914
Mob:- 8199907006, 9896550913, e-mail: jindalsstructure@gmail.com, jindals13@gmail.com, Web: www.jindalsconsortium.in