Glenn Carter · Frequency Engineering
HEADPHONES REQUIRED — VIDEO SCRIPTS

HEADPHONES REQUIRED — Video Series Production Scripts

Glenn Carter · Frequency Engineering

9 videos · 5–12 min each · avatar + hypnotic-background pipeline

Series-wide production notes - Avatar: calm, direct-to-camera, studio-lit. No guru aesthetics — engineer energy. - Backgrounds: slow-motion abstract waveforms/particle fields in the indigo/violet palette. Motion always slow and hypnotic, never distracting during technical explanations. - On-screen graphics: every measured number appears as monospace text (Courier-style) — visual signature of "measured, not claimed." - Every video opens with the same 3-second stereo ident: a tone gliding left ear → right ear with the words "HEADPHONES REQUIRED." The brand is the instruction. - Every video ends with the same 10-second outro card (see end of document). - Claims discipline: we never promise outcomes. We demonstrate construction. The credibility of the entire funnel depends on these scripts surviving the same forensic standard we apply to others.

VIDEO 1 — "90% of Frequency Audio Fails This 10-Minute Test"

Runtime: 8 min · **Role:** FREE lead magnet — the shareable one. Designed to sting.

[VISUAL: Stereo ident. Avatar appears. Background: slow waveform splitting into two channels.]

AVATAR: Before you play another manifestation track, another 528 hertz meditation, another "deep theta journey" — I want you to run one test. It takes ten minutes, it's free, and it will tell you whether the audio you've been listening to can physically do what it claims.

I've been producing frequency audio for over thirty years. I built binaural sessions before YouTube existed. And I'm going to show you why most of what's uploaded today — including channels with millions of views — fails the most basic test in audio engineering.

[VISUAL: On-screen title: THE MONO-SUM TEST]

Here's the principle. A binaural beat is not in the file. It's created inside your brain — when your left ear receives one frequency and your right ear receives a slightly different one. Say, 200 hertz in the left, 206 in the right. Your brain detects the difference and perceives a third rhythm: six hertz. That's the beat. That's the entire mechanism.

[VISUAL: Diagram — two sine waves entering two ears, "Δ 6 Hz" forming between them in the brain.]

Which means two things. One: if both channels are identical — if the file is mono — there is no difference, and there is no beat. Nothing. Zero. Two: if you listen on speakers, both ears hear both channels mixed in the air, and the effect largely collapses. That's why my channel is called what it's called. Headphones aren't a suggestion. They're the delivery mechanism.

So here's the test.

[VISUAL: Screen recording — free audio editor, step by step. Numbered steps appear as monospace overlays.]

Step one: download the track — or use a stream ripper on your own purchased copy; you're testing, not pirating. Step two: open it in Audacity. It's free. Step three: look at the two waveforms. If left and right look identical —

Glenn Carter · Frequency Engineering
HEADPHONES REQUIRED — VIDEO SCRIPTS

that's your first red flag. Step four: the real test. Split the stereo track, invert one channel, and mix them together. This is called a null test. Anything identical in both channels cancels to silence. Whatever's left is the actual difference between your ears.

If the result is total silence — the track is mono. There was never a binaural beat in it. Not a weak one. Not a subtle one. None.

[VISUAL: Two examples side by side. Example A: null test result = flat silence. Monospace overlay: "RESIDUAL: −∞ dB — MONO. NOT BINAURAL." Example B: clean residual tone. Overlay: "RESIDUAL: 6.0 Hz beat structure — VALID."]

I ran this test on six tracks from a popular manifestation channel last month. Three failed completely. One claimed six hertz theta and measured at eleven point two — that's not even the same brainwave band. It's like ordering espresso and getting chamomile.

Now — why does this happen? Because the tools got easy and the knowledge didn't come with them. Anyone can generate a tone in ten minutes. Anyone can put a galaxy background on it and title it "528 Hz DNA Repair Abundance." The algorithm doesn't run a null test. But you can.

And here's what I want you to take from this — not cynicism. The underlying practice is real enough to deserve better than this. Auditory entrainment is studied science with honest, modest findings — I'll cover exactly what it can and can't do later in this series. What's fake isn't the field. It's the flood.

[VISUAL: Avatar close. Background slows.]

Run the test tonight on the track you use most. If it passes — beautiful, keep it. If it fails — you deserve to know, because you've been building a practice on silence.

Full testing guide is linked below, free. And if you'd rather have a thirty-year engineer tear down a whole catalog properly — that's what I do.

[OUTRO CARD]

VIDEO 2 — "What a Binaural Beat Actually Is (And Why Headphones Aren't Optional)"

Runtime: 7 min · **Role:** Core education. The title chapter.

[VISUAL: Stereo ident. Avatar. Background: two slow sine waves in different colors, slightly out of sync.]

AVATAR: In 1839, a Prussian scientist named Heinrich Wilhelm Dove noticed something strange. Play one steady tone into one ear, a slightly different steady tone into the other — and people report hearing a third thing. A slow pulse. A beat. A rhythm that exists in neither tone.

That pulse is not in the room. It's not in the file. It's manufactured by your brainstem, trying to reconcile two signals that don't quite agree.

That's a binaural beat. Everything else in this industry is built on that one piece of neurology — so let's get it exactly right.

[VISUAL: Animated diagram. Left channel: "L: 200.0 Hz". Right: "R: 206.0 Hz". Brain center: "PERCEIVED: 6.0 Hz".]

Glenn Carter · Frequency Engineering
HEADPHONES REQUIRED — VIDEO SCRIPTS

Three rules govern whether it works at all.

Rule one: the two tones must arrive at separate ears. Separated. Isolated. The moment they mix in the air — speakers, one earbud, a phone on a pillow — the brain receives a blend, and what you get is a faint acoustic wobble at best. The neural effect you paid for requires channel isolation. Headphones. Any headphones. A twelve-dollar pair works; the physics doesn't care about your brand.

Rule two: the carriers have to be low enough. This effect works best with carrier tones below roughly one thousand hertz. Push the carriers too high and the brain stops fusing them. So when a track claims a "963 hertz binaural crown chakra beat" — the engineering is already on thin ice, and we haven't even measured it yet.

Rule three: the difference has to be small. Your brain fuses a six hertz difference into a beat. Give it a forty hertz difference and it just hears two separate tones. The usable window for perceived beats tops out somewhere around thirty to thirty-five hertz — which conveniently is also roughly where the meaningful brainwave bands top out.

[VISUAL: The three rules stack on screen as a monospace checklist.]

Now, the phrase you'll hear everywhere: brainwave entrainment. The idea that a rhythmic stimulus can nudge your brain's dominant electrical rhythm toward the stimulus frequency. This is a real, studied phenomenon — and an honest engineer tells you the research shows modest, real effects for things like relaxation and attention, with plenty of studies showing mixed results too. It is a state tool. It is not a bank transfer.

But here's my point in this video: before you can even argue about whether entrainment changes your life, the beat has to exist. And as we saw in the last video — in a shocking amount of published content, it doesn't.

[VISUAL: Avatar close.]

So: two carriers, two ears, one brain. That's the machine. Next video — the brainwave bands themselves. What delta, theta, alpha, beta actually are, and how to read the wild claims attached to them.

[OUTRO CARD]

VIDEO 3 — "Delta, Theta, Alpha, Beta — The Honest Version"

Runtime: 9 min · **Role:** Education. Arms the viewer to decode any track title.

[VISUAL: Stereo ident. Avatar. Background: slow EEG-style traveling wave.]

AVATAR: Every frequency track you've ever seen is named after a brainwave band. Deep Delta Sleep. Theta Manifestation. Alpha Flow State. Today I'm giving you the honest map — what these bands are, what the research actually supports, and how to instantly spot when a track title is lying about its own math.

First, what a brainwave even is. Your neurons fire in loose synchrony, and that synchrony has rhythm. Electrodes on the scalp pick it up as waves, measured in hertz — cycles per second. Slower rhythms dominate when the brain idles or sleeps. Faster ones when it's alert and processing.

[VISUAL: Band chart builds line by line, monospace:]

Glenn Carter · Frequency Engineering
HEADPHONES REQUIRED — VIDEO SCRIPTS

```
DELTA   0.5 – 4 Hz   deep, dreamless sleep
THETA   4 – 8 Hz     drowsiness, hypnagogia, deep meditation
ALPHA   8 – 12 Hz    relaxed wakefulness, eyes closed, calm focus
BETA    12 – 30 Hz   alert, engaged, problem-solving
GAMMA   30 Hz +      high-order processing; heavily hyped, hardest to entrain
```

AVATAR: Now the honest annotations — the part the thumbnails skip.

Delta. Dominant in deep sleep. A delta-range session can be a reasonable wind-down companion. What it cannot do is knock you unconscious like a dart. If a sleep track starts at full intensity with no ramp, the engineer didn't understand the use case — you don't slam a drowsy brain, you descend with it.

Theta. The most oversold band in the industry, because it borders the hypnagogic state — that drifty threshold between waking and sleep where imagery gets loose. That makes it the "manifestation" band in marketing. Here's my thirty-year position: theta states are genuinely useful for visualization and suggestion practices, because your critical filter relaxes. The audio can help you get to the state. What you do inside the state — the actual mental work — is what matters. The track is the vehicle, not the destination.

Alpha. The best-supported band in the relaxation literature. Closed-eyes calm. If I could only ever build in one band for a stressed client, it's alpha.

Beta. Alertness. Useful for focus sessions — and completely wrong for sleep content, which is why the track from my last audit claiming "theta" while measuring at eleven-plus hertz mattered. That's alpha bordering beta. The buyer wanted a shovel and was sold a leaf blower.

[VISUAL: Split card — "CLAIMED: 6 Hz THETA" / "MEASURED: 11.2 Hz ALPHA" — from the audit report.]

And gamma — the current hype frontier. "40 hertz gamma genius frequency." The interesting honest note: there is real, ongoing research around 40 hertz sensory stimulation, particularly in Alzheimer's studies. That research uses precisely controlled stimulus — and it is early, specific, and absolutely not "listen to this and raise your IQ." When a track borrows a laboratory's citation to sell a life upgrade, that's costume jewelry wearing a lab coat.

So here's your decoder ring. When you see a track title, ask three questions. Which band is claimed? Is the use case appropriate to that band — sleep to slow bands, focus to fast? And — after video one — does the measured beat actually sit in that band?

Three questions. Ninety percent of the catalog can't survive them.

[VISUAL: Avatar close.]

Next video: the format wars. Binaural versus isochronic versus monaural versus so-called 8D — and why one of those four is a contradiction in terms.

[OUTRO CARD]

VIDEO 4 — "Binaural vs. Isochronic vs. '8D' — One of These Is a Lie"

Runtime: 8 min · **Role:** Education + demolition. Highly clippable.

[VISUAL: Stereo ident. Avatar. Background: four labeled waveform panels.]

Production scripts · 9 videos
Page 4 of 12

Glenn Carter · Frequency Engineering

HEADPHONES REQUIRED — VIDEO SCRIPTS

AVATAR: Four formats dominate frequency audio: binaural, monaural, isochronic, and "8D." Three of them are legitimate tools with different jobs. One of them is a marketing term that defeats its own claim. Let's take them in order.

Binaural — covered in video two. Two carriers, two ears, beat manufactured in the brain. Requires headphones, full stop. Subtle by nature — the perceived beat is faint. Its strength is that it engages a genuinely neural mechanism rather than just an acoustic one.

[VISUAL: Panel 1 highlights — "BINAURAL: 2 carriers · headphones REQUIRED".]

Monaural beats. Take those same two tones and mix them together *before* they reach the ear — in the file itself. Now the beat is physically in the audio as a real amplitude pulse. Works on speakers. Less neurologically interesting, more acoustically robust. Perfectly legitimate — for ambient room playback, it's often the *correct* choice, and almost nobody in this industry even knows the word.

[VISUAL: Panel 2 — "MONAURAL: beat baked into file · speakers OK".]

Isochronic tones. A single tone switched on and off at a precise rate. Six pulses per second for a six hertz target. It's the bluntest instrument of the three — a metronome made of tone — and the rhythmic on-off is a strong entrainment stimulus. Works on speakers. Downside: it's audible and mechanical, so it's harder to hide musically. A skilled producer softens the edges; a lazy one gives you a woodpecker.

[VISUAL: Panel 3 — "ISOCHRONIC: pulsed tone · speakers OK · strong but blunt".]

And then there's "8D audio."

[VISUAL: Panel 4 glows red.]

8D is not a frequency technology. It's a panning effect — the sound swirls around your head using positional audio tricks. As an artistic experience? Genuinely fun. I have no problem with 8D music as music.

The problem is the phrase "8D binaural." Think it through with me. A binaural beat requires a *stable, isolated* carrier in each ear — 200 hertz locked to the left, 206 locked to the right. 8D panning *deliberately moves the sound between the ears.* The moment your carriers start orbiting your head, the stable left-right difference is destroyed. The panning erases the beat. "8D binaural" is like advertising a waterproof teabag. The two features cancel each other.

[VISUAL: Animation — carriers orbiting, the "Δ 6 Hz" readout glitching to "Δ ---".]

In my last audit, a track called "Money Magnet 8D" turned out to be a mono source with auto-pan. No carriers, no beat, and panning applied on top as decoration. Two layers of nothing.

So — the honest selection chart:

[VISUAL: Monospace chart:]

```
Headphone session, subtle, neural . . . BINAURAL
Room playback, ambient . . . . . . . .  MONAURAL
Strong rhythmic driver . . . . . . . .  ISOCHRONIC
Fun spatial music . . . . . . . . . . . 8D (as art, not entrainment)
```

AVATAR: A real engineer picks the format for the job. A tourist picks the word that ranks in search.

Next video, we go after the sacred numbers themselves: 528, 432, and the Solfeggio scale. Bring your feelings — I'll bring the history.

Glenn Carter · Frequency Engineering
HEADPHONES REQUIRED — VIDEO SCRIPTS

[OUTRO CARD]

VIDEO 5 — "528 Hz, 432 Hz, and the Solfeggio Myth — A History Lesson"

Runtime: 10 min · **Role:** The controversy video. Maximum shares, maximum comments.

[VISUAL: Stereo ident. Avatar. Background: ancient-manuscript textures dissolving into waveforms.]

AVATAR: Today I'm going to make some people angry, and I want to be precise about what I'm saying and what I'm not.

I am not telling you these frequencies sound bad, or that your experiences with them aren't real. I'm going to tell you where the numbers actually come from — because the history you've been sold and the history that happened are two different stories.

Start with the Solfeggio frequencies — 396, 417, 528, 639, 741, 852. The marketing says: ancient tones, used in Gregorian chants, lost for centuries, rediscovered.

Here's the documented version. These specific numbers were published in the 1970s by Joseph Puleo — derived not from any ancient musical source, but from a numerological reading of verse numbers in the Book of Numbers. Reduce the digits, find patterns, produce frequencies. They were then popularized in the late nineties in books by Leonard Horowitz. There is no manuscript, no chant notation, no historical tuning record containing this scale. Medieval chant wasn't even tuned to fixed hertz values — standardized pitch didn't exist. A monk in the year 900 could not have sung "528 hertz" on purpose, because nothing in his world could define it, let alone measure it.

[VISUAL: Timeline graphic — "Gregorian chant era: no fixed pitch standard" → "1970s: Puleo numerology" → "1990s: Horowitz popularization" → "2010s–now: YouTube gold rush".]

Then the crown jewel: 528 hertz, "the DNA repair frequency," "the love frequency." The claim traces to the same modern authors. Is there peer-reviewed evidence that this tone repairs DNA in a listening human? No. What exists are a handful of small, preliminary studies on things like cell cultures and stressed rats — interesting to a researcher, nowhere near "this tone heals your genome." I'll link what exists; read it yourself and notice the distance between the data and the thumbnails.

Now 432 hertz — the "natural tuning" the industry says was suppressed. The real story: concert pitch wandered for centuries, town by town, sometimes far below 432, sometimes above. In 1955, the industry settled on A equals 440 as an ISO standard — for practical coordination, not conspiracy. Is 432 tuning invalid? Not at all — retune to it if you love how it feels; it's eight hertz away and some people genuinely prefer the color of it. Preference is legitimate. A suppressed cosmic truth requires evidence, and the evidence is a standards committee meeting, not a cover-up.

[VISUAL: Avatar leans in slightly. Background stills.]

Here's why I care — and why you should, even if you love these numbers.

Nothing about these tones needs a fake history to be worth using. A 528 hertz carrier is a perfectly pleasant tone. Build a proper six hertz binaural beat on it and you have a legitimate theta session that happens to use a number you love. That track can be engineered honestly, documented honestly, and enjoyed fully.

Production scripts · 9 videos
Page 6 of 12

Glenn Carter · Frequency Engineering
HEADPHONES REQUIRED — VIDEO SCRIPTS

But when a creator sells you the fake history, they're telling you something important: they didn't check. And if they didn't check the history, run video one's test — because they probably didn't check the engineering either. In my audits, the correlation between mythology in the title and failure in the waveform is almost perfect.

Love the tones. Verify the claims. Those two things can coexist — in fact, in my studio, they have to.

[VISUAL: Avatar close.]

Next: we stop tearing down and start building. The anatomy of a correctly engineered session — every component, every number, on screen.

[OUTRO CARD]

VIDEO 6 — "Anatomy of a Correct Session — Built Live"

Runtime: 12 min · **Role:** The craft flagship. Demonstrates the production quality clients buy.

[VISUAL: Stereo ident. Avatar intro, then predominantly screen capture of DAW session with avatar picture-in-picture.]

AVATAR: Everything so far has been diagnosis. Today I build — a complete twenty-minute theta session, live, and I'll show you every number as I set it. When we're done you'll know exactly what you're owed when you pay a professional. This is the checklist the sludge can't fake.

Component one: the carriers.

[VISUAL: DAW — two oscillators created. Monospace overlays: "L: 200.0 Hz" / "R: 206.0 Hz".]

Left ear, two hundred hertz exactly. Right ear, two-oh-six. Difference: six hertz — dead center theta. Why carriers around two hundred? Low enough for solid binaural fusion, high enough to sit musically under a mix. Locked, stable, never panned. These two tones are the skeleton of everything.

Component two — the one that separates engineers from tone generators: the entrainment ramp.

[VISUAL: Automation curve drawn across the timeline — beat frequency 10 Hz → 6 Hz over 90 seconds.]

Your brain is sitting in relaxed alpha when it presses play — call it ten hertz. I don't slam it to six. I start the beat at ten and glide down to six over ninety seconds. Meet the brain where it is, walk it where you're going. Then a stable plateau for the working body of the session. And at the end — this matters most in sleep content — a ramp *out*. No cliff. A session that ends abruptly undoes its own last ten minutes.

[VISUAL: Full session curve on screen: RAMP-IN 90s → PLATEAU 17min → RAMP-OUT 90s.]

Component three: the masking bed. Nobody wants to hear raw sine tones for twenty minutes. I'm laying a rain bed and a soft pad — but watch the level relationship. The bed sits *above* the carriers, but the carriers are never buried: the beat has to remain in the perceptual window. Bed at minus twelve relative, carriers clearly present underneath. And critically — the bed itself stays stereo-stable. No wide swirling delays that smear across channels, for exactly the reason 8D fails.

Component four: the affirmation layer — if the session uses one. Voice recorded clean, then set at a consistent minus twenty dB under the bed. Present, consistent, engineered — I'll spend all of the next video on why that number matters and what the industry does wrong here.

Component five: the master.

Production scripts · 9 videos
Page 7 of 12

Glenn Carter · Frequency Engineering
HEADPHONES REQUIRED — VIDEO SCRIPTS

[VISUAL: Loudness meter. Overlay: "TARGET: −20 LUFS (sleep) · TRUE PEAK ≤ −1 dB".]

This is a wind-down session, so it masters quiet — minus twenty LUFS integrated. A sleep track mastered like a pop single is a design failure regardless of its frequencies. Focus content can run hotter, around minus sixteen. Loudness is a use-case decision, not an afterthought.

And the final component — the one I want to become an industry standard: the certificate.

[VISUAL: The construction certificate renders on screen:]

```
SESSION: Theta Descent 20
CARRIERS:  L 200.0 Hz / R 206.0 Hz
BEAT:      6.0 Hz (THETA)
RAMP:      10→6 Hz / 90 s in · 90 s out
BED:       rain + pad, −12 dB rel
VOICE:     −20 dB rel bed
MASTER:    −20 LUFS · TP −1.0 dB
HEADPHONES REQUIRED: YES
```

AVATAR: Every session that leaves my studio ships with this. Not because clients demand it — most don't know to — but because documentation is the difference between a craft and a costume. If a producer can't hand you this card for their own track, now you know why.

That's the machine, fully open. Next video: the most abused layer in the industry — subliminals — done right.

[OUTRO CARD]

VIDEO 7 — "Subliminals: The Most Abused Layer in Audio"

Runtime: 9 min · **Role:** Craft + ethics. Establishes the standard nobody else states.

[VISUAL: Stereo ident. Avatar. Background: a waveform with a faint second layer ghosting beneath it.]

AVATAR: Subliminal audio is where this industry keeps its worst engineering and its loosest ethics — and I'm qualified to say that, because I've built these layers for three decades. Today: how it's actually done, how to catch it done wrong, and the ethical lines I won't cross — which you should demand from anyone you buy from.

The concept: affirmations mixed beneath a masking bed — present in the audio, below the threshold of conscious attention. The theory is that the message reaches you without triggering the critical filter that argues with it.

Let me be honest about the science first, because that's the house rule. Laboratory evidence for subliminal *audio* producing lasting behavior change is weak and contested. What's better supported is the value of *consciously audible* or *threshold-level* affirmation practice — self-suggestion you can actually hear, repeated in relaxed states. So my professional position: I engineer these layers at the *threshold*, not buried in fantasy-land, and I tell clients exactly what the evidence does and doesn't support. If someone sells you a subliminal with certainty, they're selling past their data.

Now the engineering — because even accepting the practice on its own terms, most published subliminals fail before the debate even starts.

Production scripts · 9 videos
Page 8 of 12

Glenn Carter · Frequency Engineering
HEADPHONES REQUIRED — VIDEO SCRIPTS

[VISUAL: DAW screen capture. Voice layer under a bed.]

Rule one: consistent offset. My standard is minus eighteen to minus twenty-four dB relative to the masking bed. At that depth the voice is at the edge of perception — you'd notice it if the bed dropped away. That's threshold engineering.

What did the audit find on a real track? Minus fifty-two.

[VISUAL: Overlay: "MEASURED: −52 dB — below any plausible perception threshold."]

At minus fifty-two under a full ocean bed, the affirmations aren't subliminal. They're gone. Functionally deleted. The buyer paid for a whisper and received a rumor of a whisper. And because the seller knows the customer *can't hear it by design*, there is zero accountability — you can ship pure silence in that layer and nobody can tell without a null test. Some do. I've measured it.

Rule two: no clipping, no artifacts. A voice layer that distorts creates audible garbage that pokes *above* the bed intermittently — the opposite of the design goal.

Rule three — and this is ethics, not engineering: the listener must know *exactly* what the affirmations say. Full script, printed, delivered with the session. You are inviting words past your own critical filter — you have an absolute right to read every one of them first. I will not build a session whose script the listener hasn't seen, and I would never buy one. If a seller won't show you the script, the answer is no. Every time. No exceptions.

[VISUAL: Overlay checklist:]

```
SUBLIMINAL STANDARD
· Offset: −18 to −24 dB rel bed
· Zero clipping / artifacts
· Full script disclosed — always
· Claims stated honestly
```

AVATAR: Threshold engineering, clean layers, full disclosure, honest claims. That's the whole standard. It fits on a card — and almost nobody meets it.

Next video: I hand you my toolkit. How to audit any track yourself, start to finish, with free software.

[OUTRO CARD]

VIDEO 8 — "Audit Any Track Yourself — The Full Toolkit"

Runtime: 11 min · **Role:** The empowerment video. Also the soft gateway to the paid audit.

[VISUAL: Stereo ident. Avatar intro, then full screen-capture walkthrough.]

AVATAR: Video one gave you one test. Today you get the whole bench — the same sequence I run in professional audits, using only free tools. By the end you'll be able to grade any frequency track in about fifteen minutes.

Tools: Audacity for editing and null tests. Spectrum analysis is built into it. That's genuinely all you need.

[VISUAL: Numbered on-screen checklist builds as each test runs.]

Production scripts · 9 videos
Page 9 of 12

Glenn Carter · Frequency Engineering
HEADPHONES REQUIRED — VIDEO SCRIPTS

Test one — the stereo check. Open the file. Two waveforms? Do they *differ*? Identical waveforms mean mono means no binaural, done, grade F, you can stop. Thirty seconds.

Test two — the null test. Split, invert one channel, mix. Silence means mono in disguise — some channels upload "stereo" files with identical channels. What *survives* the null is the true inter-channel difference: in a real binaural track, the surviving audio contains the carrier difference. You will literally hear the skeleton of the beat.

Test three — measure the carriers. Solo the left channel, select a clean stretch, open the spectrum plot. Find the carrier spike — say it reads two hundred hertz. Solo the right: two-oh-six. Difference: six hertz. Now compare to the title. "Theta" and six hertz? Pass. "Theta" and eleven? You've caught them, with a screenshot to prove it.

[VISUAL: Spectrum plots side by side, monospace readouts: "L: 200.0 Hz" / "R: 211.2 Hz" / "Δ 11.2 Hz — CLAIMED 6.0 — FAIL".]

Test four — the ramp check. Zoom out. Look at the first two minutes: does the beat structure evolve, or does the track slam to full intensity at second zero? Check the last two minutes for a ramp-out. No ramps isn't fraud — it's just the difference between engineering and tone generation. Grade it accordingly.

Test five — the subliminal check, if claimed. Null test again, then amplify the residual and listen. Is there actually a voice? Can you find it on the spectrogram? If a "powerful subliminal layer" leaves no trace under forty dB of gain, you've found theater.

Test six — loudness sanity. Effects and analysis, measure loudness. A "deep sleep" track at minus eight LUFS is mastered like an energy drink commercial.

[VISUAL: Final scorecard template:]

```
TRACK AUDIT SCORECARD
1 Stereo file . . . . . . PASS / FAIL
2 Null residual . . . . . PASS / FAIL
3 Beat matches claim  . . PASS / FAIL
4 Ramps present . . . . . PASS / ROUGH / NONE
5 Subliminal verified . . PASS / FAIL / N-A
6 Loudness fits use . . . PASS / FAIL
```

AVATAR: Screenshot that card. Run it on your library. And here's my honest prediction from thirty years and a lot of audits: about half your collection fails at step one or two, before we even reach the interesting tests.

If you're a creator and you'd rather this analysis land on your desk as a forensic report before your audience runs it on you — that's the professional version, link below. Because make no mistake: your audience is learning these tests. Some of them from this video.

Final video next: the honest ceiling. What this audio can genuinely do for you, what it can't, and the thirty-day protocol that treats it correctly.

[OUTRO CARD]

VIDEO 9 — "What Frequency Audio Can Actually Do (The Honest Ceiling)"

Runtime: 10 min · **Role:** The integrity keystone + 30-day protocol → book/product close.

Production scripts · 9 videos
Page 10 of 12

Glenn Carter · Frequency Engineering
HEADPHONES REQUIRED — VIDEO SCRIPTS

[VISUAL: Stereo ident. Avatar. Background: calm, slow single waveform — the most minimal of the series.]

AVATAR: Eight videos of measurement and demolition. This last one is different. This is where I tell you what I actually believe this audio is good for — after thirty years of building it, using it, and watching what it does and doesn't deliver.

Here's the honest ceiling.

What the research and my experience genuinely support: frequency audio is a *state tool*. It can help you settle into relaxation faster. It can support sleep onset — the descent, the letting go. It can hold a focus state steadier by giving the wandering mind a floor. And it can deepen the entry into meditative and visualization states — the theta doorway is real, even if what's sold through it usually isn't.

What it cannot do: it cannot deposit money, repair your DNA, attract a partner, or manifest anything on your behalf. Not because manifestation practices are worthless — but because the *audio was never the active ingredient*. The active ingredient was always the state, and what you do inside it.

[VISUAL: Two-column overlay:]

```
THE AUDIO CAN            THE AUDIO CANNOT
· ease into relaxation   · act on the world for you
· support sleep onset    · replace the mental work
· steady a focus state   · substitute for sleep, therapy,
· deepen practice entry    or medicine
```

AVATAR: And here's the twist the gurus get exactly backwards. They sell the audio as the magic and skip the work. I'm telling you the audio is the *doorway* and the work is the magic. A theta state with no intention inside it is a nap. A theta state carrying deliberate, structured visualization — done consistently — is a practice. Practices compound.

So let me leave you with a protocol instead of a promise. Thirty days.

[VISUAL: Protocol card builds:]

```
THE 30-DAY HONEST PROTOCOL
· One verified session (run the audit first)
· Same time daily · 20 minutes · headphones
· Minutes 1–3: settle, breathe
· Minutes 4–15: the actual work —
  visualization, rehearsal, or rest,
  chosen BEFORE pressing play
· Last 2 min: one written line —
  what showed up today
· Day 30: read all 30 lines
```

AVATAR: One verified session — you know how to verify now; that was the whole point of this series. Same time every day, headphones on, and — this is the part nobody sells — decide what the session is *for* before you press play. The audio holds the door. You still have to walk through it carrying something.

Thirty lines in thirty days. That journal will tell you more about what this practice does for you than any thumbnail ever will. No bank-account screenshots. Just your own evidence, honestly gathered — which, if you've followed this series, is the only kind you accept anymore.

Glenn Carter · Frequency Engineering
HEADPHONES REQUIRED — VIDEO SCRIPTS

Everything in these nine videos — the tests, the engineering standards, the myths with citations, the full protocol — is in the book, with the deep versions of every chapter. And every session I produce ships with its construction certificate, because I don't ask you to hold anyone to a standard I don't hold myself to.

Thirty years in. Still wearing headphones. Still doing the work.

[VISUAL: Final outro — extended version.]

[OUTRO CARD]

STANDARD OUTRO CARD (10 s, all videos)

[VISUAL: Waveform mark. Text:]

```
GLENN CARTER · FREQUENCY ENGINEERING
HEADPHONES REQUIRED — the book & full series
THE FREQUENCY AUDIT — forensic catalog analysis
Every session ships with its construction certificate.
```

VO (calm, brief): "Verify the work. Then do the work."

Production sequencing suggestion

1. Shoot V1 first (lead magnet — validates the pipeline end to end)
2. Batch V2–V4 (pure avatar + graphics, fastest)
3. V6 and V8 need DAW screen capture — batch those two together
4. V5 (history) and V9 (keystone) last — they benefit from the series' accumulated tone
5. Release order = numbered order; V1 free everywhere, V2–V9 behind the €97 tier with V2 also public as a sampler