


THE FREQUENCY AUDIT · SAMPLE CLIENT REPORT

Frequency Integrity Report

A forensic audio-engineering analysis of published frequency content: what was claimed, what was actually measured, and what it means for the audience. Channel audited: **Ascend With Maya** (fictional sample) — 6 published tracks, measured under controlled playback conditions.



Methodology

Each track was analyzed from the delivered master file (not a streaming rip) using spectral analysis, stereo-field measurement, and channel-difference extraction. For binaural claims, the left/right carrier frequencies were measured independently and the beat frequency computed from their difference. Entrainment ramps were mapped across the full duration. Subliminal layers were isolated via phase inversion and measured against the masking bed. Every finding below is reproducible from the file itself — no subjective listening judgments.

The one rule most creators miss: binaural beats are generated inside the listener's brain from the *difference* between two carriers delivered to separate ears. Without headphones, the carriers mix in the air and the effect physically cannot occur. Any binaural track published without a headphone requirement is broken at the point of delivery.

Scoring Dimensions

Binaural Integrity	Is there true two-carrier construction with clean stereo separation?
Frequency Accuracy	Does the measured beat frequency match the claimed brainwave band?
Entrainment Design	Ramped onset/offset, stable plateau, no abrupt jumps?
Subliminal Craft	Affirmation layers mixed at effective, consistent offsets — not buried or clipping?
Listening Guidance	Headphone requirement and usage instructions communicated to the audience?

TRACK-BY-TRACK FINDINGS

Claimed vs. Measured

TRACK	CLAIMED	MEASURED	VERDICT
528 Hz Abundance Meditation	528 Hz binaural, theta entrainment	MONO file – L/R identical. No carrier difference exists. Beat frequency: none.	P1 · NOT BINAURAL
Theta Manifestation 6 Hz	6 Hz theta beat	L: 200.0 Hz R: 211.2 Hz Beat: 11.2 Hz – ALPHA band, not theta. Mislabeled.	P2 · WRONG BAND
Deep Sleep Delta Journey	2.5 Hz delta beat	L: 100.0 Hz R: 102.5 Hz Beat: 2.5 Hz – correct. No onset ramp; abrupt start.	P3 · PASSES, ROUGH
I Am Worthy — Subliminal	Subliminal affirmations under ocean bed	Affirmation layer at –52 dB relative to bed – below any plausible perception threshold.	P2 · INAUDIBLE LAYER
Chakra Alignment Suite	7 chakra tones, root to crown	Tones present and pitched as claimed. Stereo image stable. Clean construction.	P3 · PASSES
Money Magnet 8D Audio	8D binaural money frequency	Auto-pan on a mono source. “8D” panning destroys carrier separation – defeats binaural.	P1 · SELF-DEFEATING

Channel-Level Findings

P1

No headphone requirement is stated anywhere on the channel — descriptions, pinned comments, or in-video. Every binaural claim is void at the point of delivery for speaker listeners.

P2

No track documents its construction (carrier/beat/ramp). The audience has no way to distinguish this catalog from AI-generated content — because on three of six tracks, there is no measurable difference.

P3

Loudness is inconsistent across the catalog (–19 to –8 LUFS). Sessions intended for sleep should never exceed conversational playback level.

What Correct Looks Like

A properly engineered session states its construction and survives measurement: two clean carriers with the intended difference frequency, a 60–120 second entrainment ramp in and out, a stable plateau, subliminal layers at a consistent –18 to –24 dB offset beneath the masking bed, and a clear headphone requirement communicated to the listener. Every session I produce ships with its construction certificate — carrier frequencies, beat frequency, and ramp profile documented — so the audience can verify the work instead of taking it on faith.

Remediation path. Tracks 1, 2, and 6 require rebuild, not repair. Tracks 3 and 4 are correctable in one session pass. A full remediation quote and re-engineering plan accompanies the production proposal delivered with this audit.