

VOCATIONAL SERVICES PLATFORM

VSP Mobile Frontend

React Native — 41 Screens

41 page prompts · Cursor + ChatGPT Codex ready · React Native · Expo · TypeScript · NativeWind

How to Use This Prompt Pack

Step 1 — Open Cursor. Load the design system HTML file (VSP_Mobile_Frontend_Design_System.html) in a browser tab beside Cursor.

Step 2 — For each page/screen, paste the relevant prompt from this document into Cursor chat along with the corresponding module context file from the backend context pack.

Step 3 — Codex generates the component. Review against the design system HTML. Iterate with follow-up messages.



KEY RULE: Always include the design system reference (colour tokens, typography, component patterns) in your Cursor context. The HTML design system file is your source of truth for all visual decisions.

AUTH / ENTRY (1–6)

SCREEN 01 Splash Screen · Root

GET /api/v1/auth/me

Generate the Splash Screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Root. CONTENT: Full-screen gradient #0EA5E9 → #0284C7. VSP logo (white shield + "VSP" text) centred with fade-in animation. Animated loading ring. Checks stored token: if valid → navigate to main app; if invalid → navigate to Onboarding. API: GET /api/v1/auth/me. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 02 Onboarding Slides · Auth Stack

None — local

Generate the Onboarding Slides screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Auth Stack. CONTENT: 3 full-screen slides with Animated/react-native-reanimated. Slide 1: illustration + "Find skilled workers near you". Slide 2: "Book with confidence". Slide 3: "Are you a skilled worker?" with two buttons: "I need workers" and "I am a worker". Skip button top-right. Dot indicators bottom. API: None — local. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 03 Login · Auth Stack

POST /api/v1/auth/login · POST /api/v1/auth/refresh

Generate the Login screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Auth Stack. CONTENT: Logo at top. Email/phone toggle tab. TextInput fields with keyboard type. Password field with show/hide. "Sign In" full-width blue button. "Forgot password?" link. "Don't have an account? Register" bottom. Google Sign-In button. Error inline under fields. KeyboardAvoidingView. TouchableWithoutFeedback to dismiss keyboard. API: POST /api/v1/auth/login · POST /api/v1/auth/refresh. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 04 Register · Auth Stack

POST /api/v1/auth/register

Generate the Register screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Auth Stack. CONTENT: First name + Last name fields. Email + Phone fields (both optional, at least one required — show validation). Password + confirm fields with strength indicator bar. "Create Account" button. Terms checkbox. Error states per field from Zod. API: POST /api/v1/auth/register. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 05-06 Forgot + Reset Password · Auth Stack

POST /auth/request-password-reset · POST /auth/reset-password

Generate the Forgot + Reset Password screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Auth Stack. CONTENT: Forgot (05): email/phone input + "Send reset code". Success: "Code sent" green banner. Reset (06): 6 OTP boxes + new password + confirm. Password strength bar. Submit button. Auto-advance OTP boxes on digit entry. API: POST /auth/request-password-reset · POST /auth/reset-password. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

CUSTOMER SCREENS (7–25)

SCREEN 07 Home Screen · Customer Tab 1

🔗 GET /discovery/featured-workers · GET /bookings

Generate the Home Screen screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Customer Tab 1. CONTENT: ScrollView (not FlatList – mixed content). Greeting "Good morning, Alice 🙌". Quick category chips (horizontal scroll): ⚡ Electrician, 🔧 Plumber, etc. "Nearby Workers" FlatList horizontal – compact WorkerCards. "Your Active Bookings" section – BookingCards. "Recommended for You" section. API: GET /discovery/featured-workers · GET /bookings. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 08 Feed Screen · Customer Tab 3

🔗 GET /posts/feed (infinite FlatList) · POST/DELETE /posts/:id/likes · POST /posts

Generate the Feed Screen screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Customer Tab 3. CONTENT: FlatList with PostCard components. CreatePostBar at top (tap to open compose modal). Pull-to-refresh (RefreshControl). onEndReached triggers next page. FooterComponent: ActivityIndicator while fetching next. PostCard: avatar + name + trade badge + text body + image + like/comment/save/share row. API: GET /posts/feed (infinite FlatList) · POST/DELETE /posts/:id/likes · POST /posts. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 09 Post Detail · Stack → Feed

🔗 GET /posts/:postId · GET/POST /posts/:postId/comments

Generate the Post Detail screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Stack → Feed. CONTENT: Full PostCard at top. Image(s) in horizontal scroll. Comment FlatList below. Comment input sticky at bottom with KeyboardAvoidingView. Reply threading (1 level). Back arrow returns to feed at same position. API: GET /posts/:postId · GET/POST /posts/:postId/comments. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 10 Search Screen · Customer Tab 2

🔗 GET /search/workers · GET /trade-categories

Generate the Search Screen screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Customer Tab 2. CONTENT: SearchBar at top (tappable → expands with keyboard). Trade category chips below search. Filter modal (bottom sheet) – radius slider, rating stars, sort. WorkerCard FlatList results. Toggle: List/Map view. Distance shown on each card. API: GET /search/workers · GET /trade-categories. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 11 Nearby Workers Map · Stack → Search

🔗 GET /search/workers/map

Generate the Nearby Workers Map screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Stack → Search. CONTENT: Full-screen react-native-maps. Coloured marker pins per trade. Tap pin: worker mini-card bottom sheet (avatar + name + rating + book button). Filter chips at top overlay. "Search this area" button when map is moved. Location permission prompt on first load. API: GET /search/workers/map. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 12 Worker Detail · Stack → any

GET /worker-profiles/:id · GET /workers/:id/reviews

Generate the Worker Detail screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Stack → any. CONTENT: ScrollView. Top: cover gradient + floating avatar + name + headline + trade badge + distance. Sticky bottom bar: "Book Now" orange, "Message" blue. Stats row: ★ rating, jobs, response rate. About section (bio). Portfolio horizontal scroll grid. Reviews FlatList. Services list. Availability weekly grid. API: GET /worker-profiles/:id · GET /workers/:id/reviews. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 13 Saved Workers · Stack → Profile**GET /users/me/saved-workers · DELETE /users/me/saved-workers/:id**

Generate the Saved Workers screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Stack → Profile. CONTENT: FlatList of compact WorkerCards. Swipe left to reveal "Remove" red action. Empty state:  illustration + "No saved workers yet". Save/remove triggers optimistic UI update. API: GET /users/me/saved-workers · DELETE /users/me/saved-workers/:id. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 14 Create Service Request · Stack → any**POST /service-requests · GET /trade-categories**

Generate the Create Service Request screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Stack → any. CONTENT: Multi-step form (5 steps, ProgressBar). Step 1: trade select grid. Step 2: title + description + add line items. Step 3: location map picker (tap map to set pin) + address text. Step 4: date+time picker. Step 5: summary + submit. Each step: back + continue buttons. Form state persisted across steps (React context or Zustand). API: POST /service-requests · GET /trade-categories. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 15-16 Requests List + Detail · Stack**GET /service-requests · GET /service-requests/:requestId**

Generate the Requests List + Detail screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Stack. CONTENT: List (15): FlatList with status filter chips at top. RequestCard: title + trade badge + status badge + created date + assignment count. Detail (16): ScrollView. Title + status. Description. Items list. Status timeline (vertical). Assignments section: worker avatars + status. Cancel button. API: GET /service-requests · GET /service-requests/:requestId. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 17-18 Bookings List + Detail · Tab or Stack**GET /bookings · GET /bookings/:bookingId**

Generate the Bookings List + Detail screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Tab or Stack. CONTENT: List (17): StatusTabs. BookingCard with left colour accent by status. Detail (18): Worker card (avatar + name + rating). Booking time + location. Status timeline. Action buttons (Reschedule / Cancel / Message). Review button if COMPLETED. API: GET /bookings · GET /bookings/:bookingId. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 19 Review Submission · Stack → Booking**POST /reviews · POST /reviews/:id/dimensions**

Generate the Review Submission screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Stack → Booking. CONTENT: Worker card at top (read-only). 5-star tap selector (large stars, satisfying animation on tap). Dimension selectors: quality/communication/punctuality/value (4×5

small stars). Review textarea. Submit button. Success: confetti animation + "Review submitted!" green screen. API: POST /reviews · POST /reviews/:id/dimensions. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 20 Notifications Screen · Stack

🔗 GET /notifications · POST /notifications/read-all

Generate the Notifications Screen screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Stack. CONTENT: Header: "Notifications" + "Mark all read" button. FilterChips: All | Bookings | Messages | System. FlatList of NotificationRows. Unread: #F0F9FF background + blue left border. Icon circle coloured by type (booking=blue, message=green, alert=red). Swipe right to mark read. API: GET /notifications · POST /notifications/read-all. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 21-22 Inbox + Conversation · Customer Tab 4 + Stack

🔗 GET /conversations · GET /conversations/:id/messages (WebSocket)

Generate the Inbox + Conversation screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Customer Tab 4 + Stack. CONTENT: Inbox (21): ConversationList – avatar with online dot, name, preview snippet, unread count badge, time. Swipe left: archive/delete. Conversation (22): FlatList inverted (latest at bottom). Message bubbles: received=white with border, sent=brand blue. Typing indicator (animated dots). ChatInput bottom bar. WebSocket connect on mount, disconnect on unmount. API: GET /conversations · GET /conversations/:id/messages (WebSocket). FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 23-25 User Profile + Edit + Settings · Customer Tab 5 + Stack

🔗 GET /users/me · PATCH /users/me · POST /media/upload-url

Generate the User Profile + Edit + Settings screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Customer Tab 5 + Stack. CONTENT: Profile (23): avatar + name + stats row. Tabs: Posts | Reviews Given | Saved Workers. Edit (24): tap avatar → ImagePicker → signed URL upload → PATCH. Name/bio/city fields. Settings (25): NotificationPreferences toggles, push permission toggle, change password section, delete account (with confirmation modal). API: GET /users/me · PATCH /users/me · POST /media/upload-url. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

WORKER SCREENS (26–41)

SCREEN 26-30 Worker Onboarding (Steps 1–5) · Onboarding Stack

🔗 POST /worker-profiles · PATCH /worker-profiles/me · GET /trade-categories · POST /worker-profiles/me/trades · POST /worker-profiles/me/services · POST /worker-profiles/me/service-areas

Generate the Worker Onboarding (Steps 1–5) screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Onboarding Stack. CONTENT: ProgressBar step indicator. Steps: 26=welcome/start, 27=profile (headline+bio+exp years), 28=trade grid selection (emoji + name checkboxes), 29=services (add/remove service rows with title+price), 30=service area (map view with adjustable radius circle overlay). Each step: Back + Continue. Progress saved if user exits. API: POST /worker-profiles · PATCH /worker-profiles/me · GET /trade-categories · POST /worker-profiles/me/trades · POST /worker-profiles/me/services · POST /worker-profiles/me/service-areas. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 31-34 Worker Onboarding (Steps 6–9) · Onboarding Stack

🔗 POST /media/upload-url → PUT → POST /media/confirm · POST /worker-profiles/me/portfolio · POST /worker-profiles/me/certifications · POST /worker-profiles/me/availability/rules · POST /worker-profiles/me/verification-requests

Generate the Worker Onboarding (Steps 6–9) screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Onboarding Stack. CONTENT: Step 31: Availability – WeeklyGrid component. Tap day → time slot picker. Step 32: Portfolio – image grid. Tap "+" → ImagePicker → upload with progress bar. Step 33: Certifications – doc upload. Form fields: cert name, issuer, issued date, expiry date. Step 34: Review all + Submit. Show pending state: "Under review" screen with timeline. API: POST /media/upload-url → PUT → POST /media/confirm · POST /worker-profiles/me/portfolio · POST /worker-profiles/me/certifications · POST /worker-profiles/me/availability/rules · POST /worker-profiles/me/verification-requests. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 35 Worker Dashboard · Worker Tab 1

🔗 GET /worker-profiles/me · GET /bookings · GET /service-requests?status=MATCHED

Generate the Worker Dashboard screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Worker Tab 1. CONTENT: Greeting. StatCards horizontal scroll: Jobs Done, Rating, Response Rate, This Month. "Incoming Requests" section (3 max) – RequestCard with Accept/Decline. "Today" bookings timeline. "Recent Reviews" preview. Verification banner if not APPROVED. Featured upsell card. API: GET /worker-profiles/me · GET /bookings · GET /service-requests?status=MATCHED. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 36-37 Incoming Requests + Request Response · Worker Tab 2 + Stack

🔗 GET /service-requests?status=MATCHED · POST .../assignments/:id/accept · POST .../assignments/:id/decline

Generate the Incoming Requests + Request Response screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Worker Tab 2 + Stack. CONTENT: Requests List (36): Sorted by distance. Filter by trade. Pull to refresh. RequestCard: job title, trade, distance, customer masked name, items count, scheduled time. Accept=green, Decline=red. Response (37): Full request detail. Map pin for location. Customer rating (4.8★ – anonymised). Items breakdown. Timer showing how long until request expires. Accept creates booking with success animation. API: GET /service-requests?status=MATCHED · POST .../assignments/:id/accept · POST .../assignments/:id/decline. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 38-39 Worker Bookings + Reviews · Worker Tab 3 + Stack

 GET /bookings · GET /workers/:workerId/reviews · POST /bookings/:id/start · POST /bookings/:id/complete

Generate the Worker Bookings + Reviews screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Worker Tab 3 + Stack. CONTENT: Bookings (38): Upcoming + Past tabs. BookingCard with "Mark Started" / "Mark Complete" action buttons. Tap complete: confirmation modal. Reviews (39): Avg score breakdown bars. ReviewCard list: reviewer name (masked), stars, body, date. Reply text box on each (POST /reviews/:id/replies). API: GET /bookings · GET /workers/:workerId/reviews · POST /bookings/:id/start · POST /bookings/:id/complete. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 40 Worker Earnings / Performance · Stack → Dashboard

  GET /worker-profiles/me/analytics

Generate the Worker Earnings / Performance screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Stack → Dashboard. CONTENT: "Coming Soon" amber banner at top. Below banner: available stats – Jobs Completed (large number), Avg Rating (star display), Total Reviews, Response Rate. "Revenue tracking launching soon" card with illustration. Featured subscription upsell: "Boost your visibility" card. API:  GET /worker-profiles/me/analytics. FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.

SCREEN 41 Worker Profile Preview · Stack → Profile

 GET /worker-profiles/:workerId (public view)

Generate the Worker Profile Preview screen for VSP Mobile (React Native). STACK: React Native · Expo SDK 51 · TypeScript · NativeWind · TanStack Query. FONTS: Nunito (headings 900/800) · Inter (body 400/500). COLOURS: Brand #0EA5E9, Accent #F97316, Screen BG #F0F9FF, border-radius 12px+. NAVIGATOR: Stack → Profile. CONTENT: Same as Worker Detail (screen 12) but shows own profile as customers see it. "This is how customers see your profile" banner at top. "Edit Profile" floating button. Completeness score progress bar. API: GET /worker-profiles/:workerId (public view). FlatList for lists. RefreshControl for pull-to-refresh. ActivityIndicator while loading. KeyboardAvoidingView on forms. TypeScript + NativeWind classes. No StyleSheet.create.