

VOCATIONAL SERVICES PLATFORM

VSP Web Frontend

User Facing — 45 Pages

45 page prompts · Cursor + ChatGPT Codex ready · Next.js · React · TypeScript · Tailwind · shadcn/ui

How to Use This Prompt Pack

Step 1 — Open Cursor. Load the design system HTML file (VSP_Web_Frontend_Design_System.html) in a browser tab beside Cursor.

Step 2 — For each page/screen, paste the relevant prompt from this document into Cursor chat along with the corresponding module context file from the backend context pack.

Step 3 — Codex generates the component. Review against the design system HTML. Iterate with follow-up messages.

 **KEY RULE:** Always include the design system reference (colour tokens, typography, component patterns) in your Cursor context. The HTML design system file is your source of truth for all visual decisions.

PUBLIC PAGES (1–9)

PAGE 01 Landing Page · Pattern 1 (Hero + Cards)

🔗 `GET /api/v1/discovery/featured-workers · GET /api/v1/trade-categories`
Generate the Landing Page page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 1 (Hero + Cards). CONTENT: Full-width hero section: gradient sky-to-indigo, large headline "Find Trusted Tradespeople Near You", subtitle, search bar (trade + location + radius), "Search Workers" CTA button in #F97316 orange. Below: "Popular Trades" icon grid (12 trades). Featured Workers horizontal scroll of 6 WorkerCards. Testimonials section (3 quotes). Stats bar: "52,847 users · 4,231 workers · 47,000 jobs completed". Footer. API: GET /api/v1/discovery/featured-workers · GET /api/v1/trade-categories. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 02 Explore Trades Page · Pattern 1

🔗 `GET /api/v1/trade-categories · GET /api/v1/cities`
Generate the Explore Trades Page page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 1. CONTENT: Page title "Explore Trades". Trade category grid 4-column: icon + name + worker count badge + "View Workers" button. Filter by city dropdown. "Featured in [City]" section below grid with 3 top-rated workers per trade. City coverage map placeholder. API: GET /api/v1/trade-categories · GET /api/v1/cities. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 03 Worker Search Page · Pattern 2 (Sidebar + Grid)

🔗 `GET /api/v1/search/workers?lat=&lng=&radiusKm=&tradeCategoryId=&q=&page=&limit=`
Generate the Worker Search Page page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 2 (Sidebar + Grid). CONTENT: Left sidebar 280px: filter panel – trade multiselect checkboxes, radius slider (1–50km), min rating stars selector (1–5), price range. Right: search results grid 3-col of WorkerCards. Sort dropdown: Nearest/Highest Rated/Most Jobs. Results count. Pagination. Show map/list toggle at top right. API: GET /api/v1/search/workers?lat=&lng=&radiusKm=&tradeCategoryId=&q=&page=&limit=. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 04 Worker Public Profile (Guest) · Pattern 4 (Profile + Tabs)

🔗 `GET /api/v1/worker-profiles/:workerId · GET /api/v1/workers/:workerId/reviews`
Generate the Worker Public Profile (Guest) page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 4 (Profile + Tabs). CONTENT: Hero: cover gradient, large avatar 80px, name, headline, trade badges, rating + jobs + response rate stats. Right sticky card: "Book This Worker" blue button, "Message" outline button, "Save" heart button. Tabs: About | Portfolio (image grid) | Reviews (list with stars + dimensions) | Services (price list) | Availability (weekly grid). Share button top right. Login prompt modal when guest tries to book. API: GET /api/v1/worker-profiles/:workerId · GET /api/v1/workers/:workerId/reviews. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 05 Feed / Social Discovery · Pattern 3 (Infinite Scroll)

🔗 `GET /api/v1/discovery/recent-posts`
Generate the Feed / Social Discovery page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 3 (Infinite Scroll). CONTENT: Single column max-w-2xl centred. "Discover Workers" header. PostCard list – text + image type. Each card: worker avatar, name, trade badge, post body, image, engagement (likes/comments/saves). Follow button on each card. No auth required – show "Join to follow and interact" soft prompt on interactions. API: GET /api/v1/discovery/recent-posts. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 06-09 Auth Pages (Login / Register / Forgot / Reset) · Auth (centered card)

🔗 `POST /api/v1/auth/login · POST /api/v1/auth/register · POST /api/v1/auth/request-password-reset · POST /api/v1/auth/reset-password`

Generate the Auth Pages (Login / Register / Forgot / Reset) page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8F8F8 bg. LAYOUT: Auth (centered card). CONTENT: Login: two-column (left: illustration/value prop, right: form card). Form: email/phone, password, remember me, "Sign in" blue button, Google OAuth button. Error states for each error code. Register: same layout, adds name fields, phone/email, password strength indicator. Forgot: single centered card, email input, submit. Reset: OTP + new password + confirm + strength bar. API: `POST /api/v1/auth/login · POST /api/v1/auth/register · POST /api/v1/auth/request-password-reset · POST /api/v1/auth/reset-password`. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

AUTHENTICATED PAGES (10–30)

PAGE 10 Home Dashboard · Pattern 6 (List)

🔗 GET /api/v1/bookings · GET /api/v1/notifications · GET /api/v1/discovery/recommended-workers
Generate the Home Dashboard page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 6 (List). CONTENT: Personalised greeting "Good morning, Alice". Row of 3 quick-action cards: Find a Worker, My Bookings, Messages. "Active Bookings" section: 1-2 BookingCards with status. "Recommended Workers" horizontal scroll based on past bookings. "Recent Activity" notification feed. "Explore New Trades" category grid. API: GET /api/v1/bookings · GET /api/v1/notifications · GET /api/v1/discovery/recommended-workers. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 11 Feed Page · Pattern 3 (Infinite Scroll)

🔗 GET /api/v1/posts/feed?page=&limit=20 · POST /api/v1/posts · POST/DELETE /api/v1/posts/:id/likes
Generate the Feed Page page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 3 (Infinite Scroll). CONTENT: CreatePostBar at top: avatar + "Share a work update..." placeholder + camera icon. FeedList of PostCards – text, image, portfolio update types. Each card: follow/unfollow button, like (with count), comment count, save, share. Clicking like is optimistic update. IntersectionObserver triggers fetchNextPage. Skeleton loaders while loading next batch. Empty state: "Follow workers to see their updates". API: GET /api/v1/posts/feed?page=&limit=20 · POST /api/v1/posts · POST/DELETE /api/v1/posts/:id/likes. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 12 Feed Post Detail · Pattern 4

🔗 GET /api/v1/posts/:postId · GET/POST /api/v1/posts/:postId/comments
Generate the Feed Post Detail page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 4. CONTENT: Full post at top. Image(s) in carousel. Like/save/share actions. Comments section with reply support (1 level). Comment input sticky at bottom. Back to feed preserves scroll position. API: GET /api/v1/posts/:postId · GET/POST /api/v1/posts/:postId/comments. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 13-14 Search Results + Map Search · Pattern 2

🔗 GET /api/v1/search/workers · GET /api/v1/search/workers/map
Generate the Search Results + Map Search page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 2. CONTENT: Search Results (13): same as page 3 but with auth (can save workers, message directly). Map Search (14): full-screen Leaflet/Mapbox map with worker pin markers. Click pin: mini worker card popup. Search this area button. Filter drawer slides up from bottom. Toggle list/map view. API: GET /api/v1/search/workers · GET /api/v1/search/workers/map. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 15 Worker Detail · Pattern 4

🔗 GET /api/v1/worker-profiles/:workerId · GET /api/v1/workers/:workerId/reviews · POST/DELETE /api/v1/users/me/saved-workers/:workerId
Generate the Worker Detail page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 4. CONTENT: Full worker profile. Sticky sidebar: "Create Service Request" (orange CTA), "Message" (blue), "Save Worker" (heart toggles). Hero stats: rating, jobs, response rate, member since. Portfolio image grid (click to expand). Reviews with dimension score bars (quality/communication/punctuality/value). Services price table. Availability weekly view. API: GET /api/v1/worker-profiles/:workerId · GET /api/v1/workers/:workerId/reviews · POST/DELETE /api/v1/users/me/saved-workers/:workerId. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 16 Saved Workers · Pattern 6

🔗 GET /api/v1/users/me/saved-workers · DELETE /api/v1/users/me/saved-workers/:workerId

Generate the Saved Workers page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 6. CONTENT: Grid of saved WorkerCards. Each card has X remove button. Empty state: "No saved workers yet. Browse workers and tap Save to keep track of your favourites." CTA: "Find Workers". API: GET /api/v1/users/me/saved-workers · DELETE /api/v1/users/me/saved-workers/:workerId. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only — no inline styles.

PAGE 17 Create Service Request · Pattern 7 (Multi-step)

🔗 POST /api/v1/service-requests · GET /api/v1/trade-categories

Generate the Create Service Request page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 7 (Multi-step). CONTENT: Step 1: Trade category select (grid of icons). Step 2: Describe the job — title + description textarea + line items (add/remove rows). Step 3: Location — map picker + address text field. Step 4: Schedule — date+time picker, optional. Step 5: Review + submit. Progress bar top. Idempotency key on submit. API: POST /api/v1/service-requests · GET /api/v1/trade-categories. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only — no inline styles.

PAGE 18-19 Service Request List + Detail · Pattern 6 / Pattern 4

🔗 GET /api/v1/service-requests · GET /api/v1/service-requests/:requestId

Generate the Service Request List + Detail page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 6 / Pattern 4. CONTENT: List (18): StatusTabs (All/Open/Matched/Accepted/Completed). RequestCard: title, trade, status badge, created date, assignment count. Detail (19): title + status + description. Status timeline. Assigned workers list with accept/decline status. Cancel button (if OPEN/MATCHED). Linked booking card. API: GET /api/v1/service-requests · GET /api/v1/service-requests/:requestId. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only — no inline styles.

PAGE 20-21 Bookings List + Detail · Pattern 6 / Pattern 4

🔗 GET /api/v1/bookings · GET /api/v1/bookings/:bookingId

Generate the Bookings List + Detail page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 6 / Pattern 4. CONTENT: List (20): StatusTabs. BookingCard with accent border by status. Detail (21): Hero with status badge. Worker card + customer card. Scheduled time. Timeline (confirmed-in-progress-completed). Actions: Reschedule, Cancel, Message Worker. Leave Review button when COMPLETED. API: GET /api/v1/bookings · GET /api/v1/bookings/:bookingId. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only — no inline styles.

PAGE 22 Booking Reschedule Flow · Pattern 7

🔗 POST /api/v1/bookings/:id/reschedule · POST /api/v1/bookings/:id/reschedule/:rescheduleId/respond

Generate the Booking Reschedule Flow page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 7. CONTENT: Date+time picker. Show current time vs new time comparison. Reason textarea (optional). Submit sends reschedule request. Other party sees pending badge + accept/decline buttons. Show history of previous reschedule attempts. API: POST /api/v1/bookings/:id/reschedule · POST /api/v1/bookings/:id/reschedule/:rescheduleId/respond. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only — no inline styles.

PAGE 23 Write Review Page · Pattern 7

🔗 POST /api/v1/reviews · POST /api/v1/reviews/:reviewId/dimensions

Generate the Write Review Page page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 7. CONTENT: Worker summary card at top (cannot change). 5 interactive star selectors for overall + 4 dimension scores (quality, communication, punctuality, value). Review body textarea. Submit. Success state: "Review submitted! Thank you." with animated confetti. API: POST /api/v1/reviews · POST /api/v1/reviews/:reviewId/dimensions. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only — no inline styles.

PAGE 24 Reviews History · Pattern 6 GET /api/v1/workers/:workerId/reviews

Generate the Reviews History page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 6. CONTENT: Reviews left by user (and on worker profile context). Rating summary at top: avg + distribution bar chart. Review list: worker avatar, rating stars, body text, dimension scores as progress bars, date. API: GET /api/v1/workers/:workerId/reviews. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 25-26 Messages Inbox + Conversation · Pattern 5 (Split Panel) GET /api/v1/conversations · GET /api/v1/conversations/:id/messages (WebSocket)

Generate the Messages Inbox + Conversation page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 5 (Split Panel). CONTENT: Inbox (25): Left 320px conversation list – avatar, name, preview, unread count, time. Active conversation highlighted blue. Right: MessageThread. Chat bubbles: received=white border, sent=blue. Read receipts (✓). Typing indicator (animated dots). Chat input bottom: textarea + attach icon + send. WebSocket for real-time. Reconnect on disconnect. API: GET /api/v1/conversations · GET /api/v1/conversations/:id/messages (WebSocket). Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 27 Notifications Center · Pattern 6 GET /api/v1/notifications · POST /api/v1/notifications/read-all

Generate the Notifications Center page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 6. CONTENT: Filter tabs: All | Bookings | Messages | System. NotificationCard: icon circle (coloured by type) + title + body + time + entity link. Unread: bold + left blue border. Mark all read button top-right. Group by date (Today, Yesterday, This Week). API: GET /api/v1/notifications · POST /api/v1/notifications/read-all. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 28-30 Profile + Edit Profile + Settings · Pattern 4 / Form GET /api/v1/users/me · PATCH /api/v1/users/me · POST /api/v1/media/upload-url

Generate the Profile + Edit Profile + Settings page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 4 / Form. CONTENT: Profile (28): Avatar + name + stats (follows, followers, bookings). Tabs: My Posts | Reviews Given | Saved Workers. Edit (29): Avatar upload (signed URL flow), name fields, bio, city selector, location. Settings (30): Notification preferences toggles, push notification toggle, account section (change email/phone/password), danger zone (delete account). API: GET /api/v1/users/me · PATCH /api/v1/users/me · POST /api/v1/media/upload-url. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

WORKER PAGES (31–45)

PAGE 31-34 Worker Onboarding (Steps 1–4) · Pattern 7

🔗 POST /api/v1/worker-profiles · PATCH /worker-profiles/me · GET /trade-categories · POST /worker-profiles/me/trades · POST /worker-profiles/me/services
Generate the Worker Onboarding (Steps 1–4) page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 7. CONTENT: Progress bar shows Step X of 9. Step 31: Welcome + "Become a worker on VSP" value prop. Start button. Step 32: Profile form – headline (120 char), bio (3000 char), experience years. Step 33: Trade grid – checkboxes with emoji icons (multi-select). Step 34: Services – add service rows (title + price + description). Add/remove rows. API: POST /api/v1/worker-profiles · PATCH /worker-profiles/me · GET /trade-categories · POST /worker-profiles/me/trades · POST /worker-profiles/me/services. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 35-39 Worker Onboarding (Steps 5–9) · Pattern 7

🔗 POST /worker-profiles/me/service-areas · POST/PATCH/DELETE /worker-profiles/me/availability/rules · POST /media/upload-url + /portfolio + /certifications · POST /worker-profiles/me/verification-requests
Generate the Worker Onboarding (Steps 5–9) page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 7. CONTENT: Step 35: Service area – city dropdown + radius slider on map. Step 36: Availability – weekly grid Mon-Sun, click to toggle time slots. Step 37: Portfolio – image upload grid with expo-image-picker or file input. Step 38: Certifications – document upload + cert name + issuer + expiry date. Step 39: Review all steps summary + submit verification. "You're all set!" success screen. API: POST /worker-profiles/me/service-areas · POST/PATCH/DELETE /worker-profiles/me/availability/rules · POST /media/upload-url + /portfolio + /certifications · POST /worker-profiles/me/verification-requests. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 40 Worker Dashboard · Pattern 4

🔗 GET /api/v1/worker-profiles/me · GET /api/v1/bookings · GET /api/v1/service-requests?status=MATCHED
Generate the Worker Dashboard page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 4. CONTENT: Stats row: Jobs Completed, Avg Rating, Response Rate, Jobs This Month. "New Requests" section: incoming request cards with Accept/Decline. "Today's Bookings" timeline. "Recent Reviews" list. Verification status banner (if SUBMITTED: "Under review", if DRAFT: "Complete your profile"). Featured subscription upsell card. API: GET /api/v1/worker-profiles/me · GET /api/v1/bookings · GET /api/v1/service-requests?status=MATCHED. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 41-42 Incoming Requests + Request Respond · Pattern 6 / Pattern 4

🔗 GET /api/v1/service-requests?status=MATCHED · POST /service-requests/:id/assignments/:assignmentId/accept · POST ../decline
Generate the Incoming Requests + Request Respond page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 6 / Pattern 4. CONTENT: List (41): RequestCards – job title, trade, distance, customer rating, items count, scheduled time. "Accept" green button, "Decline" red button inline. Detail (42): Full request: customer info (masked for privacy), job description, location map, items list. Large Accept/Decline buttons at bottom. Acceptance creates booking. API: GET /api/v1/service-requests?status=MATCHED · POST /service-requests/:id/assignments/:assignmentId/accept · POST ../decline. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only – no inline styles.

PAGE 43-44 Worker Bookings + Reviews · Pattern 6

🔗 GET /api/v1/bookings · GET /api/v1/workers/:workerId/reviews
Generate the Worker Bookings + Reviews page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 6. CONTENT: Worker Bookings (43): Same booking list but from worker perspective. Status chips. "Mark Started" / "Mark Complete" action buttons per booking. Reviews (44): Reviews received. Overall score + dimension averages as bars. Review cards. Reply

button on each review. API: GET /api/v1/bookings · GET /api/v1/workers/:workerId/reviews. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only — no inline styles.

PAGE 45 Worker Analytics Summary · Pattern 3 (Dashboard)

  GET /api/v1/worker-profiles/me/analytics
Generate the Worker Analytics Summary page for VSP Web (user-facing). STACK: Next.js 14 · React 18 · TypeScript · Tailwind · shadcn/ui · Sora/DM Sans fonts. Brand: #0EA5E9 blue, #F97316 orange accent, #F8FAFC bg. LAYOUT: Pattern 3 (Dashboard). CONTENT: Stat cards: Jobs Completed, Avg Rating, Total Reviews, Response Rate. "Jobs by Month" bar chart (recharts). "Rating Trend" line chart. "Top Trades by Bookings" donut chart. "Coming Soon" badge on Revenue section. Featured subscription CTA card. API:  GET /api/v1/worker-profiles/me/analytics. Show skeleton loaders while loading. Empty state with CTA. TypeScript interfaces. Tailwind only — no inline styles.