

```

%[twoside]article
% Plots [x11names,svgnames,table]xcolor tikz,pgfplots,pgfplotstable width=0.75com-
pat=1.18 external [prefix=tikz/, optimize=true, optimize command away=]
{% % don't include package XYZ here }{% pdfpages }%
% Glossaries [acronym]glossaries
/Documents/notes/global/begrippenlijst.tex %
lineno
% Quotes work now [autostyle]csquotes
% Footers and page numbers fancyhdr
% Changepage allows stuff that doesn't fit to go off the page with the
-2cm command. it also helps with the intentionally blank page on odd page
numbers. [strict]changepage
% Colour section headings xcolor
% Stop sectsty from making warnings that don't make sense [immedi-
ate]silence [temp]latexCommand % silence the warning sectsty [temp] % So
nothing unrelated gets silenced
% disable the runtime redefinitions
% More symbols textcomp
% Ifthenelse ifthen
% Needed for ununderstood reasons import
% Part of adding red text to todo items list nameref
% — Manual To-Do List Setup —
% Setup infrastructure to disable errors when a list is empty since it is
sometimes in some runs of lualatex \@oldnoitemerr\@noitemerr %Save the
command definition
% 1. Create a new file handle for our to-do list
% 2. Open the .tdo file when the document begins. % notes.tex refers to
the main name of your .tex file. %
% 4. Define the command that will format each item in the list. % This
command will be written to the .tdo file and executed later. % #1 is the
to-do text, #2 is the page number. % .. adds dots before the page number
for alignment. {
#1 ..... p. 2}}
% 5. Define your command. % % % % Add \@currentlabelname for
debugging {1}% }% }
% 6. Define the command to display the list. %

```

List of To-Do Items

```
% Set a title
    % Use an itemized list environment % Check if the .tdo file exists.
    If yes, input it. % If not (e.g., first run), print a message. { %
    \@input{notes.tex.tdo}% Read the .tdo file }{%

    • No To-Do items yet!% }%

% Close the list environment }
% Part of adding red text to todo items list
luacolor, lua-ul %for usage of style attributes - background color
=#1}{notodo}}{}{{}red2} {1}
% Watermark % draftwatermark % TECHNASIUM % 0.6 % 0.9
% Frontmatter, Mainmatter, and Backmatter
% %\@mainmatterfalse }
% % \@mainmattertrue }
%
```

```

% \@mainmatterfalse }
% language polyglossia %[babelshorthands,tremahyphenation]dutch [variant=british,ordinalmonthday]english
% Page geometry [a4paper,margin=2cm, marginparwidth=1.6cm,marginparsep=0.2cm]geometry
% Verbatim verbatim
% Math amsmath
% Make H float specifier which makes images work in multicol environments float
% Alter list spacing enumitem nosep % or noitemsep to leave space around whole list
% Symbolen. Vooral graden gensymb
% Images graphicx % Typography microtype % Quotes csquotes % Fonts [T1]fontenc wedn %Or use Times? %%mathptmx % Baskervaldx [lf]Baskervaldx % lining figures [bigdelims,vvarbb]newtxmath % math italic letters from Nimbus Roman [cal=boondoxo]mathalfa % mathcal from STIX, unslanted a bit 1}
% Bibliography [ backend=biber, style=apa, ]{biblatex} /Documents/notes/global/bronnen.bib latinenglish
% #E68A1E, #F0AC1A, #F6C521, #FBE106
% h1 kleur Accent1HTML2E3440
% h2 kleur Accent2HTML3B4252
% h3 kleur Accent3HTML434C5E
% h4 kleur Accent4HTML4C566A
{Accent1} % sets colour of sections {Accent2} {Accent3}
% Don't ask how this works, I don't really know either. In theory it makes paragraphs behave as subsubsubsections though and in practice too!
\@startsection{paragraph}{4}{3.25ex \@plus1ex \@minus.2ex}{0.1ex}{Accent4} }
% Alias subsubsubsection to paragraph
% For writing down notes and stuff [ linenumbers, incolumn, ]{mindflow}
% Appendix [title,titletoc]appendix
% For code formatting listings
% Better references [colorlinks=true, allcolors=blue]hyperref [nameinlink]cleveref
% Misc
% Multiple columns multicol
% We want stuff like the TOC and the bibliography included in the TOC tocbibind
% Gifs animate

```

```

% Tables booktabs
% Tabel alignment array P[1]{>{ }p{#1}}
% Add a colon at a description list 1:}
lipsum latin
titling
% lipsum rood maken {}
% % clear all header fields [CO,CE]{Accent1{— — }}
%[RO,LE]{} %[LO,RE]{} % clear all footer fields [LE,RO]3
%{% %}{% % Images/PWSVoorblad.pdf %}%
{

```

|mmmmdcxxvmmmmdcxv

August 29, 2026mmmmdcxxvmmmmdcxv

Contents

$\{ \text{mmmmdcxxvmmmmdcxxv} \}$

