

Name Lab : DUMMY REPORT
 No. Ref By : 1 2 3 4 5 6 7 8 9
 Collected :
 A/c Status :
 Collected at :

: INTERNATIONAL CLINICAL LABORATORIES

Age Gender : 4 0
 Reported : F
 Report Status :
 Processed at :



: LPL-NATIONAL REFERENCE LAB
 National Reference laboratory, Block E,
 Sector 18, Rohini, New Delhi -110085

Test Report

Test Name	Results	Units	Bio. Ref. Interval
COOMBS TEST, INDIRECT, SERUM (Erythrocyte Magnetized Technology)	Negative		

Interpretation

RESULT	COMMENTS
Negative	No antibodies detected
Equivocal	Positive in undiluted serum & titre upto 1:16
Positive	· Titre of 1:32 or above · Rising titre on serial testing

Comments

Indirect Coomb's test (ICT) is used to detect incomplete Rh IgG antibodies in the serum. This test is used for:

- Compatibility testing,
- Screening and detection of unexpected antibodies in the serum
- Detection of red cell antigens not detected by other techniques like K, Fy, JK etc.,

Recommended sampling regime in pregnancy

STAGE OF PREGNANCY	REFERENCE GROUP
Early pregnancy	All cases
28th week	Rh D negative cases
34th-36th week	All cases

Dr Ajay
 Gupta MD,
 Pathology
 Technical Director -
 Hematology & Immunology
 NRL - Dr Lal PathLabs Ltd

Dr Sarita Kumari
 Lal MD, Pathology
 Consultant
 Pathologist Dr Lal
 PathLabs Ltd

Dr Sunanda
 MD,
 Pathology
 Sr. Consultant
 Pathologist -
 Hematology &
 Immunology NRL - Dr
 Lal PathLabs Ltd

