



Report from Dec 24, 2025, 3:24:49 PM

<https://www.miladak.com/>[Analyze](#)[Mobile](#)[Desktop](#)

Discover what your real users are
experiencing

[No Data](#)

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



32

Performance

86

Accessibility

96

Best Practices

92

SEO

32

Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)



0–49

50–89

90–100



This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



170 ms

▲ Speed Index

9.7 s

Captured at Dec 24, 2025, 3:24

PM GMT+2

Initial page load

Emulated Moto G Power withLighthouse 13.0.1Slow 4G throttlingSingle page sessionUsing HeadlessChromium137.0.7151.119 with IrShow audits relevant to: [All](#) [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Render blocking requests — Est savings of 1,200 ms

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [LCP](#) [FCP](#) [Unscored](#)

☒ Show 3rd-party resources (2)

URL	Transfer Size	Duration
miladak.com 1st Party	30.9 KiB	2,000 ms
...css/a16bdb17b0b79e70.css (www.miladak.com)	2.1 KiB	600 ms
...css/b521788e1efc4da3.css (www.miladak.com)	2.7 KiB	200 ms
...css/120fabdfa3853007.css (www.miladak.com)	26.1 KiB	1,200 ms
Google Fonts Cdn	3.0 KiB	1,200 ms

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



Request

Cache TTL

Transfer
SizeGoogle/DoubleClick Ads Ad

173 KiB

...m202.../show_ads_impl_fy2021.js?bust=95377246 (pagead2.googlesyndication.com)

14d

173 KiB

▲ Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](#), such as elements being added, removed, or their fonts changing as the page loads.


CLS Unscored

Element

Layout shift score

Total

1.000



html.__variable_570931
<html lang="ar" dir="rtl"
class="__variable_570931 light">

1.000

...media/01f0c602c274ea55-s.p.woff2 (www.miladak.com)

Web font

...media/350b852752f8489d-s.p.woff2 (www.miladak.com)

Web font

▲ Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations. Unscored

Top function call

Total reflow time

...chunks/7584-8e52e579065aa059.js:2:4826 (www.miladak.com)

9 ms

Source

Total reflow
time...m202.../show_ads_impl_fy2021.js?
bust=95377246:876:400 (pagead2.googlesyndication.com)

44 ms

...m202.../show_ads_impl_fy2021.js?
bust=95377246:463:260 (pagead2.googlesyndication.com)

0 ms

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

▲ LCP breakdown



Subpart	Duration
Time to first byte	0 ms
Element render delay	2,980 ms

اكتشف عمرك بطريقة لم تراها من قبل

```
<h1 class="text-4xl sm:text-5xl lg:text-7xl font-black mb-6 leading-tight" style="opacity: 1; transform: none;">
```

▲ Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [LCP](#)

Unscored

Maximum critical path latency: **1,456 ms**

Initial Navigation

<https://www.miladak.com> - **826 ms**, 19.48 KiB

</css2?family=...> (fonts.googleapis.com) - **828 ms**, 1.51 KiB

<...v31/SLXVc1nY6....woff2> (fonts.gstatic.com) - **1,456 ms**, 30.79 KiB

<...v31/SLXVc1nY6....woff2> (fonts.gstatic.com) - **1,456 ms**, 33.65 KiB

<...css/b521788e1efc4da3.css> (www.miladak.com) - **1,400 ms**, 2.75 KiB

<...css/120fabdfa3853007.css> (www.miladak.com) - **1,169 ms**, 26.07 KiB

</css2?family=...> (fonts.googleapis.com) - **1,172 ms**, 1.46 KiB

<...css/a16bdb17b0b79e70.css> (www.miladak.com) - **1,404 ms**, 2.06 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

No additional origins are good candidates for preconnecting



Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile [Baseline](#) features, unless you know you must support older browsers. [Learn why most sites can deploy ES6+ code without transpiling](#) LCP FCP Unscored

URL	Wasted bytes
miladak.com 1st Party	11.5 KiB
...chunks/1255-642c76f13c20a3ec.js (www.miladak.com)	11.5 KiB
... chunks/1255-642c76f13c20a3ec.js:1:143260 (www.miladak.com) Array.prototype.at	
... chunks/1255-642c76f13c20a3ec.js:1:142648 (www.miladak.com) Array.prototype.flat	
... chunks/1255-642c76f13c20a3ec.js:1:142761 (www.miladak.com) Array.prototype.flatMap	
... chunks/1255-642c76f13c20a3ec.js:1:143137 (www.miladak.com) Object.fromEntries	
... chunks/1255-642c76f13c20a3ec.js:1:143395 (www.miladak.com) Object.hasOwn	
... chunks/1255-642c76f13c20a3ec.js:1:142390 (www.miladak.com) String.prototype.trimEnd	
... chunks/1255-642c76f13c20a3ec.js:1:142305 (www.miladak.com) String.prototype.trimStart	

☐ Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page

This site uses cookies from Google to deliver its services and to analyze traffic.


[Learn More.](#) [Ok, Got it.](#)



DOM depth

<stop offset="0%" stop-color="#FF6B8A">

Most children

٢٠١٤ ٢٠١٥ ٢٠١٦ ٢٠١٧ ٢٠١٨ ٢٠١٩ ٢٠٢٠ ٢٠٢١ ٢٠٢٢ ٢٠٢٣ ٢٠٢٤ ٢٠٢٥ السنة
٢٠١ ٢٠١٢ ٢٠١٣...<select class="h-12 px-3 rounded-xl border
border-gray-300 dark:border-gray-600 bg-white ..."
dir="rtl">

127

3rd parties

3rd party code can significantly impact load performance. [Reduce and defer loading of 3rd party code](#) to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
Google/DoubleClick Ads Ad	255 KiB	157 ms
...m202.../show_ads_impl_fy2021.js?bust=95377246 (pagead2.googlesyndication.com)	173 KiB	79 ms
...js/adsbygoogle.js?client=ca-pub-575... (pagead2.googlesyndication.com)	55 KiB	64 ms
/bg/ppjhCdp1L...js (pagead2.googlesyndication.com)	21 KiB	10 ms
...r20190131/zrt_lookup_fy2021.html (googleads.g.doubleclick.net)	4 KiB	4 ms
/pagead/ads?client=... (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/ads?client=... (googleads.g.doubleclick.net)	1 KiB	0 ms
/pagead/sodar?id=sodar2&v=237&li=gda_r20251211&jk=411...&rc= (pagead2.googlesyndication.com)	0 KiB	0 ms
adtrafficquality.google	27 KiB	20 ms
/sodar/sodar2.js (ep2.adtrafficquality.google)	8 KiB	12 ms
...237/runner.html (ep2.adtrafficquality.google)	6 KiB	7 ms
/getConfig/sodar?sv=200&tid=gda&tv=r20251211&st=env&sjk=411... (ep1.adtrafficquality.google)	14 KiB	0 ms
Other Google APIs/SDKs Utility	2 KiB	2 ms
...api2/iframe (www.google.com)	2 KiB	2 ms
Google Fonts Cdn	67 KiB	0 ms
...v31/SLXVc1nY6....woff2 (fonts.gstatic.com)	34 KiB	0 ms

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



DIAGNOSTICS

▲ Reduce unused JavaScript — Est savings of 192 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP FCP Unscored

☒ Show 3rd-party resources (2)

URL	Transfer Size	Est Savings
Google/DoubleClick Ads Ad	226.4 KiB	149.1 KiB
...m202.../show_ads_impl_fy2021.js? bust=95377246 (pagead2.googlesyndication.com)	172.3 KiB	125.5 KiB
...js/adsbygoogle.js?client=ca-pub-575... (pagead2.googlesyndication.com)	54.0 KiB	23.6 KiB
miladak.com 1st Party	70.1 KiB	43.4 KiB
...chunks/ad2866b8-e13a3cf75ccf0eb8.js (www.miladak.com)	45.8 KiB	23.3 KiB
...chunks/1928-0eea716195ab7a32.js (www.miladak.com)	24.3 KiB	20.1 KiB

▲ Reduce JavaScript execution time — 1.9 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to reduce Javascript execution time.](#) TBT Unscored

☒ Show 3rd-party resources (2)

URL	Total CPU Time	Script Evaluation	Script Parse
miladak.com 1st Party	5,169 ms	1,578 ms	41 ms
...chunks/4bd1b696-100b9d70ed4e49c1.js (www.miladak.com)	2,644 ms	554 ms	15 ms
https://www.miladak.com	1,441 ms	4 ms	2 ms

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



...m202.../show_ads_impl_fy2021.js?
bust=95377246 (pagead2.googlesyndication.com)

241 ms

101 ms

75 ms

...js/adsbygoogle.js?client=ca-pub-575...
(pagead2.googlesyndication.com)

79 ms

58 ms

20 ms

Unattributable

167 ms**6 ms****0 ms**

Unattributable

167 ms

6 ms

0 ms

▲ Minimize main-thread work — 5.9 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn how to minimize main-thread work](#) TBT Unscored

Category	Time Spent
Other	2,175 ms
Script Evaluation	1,868 ms
Style & Layout	1,378 ms
Rendering	207 ms
Script Parsing & Compilation	194 ms
Garbage Collection	48 ms
Parse HTML & CSS	23 ms

▲ Reduce unused CSS — Est savings of 21 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn how to reduce unused CSS](#). LCP FCP

Unscored

URL	Transfer Size	Est Savings
-----	---------------	-------------

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

[Learn how to avoid long main-thread tasks](#) **TBT** **Unscored**☒ Show 3rd-party resources (2)

URL	Start Time	Duration
miladak.com 1st Party		687 ms
...chunks/webpack-80389ec8fb5dd4da.js (www.miladak.com)	4,213 ms	94 ms
...chunks/4bd1b696-100b9d70ed4e49c1.js (www.miladak.com)	5,433 ms	91 ms
...chunks/1255-642c76f13c20a3ec.js (www.miladak.com)	5,139 ms	78 ms
...chunks/4bd1b696-100b9d70ed4e49c1.js (www.miladak.com)	7,872 ms	56 ms
...chunks/4bd1b696-100b9d70ed4e49c1.js (www.miladak.com)	7,354 ms	55 ms
...chunks/1255-642c76f13c20a3ec.js (www.miladak.com)	7,060 ms	54 ms
...chunks/4bd1b696-100b9d70ed4e49c1.js (www.miladak.com)	7,629 ms	53 ms
...chunks/4bd1b696-100b9d70ed4e49c1.js (www.miladak.com)	7,819 ms	53 ms
...chunks/4bd1b696-100b9d70ed4e49c1.js (www.miladak.com)	6,550 ms	52 ms
...chunks/4bd1b696-100b9d70ed4e49c1.js (www.miladak.com)	7,537 ms	51 ms
...chunks/4bd1b696-100b9d70ed4e49c1.js (www.miladak.com)	7,682 ms	50 ms
Google/DoubleClick Ads Ad		190 ms
...m202.../show_ads_impl_fy2021.js?bust=95377246 (pagead2.googlesyndication.com)	4,603 ms	112 ms
...js/adsbygoogle.js?client=ca-pub-575... (pagead2.googlesyndication.com)	2,425 ms	78 ms

☐ Avoid non-composited animations — 8 animated elements found

Animations which are not composited can be janky and increase CLS. [Learn how to avoid non-composited animations](#) **CLS** **Unscored**

Element

Name

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



احسب الآن 🎉🌟

```
<button class="celebration-button button-ripple
pulse-button glow-button inline-flex item...">
```

Unsupported CSS Property: box-shadow

pulse

احسب عمرك الآن 🎉🌟

```
<button class="celebration-button button-ripple
pulse-button glow-button inline-flex item...">
```

Unsupported CSS Property: box-shadow

pulse



```
<span class="animate-pulse">
```

Unsupported CSS Property: box-shadow

pulse

div.relative > div.absolute > svg.absolute > path

```
<path d="M0,6 Q12.5,2 25,6 T50,6 T75,6 T100,6"
fill="none" stroke="url(#garlandGradient)" stroke-
width="0.8" stroke-linecap="round" pathLength="1"
stroke-dashoffset="0px" stroke-dasharray="1px 1px">
```

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

Unsupported CSS Property: stroke-dasharray



Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

div.relative > div.relative > div.relative > div.absolute

`<div class="absolute inset-0 rounded-full blur-3xl bg-gradient-to-r from-purple-400 to...">`

Unsupported CSS Property: box-shadow

pulse

div.relative > div.absolute > div.absolute > path

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



Unsupported CSS Property: stroke-dasharray

dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

Unsupported CSS Property: stroke-dasharray

stroke-dasharray

div.relative > div.w-80 > div.h-2 > div.h-full

```
<div class="h-full bg-gradient-to-r from-purple-500 via-blue-500 to-purple-500 rounded..." style="width: 70%;">
```

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

Unsupported CSS Property: width

width

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

Unsupported CSS Property: width

width

[illegible]

This site uses cookies from Google to deliver its services and to analyze traffic.

Learn More. Ok, Got it.

More information about the performance of your application. These numbers don't **directly affect** the Performance score.



PASSED AUDITS (12)

Show

Document request latency

Your first network request is the most important. [Reduce its latency](#) by avoiding redirects, ensuring a fast server response, and enabling text compression. LCP FCP Unscored

Avoids redirects

Server responds quickly (observed 6 ms)

Applies text compression

Duplicated JavaScript

Remove large, [duplicate JavaScript modules](#) from bundles to reduce unnecessary bytes consumed by network activity. LCP FCP Unscored

Font display

Consider setting [font-display](#) to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with [font metric overrides](#). Unscored

Improve image delivery

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) LCP FCP Unscored

☐ INP breakdown

Start investigating [how to improve INP](#) by looking at the longest subpart. Unscored

☐ LCP request discovery

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading Unscored

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



```
<meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=5">
```

Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn how to minify CSS.](#) LCP FCP Unscored

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn how to minify JavaScript.](#) LCP FCP Unscored

Avoids enormous network payloads — Total size was 879 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) Unscored

☒ Show 3rd-party resources (4)

URL	Transfer Size
miladak.com 1st Party	291.3 KiB
/api/articles?limit=6 (www.miladak.com)	73.2 KiB
...chunks/4bd1b696-100b9d70ed4e49c1.js (www.miladak.com)	54.9 KiB
...chunks/ad2866b8-e13a3cf75ccf0eb8.js (www.miladak.com)	46.7 KiB
...chunks/1255-642c76f13c20a3ec.js (www.miladak.com)	45.3 KiB
...chunks/7584-8e52e579065aa059.js (www.miladak.com)	37.7 KiB
...media/01f0c602c274ea55-s.p.woff2 (www.miladak.com)	33.4 KiB
Google/DoubleClick Ads Ad	227.9 KiB
...m202.../show_ads_impl_fy2021.js?bust=95377246 (pagead2.googlesyndication.com)	173.1 KiB

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

...V3 I/SLXVC1NY6....WOITZ (fonts.gstatic.com)

33.6 KiB



○ User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more about User Timing marks.](#) Unscored

Image elements have explicit [width](#) and [height](#)

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. [Learn how to set image dimensions](#) CLS Unscored

86

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

NAMES AND LABELS

▲ Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. [Learn how to make buttons more accessible.](#)

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



div.container > div.flex > div.flex > button.lg:hidden


```
<button class="lg:hidden w-10 h-10 rounded-lg hover:bg-muted flex items-center justify-ce...">
```

▲ Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users.


[Learn more about the select element.](#)

Failing Elements




اليوم... ٢ ٢٧ ٢٦ ٢٥ ٢٤ ٢٣ ٢٢ ٢١ ٢٠ ١٩ ١٨ ١٧ ١٦ ١٥ ١٤ ١٣ ١٢ ١١ ١٠ ٩ ٨ ٧ ٦ ٥ ٤ ٣ ٢ ١

```
<select class="h-12 px-3 rounded-xl border border-gray-300 dark:border-gray-600 bg-white ..." dir="rtl">
```



الشهر يناير فبراير مارس أبريل مايو يونيو يوليو أغسطس سبتمبر أكتوبر نوفمبر ديسمبر

```
<select class="h-12 px-3 rounded-xl border border-gray-300 dark:border-gray-600 bg-white ..." dir="rtl">
```



السنة... ٢٠١ ٢٠١٢ ٢٠١٣ ٢٠١٤ ٢٠١٥ ٢٠١٦ ٢٠١٧ ٢٠١٨ ٢٠١٩ ٢٠٢٠ ٢٠٢١ ٢٠٢٢ ٢٠٢٣ ٢٠٢٤ ٢٠٢٥

```
<select class="h-12 px-3 rounded-xl border border-gray-300 dark:border-gray-600 bg-white ..." dir="rtl">
```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)

☐ Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn how to make custom controls focusable.](#) Unscored

☐ Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn how to decorate interactive elements with affordance hints.](#) Unscored

☐ The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more about logical tab ordering.](#) Unscored

☐ Visual order on the page follows DOM order

DOM order matches the visual order, improving navigation for assistive technology. [Learn more about DOM and visual ordering.](#) Unscored

☐ User focus is not accidentally trapped in a region

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn how to avoid focus traps.](#) Unscored

☐ The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn how to direct focus to new content.](#) Unscored

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



offscreen content. Unscored

☐ Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more about custom controls and labels.](#) Unscored

☐ Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. [Learn how to add roles to custom controls.](#) Unscored

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (23)

[Show](#)

`[aria-*` attributes match their roles

Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. [Learn how to match ARIA attributes to their roles.](#)

`[aria-hidden="true"]` is not present on the document `<body>`

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document `<body>`. [Learn how aria-hidden affects the document body.](#)

`[role]`s have all required `[aria-*` attributes

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more about roles and required attributes.](#)

`[role]` values are valid

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. [Learn more about valid values for ARIA attributes.](#)

`[aria-*)` attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. [Learn more about valid ARIA attributes.](#)

Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

ARIA attributes are used as specified for the element's role

Some ARIA attributes are only allowed on an element under certain conditions. [Learn more about conditional ARIA attributes.](#)

Elements use only permitted ARIA attributes

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. [Learn more about prohibited ARIA roles.](#)

Document has a `<title>` element

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



titles.

`<html>` element has a `[lang]` attribute

If a page doesn't specify a `lang` attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more about the `lang` attribute.](#)

`<html>` element has a valid value for its `[lang]` attribute

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn how to use the `lang` attribute.](#)

Links are distinguishable without relying on color.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. [Learn how to make links distinguishable.](#)

Links have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. [Learn how to make links accessible.](#)

Lists contain only `` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more about proper list structure.](#)

List items (``) are contained within ``, ``, or `<menu>` parent elements

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more about the tabindex attribute.](#)

Touch targets have sufficient size and spacing.

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Heading elements appear in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more about heading order.](#)

Document has a main landmark.

One main landmark helps screen reader users navigate a web page. [Learn more about landmarks.](#)

Deprecated ARIA roles were not used

Deprecated ARIA roles may not be processed correctly by assistive technology. [Learn more about deprecated ARIA roles.](#)

NOT APPLICABLE (34)

Show

☐ [\[accesskey\]](#) values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more about access keys.](#) Unscored

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

name, making it unusable for users who rely on screen readers. [Learn how to make command](#)



Elements with `role= "dialog"` or `role= "alertdialog"` have accessible names.

ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. [Learn how to make ARIA dialog elements more accessible.](#)

Unscored

`[aria-hidden="true"]` elements do not contain focusable descendents

Focusable descendents within an `[aria-hidden="true"]` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn how aria-hidden affects focusable elements.](#) Unscored

ARIA input fields have accessible names

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about input field labels.](#)

Unscored

ARIA `meter` elements have accessible names

When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name meter elements.](#) Unscored

ARIA `progressbar` elements have accessible names

When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to label progressbar elements.](#) Unscored

Elements with an ARIA `[role]` that require children to contain a specific `[role]` have all required children.

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more about roles and required children elements.](#) Unscored

`[role]`s are contained by their required parent element

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

Unscored



Adding `role=text` around a text node split by markup enables voiceover to treat it as one phrase, but the element's focusable descendents will not be announced. [Learn more about the `role=text` attribute.](#) Unscored

☐ ARIA toggle fields have accessible names

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about toggle fields.](#)

Unscored

☐ ARIA `tooltip` elements have accessible names

When a tooltip element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn how to name tooltip elements.](#) Unscored

☐ ARIA `treeitem` elements have accessible names

When a `treeitem` element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more about labeling treeitem elements.](#) Unscored

☐ The page contains a heading, skip link, or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more about bypass blocks.](#) Unscored

☐ `<dl>`'s contain only properly-ordered `<dt>` and `<dd>` groups, `<script>`, `<template>` or `<div>` elements.

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn how to structure definition lists correctly.](#) Unscored

☐ Definition list items are wrapped in `<dl>` elements

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn how to structure definition lists correctly.](#)

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

The value of an ARIA ID must be unique to prevent other instances from being overlooked by



Form fields have multiple labels

Form fields with multiple labels can be confusingly announced by assistive technologies like screen readers which use either the first, the last, or all of the labels. [Learn how to use form labels.](#)

Unscored

- ☐ `<html>` element has an `[xml:lang]` attribute with the same base language as the `[lang]` attribute.

If the webpage does not specify a consistent language, then the screen reader might not announce the page's text correctly. [Learn more about the lang attribute.](#)

Unscored

- ☐ Input buttons have discernible text.

Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. [Learn more about input buttons.](#)

Unscored

- ☐ `<input type="image">` elements have `[alt]` text

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn about input image alt text.](#)

Unscored

- ☐ Form elements have associated labels

Labels ensure that form controls are announced properly by assistive technologies, like screen readers. [Learn more about form element labels.](#)

Unscored

- ☐ The document does not use `<meta http-equiv="refresh">`

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more about the refresh meta tag.](#)

Unscored

- ☐ `<object>` elements have alternate text

Screen readers cannot translate non-text content. Adding alternate text to `<object>` elements helps screen readers convey meaning to users. [Learn more about alt text for object elements.](#)

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

including a skip link can help users skip to the main content to save time. [Learn more about skip](#)



table.

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more about the headers attribute.](#) Unscored

- ☐ `<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe.

Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more about table headers.](#) Unscored

- ☐ `[lang]` attributes have a valid value

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn how to use the lang attribute.](#) Unscored

- ☐ `<video>` elements contain a `<track>` element with `[kind="captions"]`

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#) Unscored

- ☐ Tables have different content in the summary attribute and `<caption>`.

The summary attribute should describe the table structure, while `<caption>` should have the onscreen title. Accurate table mark-up helps users of screen readers. [Learn more about summary and caption.](#) Unscored

- ☐ All heading elements contain content.

A heading with no content or inaccessible text prevent screen reader users from accessing information on the page's structure. [Learn more about headings.](#) Unscored

- ☐ Uses ARIA roles only on compatible elements

Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

- ☐ Image elements do not have `[alt]` attributes that are redundant text.



users, because the text will be read twice. [Learn more about the alt attribute.](#) Unscored

- Identical links have the same purpose.

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) Unscored

96

Best Practices

GENERAL

- ▲ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more about this errors in console diagnostic audit](#)

Source	Description
Google/DoubleClick Ads Ad	
/pagead/ads? client=...:1:0 (googleads.g.doubleclick.net)	Failed to load resource: the server responded with a status of 400 (Bad Request)
/pagead/ads? client=...:1:0 (googleads.g.doubleclick.net)	Failed to load resource: the server responded with a status of 403 (Forbidden)

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



attacks. [Learn how to use a CSP to prevent XSS](#) Unscored

Description	Directive	Severity
No CSP found in enforcement mode		High

☐ Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. [Learn more about using a strong HSTS policy.](#) Unscored

Description	Directive	Severity
No `includeSubDomains` directive found	includeSubDomains	Medium
No `preload` directive found	preload	Medium

☐ Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. [Learn more about deploying the COOP header.](#) Unscored

Description	Directive	Severity
No COOP header found		High

☐ Mitigate clickjacking with XFO or CSP

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. [Learn more about mitigating clickjacking.](#) Unscored

Description	Severity
No frame control policy found	High

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

The require-trusted-types-for directive in the Content-Security-Policy (CSP) header



Description

Severity

No `Content-Security-Policy` header with Trusted Types directive found

High

PASSED AUDITS (12)

[Show](#)

Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more about HTTPS.](#)

Avoids deprecated APIs

Deprecated APIs will eventually be removed from the browser. [Learn more about deprecated APIs.](#)

Avoids third-party cookies

Third-party cookies may be blocked in some contexts. [Learn more about preparing for third-party cookie restrictions.](#)

Allows users to paste into input fields

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. [Learn more about user-friendly input fields.](#)

Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



[permission for notifications.](#)

Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. [Learn more about image aspect ratio.](#)

Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. [Learn how to provide responsive images.](#)

Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. [Learn more about the doctype declaration.](#)

Properly defines charset

A character encoding declaration is required. It can be done with a `<meta>` tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more about declaring the character encoding.](#)

No issues in the [Issues](#) panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Page has valid source maps

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more about source maps.](#) Unscored

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



NOT APPLICABLE (2)

[Show](#)☐ Redirects HTTP traffic to HTTPS

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#) Unscored

☐ Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more about this JavaScript library detection diagnostic audit.](#) Unscored

92

SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials.](#)

CRAWLING AND INDEXING

 robots.txt is not valid — 1 error found

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt.](#)

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



ADDITIONAL ITEMS TO MANUALLY CHECK (1)

[Show](#)☐ Structured data is valid

Run the [Structured Data Testing Tool](#) to validate structured data. [Learn more about Structured Data.](#)

Unscored

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)

[Show](#)

Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more about crawler directives.](#)

Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more about document titles.](#)

Document has a meta description

Meta descriptions may be included in search results to concisely summarize page content. [Learn more about the meta description.](#)

Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more about HTTP status codes.](#)

Links have descriptive text

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)

Links are crawlable



discovered. [Learn how to make links crawlable](#)

Image elements have `[alt]` attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. [Learn more about the alt attribute.](#)

Document has a valid `hreflang`

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more about hreflang.](#)

Document has a valid `rel=canonical`

Canonical links suggest which URL to show in search results. [Learn more about canonical links.](#)

More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Related Content

Updates

Web Fundamentals

Case Studies

Podcasts

Connect

Twitter

Youtube

for Developers

[Chrome](#)

[Firebase](#)

[All products](#)

This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)



This site uses cookies from Google to deliver its services and to analyze traffic.

[Learn More.](#) [Ok, Got it.](#)