Monsoon Semester, 2019 Social Network Analysis

Project Summary

The summary of tested networks and their respective properties are given below,

Dataset 1:

• **File name**: el-Gnutella08_undirected.txt

• **Description**: Gnutella peer-to-peer file sharing network from August 2002.

• **Nodes**: hosts in the Gnutella network.

• **Edges**: represent connections between the Gnutella hosts at that instant.

• **Type**: Undirected

Dataset 2:

• **File name** : *el-email-Eu-directed.txt*

• **Description**: This is a private email network of a large European research institution

• **Nodes** : members of the research institution

• **Edges**: There is an edge (u, v) in the network if person u sent person v at least one email

• **Type**: Directed

Dataset 3:

• **File name** : *el-facebook undirected.txt*

• **Description**: This dataset consists of 'circles' (or 'friends lists') from Facebook

Nodes : Users

• **Edges**: represents friendship between two users

• **Type**: Undirected

	Gnutella	email-EU-core	Facebook
Number of connected Components	2	20	1
Maximum Degree	97	347	1045
Average Degree	6.59483	33.24577	43.69101
Average clustering coefficient	0.01087	0.39935	0.60555
Degree distribution	Please look into the output folder		
Exponent	1.25934	1.09363	1.05000
Average path length	4.64299	2.58693	3.69251
Diameter	9	7	8

Monsoon Semester, 2019 Social Network Analysis

Out of 3 networks in sample one is directed and other two are undirected. From their properties the following points can be concluded,

- 1. The higher value of **maximum degree** and **average degree** shows that connectivity in *facebook* network is far more than that of *gnutella* or *email-eu*.
- 2. The clustering coefficient is the measure of the extent to which one's friends are also friends of each other. All of out test cases has a high **clustering coefficient**. Which proves that they are not random graphs.
- 3. All of the examples have a heavily tailed **degree distribution.**
- 4. Its also observed that the degree distribution of the test networks follows power law distribution. And the **exponent** lie in the range (1, 1.26).
- 5. Both *gnutella* and the *email-eu* graph has more than one connected component so path length between any two nodes from different component is infinite. So **diameter** and **average path length** doesn't make sense. But here the they are calculated on their largest connected component.
- 6. High value of **diameter** denotes that these networks are sparse in nature. *Gnutella* has the highest average path value so it is more parse than *facebook* and *email-eu* network.

Resources:

Dataset: https://snap.stanford.edu/data/index.html

Algorithm insights: http://networksciencebook.com/

Networkx tutorial: https://networkx.github.io/documentation/stable/tutorial.html