

Overview

Getac – KT Document

1. Client Overview

Client Name: Getac (<https://getac.com/>)

Industry: Electronics Manufacturing

Primary CRM: HubSpot

HS Service: HubSpot optimization (Third-part resellers setup)

Portal ID: 139835281

Sandbox Portal ID: 143213572

Integrations managed by OneMetric: Google Sheets Connector, Superjoin, Sheets App Script

Platform credentials:

HubSpot: hubspot@growtomatic.in

2FA - Gaurav Mishra's authenticator app (same for hubspot@growtomatic.in)

Sheets managed in google account -

Email: getacmkextreg@gmail.com

Password: GetacMKT25

POC Overview

<i>POC Name</i>	<i>POC Email</i>
Eulises Quintero (main POC)	eulises.quintero@getac.com
Nancy Salmeron	nancy.salmeron@getac.com
Ting Chiu	ting.chiu@getac.com
Sergio Chen	sergio.chen@getac.com
Hana Kurniawat (new short project)	hana.kurniawati@getac.com
Abhinav Das (Superjoin founder and POC)	abhinav@superjoin.ai

2. Client Assets

1. Timesheet and Task Tracker <[link](#)>
2. Reseller Information shared by client <[link](#)>
3. HubSpot Task tracker (discussed with client on weekly calls) <[link](#)>
4. Google drive link with all assets <[link](#)>
5. Offline lead management scripts explanation <[link](#)>
6. Google sheets - Dashboard setup scripts <[link](#)>

3. Open Tasks

1. Sandbox Setup for both offline and online. Reference doc <[link](#)>
 - a. Note, documentations have been made, we can keep updating these same documents I shared with the client for any process changes in future.
2. Reseller Dashboards being made on google sheets - they are not yet shared with the resellers (more changes might be needed)
3. Going forward, once Nancy confirms that all resellers have created their Google accounts, we'll need to update the ownership of the sheets. This would involve removing shared access (anyone with the link can edit) and providing edit access of each sheet to the respective reseller's email ID or sales's email id
4. Add the "Status (SF)" field to the Google Sheets action within all offline workflows (assigned to Jiya)
5. Summary of the issue: The issue arises from how the acknowledgement logic behaves after a lead is reassigned. In the current setup, when a reseller fails to acknowledge within the defined timeframe, the lead is reassigned to a new reseller, but the original acknowledgement form remains active. If the first (old) reseller later submits that form, the system updates the acknowledgement property to "Yes," even though they are no longer the owner of the lead. Since this property is already marked as "Yes," when the new reseller rightfully acknowledges the lead, their action does not trigger any change or update in HubSpot. As a result, HubSpot incorrectly assumes that the current (new) reseller has not acknowledged the lead, which leads to unnecessary reminder emails being sent and, in some cases, further incorrect reassignments by the sales team. This creates a mismatch between actual ownership and system logic, ultimately breaking the intended workflow and causing confusion across teams.
Conversation <[link](#)>
Document explaining the process <[link](#)>

Solution implemented by Manoj from CMS for a test landing page. Waiting for client approval to make it live. Implemented solution on test assets which have been added in reference doc above.

6. A process needs to be defined for resellers and reseller managers to handle scenarios where:
 - A reseller does not acknowledge leads within the defined timeframe, or
 - A reseller declines event leads

This process should cover:

- Criteria and steps for lead reassignment
- How to notify the sales team about bulk leads assigned to a reseller (especially in such cases)
- Guidelines for requesting updates from the sales team on these leads
- The process for removing or updating leads from the reseller's Google Sheet if they are reassigned

7. I just wanted to let you know that I've added a small list of reseller emails where the **Reseller Name** property is currently blank, as I couldn't find their details in the Getac reseller information sheet. Would it be possible for you to share this information?

@Jyoti PS — once we have these details, we'll need to:

- Add them to the reseller contact name mapping workflows
- Update the Reseller Name property accordingly
- Re-enroll the relevant contacts from this list to ensure the values are updated

You can then verify the updates in both the HubSpot dashboard and the main reseller dashboard sheet to confirm everything is working as expected.

mina.safwat@wireless-dynamics.com
tunde_fasanmi@hiperdist.com
marianoleze@tecsan-it.com.ar
athavan.rathakrishnan@milexia.com
patrick.vo@milexia.com
pierre.descombes@jarltech.fr
y.gualloula@teledyne.ma
ahmedkurd@reddotdistribution.com
m.ibrahim@mgc-tech.com
rethabilel@dwykamining.africa
watfordm@mustek.co.ke

Jyoti PS for the above task, if main reseller dashboard file doesn't get updated via workflow, just update it manually.

4. Client Calls (This year)

1. Jan 6 <[link](#)>
2. Jan 7 <[link](#)>
3. Jan 13 <[link](#)>
4. Jan 21 <[link](#)>
5. Jan 27 <[link](#)>
6. Feb 3 <[link](#)>
7. Feb 10 <[link](#)>
8. Feb 24 <[link](#)>
9. Mar 3 <[link](#)>
10. Mar 10 <[link](#)>
11. Mar 17 <[link](#)>
12. Mar 24 <[link](#)>
13. Mar 31 <[link](#)>
14. Apr 7 <[link](#)>
15. Apr 14 <[link](#)>
16. Apr 15 <[link](#)>
17. Apr 21 <[link](#)>

5. KT Calls

1. Call 1 with Prag and Mridul <[link](#)>
2. Call 2 with Prag and Mridul <[link](#)>
3. Call 1 with Jyoti <[link](#)>
4. Call 2 with Jyoti <[link](#)>

Online Lead Management Process

Online Lead Management Process

Knowledge Transfer Document

1. Overview & Objective

This document provides a comprehensive end-to-end guide to the Online Lead Management (OLM) process built in HubSpot. The process was designed to streamline and automate the routing of inbound website leads — captured via Contact Us and Quote request forms — to the appropriate reseller or Business Development (BD) representative in the lead's region.

Key Goals

- Automatically route new leads from website forms to the relevant regional reseller or BD contact.
- Track reseller activity and lead status within HubSpot, even though resellers are not HubSpot users or contacts.
- Send automated emails to resellers from HubSpot to ensure all activity is reportable from a single platform.
- Maintain a centralised dashboard for sales reporting across all regions.


2. Form Submission & Workflow Routing

When a new lead submits a form on the website, they are enrolled into a HubSpot workflow based on the type of form submitted. There are four form categories, each with a corresponding workflow.

2.1 Legacy Workflows (Old)

The following workflows were in use prior to the new Lead Management rollout. They remain active for countries that have not yet been migrated to the new system.


- [Quotation Forms Workflow](#)
- [Software Forms Workflow](#)
- [Industry Forms Workflow](#)
- [Contact Form Workflow](#)



2.2 New Workflows (Active – LM-POC)


The new workflows include internal email notifications containing form links for lead assignment. These workflows are identified by the suffix (LM-POC) in their name.

- [Quotation Forms Workflow \(LM-POC\)](#)
- [Software Forms Workflow \(LM-POC\)](#)
- [Industry Forms Workflow \(LM-POC\)](#)
- [Contact Form Workflow \(LM-POC\)](#)



Note: Every time a new country is onboarded to the new lead management system, it must be removed from the old workflows and added to the new (LM-POC) workflows. In the old workflows, each country appears twice — scroll right to find and remove the duplicate branch as well.

As for the recipient of the notifications, in the old workflows, you can see who the recipient is for each region/country



2.3 Notification & Lead Assignment Options

Once a new lead is received, a notification is sent to the relevant sales team for that country. The notification presents three lead assignment options:

1. **Assign Lead to Reseller** – Directs the lead to a regional reseller.
2. **Assign Lead to BD (Self-Assign)** – The sales BD takes ownership of the lead directly.
3. **Assign Lead to Both Reseller and BD** – The lead is shared between both.

Each option is linked to a dedicated HubSpot form. Since the system went live country by country, new workflows were created in parallel so that legacy workflows could continue operating for non-migrated countries.

Adding below the hubspot form links access for easiness:

1. **Assign Lead to Reseller:** [Form Link](#)
2. **Assign Lead to BD - Self Assign:** [Form Link](#)
3. **Assign Lead to BOTH reseller and BD:** [Form Link](#)

3. Lead Assignment Forms & Properties

3.1 Reseller Properties & Dropdown Logic

For each country, a dedicated HubSpot property is used to populate the reseller/distributor dropdown in the assignment form. This allows the sales team to quickly select the appropriate reseller for a given contact.

Property Naming Convention

All reseller properties follow this naming format:

Reseller Name_Country_Email

This structure accommodates two scenarios: one reseller with multiple email addresses, and one country with multiple resellers. The naming convention allows the sales team to quickly identify the correct reseller for assignment.

The screenshot shows the 'Form' editor in HubSpot. On the left, the 'Logic' tab is active, displaying a list of rules under 'Dependent fields'. The rules are:

- If Country contains any of Spain then show Reseller Name - Spain
- If Country contains any of United Arab Emirates then show Distributor Name UAE
- If Country contains any of Turkey then show Reseller Name - Turkey
- If Country contains any of France then show Reseller Name - France
- If Country contains any of Mexico then show Reseller Name - Mexico

On the right, the form preview shows a dropdown for 'Country*'. Below it, several conditional fields are visible, each with a 'Contact Property' label. These fields are for 'Reseller Name - Spain', 'Distributor Name UAE', 'Reseller Name - Turkey', and 'Reseller Name - France'. Each field has a 'Please Select' dropdown menu.

Handling New or Unlisted Resellers

If a reseller is not yet in the dropdown, the form includes an "Other Reseller Email" field where the sales team can manually enter the reseller's email address. The workflow will use this email for all subsequent automated communications to that reseller.

The screenshot shows the 'Form' editor in HubSpot. On the left, the 'Existing properties' tab is active, displaying a list of frequently used properties. The properties are:

- First name
- Last name
- Email
- Phone number
- Street address
- City
- State or Province/state
- Country
- Mobile phone number
- Company name

On the right, the form preview shows a dropdown for 'Country*'. Below it, there is a field for 'Other Reseller Email' with a 'Contact Property' label. The field has a 'Please Select' dropdown menu. Below this field, there is a text area for 'Additional Comments by Getac Sales (OPTIONAL)' with a 'Contact Property' label. At the bottom, there is a 'Submit' button.

3.2 BD Properties & Dropdown Logic

Business Development (BD) representatives are already HubSpot users. Their assignment properties follow a similar structure but do not use the same naming convention as resellers.

- **Property Name:** Region BD
- **Field Type:** Dropdown Select, with BD email addresses as dropdown values.

- Dependent logic is applied at the Country field level so only relevant BDs appear per country.

4. Reseller Assignment Workflow

When a lead is assigned to a reseller via the assignment form, the contact is enrolled into the appropriate regional workflow.

 [Reseller Workflow Folder \(All Regions\)](#)

4.1 Workflow Entry & Reseller Email Assignment

On entry, a branch checks which reseller has been assigned to the contact. Based on this, the **Reseller Email – Lead Management** property is updated with that reseller's email. After a 5-minute delay, the first email is sent.

 **Note:** Resellers are not HubSpot users or contacts. All reseller information (name and email) is stored at the contact level. To send emails to resellers, the Send Internal Marketing Email action is used, targeting the Reseller Email – Lead Management property. Additionally, the assigned contact must be a Marketing Contact for these emails to be sent. These emails do not appear in the contact's activity history — check the workflow history to confirm delivery.

4.2 Email 1 – Lead Introduction (Acknowledge or Decline)

The first email sent to the reseller contains basic contact information: name, country, industry, and product needs. Contact details such as email and phone number are intentionally withheld at this stage.

The reseller is asked to either acknowledge or decline the lead:

- **Acknowledge:** The reseller confirms they will contact and pursue this lead. Email 2 is then sent with full contact details.
- **Decline:** The sales team is notified that the reseller has declined, and the contact must be reassigned. On reassignment, the contact re-enters the same workflow.

 [Email 1 – Lead Introduction](#)

 **Note:** The contact email address is captured in the email and form URL as a hidden field, so the reseller cannot view it before acknowledgement. This was implemented by the CMS team at OneMetric.

4.3 Acknowledgement Timeout & Reminders

Resellers have 2 days and 12 hours to submit their acknowledgement. If no response is received:

1. A reminder email is sent to the reseller.
2. An additional delay of 1 day and 12 hours is applied.
3. If still no response, the reseller receives a final email stating the lead will be reassigned.
4. An internal notification is sent to the sales team to reassign the lead. The sales team fills our lead assignment form again. Once a new reseller is assigned to this contact, the contact then re-enters the online lead management workflow.

4.4 Email 2 – Full Lead Details & Status Form

Once the acknowledgement is received (property: Acknowledgement by Distributor = Yes), a second email is sent containing the contact's full details including email address and phone number. This email also includes a form for the reseller to update the lead status.

 [Email 2 – Full Lead Details](#)

Lead Status Property – Status (SF)

The following status values are available in the Status (SF) property:

- **Unqualified:** Lead does not meet criteria. Reasons must be provided in comments.
- **Qualified:** Lead meets all criteria. Opportunity quantity and models must be specified.
- **In Process:** Lead is being actively followed up. Status update required in comments.
- **Close by Order:** Lead resulted in an order. Order quantity and model must be specified.
- **Close by Withdraw:** Lead was withdrawn by the customer. Reasons must be stated in comments.
- **Close Lost to Competitor:** Lead lost to a competitor. Competitor name, model, and quantity must be provided.

4.5 Lead Status Reminders & Closure Notification

After Email 2 is sent, a 7-day delay begins. During this period, the workflow checks whether the lead status has been marked as closed (Qualified, Unqualified, Close by Withdraw, Close Lost to Competitor, or Close by Order).

- **If closed:** A notification is sent to the sales team via the closure notification workflow.
- **If not closed:** Lead status reminder emails continue.

~ [Update lead status email reminder](#)

 [Closure Notification Workflow](#)

Regional Reminder Differences

- **GMD Regions:** A dedicated workflow sends one reminder per week for up to 12 weeks until the lead is closed.

→ [GMD Reminder Workflow](#)

- **All Other Regions:** Reminders continue within the same workflow.

5. Regional Process Variations

The core process is consistent across all regions. However, the following regions have specific variations:

5.1 GAU – Australia & New Zealand

In addition to the standard reseller assignment, an email is automatically sent to the end customer confirming that their enquiry has been assigned to a reseller, along with supplementary information.

 [Customer Notification Email \(GAU\)](#)

5.2 APAC – Jeff Region

- Leads are assigned to both a General Manager (GM) and a Sales Representative.
- Lead status reminders are sent only to the Sales Representative.
- Lead update notifications (on closure) include both the GM and the Getac Salesperson.
- The reseller's GM is looped in on initial emails and on lead closure.

5.3 APAC – Jean Region (Korea Only; Taiwan follows standard flow)

- The lead is assigned to the reseller's GM (not directly to a sales rep).
- The GM receives the acknowledgement email and, upon acceptance, assigns a sales rep from within their organisation via a form.
- Reminders are sent only to the Sales Representative.
- Lead status update notifications (on closure) include both the GM and the Getac Salesperson.

 [Sales Rep Assignment Form \(APAC Jean\)](#)

 [GM Assignment Email](#)

 [Reseller Assignment Confirmation Email \(to GM\)](#)

 [Lead Closure Notification Email](#)

The GM's email is stored in the property: Distributor GM Email.

 **Note:** India and Argentina (PC Arts) follow the same variation as APAC Jean, with one key difference: both have 2 General Managers instead of 1. Even if only one GM is selected during form submission, the second GM must also receive all GM-related emails. The second GM's details are stored in the Additional GM Email (India/Argentina) property. Argentina has two separate workflows: one for PC Arts (variation flow) and one for all other resellers (standard flow).

Note: PC Arts from Argentina no longer works with us as mentioned by the client in a recent call. They have been removed from the process as workflows have been turned off.

5.4 GIT – Italy

- No acknowledgement email is sent. The first email (lead status update reminder) goes out after the lead assignment.
- Lead status reminder emails are sent every 2 weeks (not weekly).
- The Unqualified and Qualified (To Be Converted) status options are not included in the Italian lead status form.
- All assets (emails and forms) are in Italian.

 [Lead Status Reminder Email \(Italian\)](#)

5.5 GUK

Group 1: UK Region (England, Scotland, Wales, Northern Ireland)

- Send lead notifications to: **sales-getac-uk@getac.com**
- After lead assignment: Send a notification confirming that the lead has been assigned to the BD, and notify the group at **sales-getac-uk@getac.com**
- If the lead is assigned to a Getac BD:
 - Include a link to reassign the lead to a reseller
 - Then follow the original workflow (reseller acknowledges the lead, and notifications are sent for follow-up)

Group 2: Nordics (Sweden, Norway, Finland, Denmark, Iceland)

- Send HubSpot lead notifications to: **sales-getac-nordic@getac.com**
- After lead assignment: Send a notification confirming that the lead has been assigned to the BD, and notify the group at **sales-getac-nordic@getac.com**
- If the lead is assigned to a Getac BD:
 - Include a link to reassign the lead to a reseller
 - Then follow the original workflow (reseller acknowledges the lead, and notifications are sent for follow-up)

6. SOP – Adding a New Reseller

Step 1 – Add the Reseller to the Property

- Locate the correct property named Reseller Name / Distributor Name – Region.
- If the property does not exist for this country, follow Step 1-A below.
- Open the property's Field Type settings and add a new dropdown option.
- Enter the reseller using the following naming convention:
Reseller Name_Country_Reseller Email
- Click Save.

Properties (781)

Conditional logic

Groups

Archived (2)

All groups ▾

All field types ▾

All users ▾

All access ▾

france

✕

🔒 Data quality monitoring is off

Create property

☐	NAME ↑↓	PROPERTY ACCESS ↑↓	GROUP ↑↓	CREATED BY ↑↓	USED IN ↑↓	FILL RATE
☐	France BD Dropdown select	Everyone can view and edit	Contact information	Eulises Quintero	6	0.05%
☐	Distributor Name - France Dropdown select	Everyone can view and edit	Contact information	Team Growthomation	15	0.04%

Distributor Name - France

Contact

Cancel

Save

Manage

Details

Field type

Rules

Conditional options

Manage access

Preview

Data Agent

Smart property prompt

Auto-fill

Monitor

Usage (15)

Data quality (0)

Data sources

Field type *

Learn more about field types

Dropdown select

Default value NEW

This value will be automatically filled in whenever a new record is created

Select default value

Option style *

Default

With dot

Badge

Search

Search

Sort

Custom

Dropdown options (22)

Copy option labels and internal names

☐	ORDER	LABEL	INTERNAL NAME	WITH VALUE	IN FORMS
☐	1	Milexia_France_lucas.l	Milexia_France_lucas.hern	49	☐
☐	2	Milexia_France_hugo.r	Milexia_France_hugo.ram	32	☒

Step 1-A – Creating a New Reseller Property (If Missing)

- Go to the Details tab and create a new property.
- Name: Country + Reseller/Distributor Name
- Field Type: Dropdown Select
- Add reseller names with email addresses using the naming convention above.
- Click Create.

Properties + Data Agent Data Quality Export all properties

Properties are used to collect and store information about your records in HubSpot. For example, a contact might have properties like First Name or Lead Status.

Select an object: Contact properties Go to Contacts settings

Properties (693) Conditional logic Groups Archived (2)

All groups All field types All users All access

Data quality monitoring is off Create property

☐	NAME	PROPERTY ACCESS	GROUP	CREATED BY	USED IN	FILL RATE
☐	Netherlands BD Dropdown select	Everyone can view and edit	Contact information	Eulises Quintero	4	0%
☐	Distributor Name - Netherlands Dropdown select	Everyone can view and edit	Contact information	Team Growth/omation	10	0%
☐	Date entered "Other (Lifecycle Stage Pipeline)" Date and time picker	Everyone can view and edit	Contact Lifecycle Stage Properties	HubSpot	0	0.15%
☐	Do you have a project with a deadline that requires... Dropdown select	Everyone can view and edit	Gefac	Email Team	3	0%
☐	Domain to which registration email was sent Single-line text	Everyone can view and edit	Contact information	HubSpot	0	0%
☐	How would you rate your experience of using the G... Radio select	Everyone can view and edit	Contact information	yes how	1	0%
☐	Registered At Date and time picker	Everyone can view and edit	Contact information	HubSpot	0	0%

Distributor Name BZ Cancel Save

Field type *
[Learn more about field types](#)
Dropdown select

Default value NEW
This value will be automatically filled in whenever a new record is created
Select default value

Option style *
Default With dot Badge

Search Search Sort Custom

Dropdown options (1) Copy option labels and internal names

☐	ORDER	LABEL	INTERNAL NAME	WITH VALUE	IN FORMS
☐	1	MG1 Tech_BZ_henrique	MG1 Tech_BZ_henrique.sil	93	☒

+ Add option Load options Clear all options

Note: Because this is a new property, it must be added to all relevant forms. Open the Reseller Assignment Form in Edit Mode, click Add Another Rule, and set: If Country contains [Your Country], then show [new property]. Save and publish the form.

[Reseller Assignment Form](#)

Back

Assign the lead to a distributor

Published

Getac

Assign Lead to Reseller

Technical Support

800-228-8888 ext. 200

Support@getac-usa.com

Lead Email*

Country

Other Reseller Email

Created date

February 12, 2025

Last submission received

April 16, 2026

Workflows (63)

Show more

Marketing Campaign

-

Actions

Export submissions

Edit form

Back to all forms

Assign the lead to a distributor

Update

Learn more

Form

Options

Style & preview

Automation

Embed

Actions

Done

Edit Contact Property

Basic

Logic

Progressive field options

Action to take if this field has been submitted before. This rule applies to all form fields in the row

Leave field on the form

Dependent fields

Action to take based on visitor input

If Country contains any of Spain then show Reseller Name - Spain

If Country contains any of United Arab Emirates then show Distribu...

If Country contains any of Turkey then show Reseller Name - Turkey

If Country contains any of France then show Reseller Name - France

Lead Email*

Country*

Reseller Name - Spain

Distributor Name UAE

Reseller Name - Turkey

Back to all forms

Assign the lead to a distributor

Update

Learn more

Form

Options

Style & preview

Automation

Embed

Actions

Done

Edit Contact Property

If Country contains any of Romania then show Distributor Name Ro...

If Country contains any of Poland then show Distributor Name Pola...

If Country contains any of Bulgaria then show Distributor Name Bul...

If Country contains any of Croatia then show Distributor Name Cro...

If Country contains any of Hungary then show Distributor Name Hu...

If Country contains any of Serbia then show Distributor Name Serbia

If Country contains any of Egypt then show Distributor Name Egypt

If Country contains any of Jordan then show Distributor Name Jor...

If Country contains any of Burkina Faso then show Reseller Name - ...

+Add another rule

Lead Email*

Country*

Reseller Name - Spain

Distributor Name UAE

Reseller Name - Turkey

The top screenshot shows the 'Edit Contact Property' sidebar. It lists rules based on country: 'If Country contains any of Serbia then show Distributor Name Serbia', 'If Country contains any of Egypt then show Distributor Name Egypt', 'If Country contains any of Jordan then show Distributor Name Jor...', and 'If Country contains any of Burkina Faso then show Reseller Name - ...'. A new rule is being added: 'If country contains any of' with 'Belgium' selected. The 'then show:' field is set to 'Distributor Name BZ'. Red arrows point to the 'Belgium' selection and the 'Add' button.

The bottom screenshot shows the 'Edit Country' sidebar. It displays 'Contact property name' as 'country' and 'Field Type' as 'Dropdown'. Under 'Progressive field options', the action is 'Leave field on the form'. Under 'Dependent fields', the action is 'Action to take based on visitor input'. A red arrow points to the 'Update' button in the top right corner.

Step 2 – Update the Reseller Workflow

- Open the Online Lead Management workflow folder.
 - [OLM Workflow Folder](#)
- Search for the workflow matching the new reseller's country and open it.
- Add a new reseller branch to the existing reseller branch section.
- Clone both the Edit Record and Go To actions for the new branch, and update the Edit Record action to use the new reseller's email.
- **Ensure the "Other Reseller Email" branch remains last in the list. Move any new branches above it.**

Note: The workflow saves automatically.

Step 3 – Update the Reseller Name Mapping Workflow

- Open any one of the three Reseller Name Mapping workflows.
- Add a new branch for the new reseller, mapping their email to their display name in the Reseller Name – Lead Management property.

• [Reseller Name Mapping Workflow 1](#)

• [Reseller Name Mapping Workflow 2](#)

• [Reseller Name Mapping Workflow 3](#)

Result: The new reseller is added to the property, linked in the form logic, included in the correct workflow branch, and mapped for dashboard reporting.

7. BD Assignment Workflow

When a lead is assigned to a BD representative, the process differs from the reseller flow because BDs are already HubSpot users. Instead of external emails, internal HubSpot notifications are sent.

 [BD Notification Workflow](#)

On contact entry, the workflow branches by region and sends an internal email notification to the corresponding BD. No acknowledgement step is required for BDs.

BD Reporting – Property Consolidation

As multiple BD properties exist (one per region), a consolidation workflow copies these values into a single property for reporting purposes.

 [BD Property Consolidation Workflow](#)

BD reporting is included in the same dashboard as reseller reporting (Lead Management – Sales Dashboard).

8. SOP – Adding a New Getac Sales BD

Step 1 – Add the BD to the Property

- Locate the correct property named Country + BD.
- If the property does not exist for this country, follow Step 1-A below.
- Open the property's Field Type settings and add a new dropdown option.
- Enter the Getac BD's email address as the option value.
- Click Save.

Organization Management

Multi-Account BETA

Account Management

Account Defaults

Audit Log

Users & Teams

Product Updates

Integrations

Marketplace

Downloads

Tracking & Analytics

Privacy & Consent

Sandboxes

Security

Approvals

AI

Payments

Account NEW

Data Management

Properties

Properties (693)

Conditional logic

Groups

Archived (2)

All groups

All field types

All users

All access

nether

☐	NAME	PROPERTY ACCESS	GROUP
☐	Netherlands BD Dropdown select	Everyone can view and edit	Contact information
☐	Distributor Name - Netherlands Dropdown select	Everyone can view and edit	Contact information
☐	D4-6 POC / Business Case - Technical Information Multi-line text	Everyone can view and edit	D4 Stage
☐	D4-7 POC / Business Case - Other Device Multi-line text	Everyone can view and edit	Contact information
☐	Date entered "Other (Lifecycle Stage Pipeline)" Date and time picker	Everyone can view and edit	Contact Lifecycle Stage Properties
☐	Do you have a project with a deadline that requires... Dropdown select	Everyone can view and edit	Getac
☐	Do you intend to use your own technicians to install... Dropdown select	Everyone can view and edit	Contact information
☐	Domain to which registration email was sent Single-line text	Everyone can view and edit	Contact information

Manage

Details

Field type

Smart property BETA

Rules

Conditional options

Manage access

Preview

Monitor

Usage (4)

Data quality (0)

Data sources

Choose a field type

Field type *

Learn more about field types

Dropdown select

Option display mode

Highlight important information using bold display modes

☐ Default

☒ Text with colored dot (View example)

☐ Text inside colored badge (View example)

Search

Search

Sort

Custom

Dropdown options (2)

Copy option labels and internal names

☐	ORDER	COLOR	LABEL	INTERNAL NAME	WITH VALUE	IN FORMS
☐	1		farchonda.habib@	farchonda.habib@geta	0	
☐	2		william.chang@ge	william.chang@getac.a	0	

+Add option

Load options

Clear all options

Back

Netherlands BD

Contact

Save

Manage

Details

Field type

Smart property

Rules

Conditional options

Manage access

Preview

Monitor

Usage (4)

Data quality (0)

Data sources

Choose a field type

Field type *

Learn more about field types (2)

Dropdown select

Option display mode

Highlight important information using bold display modes

☐ Default
 ☒ Text with colored dot (View example)
 ☐ Text inside colored badge (View example)

Search

Sort

Search

Custom

Dropdown options (3)

Copy option labels and internal names

	ORDER	COLOR	LABEL	INTERNAL NAME	WITH VALUE	IN FORMS
	1		farchanda.habib@	farchanda.habib@getac	0	☒
	2		william.chang@ge	william.chang@getac.a	0	☒
	3		clement.mbabazi@	clement.mbabazi@getc	0	☒

+ Add option

Load options

Clear all options

Step 1-A – Creating a New BD Property (If Missing)

- Go to the Details tab and create a new property.
- Name: Country + BD
- Field Type: Dropdown Select
- Add the Getac BD(s) with their email addresses as dropdown options.
- Click Create.

Properties

+ Data Agent

Data Quality

Export all properties

Properties are used to collect and store information about your records in HubSpot. For example, a contact might have properties like First Name or Lead Status.

Select an object:

Contact properties

Go to Contacts settings

Properties (693)

Conditional logic

Groups

Archived (2)

All groups

All field types

All users

All access

nether

Data quality monitoring is off

Create property

	NAME	PROPERTY ACCESS	GROUP	CREATED BY	USED IN	FILL RATE
☐	Netherlands BD Dropdown select	Everyone can view and edit	Contact information	Eulises Quintero	4	0%
☐	Distributor Name - Netherlands Dropdown select	Everyone can view and edit	Contact information	Team Growtormation	10	0%
☐	Date entered "Other (Lifecycle Stage Pipeline)" Date and time picker	Everyone can view and edit	Contact Lifecycle Stage Properties	HubSpot	0	0.15%
☐	Do you have a project with a deadline that requires... Dropdown select	Everyone can view and edit	Getac	Email Team	3	0%
☐	Domain to which registration email was sent Single-line text	Everyone can view and edit	Contact information	HubSpot	0	0%
☐	How would you rate your experience of using the G... Radio select	Everyone can view and edit	Contact information	yes how	1	0%
☐	Registered At Date and time picker	Everyone can view and edit	Contact information	HubSpot	0	0%

Back

Belgium BD
Contact

Create property

Details

Field type

Smart property

Rules

Manage access

Preview

Choose a field type

Field type *

Option display mode

Search

Sort

Dropdown options (1)

Back

Belgium BD
Contact

Create

Create property

Details

Field type

Smart property

Rules

Manage access

Preview

Choose a field type


Field type *

Option display mode

Search

Sort

Dropdown options (3)



 **Note:** Because this is a new property, it must be added to all relevant forms. Open the BD Assignment Form in Edit Mode, click Add Another Rule, and set: If Country contains [Your Country], then show [new property]. Save and publish the form.

 [BD Assignment Form](#)

Step 2 – Update the BD Notification Workflow

- Open the Notify to BD workflow.
 -  [BD Notification Workflow](#)
- Locate the branch for the BD's region.
- Clone an existing notification action used for another BD in the same or similar region.
- Add the cloned action under the None Met branch (click the + icon).
- Update the cloned action: replace the previous BD user with the new BD, and update the action name to reflect the new BD.
- Save the workflow.

Result: The new BD is added to the property, linked in the form logic, and included in the correct workflow branch for notifications.

9. Reporting & Dashboard

[Lead Management – Sales Dashboard](#)

This dashboard covers the entire Online Lead Management system. It is shared with selected users every Monday morning, covering the previous week's data. Access is restricted — each user can only view contacts assigned to them or their team.

Reseller Name Mapping

Since different reseller properties are used across regions, a unified Reseller Name – Lead Management property is used for dashboard reporting. Three backend mapping workflows update this property based on the reseller email:

- [Reseller Name Mapping Workflow 1](#)
- [Reseller Name Mapping Workflow 2](#)
- [Reseller Name Mapping Workflow 3](#)

Offline Lead Management Process

Offline Lead Management Process

Knowledge Transfer Document

1. Overview & Objective

The Offline Lead Management process was designed to streamline how event leads are shared with resellers, reseller managers, and Getac Sales (BD) representatives who are not HubSpot users, while ensuring that all their activity is tracked back in HubSpot.

1.1 Why This Process Differs from Online Lead Management

In the Online Lead Management process, leads are assigned individually — one contact at a time. For event leads, however, a reseller may be assigned to many contacts at once (for example, 10 leads from a single event). Following the same one-by-one process in that context would mean:

- The reseller receives 10 separate acknowledgement emails simultaneously.
- They must fill out 10 individual forms.
- They receive weekly lead status reminders for each contact separately.

This volume of communication significantly increases the risk of leads being missed. To address this, the Offline Lead Management process consolidates communication and tracking through Google Sheets, with data flowing back into HubSpot automatically.

1.2 Key Properties Required for This Process

Two contact-level properties must be set correctly for the offline process to function:

- **SQL :** Must be set to Yes for any contact being enrolled in this process. Contacts without this value set will not be enrolled in any offline workflow.
- **Data Consent 3rd Party:** Must be set to Yes if the contact is being assigned to a Reseller or Reseller Manager. For Getac Sales assignments, this is not required upfront — but if the BD later reassigns the contact to a reseller, they must mark it Yes in their Google Sheet.

1.3 Dashboard

 [Offline Lead Management Dashboard](#)

 **Note:** For dashboard logic: if Reseller Email is known and Event Name is known, the contact is an Offline lead. If Reseller Email is known but Event Name is unknown, it is an Online lead. This distinction is applied across all dashboard reports.

2. Lead Import into HubSpot

Event leads are imported directly into HubSpot by the client. The import process requires a specific template to correctly assign contacts to resellers or Getac Sales representatives and to create the necessary contact associations.

 [Import Template \(Google Sheet\)](#)

2.1 Required Import Columns

Five columns in the import template are essential for this process to work correctly:

Reseller Email	Email address of the reseller being assigned to the contact.
Reseller Manager Email	Email address of the reseller manager being assigned to the contact.
Getac Sales Email	Email address of the BD being assigned to the contact.
Associated Contact Email	Email of the reseller's or BD's HubSpot contact record, which will be associated with this lead contact.
Association Label	Defines the type of relationship. Two labels are available depending on whether a reseller or a Getac BD is being assigned.

 **Important:** During import, ensure the Contact–Contact Association checkbox is selected and the Associated Contact Email column is included. Our role is to assist the client with these four fields to ensure associations are created correctly — the actual import is handled by the client.

Association limits

- Each Contact can be associated to **many other Contacts**.

Search Filter by: All label limits All users Create and configure

LABEL ↑↓	LIMITS ⓘ	OBJECT ASSOCIATION	CREATED BY HUBSPOT	↑↓	USED IN ↑↓
Contact (Many) Getac Sales (Many)	1-to-many 1-to-many	Contacts	No		100+
Contact (Many) Reseller Manager (Many)	1-to-many 1-to-many	Contacts	No		2
Contact (Many) Reseller (Many)	1-to-many 1-to-many	Contacts	No		100+

Upload your files

Before you upload your files below, make sure your file is [ready to be imported](#) 🔗
Learn how HubSpot knows when your records are **duplicates**.

Choose how to import Contacts

Create and update Contacts ▼

Contacts file

[View import property requirements](#) | [Download example file](#)



Drag and drop or [choose a file](#) to upload your Contacts.
All .csv, .xlsx, and .xls file types are supported.
You can also [paste directly from your spreadsheet](#).

Same-object associations ⓘ

☒ Create Contact-Contact associations with this import

Reseller Email -...	--	✓	Contact properties	Reseller Email - Lead Management	☐ Don't overwrite
Getac Sales	bilal.mirzoev@geta... thibault.bulidon@g... thibault.bulidon@g...	✓	Contact properties	Getac Sales	☐ Don't overwrite
Associated Contact...	bilal.mirzoev@geta... thibault.bulidon@g... thibault.bulidon@g...	✓	Association	Email	☐ Don't overwrite
Associated Labels	Getac Sales Getac Sales Getac Sales	✓	Association label	Contact to Contact	☐ Don't overwrite
Event Name	Global Industrie 20... Global Industrie 20... Global Industrie 20...		Contact properties	Choose or create a property	☐ Don't overwrite

3. Workflow Routing After Import

Once contacts are imported and have reseller or Getac Sales information assigned at the contact level — along with the appropriate HubSpot contact associations — each contact enters one of three workflows depending on their assignment type.

3.1 Entry Workflows (Contact-Level Triggers)

Reseller assigned	Reseller Entry Workflow
Reseller Manager assigned	Reseller Manager Entry Workflow
Getac Sales assigned	Getac Sales Entry Workflow

3.2 What the Entry Workflow Does

On entry, each workflow updates properties on the contact record — including Lead Assignment Date and Status — and also sets a flag property on the associated reseller, manager, or BD contact:

- **Reseller assigned** → Is Reseller? = Yes (set on the associated reseller contact)
- **Reseller Manager assigned** → Is Manager? = Yes (set on the associated manager contact)
- **Getac Sales assigned** → Is Getac Sales? = Yes (set on the associated BD contact)

3.3 Secondary Workflows (Triggered on the Associated Contact)

Once the flag property is set to Yes on the associated contact, a second workflow is triggered on that contact. This workflow handles all email communications and Google Sheet row creation for the reseller, manager, or BD.

- Reseller: [Reseller Secondary Workflow](#)
- Reseller Manager: [Reseller Manager Secondary Workflow](#)
- Getac Sales: [Getac Sales Secondary Workflow](#)

 **Note:** After the secondary workflow runs, a 14-day delay is applied before the flag properties (Is Reseller?, Is Manager?, Is Getac Sales?) are cleared on the associated contacts. This reset allows the same process to run again for the next event. The 14-day window is intentional — events are never scheduled fewer than 14 days apart.

4. Reseller Communication Flow

 **Remember:** All reseller contacts must be set as Marketing Contacts in HubSpot in order to receive marketing emails.

4.1 Email 1 – Acknowledgement Request

The first email sent to the reseller requests acknowledgement of their assigned leads. Similar to the Online process, the contact email is embedded as a hidden field in the email to capture it without exposing it to the reseller prematurely. The acknowledgement property used here is Reseller Acknowledgement – Offline Lead Management.

 [Email 1 – Acknowledgement Request](#)

 [Reseller Acknowledgement Form](#)

Resellers have 2 days to acknowledge or decline.

 **Note:** Decline and non-response handling steps have not yet been confirmed by the client and are not currently set up in the workflow. (21st April update, this got confirmed), it will follow the same steps as online management process.

4.2 Email 2 – Google Sheet Access & Lead Status Form

Once a reseller acknowledges their leads, a second email is sent containing:

- A link to their dedicated Google Sheet, where they can update lead statuses, add comments, select products, and specify unit quantities — replacing the individual lead status forms used in the Online process.
- A 'Leads Closed' form which the reseller submits once all leads from the event have been resolved. Submitting this form stops further reminder emails from being sent.

 [Email 2 – Google Sheet & Closure Form](#)

 [Reseller Lead Status Closure Form](#)

The reseller's individual Google Sheet link is stored in the contact property: Reseller Google Sheet Link.

4.3 Lead Status Reminders

Until the 'Closed All Leads?' property is set to Yes (triggered by the reseller submitting the closure form), reminder emails are sent every 7 days for up to 3 weeks.

 [Lead Status Reminder Email](#)

4.4 Closure Notification to Sales Team

Once the 'Closed All Leads?' property becomes Yes, an automated notification is sent to the relevant sales team member informing them that the reseller has closed all leads from that event.

 [Closure Notification Workflow](#)

5. Getac Sales & Reseller Manager Communication

5.1 Getac Sales (BD) Process

The Getac Sales process is more straightforward than the reseller flow. Once leads are assigned:

1. An internal HubSpot email notification is sent to the BD informing them that new event leads have been assigned to them.
2. The email includes a link to their dedicated Google Sheet (stored in the BD Google Sheet Link contact property).
3. The BD can then either work the leads themselves directly in the sheet or assign them to a reseller.

 [Getac Sales Email & Workflow](#)

⚠ Important: For Getac Sales internal email notifications to work, the BD's HubSpot contact record must have two properties set: (1) **BD Google Sheet Link** — their own sheet URL, and (2) **Getac Sales** — set to the corresponding HubSpot user. For example, if Ridhima is a Getac Sales member, her contact record must have both her sheet link and the Getac Sales property pointing to her HubSpot user.

5.2 Reseller Manager Process

Reseller Managers follow the exact same workflow structure and email flow as resellers. The key differences are:

- Managers receive their own dedicated Google Sheet (link stored in the Reseller GM Google Sheet Link property).
- Managers use the Reseller Assignment Sheet format (not the Lead Management sheet), as they are responsible for assigning leads down to individual resellers.
- This process is currently only applicable to three regions: **India, Argentina (PC Arts), and South Korea.**

Note: PC Arts from Argentina no longer works with us as mentioned by the client in a recent call. They have been removed from the process as workflows have been turned off.

 [Reseller Manager Workflow](#)

5.3 Reseller Assignment by BD or Manager

When a BD or Reseller Manager assigns a lead to a reseller via their Google Sheet, the following happens automatically:

- The reseller name and email fields in the sheet are updated.
- A HubSpot workflow reads this data (via Superjoin export) and creates a contact-reseller association with the correct association label.
- This triggers the reseller's Is Reseller? property to be set to Yes on their contact, which starts the standard reseller workflow — including the acknowledgement email and Google Sheet assignment.
- The lead is also added to the reseller's own Lead Management Google Sheet.

 [Association Creation Workflow](#)

6. Google Sheets Setup

All Google Sheets for the Offline Lead Management process are created under the getacmkextreg@gmail.com Google account. There are two types of sheets, each serving a different purpose.

6.1 Sheet Types

Lead Management Sheet (for Resellers)

This sheet is used by resellers to manage and update the status of their assigned leads. It contains:

- An Instructions tab explaining lead statuses, product options, and how to use the sheet.
- A Leads Data tab with all lead details pushed from HubSpot via workflow, including a lead status dropdown, reseller comments field, number of units, and product model.

Reseller Assignment Sheet (for Getac Sales & Reseller Managers)

This sheet is used by BDs and Reseller Managers who need to either work on leads themselves or assign them down to resellers. It contains the same fields as the Lead Management sheet, plus three additional columns:

- **Reseller Name** — Dropdown populated from the hidden Reseller Data tab.
- **Reseller Email** — Automatically populated when a reseller name is selected.
- **3rd Party Data Consent** — Must be marked Yes before a contact can be assigned to a reseller.
- **Getac Sales Comments** — Replaces the Reseller Comments column.

Hidden Reseller Data Tab

Each Reseller Assignment Sheet contains a hidden sheet tab named 'Reseller Data'. This tab lists all resellers available to that BD or manager:

- Column A: Reseller Name

- Column B: Reseller Email

Note: If one reseller has multiple email IDs, each email must appear on a separate row in Column B, with the reseller name repeated in Column A on each row. This is required because a script runs on these sheets to populate the reseller email dropdown automatically based on the name selected.


Record ID	Reseller Name	Reseller Email	Lead Status	# of units	Product Model	Getac Sales Comments	3rd Party Data Consent
1			Open				
2			Open				
3	ahim		Open				
4	otel		Open				
5	utomation		Open				
6			Open				
7	utomation		Open				
8	utoma		Open				
9		im@mgc-tech.com	Open				
10	ahim		Open				
11		im@mgc-tech.com	Open				

6.2 Sheet Access & Sharing Settings

When creating a new sheet, apply the following sharing configuration:

- Set access to: Anyone with the link can Edit.
- In Advanced Settings, disable the following: Download, Copy, Print, and Allow editors to change permissions and share.

Important: Ideally, each sheet should only be accessible to the specific reseller or BD it belongs to. However, since most resellers do not yet have Google accounts, sheets are currently set to open access. Nancy is working with resellers to ensure they create Google accounts. Once done, sharing settings will need to be updated to invite-only access.






7. Data Flow – HubSpot to Google Sheets

Dedicated HubSpot workflows push lead data into each reseller's, manager's, or BD's Google Sheet whenever a new lead is assigned from an event. All these workflows are stored in the following folder:

 [Offline Lead Management Workflow Folder](#)

Within each workflow, a branch is created for each reseller (or BD/manager). A Create Row action is configured for that branch, specifying the target Google Sheet URL and mapping the relevant HubSpot contact properties to the corresponding sheet columns.



8. Data Flow – Google Sheets Back to HubSpot (Superjoin)


Superjoin is the third-party tool used to export data from the Google Sheets back into HubSpot contact records. It runs automatically every 6 hours, keeping HubSpot updated with any changes resellers or BDs make in their sheets.

 **Note:** HubSpot has been connected to Superjoin under Active Connections. All live exports are visible under the Queries section in Superjoin. A query tagged as 'Exports Automatically' indicates the integration is active and running on schedule.

8.1 Setting Up a New Superjoin Export



If a sheet does not yet have an active Superjoin export, follow these steps from within the Google Sheet:

- Go to Extensions → Superjoin → Launch Superjoin.
- Navigate to Queries → Create a Query.
- Select HubSpot as the data source, then choose Export to HubSpot.
- Fill in the following values: **Update / Contacts / Leads Data / Row 1**.
- Click Apply, then proceed to the field mapping step.



The screenshot shows a Google Sheet titled "Offline Lead Management - hansc@rectron.co.za". The "Extensions" menu is open, showing "Superjoin: HubSpot Salesforce & 30+ Data Connectors". A red arrow points to the "Launch Superjoin" option. Below the menu, a table displays lead data with columns for Event Name, Lead Status, Last Updated, Record ID, and Status.

Event Name	Lead Status	Last Updated	Record ID	Status
2025	Open	12/24/2025	547280143564	Open
ECUREX South Africa 2025	Open	12/24/2025	547256523992	Open
ECUREX South Africa 2025	Open		8437620	Open
ECUREX South Africa 2025	Open		4041694	Open
ECUREX South Africa 2025	Open		8483935	Open
ECUREX South Africa 2025	Open		7542463	Open
ECUREX South Africa 2025	Open	12/24/2025	547449874650	Open
ECUREX South Africa 2025	Open	12/24/2025	546881697015	Open



8.2 Field Mapping – Lead Management Sheets

 **Important:** Record ID is the most critical field. It must be present in the export mapping and must exist in the sheet — it is Superjoin's unique identifier for matching rows to HubSpot contact records.

Map the following fields only — do not add any additional fields, as basic lead information should not be overwritten via the sheet:

Sheet Column	HubSpot Property
Record ID	Record ID
Lead Status	Status (SF)
# of Units	# of Units
Product Model	Product Model
Reseller Comments	Reseller Comment

 **Note:** Only map the 5 fields above. Most other fields are single-line text, and mapping them would cause them to be overwritten with empty values or create unnecessary update triggers. Keep the mapping minimal to avoid data issues.

8.3 Field Mapping – Reseller Assignment Sheets

For Reseller Assignment Sheets (used by Getac Sales and Reseller Managers), the same process applies with an extended field mapping:

Sheet Column	HubSpot Property
Record ID	Record ID
Reseller Name	Reseller Name – Offline Lead Management
Reseller Email	Reseller Email
Lead Status	Status (SF)
# of Units	# of Units
Product Model	Product Model
Getac Sales Comments	Getac Sales Comments

8.4 Scheduling the Automated Export

- After completing the field mapping, click Save.
- Click Next and select Entire Sheet.
- Run the export once manually to validate the connection.
- Then set up automation: select Daily at every 6 hours.

9. SOP – Adding a New Reseller, Getac Sales BD, or Reseller Manager

Step 1 – Create the Google Sheet

19. **For a Reseller:** Clone any existing Lead Management sheet and clear all data in the Leads Data tab.
20. **For a Getac Sales BD or Reseller Manager:** Clone any existing Reseller Assignment sheet and clear all data in the Leads Data tab.
21. Unhide the Reseller Data tab and update it with the correct reseller names and email addresses for that BD or manager's region.

Step 2 – Configure Sharing Settings

22. Set sharing to: Anyone with the link can Edit.
23. In Advanced Settings, disable: Download, Copy, Print, and the ability for editors to change permissions or share.

Step 3 – Activate Superjoin Export

24. Follow the Superjoin setup steps in Section 8 to create and activate the automated export for the new sheet.

Step 4 – Update the HubSpot Workflow

25. Open the relevant regional workflow in the Offline Lead Management workflow folder.

26. Add a new branch for this reseller, BD, or manager.

27. Configure the Create Row action with the new sheet's URL and the correct field mappings.

 [Offline Lead Management Workflow Folder](#)

Step 5 – Update Contact Properties

Ensure the new contact record in HubSpot has the correct sheet link property set:

- **Reseller:** Reseller Google Sheet Link
- **Getac Sales BD:** BD Google Sheet Link + Getac Sales (HubSpot user property)
- **Reseller Manager:** Reseller GM Google Sheet Link

Checklist

Before importing new event contacts in HubSpot, follow this checklist for that specific region to ensure setup is ready.

Please find the **Offline Lead Management checklist** below:

- Google Sheets have been created for all resellers and BDs
- Lead Status dropdown has been added
- Product List dropdown has been added and updated
- Security settings updated: only the owner has access to download and copy/paste data
- “Anyone with the link” can edit (temporary setting)
- Getac Sales sheets include the correct reseller names and email dropdowns
- HubSpot workflows have been created and activated
- Workflow enrollment triggers include the correct reseller emails (region/country-specific)
- Correct Google Sheets are mapped for all regions
- The Getac Sales property is set for all Getac sales contacts involved in the import
- Reseller’/Reseller manager’ self contacts are marked as marketing contact in order to receive notifications
- Reseller and BD Google Sheet link properties are updated for their respective contacts

Reseller Dashboards - Google Sheet

Reseller Lead Distribution and Dashboard Process

Detailed process document covering HubSpot workflows, Google Sheets architecture, reseller-specific reporting, and recommended sync design.

Document type	Process and operations SOP
Primary systems	HubSpot, Google Sheets, Google Apps Script

Objective

1. Executive summary

This process gives resellers visibility into the leads assigned to them without adding them into HubSpot. HubSpot remains the system of record for lead ownership, status, and operational updates. Google Sheets acts as the external reporting layer, where each reseller receives a dedicated dashboard showing assigned leads from both online and offline sources along with performance metrics.

At a high level, the solution works in four layers:

Lead creation or import in HubSpot through website forms or offline event uploads.

HubSpot workflows push and maintain reseller-related lead data inside one master reseller Google Sheet.

A script uses the reseller name property to create or refresh reseller-specific tabs and dashboards.

Each reseller gets access only to their own sheet or dashboard so they can review assigned leads and track performance.

2. Business context and objective

The client works with a reseller network that is not managed as internal users inside HubSpot.

Because resellers do not sit inside the CRM, they still need a controlled way to receive assigned leads, review lead information, and monitor their follow-up performance.

The objective of this process is to preserve HubSpot as the internal source of truth while giving resellers a secure and practical reporting interface through Google Sheets.

3. Core use cases covered

Use case	What happens	Outcome
Inbound website leads	A lead fills out a form on the website. The internal sales team reviews the lead and assigns it to a reseller based on the appropriate region.	The lead appears in the reseller reporting structure and becomes visible in that reseller's dashboard.
Offline event leads	Leads collected through events are imported into HubSpot. These are then pushed in bulk into the reseller data structure for sharing with the relevant reseller.	Resellers can access event-generated leads in the same reporting environment as online leads.

4. Systems and ownership model

HubSpot is the operational source of truth. It stores the lead record, assignment details, lifecycle information, and any status changes made by the client's team.

Google Sheets is the external visibility layer. It is used to display reseller-assigned leads and present performance reporting in a format that can be shared outside HubSpot.

Google Apps Script is the orchestration layer inside Google Sheets. It splits data by reseller, creates or refreshes reseller-specific tabs, and supports dashboard generation.

5. Data architecture

Layer	Tool	Purpose	Notes
Source data	HubSpot	Stores lead records, assignments, status, and updates	Should remain the master record
Master sync sheet	Google Sheets	Receives all reseller-eligible lead data from HubSpot workflows	Single source for downstream sheet logic
Reseller data tabs	Google Sheets + Apps Script	Filtered view or copied view per reseller	Contains only the leads assigned to that reseller
Reseller dashboards	Google Sheets	Performance and operational reporting for the reseller	Can be built from live formulas or refreshed script logic

6. Detailed process flow

6.1 Inbound website lead process

Step 1. A contact submits a form on the website.

Step 2. The record is created or updated in HubSpot.

Step 3. The client's internal sales team reviews the lead and determines the correct reseller based on region or assignment rules.

Step 4. A reseller name or reseller assignment property is updated in HubSpot.

Step 5. HubSpot workflows detect that the record is reseller-relevant and send the required lead data to the master reseller Google Sheet.

Step 6. Additional HubSpot workflows continue to update the same row in the master sheet when important fields change, such as owner, status, lifecycle stage, meeting outcome, or follow-up progress.

Step 7. The reseller-specific tab and dashboard then surface this lead to the assigned reseller.

6.2 Offline event lead process

Step 1. Leads are collected during offline events.

Step 2. These leads are imported into HubSpot in bulk.

Step 3. Once imported, records are mapped to the appropriate reseller using the reseller name property or equivalent assignment logic.

Step 4. HubSpot workflows push these records into the same master reseller Google Sheet used for online leads.

Step 5. Because both online and offline leads enter the same reporting architecture, each reseller sees one consolidated view of all leads assigned to them.

7. HubSpot workflow design

The HubSpot workflow layer is central to this setup. It should do two things reliably:

- Insert eligible leads into the master reseller sheet when they first become reseller-assigned.

- Keep existing rows updated when relevant HubSpot properties change.

Typical enrollment or trigger conditions may include:

- Reseller name is known

- Lead source is eligible for reseller distribution

- Lifecycle stage or pipeline stage meets the defined handoff point

- Record has not already been excluded from reseller sharing

Typical fields synced to the master sheet may include contact identifiers, company name, region, reseller name, source type, original source, lead status, lifecycle stage, last activity date, assignment date, offline or online source flag, and any performance-related status fields used in reseller reporting.

8. Master reseller sheet design

The master reseller dashboard file is the central Google Sheet that receives data from HubSpot.

This file should contain one raw data tab that acts as the source table for all downstream logic. This tab should not be manually edited except for controlled technical columns.

Every downstream reseller tab and dashboard should reference this central raw data layer, either through formulas or script-managed refresh logic.

Sheet link >

<https://docs.google.com/spreadsheets/d/1TW4EqOglXstPHUPfSphhe9gCcWaEAenvhV8BWYfP5iQ/edit?gid=1334668277#gid=1334668277>

9. Reseller sheet generation logic

A script runs against the master reseller file and reads the reseller name property from the raw synced data.

For each distinct reseller name, the script creates a dedicated reseller google sheet if one does not already exist. If one exists, any new data in Main Reseller Dashboard file gets copied to individual reseller sheets

That reseller sheet should contain only rows assigned to that reseller.

The same reseller sheet also contains a dashboard which got copied from main reseller data sheet file and auto updates based on data present in that reseller's sheet.

10. Dashboard logic and reporting

Each reseller receives a dashboard showing all leads assigned to them, regardless of whether the lead originated online or offline.

The dashboard can also show performance views such as number of leads assigned, contacted leads, engaged leads, conversion rates, pending follow-up volume, and speed-to-action indicators if those fields are available in HubSpot.

The dashboard should calculate its charts and metrics from the reseller-specific data tab rather than from copied hardcoded values wherever possible.

11. Answer to the sync question

Yes, the data can be kept updated in reseller sheets as well. The best approach is to avoid treating reseller sheets as static copies. Instead, design them so they are driven from the master raw sync tab through either live formulas or a scheduled refresh script. If reseller sheets are only copied once, they will drift out of sync unless a secondary refresh mechanism updates them whenever HubSpot changes.

Recommended approach:

Keep one master raw sync tab populated from HubSpot.

Generate one reseller tab per reseller using live FILTER or QUERY logic where possible.

Build the reseller dashboard on top of that live reseller tab.

If the business requires separate files per reseller, use IMPORTRANGE or a controlled Apps Script sync from the master file into the reseller file.

Add a refresh timestamp and row-count validation to monitor sync health.

12. Recommended future-state architecture

The most maintainable version of this setup is one where HubSpot updates only one raw sync destination and all reseller reporting is generated downstream from that single source.

This reduces duplicate logic, prevents data drift, and makes troubleshooting easier when assignment changes or lead statuses are updated in HubSpot.

Preferred design order:

- 1.** HubSpot is updated first.
- 2.** Master raw sync sheet is updated next.
- 3.** Reseller data tabs refresh automatically from the raw sheet.
- 4.** Dashboards recalculate from the reseller data tabs.
- 5.** Resellers see current data without manual intervention.

Setup Explained

Dashboard Files

There are two primary Google Sheets files that form the dashboard system:

- **Main Reseller Dashboard:** The central file containing all individual reseller dashboard sheets. All app scripts and sheet-level logic reside here.
[Open Main Reseller Dashboard](#)
- **Global Averages Dashboard:** A separate file used solely to calculate average conversion rates across all resellers — covering In Process rate, Close Rate, and Won Rate.
[Open Global Averages Dashboard](#)

 **Note:** Links to all individual reseller dashboard sheets have been added within the Main Reseller Dashboard file for easy access.

How the Two Files Interact

The Global Averages Dashboard calculates blended conversion metrics across all resellers. These calculated averages are then pulled into the Main Reseller Dashboard — and into each individual reseller sheet — using the IMPORTRANGE formula in Google Sheets. This ensures all dashboard views stay in sync without manual updates.

 **Important:** If an individual reseller sheet shows a #REF! error, this is caused by a missing cross-spreadsheet access permission. To resolve it, click the cell showing the error and select "Allow Access" to grant the sheet permission to pull data from the Global Averages file. This permission only needs to be granted once per new source spreadsheet.

Dashboard - Amplicon

File Edit View Insert Format Data Tools Extensions Help

100% Arial 11

D57 =IMPORTRANGE("https://docs.google.com/spreadsheets/d/11xFTi3PhXbgNlBsLg1C85a-_SSr2-0ZzofHEWm3Yxw/edit", "Pivot Table 1!B24")

	A	B	C	D	E	F	G	H
50				€	-	0.00%		
51				€	-	0.00%		
52				€	-	0.00%		
53				€	-			
54								
55								
56								
57	Status	Conversion	Global Average					
58	In Progress	#N/A	#REF!					
59	Close Rate	3.57%	#REF!					
60	Won Rate	3.57%	#REF!					
61								
62								
63								
64	Status (SF)	COUNT of Record ID	SUM of # of Units					
65	Close By Withdraw	1	1			4.76%		4.76%
66	Close Lost to Competitor	1	16			4.76%		4.76%
67	Open	13	14			61.90%		61.90%
68	Qualified (To be converted)	5	110	€	165,000.00	23.81%		23.81%
69	Unqualified	1	1	€	1,500.00	4.76%		4.76%

You need to connect these spreadsheets. The first time the destination spreadsheet pulls data from a new source spreadsheet, permission is needed to be granted.

Learn more Allow access

Leads Data Dashboard

2. HubSpot Setup

2.1 Workflow Folder

All HubSpot workflows related to the Reseller Dashboard are stored in the following folder:

[Dashboard Workflows Folder](#)

2.2 Acknowledgement Properties

Two separate acknowledgement properties are in use depending on the lead source. It is important to use the correct one when building or updating workflow logic:

- **Acknowledgement by Distributor** — Used for the Online Lead Management process.
- **Reseller Acknowledgement – Offline Lead Management** — Used for the Offline Lead Management process.

3. Create Rows Workflow

[Main Create Rows Workflow](#)

This workflow is responsible for creating a new row in the Google Sheets dashboard whenever a lead reaches the acknowledgement stage. The following describes how it works step by step.

3.1 Workflow Logic

1. Contact enters the workflow once acknowledgement is received.
2. A 10-minute delay is applied to allow all relevant contact properties to finish updating in the background before any data is written to the sheet.
3. The workflow then branches to determine whether the lead originated from the Online or Offline Lead Management system.

Distinguishing Online vs. Offline Leads

The branching logic uses the Event Name property as the separator:

- **Event Name is known** → Contact belongs to the Offline Lead Management system.
- **Event Name is unknown / empty** → Contact belongs to the Online Lead Management system.

 **Note:** This branching is necessary because certain properties — such as Reseller Name and Acknowledgement — differ between the two systems. Separate branches ensure the correct property values are written into each column of the sheet.

3.2 Sheet Row Creation

Within each branch (Online and Offline), two Create Row actions are triggered — one for each Google Sheets file:

- **Main Reseller Dashboard:** A new row is added containing the lead and reseller details for that contact.
- **Global Averages Dashboard:** A corresponding row is added to feed the global conversion rate calculations.

4. Update Rows Workflows

Certain contact properties can change after the initial acknowledgement — for example, as the reseller progresses with the lead. To keep the Google Sheets data current, dedicated Update Row workflows have been created for each of the following properties:

- Product / Model
- Reseller Comment
- Number of Units (#)
- Status (SF)

Each workflow is triggered when its corresponding property is updated on a contact, and it writes the new value to the matching row in the Google Sheet. This ensures the dashboard always reflects the latest information without requiring manual data entry.