



PRICE LIST

Effective From: July 15, 2019



BYA LF (Lead Free) FR SKIN COATED CABLE, 450/750 V, BDS 900 & BS 6004
PVC Insulated Non-Sheathed Single Core Cable

Cross Sectional Area	Conductor Shape	Wire Nos.	Current Rating In Conduit	Current Rating In Air	MRP Per 100 Meter (Including VAT)
core x mm ²	-	-	amps	amps	Taka
1x0.5	re	1w	4	5	631
1x0.75	re	1w	8	9	874
1x1.0	re	1w	13	16	1,114
1x1.0	rm	3w	13	16	1,155
1x1.3 (3/029)	rm	3w	15	19	1,456
1x1.5	re	1w	16	20	1,614
1x1.5	rm	3w	16	20	1,663
1x1.5	rm	7w	16	20	1,671
1x2.0 (3/036)	rm	3w	20	25	2,210
1x2.5	re	1w	22	28	2,630
1x2.5	rm	7w	22	28	2,664
1x3.0 (7/029)	rm	7w	26	31	3,209
1x4.0	rm	7w	30	37	4,148
1x4.5 (7/036)	rm	7w	32	39	4,725
1x6.0	rm	7w	38	47	6,195
1x7.0 (7/044)	rm	7w	42	51	7,150
1x9.5 (7/052)	rm	7w	50	61	9,754
1x10	rm	7w	52	63	10,192
1x14.5 (7/064)	rm	7w	65	79	14,676
1x16	rm	7w	70	85	16,090
1x16	rm	19w	70	85	16,154

BYA LF (Lead Free) CABLE, 450/750 V, BDS 900 & BS 6004
PVC Insulated Non-Sheathed Single Core Cable

Cross Sectional Area	Conductor Shape	Wire Nos.	Dia. of Single Wire	MRP Per 100 Meter (Including VAT)
core x mm ²	-	-	mm	Taka
1x25	rm	7w	2.14	23,666
1x25	rm	19w	1.30	23,744
1x35	rm	19w	1.53	32,698
1x50	rm	19w	1.83	46,621
1x70	rm	19w	2.17	65,012
1x95	rm	19w	2.52	87,491
1x120	rm	37w	2.03	109,998
1x150	rm	37w	2.27	137,552
1x185	rm	37w	2.52	169,558
1x240	rm	61w	2.25	220,712
1x300	rm	61w	2.52	274,536
1x400	rm	61w	2.89	365,845
1x500	rm	61w	3.23	456,356
1x630	rm	127w	2.52	576,597

BYA LF (Lead Free) FRLS CABLE, 450/750 V, BDS 900 & BS 6004
FRLS PVC Insulated Non-Sheathed Single Core Cable

Cross Sectional Area	Conductor Shape	Wire Nos.	Dia. of Single Wire	MRP Per 100 Meter (Including VAT)
core x mm ²	-	-	mm	Taka
1x1.0	re	1w	1.13	1,125
1x1.3 (3/029)	rm	3w	0.74	1,471
1x1.5	re	1w	1.38	1,630
1x1.5	rm	7w	0.52	1,688
1x2.0 (3/036)	rm	3w	0.91	2,232
1x2.5	re	1w	1.78	2,656
1x2.5	rm	7w	0.67	2,691
1x3.0 (7/029)	rm	7w	0.74	3,241
1x4.0	rm	7w	0.85	4,189
1x4.5 (7/036)	rm	7w	0.91	4,772
1x6.0	rm	7w	1.04	6,257
1x7.0 (7/044)	rm	7w	1.12	7,222
1x9.5 (7/052)	rm	7w	1.32	9,852
1x10	rm	7w	1.35	10,294
1x14.5 (7/064)	rm	7w	1.63	14,823
1x16	rm	7w	1.70	16,251
1x16	rm	19w	1.04	16,316

1x25	rm	7w	2.14	23,903
1x25	rm	19w	1.30	23,981
1x35	rm	19w	1.53	33,025
1x50	rm	19w	1.83	47,087
1x70	rm	19w	2.17	65,662
1x95	rm	19w	2.52	88,366
1x120	rm	37w	2.03	111,098
1x150	rm	37w	2.27	138,928

LSZH FR Cables 450/750 V, (BDS 900, BS 7211)

Low Smoke Zero Halogen-Flame Retardent Insulated, Non-Sheathed Single Core Cable

core x mm ²	-	-	mm	Taka
1 x 0.5	re	1w	0.80	735
1 x 0.75	re	1w	0.98	995
1 x 1.0	re	1w	1.13	1,244
1 x 1.0	rm	3w	0.65	1,307
1 x 1.3	rm	3w	0.74	1,624
1 x 1.5	re	1w	1.38	1,773
1 x 1.5	rm	3w	0.80	1,855
1 x 1.5	rm	7w	0.52	1,876
1 x 2.0	rm	3w	0.91	2,455
1 x 2.5	re	1w	1.78	2,863
1 x 2.5	rm	7w	0.67	2,908
1 x 3	rm	7w	0.74	3,483
1 x 4	rm	7w	0.85	4,461
1 x 4.5	rm	7w	0.91	5,061
1 x 6	rm	7w	1.04	6,581
1 x 7.0	rm	7w	1.12	7,665
1 x 9.5	rm	7w	1.32	10,361
1 x 10	rm	7w	1.35	10,813
1 x 14.5	rm	7w	1.63	15,467
1 x 16	rm	7w	1.70	16,925
1 x 16	rm	19w	1.04	16,996

BYM, 300/500 V, BDS 900 & BS 6004

PVC Insulated & PVC Sheathed Single/Multi Core Cable

core x mm ²	-	-	mm	Taka
1x1.0	re	1w	1.13	1,440
1x1.3 (3/029)	rm	3w	0.74	1,899
1x1.5	re	1w	1.38	2,021
1x1.5	rm	7w	0.52	2,086
1x2.0 (3/036)	rm	3w	0.91	2,674
1x2.5	re	1w	1.78	3,073
1x2.5	rm	7w	0.67	3,147
1x3.0 (7/029)	rm	7w	0.74	3,768
1x4.0	rm	7w	0.85	4,710
1x4.5 (7/036)	rm	7w	0.91	5,289
1x6.0	rm	7w	1.04	6,787
1x7.0 (7/044)	rm	7w	1.12	7,651
1x9.5 (7/052)	rm	7w	1.32	10,491
1x10	rm	7w	1.35	10,933
1x14.5 (7/064)	rm	7w	1.63	15,565
1x16	rm	7w	1.70	17,157
1x16	rm	19w	1.04	17,279
1x25	rm	7w	2.14	26,456
1x25	rm	19w	1.30	26,591
1x35	rm	19w	1.53	36,331
1x50	rm	19w	1.83	51,559
1x70	rm	19w	2.17	71,189
1x95	rm	19w	2.52	94,816
2x1.0	re	1w	1.13	4,312
2x1.5	re	1w	1.38	5,611
2x1.5	rm	7w	0.52	6,101
2x2.5	re	1w	1.78	8,394
2x2.5	rm	7w	0.67	8,742
2x4	rm	7w	0.85	12,280
2x6	rm	7w	1.04	16,808
2x10	rm	7w	1.35	27,382
2x16	rm	7w	1.70	40,638
2x25	rm	7w	2.14	62,865
2x35	rm	19w	1.53	84,646

Note: Current ratings are valid for cables laid under defined conditions.

3x1.0	re	1w	1.13	5,350
3x1.5	re	1w	1.38	7,397
3x1.5	rm	7w	0.52	7,795
3x2.5	re	7w	1.78	11,096
3x2.5	rm	7w	0.67	12,263
3x4	rm	7w	0.85	17,145
3x6	rm	7w	1.04	23,884
3x10	rm	7w	1.35	37,429
3x16	rm	7w	1.70	56,906
3x25	rm	7w	2.14	87,832
3x35	sm	19w	1.53	112,269
4x1.0	re	1w	1.13	6,886
4x1.5	re	1w	1.38	9,365
4x1.5	rm	7w	0.52	9,669
4x2.5	re	1w	1.78	13,962
4x2.5	rm	7w	0.67	14,476
4x4	rm	7w	0.85	21,356
4x6	rm	7w	1.04	30,345
4x10	rm	7w	1.35	47,944
4x16	rm	7w	1.70	73,685
4x25	rm	7w	2.14	114,555
4x25	rm	19w	1.30	115,187
4x35	sm	19w	1.53	152,530

COAXIAL CABLE

Code Name	Conductor Area	Wire Nos.	Dia. of Wire	MRP Per 100 Meter (Including VAT)
-	mm ²	-	mm	Taka
4/C	0.42	1w	0.73	2,740
5/C	0.64	1w	0.90	3,287
RG-6/6U	0.78	1w	1.00	3,824
6/C	1.23	1w	1.25	4,313
RG-7	1.32	1w	1.295	5,042
RG-11	2.09	1w	1.63	6,499
RG-59	0.52	1w	0.81	3,192

NYY, 600/1000 V, BDS, IEC 60502-1/ 2005 & VDE 0271

PVC Insulated & PVC Sheathed Single/Multi Core Cable

core x mm ²	-	-	mm	Taka
1x1.5	re	1w	1.38	2,936
1x1.5	rm	7w	0.52	3,025
1x2.5	re	1w	1.78	4,084
1x2.5	rm	7w	0.67	4,199
1x4.0	rm	7w	0.85	5,895
1x6.0	rm	7w	1.04	8,216
1x10	rm	7w	1.35	12,175
1x16	rm	7w	1.70	18,232
1x16	rm	19w	1.04	18,408
1x25	rm	7w	2.14	27,738
1x25	rm	19w	1.30	27,902
1x35	rm	19w	1.53	37,347
1x50	rm	19w	1.83	52,662
1x70	rm	19w	2.17	72,498
1 x95	rm	19w	2.52	96,887
1x120	rm	37w	2.03	121,041
1x150	rm	37w	2.27	150,777
1x185	rm	37w	2.52	185,868
1x240	rm	61w	2.25	240,720
1x300	rm	61w	2.52	298,857
1x400	rm	61w	2.89	397,375
1x500	rm	61w	3.23	495,467
1x630	rm	127w	2.52	623,974
2x1.0	re	1w	1.13	6,476
2x1.5	re	1w	1.38	7,601
2x1.5	rm	7w	0.52	7,917
2x2.5	re	1w	1.78	10,478
2x2.5	rm	7w	0.67	10,696
2x4	rm	7w	0.85	14,849
2x6	rm	7w	1.04	19,982
2x10	rm	7w	1.35	29,544
2x16	rm	7w	1.70	42,719
2x16	rm	19w	1.04	42,989
2x25	rm	7w	2.14	65,207

2x25	rm	19w	1.30	65,680
2x35	rm	19w	1.53	87,364
3x1.0	re	1w	1.13	7,528
3x1.5	re	1w	1.38	9,281
3x1.5	rm	7w	0.52	9,599
3x2.5	re	1w	1.78	12,935
3x2.5	rm	7w	0.67	13,377
3x4	rm	7w	0.85	19,146
3x6	rm	7w	1.04	25,988
3x10	rm	7w	1.35	39,129
3x16	rm	7w	1.70	59,200
3x16	rm	19w	1.04	59,587
3x25	rm	7w	2.14	90,265
3x25	rm	19w	1.30	90,497
3x35	sm	19w	1.53	112,078
3x50	sm	19w	1.83	158,738
3x70	sm	19w	2.17	218,474
3x95	sm	19w	2.52	294,219
3x120	sm	37w	2.03	367,556
3x150	sm	37w	2.27	457,335
3x185	sm	37w	2.52	565,939
3x240	sm	37w	2.87	731,678
3x300	sm	61w	2.52	911,904
3x400	sm	61w	2.89	1,211,857
3x25+16	rm/rm	7/7w	2.14/1.70	109,558
3x35+16	sm/rm	19/7w	1.53/1.70	133,719
3x50+25	sm/rm	19/7w	1.83/2.14	189,006
3x70+35	sm/rm	19/19w	2.17/1.53	265,111
3x95+50	sm/rm	19/19w	2.52/1.83	359,613
3x120+70	sm/rm	37/19w	2.03/2.17	451,351
3x150+70	sm/rm	37/19w	2.27/2.17	538,792
3x185+95	sm/rm	37/19w	2.52/2.52	671,194
3x240+120	sm/rm	37/37w	2.87/2.03	868,521
3x300+150	sm/rm	61/37w	2.52/2.27	1,080,278

NYY, 600/1000 V, BDS IEC 60502-1/ 2005 & VDE 0271

PVC Insulated & PVC Sheathed Single/Multi Core Cable

Cross Sectional Area	Conductor Shape	Wire Nos.	Dia. of Single Wire	MRP Per 100 Meter (Including VAT)
core x mm ²	-	-	mm	Taka
4x1.0	re	1w	1.13	9,717
4x1.5	re	1w	1.38	11,958
4x1.5	rm	7w	0.52	12,164
4x2.5	re	1w	1.78	16,865
4x2.5	rm	7w	0.67	17,777
4 x4	rm	7w	0.85	24,856
4x6	rm	7w	1.04	34,623
4x10	rm	7w	1.35	52,175
4x16	rm	7w	1.70	78,446
4x16	rm	19w	1.04	79,095
4x25	rm	7w	2.14	120,130
4x25	rm	19w	1.30	120,534
4x35	sm	19w	1.53	152,675
4x50	sm	19w	1.83	213,574
4x70	sm	19w	2.17	294,248
4x95	sm	19w	2.52	398,296
4x120	sm	37w	2.03	493,061
4x150	sm	37w	2.27	616,234
4x185	sm	37w	2.52	757,302
4x240	sm	37w	2.87	987,567
4x300	sm	61w	2.52	1,221,764

PVC Insulated & PVC Sheathed Multi Core Cable

2xY, 600/1000 V, IEC 60502-1

2xY, 600/1000 V, IEC 60502-1

4x150	sm	37w	2.27	606,340
4x185	sm	37w	2.52	748,292
4x240	sm	37w	2.87	978,125
4x300	sm	61w	2.52	1,206,925
N2xSEYFGBY/2XSEYFGY, 6.35/11KV, IEC 60502-2 (Copper Tape Screen)				
XLPE Insulated, Semi-conducting Layer Over Each Conductor & Insulation, Copper Shield Over Each Individual Core, PVC Inner Sheathed, Flat Steel Wire Armoured, PVC Sheathed HT Cable				
core x mm ²	-	-	Taka	
3 × 25	rm	Compact	189,085	
3 × 35	rm	Compact	229,154	
3 × 50	rm	Compact	281,300	
3 × 70	rm	Compact	358,960	
3 × 95	rm	Compact	452,594	
3 × 120	rm	Compact	537,933	
3 × 150	rm	Compact	639,015	
3 × 185	rm	Compact	760,280	
3 × 240	rm	Compact	955,273	
3 × 300	rm	Compact	1,157,269	
3x 400	rm	Compact	1,488,504	
N2xSEYFgby/2xSEYFGY, 6.35/11 KV. IEC:60502-2 (Copper Wire Screened)				
XLPE Insulated, Field limiting semi conducting layers over each Copper Conductor and Core Copper Wire with Copper Tape shield over each individual core, PVC inner sheath, Flat steel wire armoring, followed by helical steel tapping and PVC outer sheath.				
core x mm ²	-	-	Taka	
3x25	rm	Compact	243,488	
3x35	rm	Compact	282,128	
3x50	rm	Compact	336,757	
3x70	rm	Compact	414,742	
3x95	rm	Compact	508,356	
3x120	rm	Compact	595,499	
3x150	rm	Compact	726,430	
3x185	rm	Compact	848,362	
3x240	rm	Compact	1,051,646	
3x300	rm	Compact	1,251,503	
Telecommunication/Telephone Cable				
Product Name	Conductor Shape	Wire Nos.	Dia. of Single Wire	MRP Per 100 Meter (Including VAT)
-	-	-	mm	Taka
1 Pair	re	1w	0.6	1,132
2 Pair	re	1w	0.6	1,841
3 Pair	re	1w	0.6	2,731
4 Pair	re	1w	0.6	3,921
5 Pair	re	1w	0.6	4,599
6 Pair	re	1w	0.6	5,540
7 Pair	re	1w	0.6	6,284
8 Pair	re	1w	0.6	7,018
10 Pair	re	1w	0.6	8,770
15 Pair	re	1w	0.6	12,547
20 Pair	re	1w	0.6	16,556
25 Pair	re	1w	0.6	20,197
30 Pair	re	1w	0.6	23,919
40 Pair	re	1w	0.6	30,950
50 Pair	re	1w	0.6	37,895
100 Pair	re	1w	0.6	72,301
PE Insulated Flat Twin Core Telephone Cable Drop Wire				
2x0.6 mm	Drop Wire	1w	0.6	857
2x0.9 mm	Drop Wire	1w	0.9	1,679

NYRaY, 600/1000 V, VDE 0271-3.69 & IEC:60502-1				
PVC Insulated, Aluminium Wire Armoured & PVC Sheathed Cable				
Cross Sectional Area	Conductor Shape	Wire Nos.	Dia. of Single Wire	MRP Per 100 Meter (Including VAT)
core x mm ²	-	-	mm	Taka
1x300	rm	61w	2.52	328,746
1x630	rm	127w	2.52	671,606
NYRGbY/NYFGbY, 600/1000 V, VDE 0271-3.69 & IEC:60502-1				
PVC Insulated, Steel Wire Armoured & PVC Sheathed Cable				
core x mm ²	-	-	mm	Taka
2x2.5	re	1w	1.78	19,965
2x4	rm	7w	0.85	26,107
2x6	rm	7w	1.04	32,563
2x10	rm	7w	1.35	43,302
2x16	rm	7w	1.70	57,087
2x25	rm	7w	2.14	84,659
2x35	rm	19w	1.53	108,758
3x1.5	re	1w	1.38	18,454
3x1.5	rm	7w	0.52	19,158
3x2.5	re	1w	1.78	23,501
3x2.5	rm	7w	0.67	24,346
3x4	rm	7w	0.85	31,979
3x6	rm	7w	1.04	40,321
3x10	rm	7w	1.35	53,162
3x16	rm	7w	1.70	76,129
3x25	rm	7w	2.14	111,365
3x25	rm	19w	2.14	112,544
3x35	sm	19w	1.53	132,841
3x50	sm	19w	1.83	180,869
3x70	sm	19w	2.17	244,477
3x95	sm	19w	2.52	325,671
3x120	sm	37w	2.03	404,992
3x150	sm	37w	2.27	499,361
3x185	sm	37w	2.52	614,227
3x240	sm	37w	2.87	788,117
3x300	sm	61w	2.52	976,466
3x400	sm	61w	2.89	1,288,237
3x25+16	rm/rm	7/7w	2.14/1.70	130,027
3x35+16	sm/rm	19/7w	1.53/1.70	153,985
3x50+25	sm/rm	19/7w	1.83/2.14	212,218
3x70+35	sm/rm	19/19w	2.17/1.53	290,959
3x95+50	sm/rm	19/19w	2.52/1.83	387,331
3x120+70	sm/rm	37/19w	2.03/2.17	487,597
3x150+70	sm/rm	37/19w	2.27/2.17	584,618
3x185+95	sm/rm	37/19w	2.52/2.52	727,544
3x240+120	sm/rm	37/37w	2.87/2.03	930,004
3x300+150	sm/rm	61/37w	2.52/2.27	1,149,816
3x400+185	sm/rm	61/37w	2.89/2.52	1,508,495
4x1.5	re	1w	1.38	21,395
4x1.5	rm	7w	0.52	22,183
4x2.5	re	1w	1.78	27,556
4x2.5	rm	7w	0.67	28,404
4x4	rm	7w	0.85	37,108
4x6	rm	7w	1.04	47,833
4x10	rm	7w	1.35	66,948
4x16	rm	7w	1.70	95,703
4x25	rm	7w	2.14	140,395
4x35	sm	19w	1.53	171,948
4x50	sm	19w	1.83	235,968
4x70	sm	19w	2.17	324,363
4x95	sm	19w	2.52	428,464
4x120	sm	37w	2.03	530,215
4x150	sm	37w	2.27	663,958
4x185	sm	37w	2.52	814,569
4x240	sm	37w	2.87	1,060,408
4x300	sm	61w	2.52	1,299,591

AERIAL CABLE				
-	-	mm	Taka	
D-11 (Phase)	7w	1.56	2,256	
D-11 (Messenger)	7w	1.68	1,820	
D-11 (Duplex)	7/7w	1.56/1.68	4,185	
D-12 (Phase)	7w	2.20	3,822	
D-12 (Messenger)	7w	2.38	3,518	
D-12 (Duplex)	7/7w	2.20/2.38	7,721	
WELDING CABLE				
core x mm ²	-	-	mm	Taka
1x25	rm	190	0.41	29,746
1x35	rm	266	0.41	40,532
1x50	rm	379	0.41	56,356
1x70	rm	343	0.51	78,096
1x95	rm	465	0.51	104,636
1x120	rm	588	0.51	130,954
BAYA, 450/750 V, BDS 900 & BS 6004				
PVC Insulated Non-Sheathed Single Core Aluminum Cable				
core x mm ²	-	-	mm	Taka
1x1.3 (3/.029)	rm	3w	0.74	413
1x2.0 (3/.036)	rm	3w	0.91	622
1x3.0 (7/.029)	rm	7w	0.74	762
1x4.5 (7/.036)	rm	7w	0.91	1,036
1x7.0 (7/.044)	rm	7 w	1.12	1,570
1x9.5 (7/.052)	rm	7w	1.32	1,957
1x14.5 (7/.064)	rm	7w	1.63	2,798
BAYFY, 300/500 V, BDS 900 & BS 6004				
PVC Insulated & PVC Sheathed 2 Core Flat Aluminum Cable				
Cross Sectional Area	Conductor Shape	Wire Nos.	Dia. of Single Wire	MRP Per 100 Meter (Including VAT)
core x mm ²	-	-	mm	Taka
2x3.0 (7/.029)	rm	7w	0.74	3,340
2x4.5 (7/.036)	rm	7w	0.91	4,193
2x7.0 (7/.044)	rm	7 w	1.12	5,265
Flexible Cable, 300/500 V, BDS 899 & BS 6500				
PVC Insulated Flat Twin (F/T) Core Flexible Cable				
core x mm ²	-	-	mm	Taka
2x0.40 (14/.0076)	rm	14	0.19	1,671
2x0.65 (23/.0076)	rm	23	0.19	2,282
Flexible Cable, 300/500 V, BDS 899 & BS 6500				
PVC Insulated Twisted Twin (T/T) Core Flexible Cable				
core x mm ²	-	-	mm	Taka
2x0.40 (14/.0076)	rm	14	0.19	1,099
2x0.65 (23/.0076)	rm	23	0.19	1,668
2x1.20 (40/.0076)	rm	40	0.19	2,695
Flexible Cable, 300/500 V, BDS 899 & BS 6500				
PVC Insulated Non-Sheathed Single Core Flexible Cable				
core x mm ²	-	-	mm	Taka
1x0.40 (14/.0076)	rm	14	0.19	564
1x0.50	rm	16	0.20	670
1x0.65 (23/.0076)	rm	23	0.19	832
1x0.75	rm	24	0.20	918
1x1.0	rm	32	0.20	1,184
1x1.2 (40/.0076)	rm	40	0.19	1,366
1x1.5	rm	30	0.25	1,728
1x2.0 (70/.0076)	rm	70	0.19	2,303
1x2.5	rm	50	0.25	2,793
1x3.0 (110/.0076)	rm	110	0.19	3,593
1x4.0	rm	56	0.30	4,322

Flexible Cable, 300/500 V, BDS 899 & BS 6500				
PVC Insulated & PVC Sheathed 2, 3, 4 Core Flexible Cable				
core x mm ²	-	-	mm	Taka
2x0.40 (14/.0076)	rm	14	0.19	2,076
2x0.50	rm	16	0.20	2,292
2x0.65 (23/.0076)	rm	23	0.19	2,940
2x0.75	rm	24	0.20	3,150
2x1.0	rm	32	0.20	3,810
2x1.2 (40/.0076)	rm	40	0.19	4,284
2x1.5	rm	30	0.25	5,055
2x2.0 (70/.0076)	rm	70	0.19	6,757
2x2.5	rm	50	0.25	7,931
2x3.0 (110/.0076)	rm	110	0.19	9,939
2x4.0	rm	56	0.30	11,841
3x0.40 (14/.0076)	rm	14	0.19	2,697
3x0.50	rm	16	0.20	3,020
3x0.65 (23/.0076)	rm	23	0.19	3,684
3x0.75	rm	24	0.20	4,041
3x1.0	rm	32	0.20	4,913
3x1.2 (40/.0076)	rm	40	0.19	5,764
3x1.5	rm	30	0.25	6,921
3x2.0 (70/.0076)	rm	70	0.19	9,552
3x2.5	rm	50	0.25	11,076
3x3.0 (110/.0076)	rm	110	0.19	13,814
3x4.0	rm	56	0.30	16,620
4x0.40 (14/.0076)	rm	14	0.19	3,330
4x0.50	rm	16	0.20	3,768
4x0.65 (23/.0076)	rm	23	0.19	4,619
4x0.75	rm	24	0.20	5,067
4x1.0	rm	32	0.20	6,311
4x1.2 (40/.0076)	rm	40	0.19	7,496
4x1.5	rm	30	0.25	9,064
4x2.0 (70/.0076)	rm	70	0.19	12,318
Flexible Cable, 300/500 V, BDS 899 & BS 6500				
PVC Insulated & PVC Sheathed 4 Core Flexible Cable				
Cross Sectional Area	Conductor Shape	Wire Nos.	Dia. of Single Wire	MRP Per 100 Meter (Including VAT)
core x mm ²	-	-	mm	Taka
4x2.5	rm	50	0.25	14,145
4x3.0 (110/.0076)	rm	110	0.19	17,899
4x4.0	rm	56	0.30	21,399
FRLS Flexible 450/750V, (BDS:900, BS6004, IEC 61034)				
FRLS PVC Insulated Non-Sheathed Flexible Cable				
core x mm ²	-	-	mm	Taka
1x1.3	rm	40	0.20	1,599
1x1.5	rm	30	0.25	1,798
1x2.0	rm	38	0.25	2,382
1x2.5	rm	50	0.25	2,914
1x3.0	rm	60	0.25	3,753
1x4.0	rm	56	0.30	4,450
1x4.5	rm	70	0.30	5,442
1x6	rm	84	0.30	6,519
1x7	rm	104	0.30	8,155
1x10	rm	80	0.40	10,919
1x14.5	rm	116	0.40	15,732
1x16	rm	126	0.40	17,088

BYFY, 300/500 V, BDS 900 & BS 6004

PVC Insulated & PVC Sheathed 2, 3 Core Flat Cable

core x mm ²	-	-	mm	Taka
2x1.0	re	1w	1.13	3,051
2x1.3 (3/.029)	rm	3w	0.74	3,873
2x1.5	re	1w	1.38	4,309
2x1.5	rm	7w	0.52	4,395
2x2.0 (3/.036)	rm	3w	0.91	5,842
2x2.5	re	1w	1.78	6,801
2x2.5	rm	7w	0.67	6,937
2x3.0 (7/.029)	rm	7w	0.74	8,033
2x4.0	rm	7w	0.85	10,263
2x4.5 (7/.036)	rm	7w	0.91	11,711
2x6.0	rm	7w	1.04	14,773
2x7.0 (7/.044)	rm	7w	1.12	16,747
2x9.5 (7/.052)	rm	7w	1.32	22,987
2x10	rm	7w	1.35	23,991
2x14.5 (7/.064)	rm	7w	1.63	33,478
2x16	rm	7w	1.70	36,372
3x1.0	re	1w	1.13	4,415
3x1.5	re	1w	1.38	6,379
3x2.5	re	1w	1.78	9,957
3x4.0	rm	7w	0.85	15,361
3x6.0	rm	7w	1.04	22,052
3x10	rm	7w	1.35	35,788
3x16	rm	7w	1.70	54,850

Copper Conductor ,PE Insulation & FR PVC Sheathed UTP Cable

ITEM	Rate Per 305 Meter (Taka)
CAT -6	9,919

N.B.

1. All previous price lists stand cancelled.
2. This price list is subject to change without prior notice.
3. The product prices are not available here will be given on request.

List of Branch Office & Sales Center

Amirabad Sales Center
Mobile: 01730 739269

Ashulia Sales Center
Mobile: 01708 454189

Bagerhat Sales Center
Mobile: 01729 061555

Barishal Sales Center
Mobile: 01766 665071

Bhola Sales Center
Mobile: 01787 680956

Birampur Sales Center
Mobile: 01729 061560

Bogura Office & Sales Center
Mobile: 01730 739259 Tel: 051-78995

Brahmanbaria Sales Center
Mobile: 01708 463510

Chapai Nawabgonj Sales Center
Mobile: 01766 665072

Chattagram Office
Mobile: 01730 739264 Fax: 031 2864648

Chattagram Metro Sales Center
Mobile: 01730 739266

Chattagram Metro 2 Sales Center
Mobile: 01729 061563

Chokoria Sales Center
Mobile: 01729061581

Chowmuhan Sales Center
Mobile: 01766 665082

Chuadanga Sales Center
Mobile: 01769 968692

Cox's Bazar Sales Center
Mobile: 01766 665079

Cumilla Sales Center
Mobile: 01755 597723

Dokkhinkhan Sales Center
Mobile: 01729 061567

Dinajpur Sales Center
Mobile: 01787 680971

Faridpur Sales Center
Mobile: 01766 665085

Feni Sales Center
Mobile: 01787 680964

Gaibandha Sales Center
Mobile: 01769 968960

Gazipur Sales Center
Mobile: 01708 813847, Tel: 02 9256893

Gopalganj Sales Center
Mobile: 01729 061549

Habiganj Sales Center
Mobile: 01709 644738

Hajigonj, Chandpur Sales Center
Mobile: 01729 061580

Hathazari Sales Center
Mobile: 01730 739270

Ishwardi Sales Center
Mobile: 01769 968964

Jamalpur Sales Center
Mobile: 01708 454191

Jatrabari Sales Center
Mobile: 01769 968969

Jashore Sales Center
Mobile: 01730 739254, Phone: 0421 71106

Joypurhat Sales Center
Mobile: 01769 968695

Jhenaidah Sales Center
Mobile: 01729 061554

Kaliakoir Sales Center
Mobile: 01769 968697

Kaptanbazar Sales Center
Mobile: 01730 739247

Kawran Bazar Sales Center
Mobile: 01709 644736

Keranigonj Sales Center
Mobile: 01729 061553

Khulna Sales Center
Mobile: 01730 739255

Kishorgonj Sales Center
Mobile: 01708 813831

Kurigram Sales Center
Mobile: 01729 061561

Kustia Sales Center
Mobile : 01708 463512

Lalmoinirhat Sales Center
Mobile: 01730 781468

Laxmipur Sales Center
Mobile: 01766 665086

Madaripur Sales Center
Mobile: 01769 968972

Madhupur Sales Center
Mobile: 01769 968699

Manikgonj Sales Center
Mobile: 01729061579

Mawna Sales Center
Mobile: 01766 665070

Mirpur Sales Center
Mobile: 01708 454188

Mirpur-01 Sales Center
Mobile: 01769 968967

Mohammadpur Sales Center
Mobile: 01730 781465

Moulvibazar Sales Center
Mobile: 01730 739274, Tel: 0861 52575

Mymensingh Sales Center
Mobile: 01787 680952, Tel: +88 09166771

Naogaon Sales Center
Mobile: 01769 968965

Narayangonj Sales Center
Mobile: 01787 680969

Narsingdi Sales Center
Mobile: 01708 463480

Natore Sales Center
Mobile: 01769 968970

Nawabpur Sales Center
Mobile: 01730 739249

Noapara Sales Center
Mobile: 01708 813805

Pabna Sales Center
Mobile: 01769 968968

Panchagarh Sales Center
Mobile: 01729 061562

Patuakhali Sales Center
Mobile: 01708 463521

Potiya Sales Center
Mobile: 01766 665075

Rajshahi Office & Sales Center
Mobile: 01730 739260

Rampura Sales Center
Mobile: 01730 739244

Rangpur Office & Sales Center
Mobile: 01730 739261

Satkira Sales Center
Mobile: 01708 813846

Savar Sales Center
Mobile: 01730 739248, Tel: 02 7747364

Saidpur Sales Center
Mobile: 01730 739258

Sherpur Sales Center
Mobile: 01708 813806

Shitakundo Sales Center
Mobile: 01708 813804

Sirajgonj Sales Center
Mobile: 01730 781471

Sunamgonj Sales Center
Mobile: 01730 781469

Sylhet Office & Sales Center
Mobile: 01730 739275, Fax: 0821 718314

Tangail Sales Center
Mobile : 01787 680962, Tel: +88 092161310

Thakurgaon Sales Center
Mobile: 01769 968961

Tongi Sales Center
Mobile: 01708 463484

Uttara Sales Center
Mobile: 01730 739253 Tel: 02 8932259

Valuka Sales Center
Mobile: 01766 665081

corporate office: configure bepari tower, ga-64 (3rd floor)
progati swarani, middle badda, dhaka-1212
tel: +88 02 9859915-17, 9850771 **fax:** +88-02-9850772
factory: jaina bazar, telehati, sreepur, gazipur, bangladesh

✉ info@bbscables.com.bd
🌐 www.bbscables.com.bd
📱 /bbscablesltd

