BSE StARMF v2 API

21st July 2026
v2.0.4

1 Background 13
2 Target Audience 13
3 Change Log 13
4 Glossary of Terms 17
5 What's New in v2 18
6 API and Webhooks 19
6.1 Guidelines 19
6.1.1 How to start 19
6.1.2 Conventions 19
6.1.3 Request Header 21
6.1.4 Response Header 21
6.1.5 JSON request 21
6.1.6 JSON response 22
6.1.7 Encrypted payload 22
6.2 API Listing 26
6.2.1 Login 26
6.2.1.1 Request 26
6.2.1.2 Response 26
6.2.2 UCC 27
6.2.2.1 Add a new UCC 27
6.2.2.2 Modify UCC 30
6.2.2.2.1 Modify UCC Validation Rules 30
6.2.2.2.2 Modify UCC profile 31
6.2.2.2.3 Update Bank Details 32
6.2.2.2.4 Register nominees 33
6.2.2.2.5 Update FATCA for holder 34
6.2.2.2.6 Update Communication Address 35
6.2.2.2.7 Update Foreign Address 35
6.2.2.2.8 Update Depository Account details 36
6.2.2.2.9 Update Person Details 36
6.2.2.2.10 Update Contact Details 37

CONFIDENTIAL

6.2.2.2.11 Update Identifier Details 37
6.2.2.2.12 UCC Inactive 38
6.2.2.2.13 Update UCC Holder Object 38
6.2.2.2.14 Mandatory documents in update 39
6.2.2.3 List UCC 39
6.2.2.4 Get UCC 41
6.2.3 Order 42
6.2.3.1 order_new 42
6.2.3.2 order_update 46
6.2.3.3 order_cancel 48
6.2.3.4 order_list 50
6.2.3.5 order_get 52
6.2.4 SxP (SIP/SWP/STP) 54
6.2.4.1 sxp_register 55
6.2.4.2 sxp_cancel 58
6.2.4.3 sxp_topup 60
6.2.4.4 sxp_set_pause 61
6.2.4.5 sxp_resume 63
6.2.4.6 sxp_list 64
6.2.4.7 sxp_get 67
6.2.4.8 sxp_get_history 69
6.2.4.9 sxp_update 71
6.2.5 NFT 73
6.2.5.1 Nominee Change 74
6.2.5.2 Contact change 75
6.2.5.3 Bank Account change 76
6.2.6 Payment Aggregator 77
6.2.6.1 Submit Payment Aggregation (MIS) report 77
6.2.6.2 Payment Aggregator Get Details 79
6.2.6.3 Payment Aggregator Upload MIS reversal 80
6.2.7 Scheme List 82
6.2.8 NAV Master List 89
6.2.9 Get Payment Details 91
6.2.10 List Payment Details 93

CONFIDENTIAL

6.2.11 2FA Link 97
6.2.12 Mandate 100
6.2.12.1 Mandate Register 100
6.2.12.2 Mandate Fetch Details 105
6.2.12.3 Mandate List Fetch 107
6.2.12.4 Mandate Modify 111
6.2.12.5 Mandate Cancel 113
6.2.12.6 Mandate Link 115
6.2.12.7 Mandate Delink 116
6.2.13 Payment Gateway 117
6.2.13.1 Request Single Payment BSE PG 117
6.2.13.2 Send Payment Info BSE PG 120
Notes: Payment Gateway 124
6.2.14 KYC via API 125
6.2.15 Get BSE PG Payment Status 127
6.3 Webhook Listing 129
7 Annexure 129
7.1 Environments 129
7.2 Masters and Enumerated values 129
7.2.1 Country List 129
7.2.2 Tax Code 129
7.2.3 Holding Nature 129
7.2.4 Bank Account Types 130
7.2.5 Transaction Code 130
7.2.6 Payment Receipt Modes 130
7.3 Objects 130
7.3.1 Member 130
7.3.2 Investor 131
7.3.4 Holder 131
7.3.5 bank_account 132
7.3.6 depository 132
7.3.7 comm_addr 133
7.3.8 addr 134
7.3.9 contact 134

CONFIDENTIAL

7.3.10 nomination 135
7.3.11 Nominee: guardian 136
7.3.12 PAN holder 136
7.3.13 person 137
7.3.14 ubo_person 137
7.3.15 identifier 138
7.3.16 fatca 138
7.3.17 ubo 140
7.3.18 ubo_detail 140
7.3.19 npo 141
7.3.20 aof 142
7.3.21 aof_ria 142
7.3.22 tax_residency 142
7.3.23 ucc_list_filter_param 142
7.3.24 ucc_status_obj 143
7.3.25 status_count_summary_obj 143
7.3.26 ucc_status_holder 143
7.3.27 ucc_status_bank_account 144
7.3.28 ucc_status_depository 144
7.3.29 ucc_status_aof / ucc_status_aof_ria / ucc_status_elog / ucc_status_elog_ria / ucc_status_fatca 144
7.3.30 ucc_status_pan / ucc_status_nominee_2fa 145
7.3.31 ucc_status_kyc 145
7.3.32 ucc_status_transaction_ready 145
7.3.33 info_order 146
7.3.34 mem_details 146
7.3.35 depository_acct (order/sxp/mandate) 146
7.3.36 bank_acct (order/sxp/mandate) 147
7.3.37 mem_mandate_info(mandate) 147
7.3.38 order_list_filter_param 147
7.3.39 order_holder 148
7.3.40 order_src_info 148
7.3.41 allotment_details 149
7.3.42 redempt_details 149
7.3.43 refund_details 150

CONFIDENTIAL

7.3.44 refund_hist 150
7.3.45 history_obj 150
7.3.46 rejection_reason 151
7.3.47 info_sxp 151
7.3.48 sxp_list_filter_param 151
7.3.49 sxp_special_product 152
7.3.50 mandate_list_filter_param 152
7.3.51 investor_mis 153
7.3.52 mis_info 153
7.3.53 mis_mem_details 153
7.3.54 nft_auth 154
7.3.55 nominee_change_info 154
7.3.56 contact_info 156
7.3.57 bank_change_info 157
7.3.58 scheme_nfo_date_time_detail 159
7.3.59 nfo_payment_details 159
7.3.60 scheme_interval_lifecycle 160
7.3.61 scheme_lumpsum 160
7.3.62 scheme_transaction_allowed_options 161
7.3.63 scheme_transaction_mode_allowed 161
7.3.64 scheme_transaction_single_details 161
7.3.65 scheme_transaction_units 162
7.3.66 scheme_transaction_amounts 162
7.3.67 scheme_installment_numbers 162
7.3.68 scheme_systematic 163
7.3.69 scheme_transaction_allowed_options 164
7.3.70 scheme_sxp_frequency_detail 165
7.3.71 scheme_systematic_transaction_detail 165
7.3.72 webhook_ack 165
7.3.73 sxp_history_filter_param 165
7.3.74 nav_filter_param 166
7.3.75 mandate_filter_param 166
7.3.76 scheme_filter_param 167
7.3.77 nft_response_obj 167

CONFIDENTIAL

7.3.78 scheme_transaction_single_details 168
7.3.79 scheme_sxp_pauses 168
7.3.80 scheme_sxp_gaps 169
7.3.81 scheme_transaction_amt 169
7.3.82 scheme_transaction_units 170
7.3.83 stepup 170
7.4 Enums 170
7.4.1 holding_nature 170
7.4.2 tax_status 171
7.4.3 rdmp_idcw_pay_mode (Payment mode for redemptions & IDCW) 174
7.4.4 nomination_auth_mode 175
7.4.5 comm_mode 175
7.4.6 onboarding 175
7.4.7 holder_rank 175
7.4.8 occ_code 175
7.4.9 auth_mode 176
7.4.10 pan_exempt_category 176
7.4.11 kyc_type 177
7.4.12 bank_acc_type 177
7.4.13 bank_acc_owner / account_owner 177
7.4.14 depository_code 177
7.4.15 depository_code (order/sxp/mandate) 177
7.4.16 whose_contact_number / whose_email_address 177
7.4.17 contact_type 178
7.4.18 nomination_relation 178
7.4.19 gender 179
7.4.20 identifier_type 179
7.4.21 Country 192
7.4.22 address_type 192
7.4.23 occ_type 192
7.4.24 exemption_code 192
7.4.25 corporate_service_sector 193
7.4.26 wealth_source 193
7.4.27 income_slab 193

CONFIDENTIAL

7.4.28 politically_exposed 193
7.4.29 data_source 193
7.4.30 ffi_drnfe 194
7.4.31 is_giin_avail 194
7.4.32 nfe_category 194
7.4.33 nfe_sub_category 194
7.4.34 nature_of_relation 195
7.4.35 fatca_identifier_type 195
7.4.36 ubo_category 195
7.4.37 ubo_type_code 195
7.4.38 ubo_addr_type 196
7.4.39 ucc_status 196
7.4.40 ucc_count_status 196
7.4.41 order_type 196
7.4.42 order_phys_or_demat 197
7.4.43 order_status 197
7.4.44 order_source 197
7.4.45 order_list_status 197
7.4.46 mandate_type 197
7.4.47 mandate_mode 198
7.4.48 sxp_freq 198
7.4.49 sxp_type 198
7.4.50 sxp_status 198
7.4.51 sxp_cancel_reason 198
7.4.52 special_products_type 199
7.4.53 special_products_goal_type 199
7.4.54 paymt_mode 199
7.4.55 nct_type 199
7.4.56 investor_type 200
7.4.57 mis_type 200
7.4.58 mis_status 200
7.4.59 2fa_event 200
7.4.60 scheme_sub_category type 201
7.4.61 order_lifecycle_status 202

CONFIDENTIAL

7.4.62 sxp_lifecycle_status 203
7.4.63 wh_event 204
7.4.64 wh_event_type 208
7.4.65 guardian_relation 208
7.4.66 giin_exempt_category 208
7.5 Error Codes 209
7.5.1 Order Error Codes 209
7.5.2 SxP Error Codes 212
7.5.3 Mandate Error Codes 214
7.5.4 Miscellaneous (SXP/Mandates/Payment) Error Codes 216
8 Examples 222
8.1 ucc 222
8.1.1 add_ucc 222
8.1.1.1 Request 222
8.1.1.2 Response 226
8.1.2 update_ucc 227
8.1.2.1 Modify UCC Profile 227
8.1.2.1.1 Request 227
8.1.2.1.2 Response 227
8.1.2.2 update_ucc: bank account 228
8.1.2.2.1 Request 228
8.1.2.2.2 Response 229
8.1.2.3 update_ucc: Person (Holder) Object 229
8.1.2.3.1 Request 229
8.1.2.3.2 Response 230
8.1.2.4 update_ucc: register nominee 230
8.1.2.4.1 Request 230
8.1.2.4.2 Response 232
8.1.2.5 update_ucc: Update FATCA for holder 232
8.1.2.5.1 Request 232
8.1.2.5.2 Response 233
8.1.2.6 update_ucc: Update Communication Address 233
8.1.2.6.1 Request 233
8.1.2.6.2 Response 234

CONFIDENTIAL

8.1.2.7 update_ucc: Update Foreign Address 234
8.1.2.7.1 Request 234
8.1.2.7.2 Response 234
8.1.2.8 update_ucc: Update Depository Account details 235
8.1.2.8.1 Request 235
8.1.2.8.2 Response 236
8.1.2.9 update_ucc: Update Contact details 236
8.1.2.9.1 Request 236
8.1.2.9.2 Response 237
8.1.2.10 update_ucc: Update Identifier details 237
8.1.2.10.1 Request 237
8.1.2.10.2 Response 238
8.1.2.11 UCC Inactive 238
8.1.2.11.1 Request 238
8.1.2.10.2 Response 238
8.1.2.12 Update ucc: Update UCC Holder Object 239
8.1.2.12.1 Request 239
8.1.2.12.2 Response 241
8.1.3 list_ucc 241
8.1.3.1 Request 241
8.1.3.2 Response 242
8.1.4 get_ucc 250
8.1.4.1 Request 250
8.1.4.2 Response 250
8.2 Order 258
8.2.1 order_new 258
8.2.1.1 Request 258
8.2.1.2 Response 262
8.2.2 order_update 263
8.2.2.1 Request 263
8.2.2.2 Response 268
8.2.3 order_cancel 268
8.2.3.1 Request 268
8.2.3.2 Response 268

CONFIDENTIAL

8.2.4 order_list 269
8.2.4.1 Request 269
8.2.4.2 Response 270
8.2.5 order_get 278
8.2.5.1 Request 278
8.2.5.2 Response 278
8.3 SxP 283
8.3.1 sxp_register 283
8.3.1.1 Request 283
8.3.1.2 Response 288
8.3.2 sxp_cancel 288
8.3.2.1 Request 288
8.3.2.2 Response 289
8.3.3 sxp_topup 289
8.3.3.1 Request 289
8.3.3.2 Response 290
8.3.4 sxp_set_pause 290
8.3.4.1 Request 290
8.3.4.2 Response 290
8.3.5 sxp_resume 290
8.3.5.1 Request 290
8.3.5.2 Response 291
8.3.6 sxp_list 291
8.3.6.1 Request 291
8.3.6.2 Response 291
8.3.7 sxp_get 295
8.3.7.1 Request 295
8.3.7.2 Response 295
8.3.8 sxp_get_history 297
8.3.8.1 Request 298
8.3.8.2 Response 298
8.3.9 sxp_update 299
8.3.9.1 Request 299
8.3.9.2 Response 300

CONFIDENTIAL

8.4 NFT 301
8.4.1 Nominee Change 301
8.4.1.1 Request 301
8.4.1.2 Response 302
8.4.2 Contact Change 302
8.4.2.1 Request 302
8.4.2.2 Response 303
8.4.3 Bank Account Change 303
8.4.3.1 Request 303
8.4.3.2 Response 305
8.5 PA MIS 306
8.5.1 upload_mis 306
8.5.1.1 Request 306
8.5.1.2 Response 307
8.5.2 upload_mis_reversal 307
8.6 Mandate 307
8.6.1 mandate_register 307
8.6.1.1 Request 307
8.6.1.2 Response 308
8.6.2 mandate_get 309
8.6.2.1 Request 309
8.6.2.2 Response 309
8.6.3 mandate_list 311
8.6.3.1 Request 311
8.6.3.2 Response 312
8.6.4 mandate_update 315
8.6.4.1 Request 315
8.6.4.2 Response 319
8.6.5 mandate_cancel 319
8.6.5.1 Request 319
8.6.5.2 Response 319
8.6.6 mandate_link 320
8.6.6.1 Request 320
8.6.6.2 Response 320

CONFIDENTIAL

8.6.7 mandate_delink 320
8.6.7.1 Request 320
8.6.7.2 Response 321
8.6.8 get_2fa_link 321
8.6.8.1 Request 321
8.6.8.2 Response 322
9 Annexure 327
9.1 Error Message Parsing in Angular 327
9.2 Scheme List Sample 329
10 Internal Fields 335

CONFIDENTIAL

1 Background

This document provides comprehensive details of the StarMF 2.0 API suite, covering all available endpoints, request/response formats, authentication methods, and integration guidelines. It is designed to help partners and distributors seamlessly implement mutual fund transactions through BSE StarMF with improved performance, security, and scalability.

2 Target Audience

The APIs are intended for distributors, IFAs, RIAs, Banks and other entities registered with the BSE StAR MF Platform.

These participants, represent the core ecosystem of mutual fund distribution. By integrating programmatically with the platform, they can:

- Place and manage transactions — including purchases, redemptions, and systematic investment plans.
- Automate workflows — such as reconciliation, order lifecycle management, and reporting.
- Support client servicing — onboarding, portfolio tracking, and communication.
- Ensure compliance — meeting SEBI regulations and audit requirements.

3 Change Log

CONFIDENTIAL

VER.	DESCRIPTION	DATE	PREPARED BY	APPROVED BY
V1.0.0	Updated wh_event	08-JUL-2025		
V2.0.0	Updated following sections "Nomination" object: changed length limit for address lines "Nomination" object: City, State and Country are non mandatory, and derived from postal code "Nomination" object: Nominee percent is an integer "Holder" object: Added a conditional mandatory field - "guardian_relation", and added a new Enum "guardian_relation" send_payment_info: Added support for redirection_url, exch_mandate_id send_payment_info: Unified response format for netbanking, UPI and mandate based payments mandate_register: Added support for redirect_url order_list: Updated filter_param.order_src_type documentation with explicit details for permitted values. upload_mis_reversal: Added a new API for payment aggregators. Updated list of events within "wh_events" mandate_list: Update request field - format, is_compressed, sort_dir are now optional fields. get_payment_detail & list_payment_detail: Updated request and response payload. Response now includes transaction and summary, both. Changed nominee_soa type to Boolean and updated description. Changed attribute name within nomination object: attribute name from addr to comm_addr. Changed id within file_type: aadhar_card changed to aadhaar; driving_license to Driving License Changed member_details: updated fields (EUIN, sub broker code, sub ARN code) information as mandatory or conditional mandatory. Corrected typo for Destination Folio: changed from dest_folio to dst_folio Corrected typo for Postal Code: postalcode to			

CONFIDENTIAL

	postal_code Added min_redeem_flag in order_new and sxp_register			
V2.0.1	Updated following sections: Changed nomination_approval to non-mandatory field. Added examples in all API sections. Added notes and descriptions in all API sections. Added integration portal link and description in 5. What's New in v2 section. Added "collection_ready_date": in sxp_list Changed state, city, country in comm_addr to non-mandatory. Changed nomination_auth_mode to mandatory. Changed field name of bank_acc_owner to account_owner in bank_account enum. Changed field name of postal_code to postalcode in addr enum. Changed ckyc_number to conditional mandatory in case of kyc_type=C in holder object. Added two APIs- KYC via API (/v2/get_kyc_link) and Get BSE PG Payment Status (/get_bse_pg_payment_status)	26-Nov-2025		
V2.0.2	Updated following sections: Added new columns in Order Update API and Scheme List API documentation to improve clarity and readability. Revised occ_code mapping as follows: • 14 → Doctor • 10 → Private Sector Service • 11 → Public Sector Service • 12 → Forex Dealer • 13 → Government Service • 09 → Unknown / Not Applicable	05-Jan-2026		
V2.0.3	Updated guardian relation codes in 7.4.65: Father → 5, Mother → 12 Added Webhook document reference.	22-Feb-2026		

CONFIDENTIAL

	Updated enumerations and mappings: Added sif in enum. Revised occ_code mapping: 9 → Doctor, 41 → Private Sector Service 42 → Public Sector Service, 43 → Forex Dealer 44 → Government Service 99 → Unknown / Not Applicable Made City, State, Country, and Postalcode mandatory in addr when the foreign address block is used. Added three new enum values in 7.4.18 Nomination Relation: 24 – Brother In Law 25 – Sister In Law 26 – Spouse			
V2.0.4	- /sxp_update introduced as a unified endpoint for Update, Step□up, Pause, Resume, Link Mandate, and Delink Mandate. Added stepup block for percent/amount increments with updated validation rules. All separate endpoints will soon be deprecated. -Sxp cancel reason is now conditional mandatory.i.e Mandatory for SIP and STP, Non mandatory for SWP. -Updated guardian relation codes in 7.4.65: Father → 6, Mother → 13 Added new filters in `scheme_master` API for incremental scheme data fetch. -Nomination address/contact optional: comm_addr and contact are now optional fields for nomination. -7.3.10 nomination object update: comm_addr, contact, nomination_percent, identifier, and guardian are now non-mandatory. is_minor is now mandatory. Added note. -7.3.11 nominee update: guardian.first_name, is_pan_exempt, dob is now non-mandatory. -7.3.13 person object update: dob is now conditional mandatory for nomination. Mandatory if Nominee is a minor and optional otherwise. Not mandatory in case of nomination. gender field specifies gender of person (mandatory for Individual).	21- July- 2026		

CONFIDENTIAL

4 Glossary of Terms

BSE StARMF Platform (the Platform): BSE StAR MF Platform (the Platform): The BSE StAR MF platform provides various services for registration of investors (UCC), status enquiry for various actions, change investor (UCC) profile and order fulfilment for the orders placed by Members on behalf of the investors.

Stakeholder (Entity): In the context of this document, Stakeholders include entities registered with the BSE StAR MF Platform for the purpose of integrating through APIs published by the platform.

API: API provided by the platform and consumed by other stakeholders.

Webhook: API provided by other stakeholders to which the platform sends status, notifications and other updates depending on various events. All webhook requests will be explicitly registered as part of the onboarding process / change request process of the platform. Stakeholders providing a webhook facility must permit incoming requests from the specific public IP addresses shared by the platform.

Structure of the Webhook would be determined by BSE StARMF.

IP address whitelisting: All incoming API requests and outgoing webhook requests with respect to other stakeholders will be permitted only on explicitly listed static public IP addresses.

For API requests, a stakeholder can provide one or more static public IP addresses from which requests will be permitted. For Webhook requests, a stakeholder can provide a valid hostname or a single static public IP address for a call back.

Members integrating through system integrators / ISVs / Other Service Providers must ensure that the respective service providers also adopt the v2 API Structure.

ISV: Independent Software Vendor.

CONFIDENTIAL

5 What's New in v2

StARMF v2 has a few significant differences compared to v1.

1. All API and Webhooks are REST API only, with JSON request and response parameters.
2. Webhooks are being standardised in v2, to send out notifications as and when state changes e.g. Order or UCC registration.
3. Fixed, positional field structure is replaced with a list of attributes within a JSON.
4. In v2, partial attribute updates are possible as far as business requirements are met.
5. Nested objects are supported instead of individual attributes e.g. bank account detail is now a JSON object, instead list of individual attributes.
6. APIs handle a list instead of multiple positional attributes e.g. "panholder1", "panholder2", "panholder3" etc. are now replaced with "panholders" list. Similarly, "bankaccount1", "bankaccount2", and related attributes are now replaced with "bankaccounts" as a list of objects. This provides a flexibility to support additional holders or bank accounts in the future without changing structure.
7. APIs are refactored and made flexible to avoid similar APIs with minor variations.
8. Login is via the generally accepted practice of using Bearer token in the request header.
9. As per cybersecurity guidelines, all APIs are designed to work with encrypted payload ie. all requests and responses are encrypted using standard algorithms.

Members are encouraged to migrate to v2 APIs, which offer higher flexibility and are backed by a modern architecture. However, to ensure least disruption, v1 APIs will be supported for backward compatibility till v2 API adoption is complete. v2 also maintains backward compatibility for enumerated values e.g. tax code. Going forward, all enhancements will be added to v2 only.

Integration Portal: The Integration Support Portal for BSE StAR MF 2.0 is designed to facilitate seamless and efficient integration of mutual fund transaction systems with BSE's platform. It offers comprehensive APIs resources and support documentation to simplify onboarding and ongoing maintenance for partners. Additionally, the portal provides sample wrapper codes in five popular programming languages to accelerate your integration process. Official SDKs with minimal starter examples are available for C# (.NET), Go (Golang), Java, Node.js, and Python. Each package includes integration samples demonstrating API usage and configurations, enabling developers to quickly implement UCC, mandate, order, SXP and payment with ease. This resource is essential for simplifying onboarding and ensuring robust, secure mutual fund platform integration.

Integration Portal Link: https://starmfv2wrapper.bseindia.com/

CONFIDENTIAL

6 API and Webhooks

6.1 Guidelines

6.1.1 How to start

1. Contact our API team to obtain a new User ID and Password for your account. You must also share: A) The public key from an RSA key pair generated on your end. B) The public IP addresses that will be used to consume the APIs. For guidance on generating an RSA key pair, refer to the document available in the API Resources section at: https://starmfv2wrapper.bseindia.com/
2. If you opt to use the webhook facility, please provide the webhook URL.
3. Test your application against the sandbox environment before promoting it to use the production URL.
4. A list of URLs, enumerated constants, and error codes is published in the Annexure section.
5. An example of request and response is provided below the description of each API.
6. Each API describes the request and response payload in JSON format. Encrypted payloads are fully compatible, as they internally use the same JSON structure once decrypted.

6.1.2 Conventions

Unless otherwise explicitly specified,

1. All attribute names in the request and response are ASCII characters only. As of now, all values are ASCII characters only.
2. All APIs support POST method only.
3. All APIs, except for authentication requests, must carry a bearer token received from the authentication API. Every Bearer token has an expiry period, decided and periodically reviewed by the StARMF platform.
4. Each API will have an optional attribute named "partnerid" which represents the ISV.
5. All input requests and output responses are JSON only.
6. All file contents are Base64 encoded.
7. All attribute names are lower-case only.
8. All API endpoints, attribute names, API key and secrets are *case sensitive*.
9. Attributes expecting enumerated values are defined in the Annexure.
10. All error responses will have one or more error codes. Error codes are listed in the annexure.
11. All attributes within an object, say "bank" object, are mandatory.
12. Timestamp representations are strictly in ISO 8601[1] format only, e.g. `"2024-03-12T15:29:59+0530"` or any other acceptable timezone.

[1] https://en.wikipedia.org/wiki/ISO_8601

CONFIDENTIAL

13. Date representations, wherever only date is accepted / stored / returned, are as per the application's timezone in which business operates. As of now, dates are in IST timezone only. All business dates are in YYYY-MM-DD format only, e.g. `"2024-03-30"`.
14. Those attributes which accept a list of objects as a value will have an upper limit on the number of elements within a list subject to business requirements e.g. Integer of banks or Integers of nominees or number of orders in a single API request.
15. HTTP response codes should not be examined by the caller to decide success or failure of the call -- any HTTP code in the range 200 to 299 should be accepted as success. HTTP protocol response codes are supposed to indicate protocol level and basic transport level issues -- not application level success or failure.
16. Attribute types in the request and response has this convention:

a. Integer: a +ve integer
b. Dec(n): Decimal number up to "n" decimal points
c. String: A sequence of characters (may have minimum or maximum or both limits
d. Amount: Decimal number rounded to the nearest two decimal points.
e. Date: Business date, YYYY-MM-DD format
f. Time: ISO 8601 format, YYYY-MM-DDTHH:MI:SSTZ
g. Object: A JSON object. An object could be a nested object.
h. Enum: One of the permitted values from the list (subject to further validation). Enumerated constants are defined within the Annexure.

17. List APIs support various attributes for paging and other features.

a. "`start`": must be a number, min value as 0. This indicates a position within a list of records matched as per filter, starting with 0 for a first record from the list. If "start" is higher than the total number of matched records, then results will be empty, however the total count of matched records will be provided in the response.
b. "`length`": must be a number between 1 to 10,000. Number of records to be fetched starting with "start".
c. When the number of records expected to be matched are more "length", multiple calls are required, with "start" value being incremented in multiples of "length" for each successive call.
d. "`count_only`": Boolean. If true, it will return only the total number of records matched, not the matched record details. "start" and "length" are ignored when "count_only" is provided in the request.

BSE reserves rights to modify the format of identifiers generated by it (e.g. order ID, mandate ID, etc.). No format specific significance shall be attached to such identifiers by the consumers of those APIs. Example identifiers used within this document are for representation purpose only.

As a part of the workflow, some attributes within API requests may trigger verifications or manual approvals e.g. PAN number or Bank account details. In such cases, "`success`" response of the API merely indicates that the request has been accepted; it is syntactically correct for processing it *asynchronously*. Wherever possible, API will provide a reference ID in the immediate response for checking the status via a separate API for status check.

CONFIDENTIAL

Wherever StARMF provides facility for webhook integration, and such webhooks are made available by the stakeholders, StARMF platform will also provide such status via webhooks.

6.1.3 Request Header

JWT: Other than "login" API, all other requests must carry a valid JWT header as follows:
`Authorization: Bearer <token>`
e.g.
`Authorization: Bearer ABCPQR`

Trace ID: Every JSON request should contain a trace ID for diagnosis. Trace ID is an opaque string and hopefully unique in time and space. The whole purpose of trace ID is for diagnosis and does not have any significance to the application.
`X-STARMFv2-Trace-ID: <trace-id>`
e.g.
`X-STARMFv2-Trace-ID: cfb8ed3e-619f-401c-af6e-0e0a8e9a066d`

Content-type: This header must be changed to indicate that encrypted payload is used.

`Content-type: application/jose`

X-API-Org-ID: This header must be added during request to StARMFv2 while communicating with encrypted payload. This field is used to identify the sender's API

`X-API-Org-ID: member/<org-code>:<fingerprint>`

e.g. `X-API-Org-ID:  member/007:820d2ab3bd35c8ed582be44cc8680cbcc61b5c0`

Exact X-API-Org-ID header value and related RSA keypair and StARMF's own public key to be used will be shared by the StARMFv2 team as part of the onboarding process.

6.1.4 Response Header

Usual HTTP request headers are sent with every response. Important headers for client application consuming APIs are "`Content-encoding`" and "`Content-type`".

6.1.5 JSON request

Each JSON request has the following format.

```
{
    "data": {

    }
```


CONFIDENTIAL

```
}
```

6.1.6 JSON response

Possible values for "status" attribute in response are "success" and "error". If status is an error, the data object is empty and an additional "message" object is added to the response.

Success response format is as follows:

```
{
    "status": "success",
    "data": {
        /* Application-specific data payload goes here. */
    },
    "messages": [] /* Or optional success message */
}
```

Error response format is as follows:

```
{
    "status": "error",
    "data": {},
    "messages": [{
        "errcode": "toobig",
        "msgcode": 235,
        "field": "maxdelay",
        "vals": [ "7", "3" ]
    }, {
        "errcode": "missing",
        "msgcode": 45,
        "field": "fullname"
    }]
}
```

6.1.7 Encrypted payload

Since 15 May 2025, support for encrypted payloads has been added. This section outlines the encrypted payload format during request and response. All API requests published within this document support encrypted payload, unless specified otherwise.

Encrypted payload uses standard PKI and JOSE[2] format to send/receive encrypted payload. It is 100% compatible with the JSON format described within the respective API. Entire heavy lifting to handle encrypted payload is done using the JOSE library.

Document for encryption is also available at: (Direct Download Link) Link

Here are the broad steps.

[2] Javascript Object Signing and Encryption (JOSE) — jose 0.1 documentation

CONFIDENTIAL

Assumptions:

1. JOSE library is available for your programming language / framework.
2. You have created a RSA key pair with a minimum 2048 bit length and shared your public key with BSE StARMF team. Once configured, BSE will share its public key and checksum (fingerprint).
3. You have received BSE's public key and checksum to be used for the `X-API-Org-ID` header.
4. A sample Python script is available to download in the API resources section at https://starmfv2wrapper.bseindia.com/ (Direct Link to download: Link) and it is recommended to go through the accompanying README file before use.

Conventions:

1. Own Keypair: PrOwn and PuOwn: Your own keypair
2. Remote Keypair: PuRemote: Public key shared by BSE
3. Session Key algorithm: AES_256_GCM
4. Jose encryption algorithm to encrypt session key using recipient's public key: RSA_OAEP_256
5. Payload: JSON object to be operated on, in clear text
6. Encrypted Payload: JOSE based encrypted payload, in Base64 encoded format
7. Exception handling code is not shown within the pseudo code to focus on the core algorithm. Actual implementation must handle exceptions at each stage.

Pseudocode for payload encryption and decryption

```
// To send API request
ctEncrypt (payload, Own Keypair, Remote Keypair) {
      PuOwn = Own.Public
      PrOwn = Own.Private
      PuRemote = Remote.Public
      // PrRemote will never be available to us

      joseEncrypter = jose.Encrypter(
            session key algo: AES_256_GCM,
            recipient: { algo: RSA_OEAP_256, public key: PuRemote
      },
            content-type: "application/json"
      )

      jweObj = joseEncrypter.Encrypt(payload)
```


CONFIDENTIAL

```
      jweCompact = jweObj.CompactSerialize()

      joseSigner = jose.Signer(
            jose signing key: {
                  Algorithm: jose.RS256,
                  Key: PrOwn
            },
            options: {
                  type: "jws",
                  with header: "version: 1.0"
            }
      )

      jwsObj = joseSigner.Sign(jweCompact)

      encPayload = jwsObj.CompactSerialize()

      return encPayload
}
```

```
// To handle API response
ctDecrypt (encPayload, Own Keypair, Remote Keypair) {
      PuOwn = Own.Public
      PrOwn = Own.Private
      PuRemote = Remote.Public
      // PrRemote will never be available to us

      jwsObj = jose.ParsedSign(encPayload)

      jweBytes = jwsObj.Verify(PuRemote)

      jweObj = jose.ParseEncrypted(jweBytes)

      payload = jweObj.Decrypt(PrOwn)

      return payload
}
```

Example payload and its corresponding encrypted payload

CONFIDENTIAL

Payload


```
{
   "data":{
         "ifsc_code":"YESB0000031",
         "account_number":"003199000002381",
         "pan":"ABCDE1223G",
         "name":"John Doe"
   }
}
```


Encrypted Payload


```
eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXUyIsInZlcnNpb24iOiIxLjAifQ.
ZXlKaGJHY2lPaUpTVTBFdFQwRkZVQzB5TlRZaUxDSmpkSGtpT2lKaGNIQnNhV05oZE
dsdmJpOXFjMjl1SWl3aVpXNWpJam9pUVRJMU5rZERUU0o5LkZjYzdJWVNGNzRvVFdn
X1M0RjhQcW5YYUdyRkd5YWhxVDh4SURxb2liNmNLZERndEptX1lYXzBJUmRjTDRkdW
E2TWdaSExENTFiZnhKdEEyWlpNQ0tLLVhPZGYxYUJ3QUl4Y0FRRXg2YlRVOWhXcEhK
ekczS3BNNlFYOE91a0lFeGZoemwwanJzTENVcjJDZWR0eU1JRDY2dHlUUlBMNlliTm
t0a3kwWUxUcXU3dFdBX1hxbUJZdS1SYi12cTIyc2RnbWxLbVFrS2d6WGwtRHNxVUZL
MWJOZVFRTm9PTEdOc3hVZ1VSYThhYllvSGFnaVJNbnVranI0Q0NGRHNKQlJKaUtYUD
l0Q1hQRzZjVDVSVVZEU3E4UnhDeVZsaFFaQXZBMG85Z2hTaFppSjZibHJvQ0dpbVc5
aUl4VTU5X2FxZXU5RUxvSjg3bEEtc1RXemtuU3dlZy5FOTEwV1l0aW0tUXVHcElBLj
dJc1l4ZGpFaHgtNm5GckFZbVpLYjZUUnQtTDZ0TXo4Z1g3RXJRdkd2RFREc1FMSm8x
a3ZvREwybVE1N1dpY1MxQUluLTlkTEc4VXhiYloyOGlYcDBpNWwxblpCcWU0VV8yaG
1YQ0gxRnVQMFNWVWlKeGJXY2dOZlgzeUlkU1liODlqQnJXcUo4NDc1M1ZRTGRtZlhS
S2p3VVFsV0hBTGxvd2pPSVZmTDgxMXU4R2JzOGZOVjVidm1CUS5PdW1NeGp1bEZ4bm
hZa0RCUGcxTmFB.
RITIbxG45dSJjxqPmjf6tPOCPHguHXSmbJG3QSE0dNdymM-
h0vWxa3XcrrxqhFWq0E2k_IY_1OC3fSd5REViolBB7EgFOHMpLWuguCbVwXy8fw5M5
sz5L0F_KsgCkXb4DZggheXPkXXpAwTf_Ih4BmyB5tNI8oneijtdCL-
3vpbmu9PyXqQjANJsBkRIyPTsszm08SBWrH_Y8GzmOIugob_in6iMYtIZ7TdMrtv66
HBNJslaz8HWUxv7VeWHOMkNcDW7411OIWa68mFcf_QjrYmzVp85xwEQNKof6tZPWTY
9awrOpp2hfKGgJIHAD-QfNS-E3lsHavuv03NOAiyNtw
```


CONFIDENTIAL

6.2 API Listing

6.2.1 Login

6.2.1.1 Request

POST /api/login

```
{
   "data": {
        "username":  "....",
        "password": "...."
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
username	Y	N	String		Username provided by StARMF system
password	Y	N	String		Password provided by StARMF system

6.2.1.2 Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ "data": { "access_token": ""eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJ6M3pkb..." }, "messages": [] } where access_token: is the token to be used in consecutive requests
messages	Y	Y	object		[ ]

Error response

Attribute	M	List	Type	Limit	Description and example(s)

CONFIDENTIAL

status	Y	N	String		"error"
data	Y	Y	object		"data": null

messages	Y	Y	object		"messages": [
					{
					"msgid": 672,
					"errcode": "invalid_username"
					}
					]

6.2.2 UCC

6.2.2.1 Add a new UCC

The add_ucc API endpoint allows you to add a new Client (UCC) profile. This endpoint accepts all necessary details required for client onboarding, ensuring that the client's identification and related information are properly registered in the system.

Request

POST /v2/add_ucc

```
{
   "data": {
        "member": { … },
        "clientcode": "....",
        "holders": [ … ]
   }
}
```

Notes: 1. In UCC, a maximum of five nominees can be registered. The total allocation across all nominees must equal 100%. Out of these, only up to three nominees can be assigned a percentage share (collectively summing to 100%). The remaining two nominees must be sent with their percentage set to 0%.

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC Investor
is_multi_ucc	N	N	Boolean		Is multiple combination UCC required
parent_client_code	C	N	String	Max 50	Parent Client Code. Mandatory if is_multi_ucc is true. Alphanumeric. Max 50 characters.
holding_nature	Y	N	Enum		Nature of UCC holding holding_nature
tax_status	N	N	Enum		Tax status of the UCC Primary holder. tax_status
tax_code	Y	N	Enum		Tax code of the UCC Primary holder. tax_status
rdmp_idcw_pay_mode	Y	N	Enum		Payment mode for redemptions & IDCW. rdmp_idcw_pay_mode (Payment mode for redemptions & IDCW)
is_client_physic	Y	N	Boolean		Is the client opting for Physical mode of Holding type

CONFIDENTIAL

al					
is_client_demat	Y	N	Boolean		Is the client opting for Demat mode of Holding type
is_nomination_opted	C	N	Boolean		Is the nomination opted for by the client? Applicable only if "is_client_physical" is true, else always set it as false. Non Mandatory in case of demat UCC
nomination_auth_mode	C	N	Enum		Nomination authentication mode? nomination_auth_mode Non Mandatory in case of demat UCC
nomination_approval	N	N	Object		Conditional mandatory when "nomination_auth_mode" is "W/E" i.e. Wet signature or E-Sign. Then this identifier would take the respective document.
nominee_soa	C	N	Boolean		SOA - Statement of account. Only applicable if is_nomination_opted = true . Possible values: true/false. RTA uses this information while preparing a transaction statement. If passed as "true", then nomination information will be printed in statement of account by issuing authority. (added in v0.9.21)
comm_mode	Y	N	Enum		Opted communication mode comm_mode
onboarding	Y	N	Enum		Is UCC onboarding with paper or paperless. onboarding
holder	Y	Y	Object	3	List of holders Holder
comm_addr	C	N	Object		Communication address comm_addr Mandatory for Tax Code where 'is resident?' is 'Y'
foreign_addr	C	N	Object		Foreign address (for non-resident). Refer to object type addr Mandatory for Tax Code where 'is resident?' is 'N'
depository	C	Y	Object	5	List of depository accounts (for Demat UCC) (Max 5 as of 30 June 2024) depository Mandatory if 'is_client_demat' is true
bank_account	Y	Y	Object	5	List of bank accounts (Max 5 as of 30 June 2024) bank_account
fatca	C	Y	Object		FATCA declaration fatca. Mandatory if 'is_physical' is true
pms_client	N	N	Boolean		true / false
pms_code	C	N	String	Max 20	Required if "pms_client" = "Y"; max length is 20. In case of CDSL: CMBP id is non mandatory. However in, NSDL it is mandatory.

CONFIDENTIAL

aof	C	N	Object		Account Opening Form Object aof. Applicable if "is_client_physical" is true.
aof_ria	C	N	Object		Account Opening Form Object aof_ria. Applicable if "is_client_physical" is true
identifiers	Y	Y	Object		Allowed Identifiers: - aof - fatca_form - aof_ria Refer to identifier

Example: add_ucc

Response

Success response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"client_code": "66510005",
					"member_code": "xxxx",
					"status": //ucc_status
					},
					}

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"

data	Y	Y	object		{
					"client_code": "66510005",
					"member_code": "xxxx"
					}

messages	Y	Y	object		Array of messages:
					
					{
					{
					"msgid": 539,
					"errcode": "duplicate_record",
					"field": "",
					"vals": [
					"client code", "member code""
					]
					}

CONFIDENTIAL

					} In this response, the response here means there exists a record with the same values i.e. client code and member code.

6.2.2.2 Modify UCC

One or more attributes for UCC can be modified which are permitted for a modification for members. *Please note that a partial number of updates are feasible, and attributes which are not provided in the payload will remain unchanged.* Relevant and frequent business use cases are provided within this sub-section e.g.

- if you are updating bank account details, `holder` object (or any of its attributes are not required)
- If you are updating the holder's email address, then `holder.holder_rank` is mandatory, but `holder.occ_code`, `holder.auth_mode` etc. are optional if those are not changed.

The same endpoint can be used to update one or more attributes of UCC. For clarity, this section provides examples for changing different attributes / object types.

6.2.2.2.1 Modify UCC Validation Rules

Section	Action	Mandatory Fields
Depository	Add New Account	depository_code, dp_id, client_id, cmbp_id, bank_account, account_owner
Depository	Delete Account	dp_id, client_id
Depository	Update Existing Account	depository_code, dp_id, client_id, bank_account
Depository	Add Identifier	All fields as per Add UCC block
Depository	Delete Identifier	Correct identifier file name and identifier type
Bank	Add New Account	ifsc_code, bank_acc_num, bank_acc_type, account_owner

CONFIDENTIAL

Bank	Update Existing Account	ifsc_code, bank_account_num
Bank	Add Identifier	All fields as per Add UCC block
Bank	Delete Identifier	Correct identifier file name and identifier type
Indian/Communication Address	Update Address	member_code, client_code
Foreign Address	Update Address	member_code, client_code
FATCA	Update	Identifier block required
Holder	Update Existing Holder	is_pan_exempt, holder_rank
Holder	Modify Identifier	Previous identifier in delete block
Holder Contact	Update Contact Details	country_code, contact_type, email_address, whose_email_address
Holder Nomination	Update Nomination Details	holder_rank, pan_exempt
Holder Person	Update Holder Person	holder_rank, pan_exempt

6.2.2.2.2 Modify UCC profile

This endpoint is used to update the UCC profile details including investor information. All relevant fields within these blocks should be provided to ensure the profile is updated accurately.

POST /v2/update_ucc

```
{
   "data": {
        "member": { … },
        "investor": { ... },
        "holder": { … }
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC

CONFIDENTIAL

parent_client_code	N	N	String	Max 50	Parent client code if available. Alphanumeric. Max 50 characters.
holder	Y	N	Object		Refer to investor object. UCC details can be modified for a registered holder on the platform. Holder

Example: Modify UCC profile

Response

Success response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ "data": { "client_code": "xxxx", "member_code": "yyyy", "parent_client_code": "", "status": "APPROVED" } }
messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }
messages	Y	Y	object		Array of messages: [{ "msgid": 1507, "errcode": "record_not_found" }]

6.2.2.2.3 Update Bank Details

This endpoint is used to update the UCC Bank account details. All relevant details within these blocks should be provided to ensure the bank is updated accurately.

CONFIDENTIAL

```
POST /v2/update_ucc

{
   "data": {
        "member": { … },
        "investor": { … },
        "bank_account": {
                        "add": [
                              { … bank_account … }
                        ],
                        "delete": [
                              { … bank_account … }
                       ]
                }
   }
}
```

Notes

1. Only those bank accounts can be deleted which are not linked with any of the DP accounts submitted as part of UCC. If any of the bank accounts which are linked with DP account, first update DP account details.
2. For modifications, both the add and delete blocks must be included.
3. For deletions, only the delete block needs to be provided; for additions, only the add block is required.

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC Investor
parent_client_code	N	N	String	Max 50	Parent client code if available. Alphanumeric. Max 50 characters.
bank_account	Y	Y	Object	5	List of Bank Accounts. bank_account

Example: update_ucc: bank account

6.2.2.2.4 Register nominees

The Nominee set should be a complete set of nominees. This means that the nomination percentage across all nominees should add up to 100%. Also, this applies to updating nominee information. Note that this updated nomination information will replace existing nomination information.

```
POST /v2/update_ucc

{
   "data": {
        "member": { … },
        "investor": { ... },
        "holder": { [
                        { … nomination … },
                        {
                              … nomination …
                              “guardian”:{
                                  … “First_name”: …
                               }
                        }

                  ]
        }
```


CONFIDENTIAL

```
    }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC
parent_client_code	N	N	String	Max 50	Parent client code if available. Alphanumeric. Max 50 characters.
holder	Y	N	Object		Refer to investor object. UCC details can be modified for a registered holder on the platform. Holder
nomination_auth_mode	Y	N	Enum		Nomination authentication mode? nomination_auth_mode Applicable only if "is_client_physical" is true.
is_nomination_opted	Y	N	Boolean		Is the nomination opted for by the client? Applicable only if "is_client_physical" is true, else always set it as false.
nominee_soa	C	N	Boolean		SOA - Statement of account. Only applicable if is_nomination_opted = Y. Possible values: true/false. default "false", conditional mandatory if nominee object is added -- possible values true / false. While submitting to RTA, this has to be converted to "Y" or "N".
nomination	Y	Y	Object		nomination

Example: update_ucc: register nominee

6.2.2.2.5 Update FATCA for holder

The FATCA (including optional UBO and NPO) information must be provided as a complete set. Any information submitted in this block will replace the existing declaration entirely.

```
POST /v2/update_ucc

{
   "data": {
        "member": { … },
        "investor": { … },
        "holder": { … },
        "fatca": {
            “ubo”: { … },
            “npo”: { … }
        }
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC
parent_client_code	N	N	String	Max 50	Parent client code if available. Alphanumeric. Max 50 characters.
holder	Y	N	Object		Refer to investor object. UCC details can be modified for a registered holder on the platform. Holder

CONFIDENTIAL

fatca	Y	Y	Object		FATCA Object. fatca

Example: update_ucc: Update FATCA for holder

6.2.2.2.6 Update Communication Address

POST /v2/update_ucc

```
{
   "data": {
        "member": { … },
        "investor": { … },
        "comm_addr": {
        }
   }
}
```

The updated communication address information will replace the existing information upon client confirmation; the add block is not required.

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC
parent_client_code	N	N	String	Max 50	Parent client code if available. Alphanumeric. Max 50 characters.
comm_addr	Y	Y	Object		Address object. comm_addr

Example: Update Communication Address

6.2.2.2.7 Update Foreign Address

POST /v2/update_ucc

```
{
   "data": {
        "member": { … },
        "investor": { … },
        "foreign_addr": { … }
   }
}
```

The updated foreign address information will replace the existing information upon client confirmation; the add block is not required.

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC Investor
parent_client_code	N	N	String	Max 50	Parent client code if available. Alphanumeric. Max 50 characters.
foreign_addr	C	Y	Object		Address object. addr Foreign address(for non-resident). Refer to object type addr Mandatory for Tax Code where ‘is resident?’ is ‘N’

CONFIDENTIAL

Example: update_ucc: Update Foreign Address

6.2.2.2.8 Update Depository Account details

```
POST /v2/update_ucc

{
   "data": {
        "member": { … },
        "investor": { … },
        "depository": {
                    "add": [
                        { … depository_account … }
                    ],
                    "delete": [
                        { … depository_account … }
                    ]
                }
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC
parent_client_code	N	N	String	Max 50	Parent client code if available. Alphanumeric. Max 50 characters.
depository_account	Y	Y	Object	5	List of Depository Accounts. depository

Example: update_ucc: Update Depository Account details

6.2.2.2.9 Update Person Details

```
POST /v2/update_ucc

{
   "data": {
        "member": { … },
        "investor": { ... },
        "holder": { [
                    { … person … }
                ]
        }
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC Investor
parent_client_code	N	N	String	Max 50	Parent client code if available. Alphanumeric. Max 50 characters.
holder	Y	N	Object		Holder

CONFIDENTIAL

person	Y	Y	Object		person

Example: update_ucc: Update Person(Holder) Details

6.2.2.2.10 Update Contact Details

```
POST /v2/update_ucc

{
   "data": {
        "member": { … },
        "investor": { ... },
        "holder": { [
                    { … contact … }
                ]
        }
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
holder	Y	N	Object		Holder
parent_client_code	N	N	String	Max 50	Parent client code if available. Alphanumeric. Max 50 characters.
contact	Y	Y	Object		contact

Example: update_ucc: Update Contact Details

6.2.2.2.11 Update Identifier Details

Identifier block is a part of multiple blocks under UCC.
It is part of “holder”, “Nominee”, “guardian of nominee”, “depository_account”, “bank_account”

```
POST / v2/update_ucc

{
   "data": {
        "member": { … },
        "investor": { ... },
        "holder": { [
                    { … identifier … }
                ]
        }
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
holder	Y	N	Object		Holder
parent_client_code	N	N	String	Max 50	Parent client code if available. Alphanumeric. Max 50 characters.

CONFIDENTIAL

identifier	Y	Y	Object		identifier

Example: update_ucc: Update Identifier Details

6.2.2.2.12 UCC Inactive

```
POST /v2/update_ucc

{
   "data": {
        "member": { … },
        "investor": { ... },
        "ucc_status": ""
   }
}
```

Note: This will deactivate the active UCC.

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
holder	Y	N	Object		Holder
parent_client_code	N	N	String	Max 50	Parent client code if available. Alphanumeric. Max 50 characters.
ucc_status	Y	Y	Object		"inactive"

Example: update_ucc: Update Identifier Details

6.2.2.2.13 Update UCC Holder Object

```
POST /v2/update_ucc
{
   "data": {
        "member": { … },
        "investor": { … },
        "holder": {
            "add": [
            { }
        }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC
holder	Y	N	String		Holder object to be updated. Holder

Example: update_ucc: Update UCC Holder Object

CONFIDENTIAL

6.2.2.2.14 Mandatory documents in update

Attribute	Mandatory Identifier required
Primary Holder First Name	PAN
Primary Holder Middle Name	PAN
Primary Holder Last Name	PAN
Tax Status	PAN
Primary Holder DOB/Incorporation	PAN
Second Holder First Name	PAN
Second Holder Middle Name	PAN
Second Holder Last Name	PAN
Third Holder First Name	PAN
Third Holder Middle Name	PAN
Third Holder Last Name	PAN
Guardian First Name	PAN
Guardian Middle Name	PAN
Guardian Last Name	PAN
Primary Holder PAN	PAN
Second Holder PAN	PAN
Third Holder PAN	PAN
Guardian PAN	PAN
CDSL DPID	CML
CDSL CLTID	CML
NSDL DPID	CML
NSDLCLTID	CML

6.2.2.3 List UCC

Request

```
POST /v2/list_ucc

{
   "data": {
        "member": { … },
        "investor": { ... },
        “ucc_status”: { “ACTIVE” },
        “fields”: {“ALL”},
        “start”: 0,
        “length”: 100
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	N	N	Object		Investor/Client code: UCC
ucc_status	Y	N	Enum		UCC status ucc_status
fields	Y	Y	Object		[“ALL”]
start	N	N	Integer		Default value 0
length	N	N	Integer		Default value 100
filter_param	N	Y	Object		ucc_list_filter_param

Example: list_ucc

CONFIDENTIAL

Response

Success response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"success"

data	Y	Y	object		{
					[
					{
					"member": {
					"member_id": ""
					},
					"investor": {
					//Investor
					},
					"holding_nature": "",
					"tax_status": "",
					"tax_code": "",
					"rdmp_idcw_pay_mode": "",
					"is_client_physical": true,
					"is_client_demat": false,
					"is_nomination_opted": false,
					"nomination_auth_mode": "",
					"nominee_soa": "",
					"ucc_status": "ACTIVE",
					"comm_mode": "",
					"onboarding": "",
					"holder": [
					//Holder
					],
					"comm_addr": {
					//comm_addr
					},
					"foreign_addr": {
					//addr
					},
					"bank_account": [
					{
					//bank_account
					}
					],
					"fatca": [
					//fatca
					],
					"identifiers": [],
					"ucc_status_obj": {
					//ucc_status_obj
					}
					], “status_count_summary”: [
					{
					//status_count_summary_obj
					}
					]
					}

messages	Y	Y	object		[ ]

CONFIDENTIAL

6.2.2.4 Get UCC

Request

POST /v2/get_ucc

```
{
   "data": {
         "member": { … },
         "investor": { ... },
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC
parent_client_code	N	N	String		Parent Client Code

Example: get_ucc

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ { "member_code": { "member_id": "" }, "investor": { //Investor }, "holding_nature": "", "tax_status": "", "tax_code": "", "rdmp_idcw_pay_mode": "", "is_client_physical": true, "is_client_demat": false, "is_nomination_opted": false, "nomination_auth_mode": "", "nominee_soa": "", "ucc_status": "ACTIVE", "comm_mode": "", "onboarding": "", "holder": [//Holder], "comm_addr": { //comm_addr }, "foreign_addr": { //addr

CONFIDENTIAL

					},
					"bank_account": [
					{
					//bank_account
					}
					],
					"fatca": [
					//fatca
					],
					"identifiers": [],
					"ucc_status_obj": {
					//ucc_status_obj
					}
					}

messages	Y	Y	object		[ ]

6.2.3 Order

This module enables you to place all non-systematic transactions- lumpsum, switch, and redemption as well as manage reports, modify orders, and cancel orders.

6.2.3.1 order_new

This API enables to create all non-systematic orders (Lumpsum, Switch, or Redemption.)

POST /order_new

```
{
   "data": {
        "orders":[
           "clientcode": "....",
           /* … more … */
           ]
   }
}
```

Notes: 1. During UCC creation a maximum of 5 nominee entries can be registered, out of which only 3 are processed at the order level while the remaining nominees are passed with allocation as zero. If the client wishes to change allocation percentages for a specific order based on UCC details. For example, if UCC has nominee A = 50% and nominee B = 50% but at order level the client wants nominee A = 100% then the nomination block must be explicitly passed in the order request, whereas if order level allocation matches UCC defaults the nomination block can be omitted and system will inherit UCC details.
2. Orders can be placed only after the UCC is active.

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	String		Member code.
mem_details	N	N	Object		Member Details mem_details
investor	Y	N	Object		Client code of the UCC. Investor
parent_client_code	N	N	String		Parent Client code

CONFIDENTIAL

mem_ord_ref_id	Y	N	String	1-32	Order reference provided by member. Minimum Length=1 | Maximum Length=32 Allowed values: Numbers and hyphen
type	Y	N	Enum		order_type
src	N	N	Enum		This specifies the source. Order_source Note: This will only be available in response APIs (Order Get/List)
reg_no	N	N	String		This specifies the registration number for the sxp. Note: This will only be available in response APIs (Order Get/List)
scheme	Y	N	String		BSE Scheme Code
amount	C	N	Number		When the field 'all_unit' is true, the amount value is optional. In case redemption or switch order is placed in terms of units, pass the number of units here, and set "is_units" as true.
cur	Y	N	String		The currency for the amount. E.g. "INR"
is_units	C	N	Boolean		Set to true if the amount represents units. This field is mandatory for demat transactions.
all_units	C	N	Boolean		When true, the amount must be 0 and is_units must also be true. This flag is permitted only for physical transactions.
folio	C	N	String	1-28	Mandatory in case of 'physical' order. In case of Lumpsum_Redeem, Switch and additional purchase, this field is mandatory. On the first purchase type of transaction this must be blank. Minimum Length=1 | Maximum Length=28 Allowed values: Numbers and "/"(followed by 2 digits) E.g. 123456/11
is_fresh	Y	N	Boolean		"is_fresh" must be set to true when placing the first purchase order else false.
min_redeem_flag	N	N	Boolean		Applicable only for redemption. If set to true, the scheme's minimum unit requirement will be ignored, and in demat/physical transactions involving residual units not permitted by the scheme (as validated by the scheme master).
phys_or_demat	Y	N	Enum		order_phys_or_demat
dst_folio	N	N	String	1-28	In case of switch, this can be specified, and must be the same as "folio" if provided. Minimum Length=1 | Maximum Length=28 Allowed values: Numbers and "/"(followed by 2 digits) E.g. 123456/11
dest_scheme	C	N	String		In case of switch, this is to be specified.
payment_ref_id	N	N	String		Payment Reference ID
bank_rcpt_id	N	N	String		Bank Receipt ID

CONFIDENTIAL

email	N	N	String		Email ID
mobnum	N	N	String		Mobile Number with countyCode e.g. for india +91
exch_mandate_id	N	N	Number		Exchange Mandate ID
kyc_passed	N	N	Boolean		Is KYC passed
depository_acct	C	N	Object		Depository Account depository_acct Mandatory in case of demat orders
bank_acct	C	N	Object		In case of Redemption with Demat Order type Bank Account bank_acct is Mandatory.
dpc	N	N	Boolean		Specifies if it is direct payout to client
is_nomination_opted	N	N	Boolean		Is the nomination opted for by the client? Relevant only when Nomination is being provided at order level. Non mandatory in case of Demat order.
nomination_auth_mode	C	N	Enum		If nomination is opted, then what is the nomination authentication mode? Nomination_auth_mode Here only “O” is allowed in case of orders Mandatory if ‘is_nomination_opted’ is true
nominee_soa	C	N	Boolean		SOA - Statement of account. Only applicable if is_nomination_opted = Y. Possible values: true/false. default "false", conditional mandatory if nominee object is added -- possible values true / false. While submitting to RTA, this has to be converted to "Y" or "N". Mandatory if ‘is_nomination_opted’ is true
nomination	C	N	Object		Nomination Object nomination Mandatory if ‘is_nomination_opted’ is true. Kindly refer notes of order_new.
holder	C	Y	Object	3	Object order_holder. For excluded members with folio, primary holder is mandatory. Without folio, all holder’s details are mandatory. In case of demat it is not mandatory.
special_product	N	N	Object		Special product

Example: order_new

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ "data": { "items": [{ "mem_ord_ref_id": "12312312", "id": 5000000001

CONFIDENTIAL

					},
					{
					"mem_ord_ref_id": "1234567",
					"id": 5000000001
					}
					]
					},
					"messages": []
					}
					
					where
					id: numeric order id generated by system
					mem_ord_ref_id: id generated by member
					Here both orders were accepted by exchange and therefore the API returned system generated order IDs.

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					
					{
					"status": "error",
					"data": {
					"items": [
					{
					"mem_ord_ref_id": "5451-54675-542-544573",
					"id": 5000000001,
					"status": "success"
					}
					]
					},
					"messages": [
					{
					"msgid": 1505,
					"errcode": "id_not_exist",
					"field": "5451-54675-542-544572.member",
					"vals": [
					"MBR0010"
					]
					}
					]
					}
					
					In this response, there were two orders of which one was successfully processed and the other had an error.
					1. For the order with *mem_ord_ref_id* 5451-54675-542-544573, the request was successful.
					2. For the with *mem_ord_ref_id* 5451-54675-542-544572, there is error:

CONFIDENTIAL

					- The member code “MBR0010” does not exist.

6.2.3.2 order_update

This API enables to modify the order details.

Request

POST /order_update

```
{
   "data": {
            "id": "....",
            /* … more … */
   }
}
```

Notes: 1. Order update is allowed only until payment pending stage.

Attribute	M	List	Type	Limit	Description and example(s)	Can be Updated?
member	N	N	String		Member code Note: This field cannot be changed in the order_update API Only Member users are allowed to update order. And for members, the same is retrieved from the member’s login token only.	N
mem_details	N	N	Object		Member Details mem_details	N
investor	Y	N	Object		Client code of the UCC. Investor	N
parent_client_code	N	N	String		Parent Client code	N
id	Y	N	Number		Order ID from StarMF system	N
mem_ord_ref_id	Y	N	String		Order reference provided by member Minimum Length=1 | Maximum Length=32 Allowed values: Numbers and hyphen	N
type	Y	N	Enum		order_type	N
src	N	N	Enum		This specifies the source. Order_source Note: This will only be available in response APIs	N
reg_no	N	N	String		This specifies the registration number for the sxp. Note: This will only be available in response APIs	N
scheme	Y	N	String		BSE Scheme Code	Y
amount	C	N	Number		When the field ‘all_unit’ is true, the amount value is optional.	Y
cur	Y	N	String		The currency for the amount. E.g. “INR”	N
is_units	N	N	Boolean		Specified if the amount will represent unit	Y
all_units	N	N	Boolean		If true then amount will be 0 and is_unit will be true	Y

CONFIDENTIAL

folio	C	N	String		Mandatory in case of 'physical' order. In case of physical and fresh folio where is_fresh is true this will be blank . This will be Mandatory in case of other physical transactions Minimum Length=1 | Maximum Length=28 Allowed values: Numbers and "/"(followed by 2 digits) E.g. 123456/11	Y
is_fresh	Y	N	Boolean		Is the order a fresh order for a specific scheme within the existing folio	Y
phys_or_demat	Y	N	Enum		order_phys_or_demat	N
dst_folio	C	N	String		In case of switch, this is to be specified, and must be the same as "folio" if provided. Minimum Length=1 | Maximum Length=28 Allowed values: Numbers and "/"(followed by 2 digits) E.g. 123456/11	N
dest_scheme	C	N	String		In case of switch, this is to be specified.	N
payment_ref_id	N	N	String		Payment Reference ID	Y
bank_rcpt_id	N	N	String		Bank Receipt ID	Y
email	N	N	String		Email ID	Y
mobnum	N	N	String		Mobile Number with country Code e.g. for India +91	Y
exch_mandate_id	N	N	Number		Exchange Mandate ID	Y
kyc_passed	N	N	Boolean		Is KYC passed	N
depository_acct	C	N	Object		Depository Account depository_acct Mandatory in case of demat orders	Y
bank_acct	Y	N	Object		Bank Account bank_acct	Y
dpc	N	N	Boolean		specifies if it is direct payout to client	Y
is_nomination_opted	Y	N	Boolean		Is the nomination opted for by the client? Relevant only when Nomination is being provided at order level	Y
nomination_auth_mode	C	N	Enum		If nomination is opted, then what is the nomination authentication mode? Nomination_auth_mode Here only "O" is allowed in case of orders	Y
nominee_soa	C	N	Boolean		SOA - Statement of account. Only applicable if is_nomination_opted = Y. Possible values: true/false. default "false", conditional mandatory if nominee object is added -- possible values true / false. While submitting to RTA, this has to be converted to "Y" or "N".	Y
nomination	N	N	Object		Nomination Object nomination	Y
holder	N	Y	Object	3	Object order_holder. For excluded members With folio, primary holder	Y

CONFIDENTIAL

					is mandatory. Without folio, all holder's details are mandatory.	
special_product	N	N	Object		Special product	N

Example: order_update

Response

Success response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"success_id": [
					5000000001
					]
					},
					}

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					
					[
					{
					"msgid": 1579,
					"errcode": "invalid",
					"field": "id",
					"vals": [
					"partial payment is done hence update is not allowed",
					"135792468"
					]
					}
					]

6.2.3.3 order_cancel

This API enables allows to cancel an open order

CONFIDENTIAL

Request

POST /order_cancel

```
{
   "data": {
        "id": “...”,
        “remark” : ”...”
     }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
id	Y	N	Number		Order ID generated by BSE StarMF system
investor	Y	N	Object		Client code of the UCC. Investor
remark	N	N	String		Remarks for order cancellation

Example: order_cancel

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"id": 5000000001„
					"investor": Investor,
					"settlement_no": “”
					},
					}
					
					Note: In above settlement_no will optionally be available if the Order has matched with Either the MIS or with the Bank Statement.

messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }
messages	Y	Y	object		Array of messages: [{ "msgid": 1507,

CONFIDENTIAL

					"errcode": "record_not_found" }]

6.2.3.4 order_list

This API allows retrieval of detailed information for a list of Orders (Lumpsum/Switch/Redemption), including their complete life cycle, with real-time updates. It also provides multiple filter parameters, enabling members to generate customized reports as per their requirements.

Request

POST /order_list

```
{
   "data": {
        “status”: { “” },
        “fields”: {“ALL”},
        “start”: 0,
        “length”: 100
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
fields	Y	Y	Object		[“ALL”]
count_only	N	N	Boolean		Will return only count of records if the value is true. By default the value is false. So, if the value is not specified, the default value of false is taken.
start	N	N	Integer		It is optional and default value is 0
length	Y	N	Integer		100
filter_param	N	Y	Object		Refer to order_list_filter_param

Example: order_list

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"total_count": 1,
					"lists": [
					{
					"id": 1234567890123,
					"exch_order_id": "...",
					"type": "...",

CONFIDENTIAL

					"mem_ord_ref_id": "...", "investor": Investor, "member": "...", "scheme": "...", "amount": "...", "cur": "...", "is_units": "...", "all_units": "...", "is_fresh": "...", "folio_num": "...", "phys_or_demat": "...", "settlement_no": "...", "rta_txn_no": "...", "rta_remark": "...", "reg_no": "...", "payment_ref_id": "...", "payment_aggr_code": "...", "settement_date": "...", "settlement_type": "...", "pg_ref_no": "...", "fund_receipt_date": "...", "status": order_lifecycle_status, "mem_2fa": "...", "mem_2fa_action_at": "...", "mem_paymt": "...", "email": "...", "mobnum": "...", "placed_at": "...", "exch_mandate_id": 0, "kyc_passed": true, "tracker_id": "...", "dpc": true, "remarks": "", "dest_scheme": "", "matched_pa_ids": 0, "pa_matched_at": "", "matched_bank_rcpt": null, "bank_matched_at": "", "full_matched_at": "", "rta_resp_at": "", "rta_resp": null, "dp_resp": null, "refund_details": null, "threshold_isapproved": false, "expires_at": "", "order_added_at": "", "dest_folio": "", "client_code": "...", "holding_nature": "...", "is_client_demat": true, "is_client_physical": false, "member_code": "..", "primary_holder_name": "...", "tax_status": "...", "ucc_status": "...", "is_nomination_opted": false, "nomination_auth_mode": "", "nominee_soa": "", "nomination": [nomination], "holder": [Holder], "info": {

CONFIDENTIAL

					"min_redeem_flag": "...", "src": "...", "reg_no": "...", "mem_details": mem_details }, "order_src_info": order_src_info, "depository_acct": depository_acct, "bank_acct": bank_acct, "rejection_reason": rejection_reason, "history": [history_obj], "allotment_details": allotment_details, "redempt_details":redempt_details, "refund_details": refund_details }] } }
messages	Y	Y	object		[ ]

Response

6.2.3.5 order_get

This API enables retrieval of detailed information for a specific order id (Lumpsum/Switch/Redemption), including its complete life cycle, with updates available in real time.

Request

```
POST /order_get

{
   "data": {
        "id": “5000000001”,
        “filter_param” : {
              ”open_close”: “o”
     }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
id	Y	N	Number		Order ID generated by BSE StarMF system
open_close	N	N	Enum		order_status

Example: order_get

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

CONFIDENTIAL

data	Y	Y	object		{ "data": { "id": 1234567890123, "exch_order_id": "...", "type": "...", "mem_ord_ref_id": "...", "investor": Investor, "member": "...", "scheme": "...", "amount": "...", "cur": "...", "is_units": "...", "all_units": "...", "is_fresh": "...", "folio_num": "...", "phys_or_demat": "...", "settlement_no": "...", "rta_txn_no": "...", "rta_remark": "...", "reg_no": "...", "payment_ref_id": "...", "payment_aggr_code": "...", " settement_date": "...", "settlement_type": "...", "pg_ref_no": "...", "fund_receipt_date": "...", "status": order_lifecycle_status, "mem_2fa": "...", "mem_2fa_action_at": "...", "mem_paymt": "...", "email": "...", "mobnum": "...", "placed_at": "...", "exch_mandate_id": 0, "kyc_passed": true, "tracker_id": "...", "dpc": true, "remarks": "", "dest_scheme": "", "matched_pa": null, "pa_matched_at": "", "matched_bank_rcpt": null, "bank_matched_at": "", "full_matched_at": "", "rta_resp_at": "", "rta_resp": null, "dp_resp": null, "refund_details": null, "threshold_isapproved": false, "expires_at": "", "order_added_at": "", "dest_folio": "", "expiresat": "", "client_code": "...", "holding_nature": "...", "is_client_demat": true, "is_client_physical": false, "member_code": "..", "primary_holder_name": "...", "tax_status": "...", "ucc_status": "...",

CONFIDENTIAL

					"is_nomination_opted": false,
					"nomination_auth_mode": "",
					"nominee_soa": "",
					"nomination": [nomination],
					"holder": [Holder],
					"manually_upadated_at": "",
					"manually_updated_by": "",
					"threshold_rejected_by": "",
					"threshold_rejected_at": "",
					"match_bank_rcpt_id":0,
					"info": {
					"min_redeem_flag": "...",
					"src": "...",
					"reg_no": "...",
					"mem_details": mem_details
					},
					"order_src_info": order_src_info,
					"depository_acct": depository_acct,
					"bank_acct": bank_acct,
					"rejection_reason": rejection_reason,
					"history": [history_obj],
					"allotment_details": allotment_details,
					"redempt_details": redempt_details,
					" refund_details": refund_details
					}
					}

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					[
					{
					}
					]

6.2.4 SxP (SIP/SWP/STP)

The SxP module comprises functionalities for new registrations and reporting of SIP (including XSIP), SWP, and STP, along with complete historical and transactional details.

CONFIDENTIAL

6.2.4.1 sxp_register

This API enables the registration of all types of systematic transactions — SIP, STP, SWP, and XSIP — in both demat and physical modes.

POST /sxp_register

```
{
   "data": {
        "sxp_type": "...",
        "mem_ord_ref_id" : "...",
        /* … more … */

     }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
sxp_type	Y	N	Enum		sxp_type Note: For XSIP Registration, sxp_type is required to be passed as SIP.
mem_sxp_ref_id	Y	N	String		SxP reference ID provided by member Minimum Length=1 | Maximum Length=32 Allowed values: Numbers and hyphen
investor	Y	N	Object		Client code of the UCC. Investor
member	Y	N	String		Member code
parent_client_code	N	N	String		Parent Client code
src_scheme	Y	N	String		Source BSE Scheme Code
dest_scheme	C	N	String		Destination BSE Scheme Code is Mandatory, If SXP Type is STP and destination scheme of same AMC as Source Scheme
amc_code	N	N	String		AMC Code
exch_mandate_id	C	N	Number		Exchange Mandate ID - mandatory to register XSIP, else blank
amount	Y	N	Number		Amount of money. In the case of “SWP”, amount of money or units. In case SWP or STP registration is placed in terms of units, pass the number of units here, and set "isunits" as true.
cur	Y	N	String		The currency for the amount. E.g. “INR”
isunits	N	N	Boolean		Specified if the amount will represent unit
all_units	N	N	Boolean		If true then amount will be 0 and isunits will be true
src_folio	N	N	String		Source Folio Number Minimum Length=1 | Maximum Length=28 Allowed values: Numbers and “/”(followed by 2 digits) E.g. 123456/11

CONFIDENTIAL

dest_folio	N	N	String		Destination Folio Number, must be same as "src_folio" if provided Minimum Length=1 | Maximum Length=28 Allowed values: Numbers and “/”(followed by 2 digits) E.g. 123456/11
is_fresh	Y	N	Boolean		If "is_fresh" is set to true, then SIP will be registered in a new folio.
dpc	N	N	Boolean		Specifies if it is direct payout to client
phys_or_demat	Y	N	Enum		order_phys_or_demat
start_date	Y	N	Date		The date when the SxP start is triggered. (YYYY-MM-DD) e.g. "2024-04-30"
ninstallments	C	N	Number		For all frequencies except daily nistallments is mandatory to be passed and end date is calculated based on the ninstallments. In case of daily frequency ninstallments should be blank and end_date becomes mandatory to be passed.
end_date	C	N	Date		Mandatory only in case of Daily Frequency and blank for all else
freq	M	N	Enum		sxp_freq
txn_date	C	N	Number		If the “freq” is “w” then txn_date will indicate day of the week (1 = Monday, Tuesday = 2, … , Friday = 5; Saturday and Sunday are not allowed as of now) else txn_date will indicate the date of the period. This field will be ignored if the “freq” is “d”. If the “freq” is daily then it is optional, for all the other “freq”, it is mandatory. Note – The txn_date is required to be same as start date.
payment_ref_id	N	N	String		Value will be given in case of sip, first order placed.
min_redeem_flag	N	N	Boolean		Applicable only for redemption. If true, then minimum units allowed for redemption in the scheme will not be considered.
info	N	N	Object		info_sxp (This object will be avail in response of get/list APIs)
depository_acct	C	N	Object		Depository Account depository_acct Mandatory in case of demat SxP registration
bank_acct	C	N	Object		In Case of SWP with Demat Order type Bank Account bank_acct is mandatory
email	N	N	String		Email Address
mobnum	N	N	String		Mobile Number with Country Code e.g. for India +91
first_order_toda	N	N	Boolean		If this flag is true, then first instalment of the SIP will be

CONFIDENTIAL

y					generated as a lumpsum purchase order on same day.
brokerage	N	N	Number		brokerage amount should be less than or equal to 2.5 percent of the instalment amount
is_nomination_opted	Y	N	Boolean		Is the nomination opted for by the client?
nomination_auth_mode	C	N	Enum		If nomination is opted, then what is the nomination authentication mode? nomination_auth_mode. Only "O" is allowed for SxP.
nominee_soa	C	N	Boolean		SOA - Statement of account. Only applicable if is_nomination_opted = Y. Possible values: true/false. default "false", conditional mandatory if nominee object is added -- possible values true / false. While submitting to RTA, this has to be converted to "Y" or "N".
nomination	N	N	Object		Nomination Object nomination
holder	M	Y	Object	3	Object order_holder. For excluded members with folio, primary holder is mandatory. Without folio, all holder's details are mandatory.
special_product	N	N	Object		Special product
remark	N	N	String		Remarks Minimum Length=1 | Maximum Length=128
kyc_passed	N	N	Boolean		true/false
mem_details	N	N	Object		Member Details mem_details

Example: sxp_register

Response

Success response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"id": "202500000005018"
					}
					}
					
					OR
					If FOT (First Order today) is true then below response will come
					
					{
					"data": {
					"order_id": "5000001100",
					"sxp_id": "202500000005018"
					}
					}

CONFIDENTIAL

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "ucc",
					"vals": [ ]
					}
					]
					
					OR
					
					{
					"status": "error",
					"data": {
					"order_id": 0,
					"sxp_id": "202500000005018"
					},
					"messages": [
					{
					"msgid": 3520,
					"errcode": "endpoint_not_found",
					"field": "order_new",
					"vals": [
					"202500000005018"
					]
					}
					]
					}

Notes:

1) For XSIP registration, the "sxp_type" field should have SIP as its enum value. If a mandate ID is provided in the request, it will be treated as a mandate-registered SIP (XSIP); if no mandate ID is provided, it will be considered a normal SIP.

6.2.4.2 sxp_cancel

This API enables the cancellation of an active SxP transaction (SIP, STP, SWP, & XSIP)

CONFIDENTIAL

POST /sxp_cancel

```
{
   "data": {
        "reg_no": "..."
    }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
reg_no	Y	N	String		Sxp registration no generated by the starMF system
reason_cd	C	N	Enum		Refer to sxp_cancel_reason Mandatory for SIP and STP, Non mandatory for SWP
reason_cd_msg	C	N	String		Cancel reason. Mandatory if reason_cd=13
sxp_type	Y	N	Enum		sxp_type

Example: sxp_cancel

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"id": "..."
					}
					}

messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "reason_cd",
					"vals": [ ]
					}
					]

CONFIDENTIAL

6.2.4.3 sxp_topup

This API enables investors to top up an ongoing SIP by increasing the investment amount at predefined intervals.
The top-up feature is available on a half-yearly or yearly basis, allowing for gradual growth in investment contributions over time.

POST /sxp_topup

```
{
   "data": {
      "reg_no": "202504280000047",
      "mem_sxp_ref_id": "5465-5465-54-5446",
      "amount": 1000,
      "cur": "INR",
      "start_date": "2023-03-16",
      "end_date": null,
      "freq": "h",
      "txn_date": 1,
      "payment_ref_id": "",
      "remark": "any comment",
      "first_order_today": true,
      "email": "...",
      "mobnum": "..."
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
reg_no	Y	N	String		The registration number for the sxp_type.
mem_sxp_ref_id	N	N	String		Provided by Member.
amount	Y	N	float		Amount of money
cur	Y	N	String		The currency for the amount. In case of swp and stp is only meaningful if isunits is false.id
start_date	Y	N	String		The date when the sxp start trigger.
end_date	C	N	String		Last trigger date of sxp. Mandatory for freq of type daily. And Mandatory for other freq if ninstallments is blank
ninstallments	C	N	Integer		The number of installments are calculated based on the "end_date" if .Mandatory if end_date is blank then ninstallments becomes mandatory
freq	Y	N	String		This is enum, with allowed value for only h for "halfyearly" and y for "yearly".
txn_date	N	N	Integer		Indicate payment date.
payment_ref_id	N	N	String		Value will be given in case of first order placed.
remark	N	N	String		Should be added in source_info
first_order_today	N	N	boolean		When specified then the start_date for the reg should be today

CONFIDENTIAL

email	N	N	String		Email ID of the investor
mobnum	N	N	String		Mobile Number of the investor

Example: sxp_topup

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"top_up_id": "...",
					
					},
					}

messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "reg_no"
					}
					]

Note: -

1) The Top-Up feature is available for SIP transactions with half-yearly or yearly frequency and applies only to schemes allowed by AMC. Please refer to the Scheme Master for eligibility details.

6.2.4.4 sxp_set_pause

This API enables pausing of an active SIP, STP, SWP and XSIP order, temporarily halting its scheduled transactions as per the request parameters.

```
POST /sxp_set_pause

{
```


CONFIDENTIAL

<table>
<tr><td>

<pre>
"data": {
    "reg_no": “”,
    “ninstallments” : ”...”,
    “paused_from” : ”...”
  }
}
</pre>

</td></tr>
</table>

Attribute	M	List	Type	Limit	Description and example(s)
reg_no	Y	N	String		The registration number for the sxp_type.
ninstallments	Y	N	String		Number of installments. Minimum and Maximum values for this must be as per scheme master
paused_from	Y	N	Date		pause start date (YYYY-MM-DD) e.g. "2024-04-30"

Example: sxp_set_pause

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"id": "..."
					},
					}

messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "reg_no"
					}
					]

CONFIDENTIAL

6.2.4.5 sxp_resume

This API enables the resumption of a previously paused SIP, STP, SWP and XSIP order, allowing transactions to continue as per the original schedule or updated configuration.

POST /sxp_resume

```
{
   "data": {
        "reg_no": “”,
        “resume_reason” : ”...”      }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
reg_no	Y	N	String		The registration number for the sxp_type.
resume_reason	N	N	String		Reason to resume the sxp

Example:

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"id": "..."
					},
					}

messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "reg_no"
					}
					]

CONFIDENTIAL

6.2.4.6 sxp_list

This API allows retrieval of detailed information for a list of registered SXP (SIP/STP/SWP & XSIP), including their complete life cycle, with real-time updates. It also provides multiple filter parameters, enabling members to generate customized reports as per their requirements.

POST /sxp_list

```
{
   "data": {
        “status”: { “” },
        “fields”: {“ALL”},
        “count_only” :false,
        “start”: 0,
        “length”: 100
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
fields	Y	Y	Object		[“ALL”]
count_only	N	N	Boolean		Will return only count of records if the value is true. By default the value is false. So, if the value is not specified, the default value of false is taken.
start	N	N	Integer		The default value of start is 0, if no value is specified.
length	Y	N	Integer		100
filter_param	N	Y	Object		sxp_list_filter_param

Example: sxp_list

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ "status": "success", "data": { "lists": [{ "sxp": { "sxp_type": "XSIP", "mem_sxp_ref_id": "11819761840649851757927564777", "referenced_from": null, "ucc": "112522225", "member": "XXXXX", "src_scheme": "02T-GR", "dest_scheme": "", "amc_code": "H", "exch_mandate_id": 500000231, "amount": 100,

CONFIDENTIAL

```
"cur": "INR",
"src_folio": "37667894/57",
"dest_folio": "",
"phys_or_demat": "P",
"is_units": false,
"all_units": false,
"dpc": true,
"start_date": "2025-10-01",
"end_date": "2034-01-01",
"freq": "m",
"txn_date": 1,
"info": {
   "mem_details": {
      "euin_flag": null,
      "partner_id": "",
      "mem_type": "RIA"
   },
   "com_ref_plan_id": 0,
   "dest_com_ref_plan_id": 0
},
"depository_acct": {
   "depository": "",
   "dp_id": "",
   "client_id": ""
},
"bank_acct": {
   "ifsc": "",
   "no": "",
   "type": "",
   "name": ""
},
"npauses": 0,
"status": "active",
"paused_from": "",
"paused_till": "",
"nextscheduleat": "2025-12-01T00:00:00",
"npayments_missed": 0,
"nextinstallmentno": 0,
"invalidated_at": null,
"invalidate_reason": null,
"remark": "",
"email": null,
"mobnum": null,
"ref_type": null,
"brokerage": 0,
"kyc_passed": false,
"special_product": {
   "special_prod_type": "",
   "special_prod_name": "",
   "target_scheme": "",
   "target_amt": 0,
   "goal_type": "",
   "goal_amt": 0,
   "sip_tenure": 0
},
"holder": [
   {
      "holder_rank": "1",
      "email": "abc@gmail.com",
      "mobnum": "9XXXXXXXX0",
      "is_nomination_opted": false,
```


CONFIDENTIAL

					"nomination_auth_mode": "O"
					}
					],
					"nomination": null,
					"parent_client_code": "",
					"next_due_date": "2025-12-01T00:00:00",
					"previous_paid_date": "",
					"n_installment_paid": 0,
					"total_amt_paid": 100,
					"ninstallments": 100,
					"is_fresh": true,
					"history": [
					{
					"event_status": "reg",
					"msg": "SXP Registered",
					"when": "2025-09-15T14:42:46.987478753+05:30",
					"user": "member/XXXX/member.admin"
					},
					{
					"event_status": "link_mandate",
					"msg": "Mandate Linked to XSIP, ExchMandateID: 500000231",
					"when": "2025-09-15T14:45:09.777078965+05:30",
					"user": "member/XXXX/member.admin"
					}
					],
					"collection_ready_date": "2025-09-17 00:00:00",
					"first_order_today": true
					},
					"sprod_sxp": null
					},
					"messages": []
					}
					],
					"total_count": 65
					},
					"messages": []
					}

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"error"
data	Y	Y	object		{ }
messages	Y	Y	object		Array of messages: [{ "msgid": 522, "errcode": "required",

CONFIDENTIAL

					"field": "fields" }]

6.2.4.7 sxp_get

This API enables retrieval of detailed information for a specific SXP (SIP/SWP/STP & XSIP) , including its complete life cycle, with updates available in real time.

POST /sxp_get

```
{
   "data": {
        "reg_no": “123123”
     }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
reg_no	Y	N	String		SXP Registration No
sxp_type	Y	N	Enum		sxp_type

Example: sxp_get

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"status": "success",
					"data": {
					"sxp": {
					"sxp_type": "XSIP",
					"mem_sxp_ref_id":
					"11819761840649851757927564777",
					"referenced_from": null,
					"ucc": "1243663738",
					"member": "XXXXXX",
					"src_scheme": "02T-GR",
					"dest_scheme": "",
					"amc_code": "H",
					"exch_mandate_id": 500000231,
					"amount": 100,
					"cur": "INR",
					"src_folio": "37667894/57",
					"dest_folio": "",
					"phys_or_demat": "P",
					"is_units": false,
					"all_units": false,
					"dpc": true,
					"start_date": "2025-10-01",
					"end_date": "2034-01-01",
					"freq": "m",

CONFIDENTIAL

					"txn_date": 1,
					"info": {
					"mem_details": {
					"euin_flag": null,
					"partner_id": "",
					"mem_type": "RIA"
					},
					"com_ref_plan_id": 0,
					"dest_com_ref_plan_id": 0
					},
					"depository_acct": {
					"depository": "",
					"dp_id": "",
					"client_id": ""
					},
					"bank_acct": {
					"ifsc": "",
					"no": "",
					"type": "",
					"name": ""
					},
					"npauses": 0,
					"status": sxp_lifecycle_status",
					"paused_from": "",
					"paused_till": "",
					"nextscheduleat": "2025-12-01T00:00:00",
					"npayments_missed": 0,
					"nextinstallmentno": 0,
					"invalidated_at": null,
					"invalidate_reason": null,
					"remark": "",
					"email": null,
					"mobnum": null,
					"ref_type": null,
					"brokerage": 0,
					"kyc_passed": false,
					"special_product": {
					"special_prod_type": "",
					"special_prod_name": "",
					"target_scheme": "",
					"target_amt": 0,
					"goal_type": "",
					"goal_amt": 0,
					"sip_tenure": 0
					},
					"holder": [
					{
					"holder_rank": "1",
					"email": "abc@gmail.com",
					"mobnum": "9XXXXXXXX8",
					"is_nomination_opted": false,
					"nomination_auth_mode": "O"
					}
					],
					"nomination": null,
					"parent_client_code": "",
					"next_due_date": "2025-12-01T00:00:00",
					"previous_paid_date": "",
					"n_installment_paid": 0,
					"total_amt_paid": 100,
					"ninstallments": 100,

CONFIDENTIAL

					"is_fresh": true,
					"history": [
					{
					"event_status": "reg",
					"msg": "SXP Registered",
					"when": "2025-09-15T14:42:46.987478753+05:30",
					"user": "member/xxxxx/memner.admin"
					},
					],
					"collection_ready_date": "2025-09-17 00:00:00",
					"first_order_today": true
					},
					"sprod_sxp": null
					},
					"messages": []
					}

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "reg_no"
					}
					]

6.2.4.8 sxp_get_history

This API enables to retrieve comprehensive details of all historical SXP (SIP/STP/SWP & XSIP) instalments, including complete historical lifecycle, processed via BSE.

POST /sxp_get_history
 	
{
"data": {
"reg_no": “123123”
}
}					

Attribute	M	List	Type	Limit	Description and example(s)
reg_no	Y	N	String		SXP Registration No

CONFIDENTIAL

fields	Y	Y	Object		[“ALL”]
filter_param	N	Y	Object		sxp_history_filter_param

Example: sxp_get_history

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ "status": "success", "data": { "lists": [{ "all_units": false, "amount": 100, "cur": "INR", "date": "2025-11-03T00:40:06.295078", "dest_folio": "", "dest_scheme": "", "folio": "37667894/57", "history": [{ "event_status": "order_lifecycle_status,", "msg": " ", "when": " ", "user": " " },], "id": 5000130037, "is_units": false, "mem_ord_ref_id": " ", "member": " XXXX", "payment_ref_id": " ", "phys_or_demat": "p", "regst_no": "202505000000211", "src_scheme": "02T-GR", "status": ""order_lifecycle_status,",", "txn_type": "sip", "ucc": "TEST" }] }, "messages": [] }
messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"

CONFIDENTIAL

data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "reg_no"
					}
					]

6.2.4.9 sxp_update

This API enables multiple operations on an existing SIP transaction through a single payload. The supported actions include update, step-up, pause, resume, link mandate, and delink mandate. The system determines the intended action based on the fields present in the request payload.

```
POST /sxp_update

{
   "data": {
      "reg_no": "202600000002885",
      "client_code": "UATTEST",
      "member": "10003",
      "exch_mandate_id": 0,
      "amount": 1000,
      "src_folio": "",
      "mandate_delink": false,
      "dest_folio": "",
      "phys_or_demat": "p",
      "isunits": false,
      "dpc": false,
      "depository_acct": {
         "dp_id": "",
         "client_id": "",
         "depository": ""
      },
      "email": "gp@gmail.com",
      "mobnum": "9999999999",
      "ninstallments": 3,
      "npauses": 0,
      // "paused_from": "2026-03-18", // to pause
      // "paused_till": "2026-04-15",
      // "resume_reason": "I want to resume",  // to resume
      "stepup": { // to add stepup
         "stepup_type": "amount",
         "value": 1000,
         "frequency": "h",
         "start_date": "2026-04-20",
         "stepup_delink": false,
         "stepup_ninstallments": 0
      }
   }
}

Action Determination Logic:
```


CONFIDENTIAL

1. Step-up → If stepup block is present and not empty.
2. Pause → If paused_from and either paused_till or ninstallments are provided.
3. Resume → If resume_reason is present.
4. Update → If other fields (amount, folio, mandate, contact details, etc.) are updated.
5. Link/Delink Mandate → Determined by mandate-related fields.

Notes :

- The fields `resume_reason` and pause parameters cannot be used together in the same request.
- When multiple sections are included, the API processes them according to defined business rules.
- Modification of the `amount` field is not permitted.

Attribute	M	List	Type	Limit	Description and example(s)
reg_no	Y	N	String		Registration number for the SXP type
client_code	Y	N	String		Client code
member	Y	N	String		Member Code
exch_mandate_id	N	N	Number		Exchange mandate ID
amount	N	N	Number		Transaction amount in INR. Example: 5000
src_folio	N	N	String		Source folio
dest_folio	N	N	String		Destination folio
mandate_delink	N	N	Boolean		Is mandate delink? true/false
phys_or_demat	N	N	String		Allowed values: 'p' (physical), 'd' (demat)
isunits	N	N	Boolean		Flag for units. true/false
dpc	N	N	Boolean		Dividend payout choice. true/false
depository_acct	C	Y	Object		Manndatory, in case of sxp modification, Depository account details. Refer depository_acct
email	N	N	String		Investor email. Valid email format.
mobnum	N	N	String		Investor mobile number
ninstallments	Y	N	Number		Number of installments (mandatory except daily frequency)
npauses	N	N	Number		Number of pauses
paused_from	N	N	String		Pause start date. YYYY-MM-DD
paused_till	N	N	String		Pause end date (mandatory for daily frequency). YYYY-MM-DD
resume_reason	N	N	String	Max 100 chars	Reason to resume the SXP

CONFIDENTIAL

stepup	N	Y	Object	-	Step-up details block. Refer stepup

Example: sxp_update

Response

Success response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	Object		{ "id": "..." }
messages	Y	Y	Object		[ ]

Sample Failure response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	Object		{ }

messages	Y	Y	Object		Array of error messages:
					{
					"status": "error",
					"data": {},
					"messages": [
					{
					"msgid": 522,
					"errcode": "required",
					"field": "reg_no"
					}
					]
					}

6.2.5 NFT

The process for NFT is as follows:

1. The member will send a request to StARMF system.
2. Members will receive the system generated request ID.
3. StARMF system will fetch details from the respective RTA and send a link for 2FA to the client.
4. Once the client approves the 2FA, the request will be sent to the RTA and the response from RTA will be sent to the Member via Webhook.
5. The member can check the status of the request by sharing the system request ID in the API request as received in step 2.

CONFIDENTIAL

6.2.5.1 Nominee Change

```
POST /v2/nft_nominee_change
{
   "data": {
        "nft_auth": { … },
        "nominee_change_info": {"..."}
   }
 OR
  "data": {
        "request_id": "…"
   }

}
```

Attribute	M	List	Type	Limit	Description and example(s)
nft_auth	Y	N	Object		nft_auth
nominee_change_info	Y	N	Object		nominee_change_info
request_id	N	N	String		Request ID generated by the System. If request ID is passed, the system will check for existing requests and provide responses. It'll not make the API call to RTA.

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"request_id": "..."
					},
					}

messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }
messages	Y	Y	object		Array of messages: [{ "msgid": 522, "errcode": "required", "field": "rta"

CONFIDENTIAL

					}]

6.2.5.2 Contact change

```
POST /v2/nft_contact_change
{
   "data": {
        "nft_auth": { … },
        "contact_info": {"..."}
   }
 OR
   "data": {
        "request_id": "…"
   }

}
```

Attribute	M	List	Type	Limit	Description and example(s)
nft_auth	Y	N	Object		nft_auth
contact_info	Y	N	Object		contact_info
request_id	N	N	String		Request ID generated by the System. If request ID is passed, the system will check for existing requests and provide responses. It'll not make the API call to RTA.

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"request_id": "..."
					},
					}

messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"

CONFIDENTIAL

data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "rta"
					}
					]

6.2.5.3 Bank Account change

```
POST /v2/nft_bank_account_change
{
   "data": {
        "nft_auth": { … },
        "bank_change_info": {"..."}
   }
 OR
  "data": {
        "request_id": "…"
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
nft_auth	Y	N	Object		nft_auth
bank_change_info	Y	N	Object		bank_change_info
request_id	N	N	String		Request ID generated by the System. If request ID is passed, the system will check for existing requests and provide responses. It'll not make the API call to RTA.

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"data": {
					"request_id": "..."
					},
					}

messages	Y	Y	object		[ ]

Sample Failure response

CONFIDENTIAL

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{}

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "rta"
					}
					]

6.2.6 Payment Aggregator

6.2.6.1 Submit Payment Aggregation (MIS) report

If the same request is submitted more than once for the same payment_ref_id, then subsequent requests will be ignored.

Request

POST /v2/upload_mis

```
{
   "data": [
        {
           "member": " …",
           "investor": "{ .... }",
           "amount": ,
         }
   ]
}
```

"data": list of objects. Attributes for each object described below. The Maximum number of objects in the list is 5000 (*will be fine tuned later*).

Attribute	M	List	Type	Limit	Description and example(s)
payment_ref_id	C	N	String		PG Reference no/ Mandate ID/Transaction ref ID. Blank only in case of NEFT mis_type. MandateID in case of XSIP and OTM mis_type Deposit Challan No in case of CHEQUE mis_type If the attribute paymt_mode is NEFT, RTGS, IMPS, Internal Fund Transfer then this field is optional.
agency_code	Y	N	String		Agency Code for instance RZP/ICI/RCB/TCP (3 characters)
mis_type	Y	N	Enum		Type of MIS being uploaded. mis_type
member	C	N	String		Member code. If paymt_mode is NEFT, RTGS, IMPS, Internal Fund Transfer then this field is optional.
investor	C	N	Object		Investor (UCC/pan holder details). Investor_mis . If paymt_mode is NEFT, RTGS, IMPS, Internal Fund

CONFIDENTIAL

					Transfer then this field is optional.
parent_client_code	N	N	String		Parent Client Code. If paymt_mode is NEFT, RTGS, IMPS, Internal Fund Transfer then this field is optional.
amount	Y	N	amount		Amount received from client as reported by bank. Max 2 decimal are allowed
credit_dt	Y	N	Date		Date on which amount credited - dd-mmm-yyyy
credit_at	N	N	Time		Time at which amount credited HH:MI:SS (PA can put exact time, or 00:00:00 if time is not tracked by PA)
bank_txn_ref	Y	N	String		Bank UTR no / Cheque no
umrn_ref	C	N	String		UMRN
src_bank_acc	Y	N	Object		Investor's bank account details from which fund received. bank_acct
dest_bank_acc	Y	N	Object		Clearing Corp's bank account details to which fund was transferred. bank_acct
exchorder_num	C	N	String		Order number issued by StARMF platform (In case of Lumpsum Txn)
paymt_mode	Y	N	Enum		Payment Receipt Mode. paymt_mode
custom_ref_num	C	N	String		Additional reference number provided by investor's bank, else empty
info	N	N	Object		{ "investor_name": "..." } (this object is only for informational purpose, and will not be interpreted for order processing).
remark	C	N	String	255	Remarks (only printable characters allowed, it has no significance on business logic)
status	C	N	Enum		mis_status

Response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	Enum		"data": mis_status
messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	M	List	Type	Limit	Description and example(s)

CONFIDENTIAL

status	Y	N	String		"error"
data	Y	Y	object		{}

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "agency_code"
					}
					]

6.2.6.2 Payment Aggregator Get Details

Request

```
POST /v2/get_mis_detail
{
   "data": {
        "payment_ref_id": { … }
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
payment_ref_id	C	N	String		Payment reference number
utrn_no	C	N	String		UTRN

Any one of the above two are mandatory in the API.

Response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		"data": {
					"payment_ref_id": "...",
					"agency_code": "...",
					"mis_type": "...",
					"member": "...",
					"investor": {
					"ucc": "...",
					"panholders": "",
					"holding_nature": "..."
					},
					"parent_client_code": "...",
					"amount": ...,
					"credit_dt": "...",
					"credit_at": "..."

CONFIDENTIAL

					"bank_txn_ref": "...",
					"umrn_ref": "",
					"src_bank_acc": {
					"no": "...",
					"ifsc": "...",
					"name": "...",
					"type": "..."
					},
					"dest_bank_acc": {
					"no": "...",
					"ifsc": "...",
					"name": "...",
					"type": "..."
					},
					"exchorder_num": "...",
					"paymt_mode": "...",
					"custom_ref_num": "...",
					"info": {
					"investor_name": ""
					},
					"remark": "...",
					"status": "..."
					}
					Note all fields in the response is same as upload_mis API request.

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "payment_ref_id"
					}
					]

6.2.6.3 Payment Aggregator Upload MIS reversal

The payload for upload MIS reversal is the same as upload MIS. This is useful when a record has been successfully inserted, and the agency wants to retrieve that record for any reason before the order matching activity takes place. This API shares same request and response payload structure as "upload_mis" API mentioned earlier.

Request

CONFIDENTIAL

POST /v2/upload_mis_reversal

```
{
   "data": [
        {
           "member": " …",
           "investor": "{ … }",
           "amount": ,
         }
   ]
}
```

"data": list of objects. Attributes for each object described below. The Maximum number of objects in the list is 5000 (*will be fine tuned later*).

Attribute	M	List	Type	Limit	Description and example(s)
payment_ref_id	C	N	String		PG Reference no/ Mandate ID/Transaction ref ID. Blank only in case of NEFT mis_type. MandateID in case of XSIP and OTM mis_type Deposit Challan No in case of CHEQUE mis_type If the attribute paymt_mode is NEFT, RTGS, IMPS, Internal Fund Transfer then this field is optional.
agency_code	Y	N	String		Agency Code for instance RZP/ICI/RCB/TCP (3 characters)
mis_type	Y	N	Enum		Type of MIS being uploaded. mis_type
member	C	N	String		Member code. If paymt_mode is NEFT, RTGS, IMPS, Internal Fund Transfer then this field is optional.
investor	C	N	Object		Investor (UCC/pan holder details). Investor_mis . If paymt_mode is NEFT, RTGS, IMPS, Internal Fund Transfer then this field is optional.
parent_client_code	N	N	String		Parent Client Code. If paymt_mode is NEFT, RTGS, IMPS, Internal Fund Transfer then this field is optional.
amount	Y	N	amount		Amount received from client as reported by bank. Max 2 decimal are allowed
credit_dt	Y	N	Date		Date on which amount credited - dd-mmm-yyyy
credit_at	N	N	Time		Time at which amount credited HH:MI:SS (PA can put exact time, or 00:00:00 if time is not tracked by PA)
bank_txn_ref	Y	N	String		Bank UTR no / Cheque no
umrn_ref	C	N	String		UMRN
src_bank_acc	Y	N	Object		Investor's bank account details from which fund received. bank_acct
dest_bank_acc	Y	N	Object		Clearing Corp's bank account details to which fund was transferred. bank_acct
exchorder_num	C	N	String		Order number issued by StARMF platform (In case of Lumpsum Txn)

CONFIDENTIAL

paymt_mode	Y	N	Enum		Payment Receipt Mode. paymt_mode
custom_ref_num	C	N	String		Additional reference number provided by investor's bank, else empty
info	N	N	Object		{ "investor_name": "..." } (this object is only for informational purposes, and will not be interpreted for order processing).
remark	C	N	String	255	Remarks (only printable characters allowed, it has no significance on business logic)
status	C	N	Enum		mis_status

Response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	Enum		"data": mis_status
messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "agency_code"
					}
					]

6.2.7 Scheme List

This API returns comprehensive scheme-related details in the response and supports multiple filters for refined and customized data retrieval.

Request

```
POST /master_scheme_list

{
```


CONFIDENTIAL

```
  "data": {
    "fields": [
      "ALL"
    ],
    "count_only": false,
    "start": 0,
    "length": 20,
    "filter_param": {
       "scheme_amc_name": "",
       "scheme_category": "",
       "scheme_sub_category": "",
       "investment_mode": "",
       "scheme_option": "",
       "scheme_plan": "",
       "scheme_isin": "",
       "settlement_days": "",
       "transaction_allowed": ""
      "modified_at": "2026-06-20"
      "modified_till": "2025-06-24"

    },
    "search": {
       "value": "PRTFGP-GR"
    }
  }
}
```

Notes:
1. scheme_bse_code is unique for each scheme, while multiple schemes may share the same ISINs.
2. The API supports filtering records using `modified_at` and `modified_till` parameters.
   - Same day If `modified_at` and `modified_till` are the same, the API returns data for that specific day.
   - Single date If only `modified_at` is provided, the API returns data for that date.
   - Date range If both `modified_at` and `modified_till` are provided, the API returns data between the two dates (inclusive).

Attribute	M	List	Type	Limit	Description and example(s)
fields	Y	Y	Object		[“ALL”]
count_only	Y	N	Boolean		Will return only count of records, if the value is true

search	N	N	Object		Value attribute for the text search.
					{
					“value”: “schemename”
					}
					// This is a partial plain text search.

start	Y	N	Integer		0
length	Y	N	Integer		100
filter_param	N	Y	Object		One or more of the attributes mentioned in "filter_pattern" are allowed as AND operation. "filter_param": { "scheme_amc_name": "", // partial match "scheme_category": "", // partial match "scheme_sub_category": "", // partial match "scheme_option": "", // exact match "scheme_plan": "", // exact match

CONFIDENTIAL

					"scheme_isin": "", // exact match "settlement_days": "" // exact match "modified_at": "2026-06-20" "modified_till": "2025-06-24" },

Response

Sample Scheme List Sample

Attribute	M	List	Type	Limit	Description and example(s)	Used For transaction or Validation (Y/N)
parent_scheme_code	Y	N	String		Parent Scheme Code e.g. "B-EQT-ELSS"	N
parent_scheme_name	Y	N	String		Parent Scheme Name e.g. "Aditya Birla Sun Life ELSS Tax Saver Fund"	N
name	Y	N	String		Scheme Name. e.g. "ADITYA BIRLA SUN LIFE ELSS TAX SAVER FUND - REGULAR PLAN -IDCW PAYOUT"	N
scheme_plan	Y	N	Enum		“Direct” OR “Regular” For different plan unique bse_scheme_code will be applicable	Y
scheme_option	Y	N	Enum		“Growth” “IDCW Payout” “IDCW Reinvestment” For different option unique bse_scheme_code will be applicable	Y
scheme_option_frequency	N	N	Enum		“DAILY“ “FORTNIGHTLY“ “WEEKLY“ “MONTHLY“ “QUARTERLY“ “HALF YEARLY“ “ANNUALLY” One/Multiple/All of the above would be available as per the AMC provision For different frequency unique bse_scheme_code will be applicable	Y
scheme_addon	N	N	Enum		“Insurance” “Health Insurance” “Credit Card”	Y

CONFIDENTIAL

					If applicable to the scheme this will be provided	
scheme_transaction_mode_allowed	Y	Y	Object		Refer scheme_transaction_mode_allowed A list of max two objects would be available based on Physical/Demat Mode allowed for Transaction	Y
scheme_isin	Y	N	String		ISIN of scheme e.g. "INF209K01090"	N
scheme_amfi_code	N	N	String		AMFI code of scheme	N
scheme_bse_code	Y	N	String		BSE scheme code. E.g. "02-DP" This is most important key, for any transaction/operation on scheme on StarMF this would be the unique code	Y
scheme_cpc_code	Y	N	String		Channel Partner Scheme Code.	N
scheme_amc_name	Y	N	String		Scheme name at AMC. e.g. "ADITYA BIRLA SUN LIFE MUTUAL FUND"	Y
scheme_rta_name	Y	N	String		RTA Scheme Code	Y
scheme_sub_category	Y	N	Enum		Refer scheme_sub_category type For different scheme_sub_category unique bse_scheme_code will be applicable	N
scheme_sector	N	N	Enum		“Agriculture” “Infrastructure” “Technology” …(Reserved for future use and not currently active)	N
scheme_benchmark	N	N	Enum		“BSE100” “BSE_SMALLCAP” “BSE_MIDCAP” “BSE_SENSEX_50” … (Reserved for future use and not currently active)	N
scheme_face_value	Y	N	Integer		Face Value of Scheme	N
scheme_offer_status	N	N	Enum		“NFO” “OPEN” “CLOSED” · **Open**: The scheme is perennially open for both fresh subscriptions and redemptions. This applies to most "Open-	Y

CONFIDENTIAL

					Ended" funds. · **Closed:** No new investments are allowed. This typically occurs for Close-Ended funds after their New Fund Offer (NFO) period has ended. You can usually only exit these on the stock exchange or at maturity.	
scheme_offer_type	Y	N	Enum		"OPEN_ENDED" "CLOSED_ENDED" "INTERVAL" "NFO" **Structure-Based Types** This is the most common use of the field, categorizing funds by their operational lifespan: · **Open-Ended**: These funds allow you to buy and sell units continuously at the current Net Asset Value (NAV). They have no fixed maturity date. ·**Closed-Ended**: These have a fixed maturity (typically 3–5 years). You can only invest during the New Fund Offer (NFO) period. After that, they are listed on stock exchanges for trading. ·**NFO:** Indicates whether the fund is currently in its New Fund Offer (NFO) period. "NFO" – The fund is in the NFO subscription phase. Investors can subscribe to units at the issue price.After the NFO period ends, this field reflects the fund's operational status. · **Interval:** A hybrid structure where the fund remains closed most of the time but opens for transactions at specific, predetermined intervals.	Y
scheme_investment_mode	Y	N	String		"ACTIVE" "PASSIVE" ACTIVE and PASSIVE refer to the investment management style or strategy	N
scheme_redemption_settlement_days	Y	N	Enum		"T1" "T2" "T3" "T4" "T4" "T6"	N

CONFIDENTIAL

					“T7” “T8” “T9” “T10” where "T" stands for the transaction date (the day you place the redemption request before the cut-off time), and "Days" (1,2,3…) is the number of working days it takes for the funds to be settled	
scheme_nfo_date_time_detail	N	Y	Object	Y	Refer scheme_nfo_date_time_detail	
nfo_payment_details	N	Y	Object	Y	Refer nfo_payment_details Payment Modewise NFO cutoff date time for payment	Y
nfo_open_date	N	N	String		NFO Start Date	Y
nfo_close_date	N	N	String		NFO End Date	Y
nfo_allotment_date	N	N	String		NFO Allotment Date	Y
reopen_date	N	N	String		Reopen Date for scheme	Y
scheme_interval_lifecycle	N	Y	Object	Y	Refer scheme_interval_lifecycle Only applicable for interval schemes	Y
scheme_last_order_closure_date	N	N	String		Scheme Last Order Closure Date The last day the AMC accepts any investor transaction requests (purchases, redemptions, switches) in the merging or closing scheme.	Y, only in case of merger
scheme_final_closure_date	N	N	String		Scheme Final Closure Date	Y
scheme_entry_load	N	N	String		Scheme Order Entry Load To formalize the end of the scheme's operations and initiate the final payout/transfer process.	
scheme_entry_load_remarks	N	N	String		Scheme Order Entry Load Remarks	N
scheme_exit_load	N	N	String		Scheme Exit Load (Reserved for future use and not currently active)	N
scheme_exit_load_remarks	N	N	String		Scheme Exit Load Remarks (Reserved for future use and not currently active)	N
scheme_lockin_period	N	N	Integer		Scheme Lockin Period.	N

CONFIDENTIAL

scheme_lockin_period_type	N	N	Integer		“Months” “Days” “Years”	N
lumpsum	Y	Y	Object		Refer scheme_lumpsum	Y
systematic	Y	Y	Object		Refer scheme_systematic Frequency wise list of objects which provides frequency allowed and corresponding dates/days applicable. Also with the flags on scheme_sxp_first_order_today_allowed scheme_sxp_paused scheme_sxp_registration_allowed scheme_sxp_trigger_allowed	Y
scheme_category	N	N	String		Category of the scheme	N
amc_active_flag	N	N	Boolean		AMC is active or not	N
is_active	N	N	Boolean		If the scheme is active or not If the scheme is active for any transaction	Y
scheme_amc_code	Y	Y	String		“NH32”	
scheme_rta_code	Y	Y	String		“NH1”	
sip_flag	Y	N	Boolean		false	
stp_in_flag	Y	N	Boolean		false	
stp_out_flag	Y	N	Boolean		false	
switch_in_flag	Y	N	Boolean		false	
switch_out_flag	Y	N	Boolean		false	
swp_flag	Y	N	Boolean		false	

systematic_transaction_detail	Y	N	Object		{[
					"scheme_sxp_installment_numbers": {
					"scheme_sxp_max_installments": 100000,
					"scheme_sxp_min_installments": 1
					},
					"scheme_transaction_amt": {
					"scheme_transaction_max_amt": 1000000,	

CONFIDENTIAL

					"scheme_transaction_min_adtnl_amt": null,
					"scheme_transaction_min_amt": 1,
					"scheme_transaction_mult_amt" : 1
					},
					"scheme_transaction_units": {
					"scheme_transaction_max_unit" : 1000000,
					"scheme_transaction_min_unit": 1,
					"scheme_transaction_mult_unit" : 1
					}
					}	

scheme_transaction_type_tag_name	N	N	String		Tag name for transaction type (e.g., "Purchase", "Redemption", "Switch-IN", "Switch-OUT")	
scheme_transaction_effective_start_date	N	N	String		Start date from which the transaction type is valid.	
scheme_transaction_effective_end_date	N	N	String		End date until which the transaction type is valid.	
scheme_transaction_single_details	N	N	Object		Refer scheme_transaction_single_details Contains transaction amount and unit limits (scheme_transaction_amt, scheme_transaction_units).	
scheme_sxp_gaps	N	N	Object		Refer scheme_sxp_gaps Defines installment gap rules (scheme_sxp_installment_gap, scheme_sxp_max_gap, scheme_sxp_min_gap).	
scheme_sxp_pauses	N	N	Object		Refer scheme_sxp_pauses Defines pause rules (scheme_sxp_max_pauses, scheme_sxp_min_pauses, scheme_sxp_no_of_pauses)	

6.2.8 NAV Master List

This API provides NAV data as mapped to BSE Scheme Code, with the information refreshed and updated daily.

Request

```
POST /nav_master_list
{

    "count_only" : false,
    "start" : 0,
    "length" : 50
```


CONFIDENTIAL

```
    "filter_param" : {
        "nav_date" : "01-Jan-2020",
        "bse_scheme_code" : "ARDD-DR"
    }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
count_only	Y	N	Boolean		Will return count of records, if the value is true
fields	Y	Y	Object		[“ALL”]
start	Y	N	Integer		0
length	Y	N	Integer		100
filter_param	N	Y	Object		nav_filter_param

Response

The response of the API will contain a List of Orders that matches the information passed.

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		"data": {
					"count": 1,
					"lists": [
					{
					"nav_date": "06-Jan-2025",
					"bse_scheme_code": "ARDD-DR",
					"isin": "INF754K01BQ6",
					"scheme_name": "EDELWEISS BALANCED ADVANTAGE FUND - DIRECT PLAN QUARTERLY IDCW REINVESTMENT",
					"nav": 11.25,
					"rta_scheme_code": "..."
					}
					]
					}

messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

CONFIDENTIAL

messages	Y	Y	object		Array of messages: [{ "errid": 517, "errcode": "missing", "field": "nav_date" }]

6.2.9 Get Payment Details

This API is intended exclusively for members who operate their own Payment Gateway (PG) services.

Request

```
POST /get_payment_detail

{
  "data": {
    "bank_txn_ref": "",
    "payment_ref_id": "PGSAA100058",
    "count_only": false,
    "fields": [
      "ALL"
    ],
    "order_filter_param": {
      "amount_min": 0.00,
      "amount_max": 0.000,
      "placed_at_after": "2025-08-18",
      "placed_at_before": "2025-08-18",
      "start": 0,
      "length": 100
    }
  }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
bank_txn_ref	C	N	String		Bank UTR no
payment_ref_id	C	N	String		Payment reference ID
count_only	N	N	boolean		If true, returns only summary counts
fields	Y	Y	Object		[“ALL”]
order_filter_param	N	Y	Object		order_filter_param "status": order_lifecycle_status values "amount_min": Minimum order amount "amount_max": Maximum order amount "placed_at_after": order placed at after "placed_at_before": order placed at before "start": Record offset (default: 0) "length": Records per page (default: 100, max: 10000)

CONFIDENTIAL

In the above API, at least one of the fields is required from `bank_txn_ref` or `payment_ref_id` and only one field can be passed.

Response

The response of the API will contain a List of Orders that matches the information passed.

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ "status": "success", "data": { "bank_txn_ref": "UTRS10001", "agency_code": "RZP", "total_amount": 1000, "total_refund_amount": 0, "total_available_amount": 0, "matched_orders": 1, "allocation_percentage": 100, "payment_ref_details": [{ "amount": 1000, "status": "matched", "payment_date": "2025-07-08T18:56:00", "payment_mode": "NEFT", "refund_amount": 0, "payment_ref_id": "PGSAA100058", "available_amount": 0 }], "order_list": [{ "id": 5000156545, "mem_ord_ref_id": 12223334443, "ucc": "vibhutisonkusare", "amount": 1000, "folio_num": **null**, "payment_ref_id": "PGSAA100058", "settlement_no": "34566566", "rta_txn_no": "123456" "rta_remark": **null**, "pa_matched_at": 2025-07-08T18:56:00 }] }, "messages": **null** }
messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)

CONFIDENTIAL

status	Y	N	String		"error"
data	Y	Y	object		{}

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "bank_txn_ref"
					}
					]

6.2.10 List Payment Details

This API is intended exclusively for members who operate their own Payment Gateway (PG) services.

Request

```
POST /v2/list_payment_detail
{
  "data": {
    "bank_txn_ref": [
      ""
    ],
    "payment_ref_id": [
      "PGREF987654320",
      "PGREF987654321"
    ],
    "count_only": false,
    "fields": [
      "ALL"
    ],
    "order_filter_param": {
      "amount_min": 0.00,
      "amount_max": 999999.99,
      "placed_at_after": "2025-08-01",
      "placed_at_before": "2025-08-18T2",
      "start": 0,
      "length": 100
    }
  }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
bank_txn_ref	C	N	String		Bank UTR no
payment_ref_id	C	N	String		Payment reference ID
count_only	N	N	boolean		If true, returns only summary counts
fields	Y	Y	Object		[“ALL”]
order_filter_para	N	Y	Object		order_filter_param

CONFIDENTIAL

m					"status": order_lifecycle_status values "amount_min": Minimum order amount "amount_max": Maximum order amount "placed_at_after": order placed at after "placed_at_before": order placed at before "start": Record offset (default: 0) "length": Records per page (default: 100, max: 10000)

In the above API, at least one of the fields is required from `bank_txn_ref` or `payment_ref_id` and only one field can be passed.
In the List API, a maximum of 50 objects can be passed.

Response
The response of the API will contain a List of Orders that matches the information passed.

Success response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"success"

data	Y	Y	object		{
					"list": [
					{
					// Payment details (consistent with existing get_payment_detail)
					"payment_ref_id": "PGREF987654321",
					"payment_status": "agency_payment_complete", // Payment Webhook Status
					"bank_txn_ref": "HDFC123456789",
					"total_payment_amount": 6000.00,
					"currency": "INR",
					"payment_mode": "UPI",
					"payment_date": "2025-08-04T10:30:00Z",
					"agency_code": "RZP",
					// Enhanced payment summary
					"payment_summary": {
					"matched_orders": 2,
					"total_amount": 6000.00,
					"matched_amount": 5000.00,
					"unmatched_amount": 1000.00,
					"allocation_percentage": 83.33
					},
					// Order status breakdown (using order_lifecycle_status enum from 7.4.61)
					"order_status_summary": {
					"received": 2,
					"matched": 2,
					"done": 0,
					"refund_pending": 0,
					"rta_rejected": 0,
					"platform_rejected": 0
					// Only non-zero counts included in response
					},
					// Order list (using only fields confirmed in existing order_list/order_get responses)

CONFIDENTIAL

					"order_list": [
					{
					"id": 5000839780,
					"mem_ord_ref_id": "ORD001",
					"investor": {
					"ucc": "1000000017"
					},
					"amount": 4000.00,
					"cur": "INR",
					"status": "matched",
					"settlement_no": "STL20250804001",
					"rta_txn_no": "RTA123456789",
					"rta_remark": "Processed Successfully",
					"folio_num": "123456/01",
					"pa_matched_at": "2025-08-04T17:29:14Z"
					},
					{
					"id": 5000839781,
					"mem_ord_ref_id": "ORD002",
					"investor": {
					"ucc": "1000000018"
					},
					"amount": 1000.00,
					"cur": "INR",
					"status": "matched",
					"settlement_no": "STL20250804002",
					"rta_txn_no": "RTA123456790",
					"rta_remark": "Processed Successfully", // RTA Remarks
					"folio_num": "123457/01",
					"pa_matched_at": "2025-08-04T17:29:14Z"
					}
					]
					},
					{
					// Payment details (consistent with existing get_payment_detail)
					"payment_ref_id": "PGREF987654320",
					"payment_status": "agency_payment_complete", // Payment Webhook Status
					"bank_txn_ref": "HDFC123456789",
					"total_payment_amount": 6000.00,
					"currency": "INR",
					"payment_mode": "UPI",
					"payment_date": "2025-08-04T10:30:00Z",
					"agency_code": "RZP",
					// Enhanced payment summary
					"payment_summary": {
					"matched_orders": 2,
					"total_amount": 6000.00,
					"matched_amount": 5000.00,
					"unmatched_amount": 1000.00,
					"allocation_percentage": 83.33
					},
					// Order status breakdown (using order_lifecycle_status enum from 7.4.61)
					"order_status_summary": {
					"received": 2,
					"matched": 2,
					"done": 0,
					"refund_pending": 0,

CONFIDENTIAL

					"rta_rejected": 0,
					"platform_rejected": 0
					// Only non-zero counts included in response
					},
					// Order list (using only fields confirmed in existing order_list/order_get responses)
					"order_list": [
					{
					"id": 5000839783,
					"mem_ord_ref_id": "ORD003",
					"investor": {
					"ucc": "1000000017"
					},
					"amount": 4000.00,
					"cur": "INR",
					"status": "matched",
					"settlement_no": "STL20250804003",
					"rta_txn_no": "RTA123456791",
					"rta_remark": "Processed Successfully",
					"folio_num": "123400/01",
					"pa_matched_at": "2025-08-04T17:29:14Z"
					},
					{
					"id": 5000839784,
					"mem_ord_ref_id": "ORD004",
					"investor": {
					"ucc": "1000000018"
					},
					"amount": 1000.00,
					"cur": "INR",
					"status": "matched",
					"settlement_no": "STL20250804004",
					"rta_txn_no": "RTA123456792",
					"rta_remark": "Processed Successfully", // RTA Remarks
					"folio_num": "123401/01",
					"pa_matched_at": "2025-08-04T17:29:14Z"
					}
					]
					}
					]
					}

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"error"
data	Y	Y	object		{ }
messages	Y	Y	object		Array of messages: [{

CONFIDENTIAL

					"msgid": 522, "errcode": "required", "field": "bank_txn_ref" }]

6.2.11 2FA Link

This API allows retrieval of 2FA (Two-Factor Authentication) links, enabling secure authentication and verification of all modules related actions.

Request

```
POST /v2/get_2fa_link
{
   "data": {
  [
    {
      "event": "...",
      "order":"..."
    },{
      "event": "...",
      "sxp":"..."
    },{
      "event": "...",
      "mandate":"..."
    },{
      "event": "...",
      "investor":{},
      "parent_client_code":""
    }
  ]
}
}
```

Attribute	M	List	Type	Limit	Description and example(s)
event	Y	N	Enum		2fa_event
For events 'ucc_ auth' / 'ucc_elog' / 'ucc_nomination'					
investor	C	N	Object		Investor/Client code: UCC Investor Mandatory for events 'ucc_auth' / 'ucc_elog' / 'ucc_nomination'
parent_client_code	C	N	String		Parent Client Code. If available, then pass for events 'ucc_auth' / 'ucc_elog' / 'ucc_nomination'
member	C	N	String		Member code
For events 'order'					
order	C	N	String		Order ID Mandatory for event 'order'

CONFIDENTIAL

For events ‘sxp’					
sxp	C	N	String		SxP registration number Mandatory for event ‘sxp’/’sxp_topup’
For events ‘mandate’					
mandate	C	N	String		Mandate registration number Mandatory for event ‘mandate’
For events ‘nfo’					
nfo	C	N	String		NFO Order ID Mandatory for event ‘nfo’
For events ‘nft_nominee’ / ‘nft_contact’ / ‘nft_bank_acc’					
request_id	C	N	String		Request ID generated by the systems

Response

Attribute	M	List	Type	Limit	Description and example(s)
member	Y	N	Object		Member
investor	Y	N	Object		Investor/Client code: UCC Investor
parent_client_code	C	N	String		Parent Client Code.

action	Y	Y	Object		{
					"status": "success",
					"data": [
					{
					"member": "0103",
					"investor": {
					"client_code": "123456006",
					"pan_holder": null,
					"holding_nature": ""
					},
					"parent_client_code": "",
					"action": {
					"msgcode": "",
					"at": "2024-11-05T12:45:47.792797Z",
					"event": "verify_order_new",
					"event_object": [
					{
					"holder_rank": "",
					"pan": "",
					"2fa_url": "www.google.com"
					}
					]
					}
					},
					{
					"member": "0103",
					"investor": {
					"client_code": "",
					"pan_holder": null,

CONFIDENTIAL

					"holding_nature": ""
					},
					"parent_client_code": "",
					"action": {
					"msgcode": "",
					"at": "2024-12-18T16:00:44.28054Z",
					"event": "verify_sxp_reg",
					"event_object": [
					{
					"holder_rank": "",
					"pan": "",
					"2fa_url": "http://localhost:8082/s4/2fa_view_object/sxp/22ec71d9-50f1-4257-a813-956af06d4824"
					}
					]
					}
					},
					{
					"member": "0103",
					"investor": {
					"client_code": "1234560041",
					"pan_holder": null,
					"holding_nature": ""
					},
					"parent_client_code": "",
					"action": {
					"msgcode": "",
					"at": "2024-12-15T11:48:08.271328Z",
					"event": "verify_mandate_cancel",
					"event_object": [
					{
					"holder_rank": "",
					"pan": "",
					"2fa_url": "http://localhost:8082/s4/2fa_view_object/mandate/0a48a582-581d-4c15-b5a4-a299676af087"
					}
					]
					}
					},
					{
					"member": "MBR00100",
					"investor": {
					"client_code": "ucc45",
					"pan_holder": null,
					"holding_nature": ""
					},
					"parent_client_code": "",
					"action": {
					"msgcode": "",
					"at": "2025-01-15T17:35:19.25622Z",
					"event": "ucc_elog",
					"event_object": [
					{
					"holder_rank": "1",
					"pan": "NOTPA0008A",
					"2fa_url": "http://localhost:8080/2fa_view_object/ffa1adf5-33e6-4ad6-848e-f5dd12895cf0"
					}
					]
					}

CONFIDENTIAL

					}], "messages": null }

Sample Failure response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					[
					{
					"msgid": 522,
					"errcode": "required",
					"field": "event"
					}
					]

6.2.12 Mandate

The BSE Mandate Service enables members to register, manage, and track complete mandate lifecycle. It supports multiple mandate registration modes UPI AutoPay, E-Nach (E Mandate), and Nach (Physical Mandate) ensuring flexibility and convenience for investors across platforms.

BSE securely maintains and updates all mandate-related data, providing real-time visibility into each mandate's lifecycle from registration to activation.

6.2.12.1 Mandate Register

This API enables members to register mandates across multiple modes such as UPI AutoPay (intent/collect), eNACH, and NACH for setting up recurring payment instructions.

Request

```
POST /mandate_register
{
   "data": {
      "investor": {
         "ucc": "8kr4EBmr"
         // "pan_holders": [
         //     ""
         // ],
```


CONFIDENTIAL

```
        // "holding_nature": "SI"
    },
    "member":"0103",

    "mem_details": {
          "euin": "",
          "euin_flag": true,
          "sub_br_code": "code",
          "sub_br_arn": "arn",
          "partner_id": "partner_id"
       },

    // "parent_client_code": "87654678",
    "investor_bank_details": {
       "ifsc": "UTIB0000145",
       "no": "6986598569865",
       "type": "SA",
       "name": "John Doe",
       "branch": "Ghansoli",
       "vpa": [
          "755832xxxx@ybl"
       ]
    },
    "mem_mandate_info": {
       "member_mandate_id": "MM123456789",
       "mandate_status_date": "2024-02-12T10:30:00Z",
       "umrn_number": "UMRN987654321",
       "utility_code": "UTL000123",
       "sponsor_code": "SPN456789"
    },
      "identifier": {
       "identifier_type": "",
       "file_name": "",
       "file_blob": "",
       "file_size": 0,
       "issue_date": ""
    },
    "amount": 100,
    "start_date": "2025-02-18",
    "valid_till": "2065-02-15",
    "reg_date": "2023-02-15",
    "type": "U",
    "mode": "DD",
    "redirect_url": "",
    "frequency": "AS AND WHEN PRESENTED",
    "request_type": "Entry"
  }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
investor	Y	N	Object		Unique Client code of the investor. Investor
member	Y	N	String		Member code
mem_details	N	N	Object		Member Details mem_details
investor_bank_details	Y	N	Object		Bank Account bank_acct

CONFIDENTIAL

mem_mandate_info	C	N	Object		Mem_mandate_info(mandate) is mandatory when Request Type is Entry
amount	Y	N	Decimal		Maximum amount for the mandate
start_date	Y	N	Date		Start Date of the mandate
valid_till	Y	N	Date		End date of the mandate
reg_date	Y	N	Date		Mandate Registration Date
type	Y	N	String		Mandate Types: (N (ENACH), X(NACH), U(UPI))
mode	Y	N	String		ACH or DD. (In case of ENACH and NACH the mode is ACH and in case of UPI Autopay it is DD)
frequency	Y	N	String		Frequency of the mandate, If Mandate Request Type is REGISTRATION, then Mandate Frequency must be passed: “As an When Presented”
request_type	Y	N	String		REGISTRATION or ENTRY. REGISTRATION- members using BSE Mandate service. ENTRY- members not using the BSE Mandate service (i.e., mandates via third-party agencies)
redirect_url	N	N	String		Redirect URL provided by member only for E-Nach and member excluded for E-Nach
parent_client_code	N	N	String		Parent client code for the UCC.

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		**ENACH (In case of Included Member):**
					{
					"status": "success",
					"data": {
					"investor": {
					"ucc": "8kr4EBmr"
					},
					"member": "0103",
					"exch_mandate_id": 500000216
					},
					"messages": null
					}
					
					ENACH (In case of Excluded Member where Link is required in API):
					{
					"status": "success",
					"data": {
					"link":
					"https://starmfv2demo.bseindia.com/api/s4/2fa_view_object/mandate_enach/20BbBUNay69i2zrhHTdVpb4TaLqJHz

CONFIDENTIAL

					Ou-6BOYE5BdF3JzjaCjuNmbTkjlFt8vVMHOFxV-xhszlfl8q-BNmXIoQ",
					"investor": {
					"ucc": "MWG0261194"
					},
					"member": "0103",
					"exch_mandate_id": 500007417
					},
					"messages": null
					}
					
					ENACH (In case of request type Entry):
					{
					"status": "success",
					"data": {
					"investor": {
					"ucc": "ParthTest"
					},
					"member": "0100",
					"exch_mandate_id": 500001234
					},
					"messages": null
					}
					
					UPI AutoPay- Intent:
					{
					"status": "success",
					"data": {
					"link":
					"upi://mandate?am=15000.00&amrule=MAX&block=N&cu=INR&mc=6012&mn=HDFC000010170181&mode=04&orgid=159240&pa=iccluamfv2@hdfcbank&pn=UPI&purpose=14&recur=ASPRESENTED&recurtype=AFTER&recurvalue=6&rev=Y&tid=500007276&tn=STARMF+MANDATE&tr=HDFC176363470176207305 6E500007276&txnType=CREATE&validityend=19112065&validitystart=20112025",
					"investor": {
					"ucc": "MWG0261194"
					},
					"member": "91016",
					"exch_mandate_id": 500007276
					},
					"messages": null
					}
					
					UPI AutoPay- Collect:
					{
					"status": "success",
					"data": {
					"investor": {
					"ucc": "MWG0261194"
					},
					"member": "91016",
					"exch_mandate_id": 500007277
					},
					"messages": [
					{
					"msgid": 3714,
					"errcode": "mandate_agency_verification",
					"field": "agency_verification",

CONFIDENTIAL

					"vals": [
					"in-progress"
					]
					}
					]
					}
					NACH:
					{
					"status": "success",
					"data": {
					"investor": {
					"ucc": "VR000@test"
					},
					"member": "0103",
					"exch_mandate_id": 500007418
					},
					"messages": null
					}

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					
					{
					"status": "error",
					"data": {
					"investor": {
					"ucc": "CLNT0285"
					},
					"member": "0103"
					},
					"messages": [
					{
					"msgid": 3579,
					"errcode": "invalid",
					"field": "request_type",
					"vals": [
					"Entr1y"
					]
					}
					]

CONFIDENTIAL

					}

Notes: -

1) For excluded members (i.e., members operating through their own agency), the member must register their mandate details with BSE. In such cases, the "request_type" should be set to "ENTRY", and the "mem_mandate_info"object becomes mandatory to include in the request.
2) Mandate Testing in the UAT Environment:

- UPI Autopay: Testing is not available in the UAT environment due to system restrictions.
- E-NACH: Testing is available in UAT and integrated with the live environment.
  (Note: For successful testing in UAT, the mandate amount must be less than ₹90.)
- NACH: Testing is available in the UAT environment.

6.2.12.2 Mandate Fetch Details

This API enables retrieval of detailed information for a specific mandate ID, including its complete life cycle, with updates available in real time.

Request

```
POST /mandate_get

{
   "data": {
      "exch_mandate_id": 500000216
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
exch_mandate_id	Y	N	Integer		Mandate id from the exchange

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ "exch_mandate_id": 500000352, "umrn": "HDFC7012410252007042", "ucc": "Test123", "man_2fa": "n", "man_2fa_action_at": "2025-10-24 00:00:00", "member_code": "63655", "amount": 1000, "cur": "INR",

CONFIDENTIAL

```
  "ifsc": "HDFC0002282",
  "acct_no": "22821140001437",
  "bank_name": "HDFC BANK",
  "bank_branch": "MALIGAON",
  "acct_type": "SB",
  "mode": "ACH",
  "frequency": "AS AND WHEN PRESENTED",
  "debit_type": "Maximum",
  "client_name": "Aryan Rastogi",
  "reg_date": "2025-10-24",
  "start_date": "2025-10-24",
  "end_date": "2035-10-24",
  "type": "N",
  "details": {
    "field1": "",
    "blod_id": ""
  },
  "is_active": true,
  "is_verified": true,
  "cancelled_at": "",
  "status": "active",
  "created_at": "2025-10-24",
  "audit_trail": [
    {
      "msg": "Mandate registered successfully at exchange -
initiated",
      "user": "member/XXXX/mermber.admin",
      "when": "2025-10-24T11:41:24.784594655+05:30",
      "event_status": "initiated"
    },
    {
      "msg": "Mandate registration pending for investor
authentication",
      "user": "member/XXXX/mermber.admin",
      "when": "2025-10-24T11:41:24.953400973+05:30",
      "event_status": "investor_auth_awaited"
    },
    {
      "msg": "Mandate registration successful at ICICI
agency",
      "user": "member/XXXX/mermber.admin",
      "when": "2025-10-24T11:43:14.820738964+05:30",
      "event_status": "active"
    }
  ],
  "others": {
    "mode": "ACH",
    "number": "",
    "status": null,
    "investor": {
      "ucc": "Test123"
    },
    "frequency": "AS AND WHEN PRESENTED",
    "debit_type": "Maximum",
    "client_name": "Aryan Rastogi",
    "mem_details": {
      "member_id": "",
      "agency_code": "ICI",
      "agency_name": "ICICI BANK",
      "broker_code": "",
      "member_name": "",
```


CONFIDENTIAL

					"sponsor_code": "ICIC0TREA00",
					"utility_code": "YESB00709028661"
					},
					"redirect_url": "",
					"request_type": "REGISTRATION",
					"mem_mandate_info": {
					"umrn_number": "",
					"sponsor_code": "",
					"utility_code": "",
					"member_mandate_id": "",
					"mandate_status_date": ""
					}
					},
					"identifier": {},
					"approved_by": "EXCHANGE"
					}

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					
					{
					"status": "error",
					"data": null,
					"messages": [
					{
					"msgid": 3663,
					"errcode": "id_does_not_exist",
					"field": "id"
					}
					]
					}

6.2.12.3 Mandate List Fetch

This API allows retrieval of detailed information for a list of registered mandates, including their complete life cycle, with real-time updates. It also provides multiple filter parameters, enabling members to generate customized reports as per their requirements.

Request

CONFIDENTIAL

POST /mandate_list

```
{
   "data": {
      "start": 0,
      "length": 50,
      "fields": [
         "id",
         "umrn",
         "src_acct",
         "dest_acct",
         "max_txn_amt",
         "cur",
         "valid_till",
         "type",
         "details",
         "is_active",
         "is_verified",
         "verified_on",
         "verified_by_org",
         "cancelled_at",
         "cancelled_by",
         "created_at",
         "ALL"
      ],
      "format": "json",
      "count_only": false,
      "sort_dir": "a",
      "is_compressed": false,
      "search": {
         "value": ""
      },
      "filter_param": {
      }
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
count_only	Y	N	Boolean		Will return count of records, if the value is true
fields	Y	Y	Object		[“ALL”]
start	Y	N	Integer		0
length	Y	N	Integer		100
filter_param	N	Y	Object		mandate_filter_param request_type: // exact match status: // array of strings to be matched exactly type: // array of strings to be matched exactly mandate_id: array of mandate IDs created_at_after: // timestamp created_at_before: // timestamp

Response

Success response

CONFIDENTIAL

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ "status": "success", "data": { "lists": [{ "exch_mandate_id": 500000352, "umrn": "HDFC7012410252007042", "ucc": "Test123", "man_2fa": "n", "man_2fa_action_at": "2025-10-24 00:00:00", "member_code": "63655", "amount": 1000, "cur": "INR", "ifsc": "HDFC0002282", "acct_no": "22821140001437", "bank_name": "HDFC BANK", "bank_branch": "MALIGAON", "acct_type": "SB", "mode": "ACH", "frequency": "AS AND WHEN PRESENTED", "debit_type": "Maximum", "client_name": "Aryan Rastogi", "reg_date": "2025-10-24", "start_date": "2025-10-24", "end_date": "2035-10-24", "type": "N", "details": { "field1": "", "blod_id": "" }, "is_active": true, "is_verified": true, "cancelled_at": "", "status": "active", "created_at": "2025-10-24", "audit_trail": [{ "msg": "Mandate registered successfully at exchange - initiated", "user": "member/XXXX/mermber.admin", "when": "2025-10-24T11:41:24.784594655+05:30", "event_status": "initiated" }, { "msg": "Mandate registration pending for investor authentication", "user": "member/XXXX/mermber.admin", "when": "2025-10-24T11:41:24.953400973+05:30", "event_status": "investor_auth_awaited" }, { "msg": "Mandate registration successful at ICICI agency", "user": "member/XXXX/mermber.admin", "when": "2025-10-24T11:43:14.820738964+05:30", "event_status": "active" }

CONFIDENTIAL

					],
					"others": {
					"mode": "ACH",
					"number": "",
					"status": null,
					"investor": {
					"ucc": "Test123"
					},
					"frequency": "AS AND WHEN PRESENTED",
					"debit_type": "Maximum",
					"client_name": "Aryan Rastogi",
					"mem_details": {
					"member_id": "",
					"agency_code": "ICI",
					"agency_name": "ICICI BANK",
					"broker_code": "",
					"member_name": "",
					"sponsor_code": "ICIC0TREA00",
					"utility_code": "YESB00709028661"
					},
					"redirect_url": "",
					"request_type": "REGISTRATION",
					"mem_mandate_info": {
					"umrn_number": "",
					"sponsor_code": "",
					"utility_code": "",
					"member_mandate_id": "",
					"mandate_status_date": ""
					}
					},
					"identifier": {},
					"approved_by": "EXCHANGE"
					}
					],
					"total_count": 1
					},
					"messages": null
					}

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"error"
data	Y	Y	object		{ }
messages	Y	Y	object		Array of messages:

CONFIDENTIAL

					<pre>{
					  "status": "error",
					  "data": null,
					  "messages": [
					  {
					  "msgid": 3663,
					  "errcode": "id_does_not_exist",
					  "field": "id"
					  }
					  ]
					}</pre>

Notes: -

1) The responses for both the List and Get APIs are identical. The Get API returns details for a single mandate ID, while the List API provides details for all available mandates.

6.2.12.4 Mandate Modify

This API facilitates the submission of a NACH (physical mandate) document.

Request

POST /mandate_update

```
{
    "data": {
        "investor": {
            "ucc": "8kr4EBmr"
            // "pan_holders": [
            //     ""
            // ],
            // "holding_nature": "SI"
        },
        "exch_mandate_id": 500007417,
        "member":"0103",
        "identifier": {
            "identifier_type": "nach_scan_img",
            "file_name": "nach_scan_img.png",
            "file_blob":
"iVBORw0KGgoAAAANSUhEUgADvYzDaqbjaCrqZaWiZd1p8VEQniXDqZHUGG/aG3efRLslvShm0At/YKHH
gCdTVXtYIztRYiEhxqdZfdDkUM4s4mtRpIvMtoRC6DhXZPPmJvpce+bIVq3TjxChBzl+CoiKHWZ/mybmw
UEjSdttSdxYZTYnYbj0Fs2Vt/vcZq1lDSYELvB6E+N8UYbUEtllAU6WYoCX9amEPSFzkijMq1G9XVal7m
DGNkoGRMJ+CQ4hbf480wR6Pr1CtFWFTdnSy6DPELeN+2uWlnF7MemCHRV3ame1K+yum6/HWxy0uRlOG/K
QM91T2p8lf6dwPzQs4vyOo7LQFd9DUJntnjs7UbULxZFoOs/oL9OybGbaa1nixLQ1XzcW6fz9O8E80Ct0
ZV+MWh4XwK6dwZxWqe51pzSgTh5/1RVX39V/bjxuAB0Vd/1pnbTkGQQO2qN5/wF7erLGHtR+/PMltBu5t
TXkpY6OXZ+C3r2FIeH+aL7xK8vP5qtoeufYQB1mmutQxZZp03HvajhfGvoqj7VSiuwz+Rh5ecXt+rf9u1
lf/ybv2udL+a9qNVsCPSameuDmBH4n8qpk3d1Pr1e+naaN3o8zNUQH8DS+Nn0Rh8C0m9VfwKq1TcnqkZW
Vt6TaP4os/YuLToclqpJy1UB6DAWYysQ/CL6a9ZP0yfstTeHvE5RfS3yiJtOSkDbsWjr8gppphWVtdM+M
zhpvbYl220yCFpS27q19t15VgK6qsaeSQdbA3h8L62Y1L24LQgL09GSGcdxoEmFLAAr+n0R6PoCE173JE
5SGvJUYh3yseuevgtvaBe1TuwVraJwUUZpO3ECaUhM4Qn9MssVfI7w1NGSO8dqyUMufqA+8nW6B9ZloCu
b9jRbgYach6TWkvQXtO66FfcB+TgA7jkSQbPS0BSCduPH6+mbER+DH4Y6paa9cNbRxVZqPi52GVnFp0+4
LAXtE6x3nWcEUpqMocQcLL4LCaFe39IHpOjFXcByk9H43FIC2p1hxLTQWgAtw0iF/sAO6Ozj0UaEErkJ
nfrq2LQPlWRmpxk4wIJL0pTPNjV0gOCHMlhh9RnF47KQVf/RW6HWyKrgM/N1D6t0l6dSjensY9kSepWeF
8Q2rYkikgRdVCBSlZ9dyy6qvodpC55shpajiwF/TuKlnTC5YbjUjCP/Yd/dlVlUOXhJzLgoBvmv/ndrbE
ILX0bQmg17zYddVVV34UMFCQIz+0/I6YtXaDOiwomSXSmgjemq+GfIe4tY5HLtSkJXZlPCN8oOo7Gzqqm
```


CONFIDENTIAL

```
MeG0y1VZaJv2AFa1s6w+IJ51xo+t/YPgeFKVhXbTBq2hV9E3nZecQ5+1LGczXmno+hPqngVw0VHVfFlpC
WJRGtpdFuguqEU7NxQ7B+JKpTU0xaGtRIRFdMtPVlk7Vy86Ut5yj0ny2AE0G6SPq63U66qax7DDP1rHmx
1AV80f2KW0e7Dg==",
            "file_size": 1024
        }
    }

}
```

Attribute	M	List	Type	Limit	Description and example(s)
investor	Y	N	Object		Client code of the UCC. Investor
exch_mandate_id	Y	N	Integer		Mandate ID
member	N	N	String		Member code
identifier	N	N	Object		identifier
parent_client_code	N	N	String		Parent client code of the UCC.

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ "status": "success", "data": { "investor": { "ucc": "8kr4EBmr" }, "member": "0103", "exch_mandate_id": 500007417 }, "messages": null }
messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

CONFIDENTIAL

messages	Y	Y	object		Array of messages:
					
					{
					"status": "error",
					"data": null,
					"messages": [
					{
					"msgid": 3663,
					"errcode": "id_does_not_exist",
					"field": "id"
					}
					]
					}

Notes: -

1) Mandate modification is not permitted. However, the mandate_modify API can be used if an investor has submitted incorrect documents or failed to provide the required document.

6.2.12.5 Mandate Cancel

This API facilitates the cancellation of an existing mandate.It allows members to terminate a registered mandate, ensuring no further transactions are processed against it.

Request

```
POST /mandate_cancel

{
   "data": {
      "ids": [500104151],
      "investor": {
         "ucc": "CLNT10082"
         "pan_holders": [
            ""
         ],
         "holding_nature": "SI"
      }
        "parent_client_code": ""
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
ids	Y	Y	Array		Mandate IDs to be cancelled
investor	N	N	Object		Client code of the UCC. Investor
parent_client_code	N	N	String		Parent client code of the UCC or Investor

CONFIDENTIAL

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"status": "success",
					"data": {
					"success_id": [
					500104151
					],
					"investor": {
					"ucc": "CLNT10082"
					}
					},
					"messages": []
					}

messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					{
					"status": "error",
					"data": null,
					"messages": [
					{
					"msgid": 3517,
					"errcode": "missing",
					"field": "ids",
					"vals": [
					"211"
					]
					}
					]
					}

Note: -

1) Mandate cancellation is permitted only if the mandate is not linked to any active SIP.
2) If the mandate is linked to an active SIP, it must first be delinked before invoking the cancellation API.

CONFIDENTIAL

6.2.12.6 Mandate Link

This API enables linking an existing or active SIP to a registered mandate.It ensures that future SIP transactions are executed using the linked mandate for seamless payment processing.

Request

POST /link_mandate

```
{
   "data": {
      "reg_no": "202505000000211",
      "exch_mandate_id": 500000221
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
reg_no	Y	N	String		SXP Registration Number
exch_mandate_id	Y	N	Integer		Exchange Mandate ID

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ "status": "success", "data": { "reg_no": "202505000000211" }, "messages": [] }
messages	Y	Y	object		[ ]

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

CONFIDENTIAL

messages	Y	Y	object		Array of messages:
					{
					"status": "error",
					"data": null,
					"messages": [
					{
					"msgid": 3507,
					"errcode": "record_not_found",
					"field": "reg_no",
					"vals": [
					"202505000000132"
					]
					}
					]
					}

6.2.12.7 Mandate Delink

This API allows the disassociation of a mandate from an active SIP, ensuring the SIP no longer utilizes that mandate for future transactions.

Request

POST /mandate_delink

```
{
   "data": {
      "reg_nos": ["202505000000211"]

   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
reg_nos	Y	N	Array		SXP Registration Numbers

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		{
					"status": "success",
					"data": {
					"SuccessIds": [
					"202505000000211"
					],

CONFIDENTIAL

					"FailedIds": null }, "messages": null }
messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					{
					"status": "error",
					"data": {
					"SuccessIds": null,
					"FailedIds": [
					"202505000000011"
					]
					},
					"messages": [
					{
					"msgid": 3507,
					"errcode": "record_not_found",
					"field": "reg_no",
					"vals": [
					"202505000000210",
					]
					}
					]
					}

6.2.13 Payment Gateway

The **BSE Payments Service** facilitates seamless initiation of payment transactions for mutual fund orders placed through the BSE platform. It provides an integrated interface for members and participants to manage payment flows using various supported modes such as Net Banking, UPI and Mandate-based debit.

6.2.13.1 Request Single Payment BSE PG

This API enables members to initiate payment transactions through the BSE Payment Gateway (PG) page. It provides access to all validated bank account details linked to the investor's UCC, along with the permitted payment modes for each account.

CONFIDENTIAL

The primary use case is to redirect the investor to the BSE-hosted PG page. When the requested_method is set to exch_pg_page, the response includes a PG page link for initiating the transaction. When the requested_method is set to payment_info_data, the response returns validated bank account details together with the allowed payment modes. In this flow, the payment page is hosted and managed entirely by BSE.

Request

```
POST /get_exchpg_service

"data": {
  "mem_details": {
                    "member": "0103",
                    "euin": "",
                    "euin_flag": false,
                    "sub_br_code": "",
                    "sub_br_arn": "",
                    "partner_id": ""
              }
  "investor": {
                  "ucc": "UCC_CODE01"
               },
  "order_ids": [50000123,50000124],
  "requested_method": "exch_pg_page",
  "payment_mode": [ "upi", "netbanking", "mandate"]
  "redirection_url": "",
}
```

Attribute	M	List	Type	Limit	Description and example(s)
mem_details	N	N	Object		Details of the member mem_details
investor	Y	N	Object		Unique client code of the investor. Investor
order_ids	Y	Y	Integer		Array of order_ids eg. 50000123
requested_method	Y	N	String		Enum value 'exch_pg_page' , or “payment_info_data”
payment_mode	Y	Y	String		The possible values are upi, netbanking, mandate.
redirection_url	Y	N	String		url on which the user journey will be redirected after user activity for the payments is completed from exch_pg_page.

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		"data": { "exch_pg_page_link": "http://localhost:8082/s4/pg_view_object/11757dcc-43f3-

CONFIDENTIAL

					4537-a1f6-a3eefc2b0cb5",
					"payment_information": {
					"payment_mode": "",
					"get_bank_account_details_row": null,
					"mode_additional_info": ""
					}
					}
					
					If the requested_method is “payment_info_data”, the following response will come:
					"data": {
					"payment_information": [
					{
					"payment_mode": "upi",
					"get_bank_account_details_row": [
					{
					"account_number": "980000000000",
					"ifsc_code": "ABHY0065002",
					"bank_code": null,
					"bse_bank_code": "ABHY"
					},
					{
					"account_number": "78700000000",
					"ifsc_code": "ABHY0065002",
					"bank_code": null,
					"bse_bank_code": "ABHY"
					}
					],
					"mandate_ids": null,
					"mode_additional_info": "upi"
					},
					{
					"payment_mode": "netbanking",
					"get_bank_account_details_row": [
					{
					"account_number": "980000000000",
					"ifsc_code": "ABHY0065002",
					"bank_code": null,
					"bse_bank_code": "ABHY"
					},
					{
					"account_number": "78700000000",
					"ifsc_code": "ABHY0065002",
					"bank_code": null,
					"bse_bank_code": "ABHY"
					}
					],
					"mandate_ids": null,
					"mode_additional_info": "Net banking"
					},
					{
					"payment_mode": "mandate",
					"get_bank_account_details_row": null,
					"mandate_ids": null,
					"mode_additional_info": "Mandates"
					}
					],
					"exch_pg_page_link":

CONFIDENTIAL

					"http://localhost:8082/send_payment_info" }
messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					"messages": [
					{
					"msgid": 3507,
					"errcode": "record_not_found",
					"field": "order",
					"vals": [
					"50000000025"
					]
					}
					]

Notes: -

1) If the "requested_type" field is set to "exch_pg_page", the response will include the BSE Payment Gateway (PG) link for initiating the transaction.
   If the value is "payment_info_data", the response will provide all validated bank account details linked to the investor's UCC, along with the permitted payment modes for each bank account.

6.2.13.2 Send Payment Info BSE PG

This API allows members to initiate payment transactions by **sending payment details collected on their own hosted payment page or interface** to BSE for processing. Supported payment modes include Net Banking, UPI (Intent/Collect), and OTM (Mandate).

The typical use case is where the member designs and manages the payment page, collects investor inputs such as UPI VPA, bank account information, or mandate identifiers, and then calls this API to securely send the payment instructions to BSE. The response provides appropriate redirection or intent links depending on the payment mode. For Net Banking transactions, the member must construct and render their own HTML payment page using the data provided in the response, which includes the href URL, HTTP method, and parameters. In this flow, the payment page is hosted and controlled by the member, while BSE processes the submitted payment data.

CONFIDENTIAL

Request

POST /send_payment_info

```
{
  "data": {
    "payment_mode": "upi",
    "order_ids": [
      5000000969
    ],
    "ucc": "CLNT10102",
    "member": "0103",
    "amount": 7000,
    "currency": "INR",
    “redirection_url”: “www.members.url”,
    "payment_details": {
      "bank_account": {
        "vpa": "success@razorpay",
        "bank_id": "ABC123",
        "account_number": "980000000000",
        "ifsc": "HDFC0000001",
          "is_retail": true,
           "is_corporate": false

      },
      "exch_mandate_id": 501342
    }
  }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
payment_mode	Y	N	String		Possible values are- upi or netbanking or mandate
order_ids	Y	Y	Integer		Array of order_ids e.g 5000000969
ucc	Y	N	String		Unique client code of the investor
member	Y	N	String		Member code of the UCC
redirection_url	N	N	String		If not empty, Investor will be redirected to this URL managed by a member [Added in v2.0.0]
amount	Y	N	Float		The amount of the orders selected
currency	Y	N	String		Always INR

payment_details	Y	N	Object		The payment details of UCC.
					{
					"bank_account": {
					"vpa": "success@razorpay",
					"bank_id": "ABC123",
					"account_number": "980000000000",
					"ifsc": "HDFC0000001",
					"is_retail": true,
					"is_corporate": false
					
					},
					"exch_mandate_id": 501342
					}

CONFIDENTIAL

					["exch_mandate_id" added in v2.0.0]
is_retail	Y	N	Boolean		This field accepts a Boolean value (true or false). For payment modes other than Net Banking, this value should be set to false.
is_corporate	Y	N	Boolean		This field accepts a Boolean value (true or false). For payment modes other than Net Banking, this value should be set to false.

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

data	Y	Y	object		**Response for UPI Intent payment mode:**
					
					{
					"status": "success",
					"data": {
					"payment_mode": "upi",
					"ucc": "XXXXXXXXX",
					"links": [
					{
					"href": "upi://pay?pa=icclindianclearingcorpltd.rzp@icici&pn=INDIANCLEARINGCORPORATIONLIMITED&tr=EZP4572025071618525633290548&tn=UPIIntentPayment&mc=6211&am=100&cu=INR",
					"method": "",
					"parameters": {},
					"rel": "intent"
					}
					],
					"status": "IN_PROGRESS",
					"payment_ref_id": "BD20250804115446608076 6FE99D46",
					"transaction_id": "BICIB860SAFSXX",
					"vpa_id": "",
					"message": "UPI intent payment initiated. Use the provided link to complete payment via any UPI app."
					},
					"message": null
					}
					
					Response for UPI Collect payment mode:
					
					{
					"status": "success",
					"data": {
					"payment_mode": "upi",
					"ucc": "XXXXXXX",
					"links": [
					{
					"href": "",

CONFIDENTIAL

					"method": "",
					"parameters": {},
					"rel": "collect"
					}
					],
					"status": "IN_PROGRESS",
					"payment_ref_id":
					"BD20250804115446608076 6FE99D46",
					"transaction_id": "BICIB860SAFSXX",
					"vpa_id": "abc@hdfcbank",
					"message": "UPI collect payment initiated. Please check your UPI app and approve the payment request."
					},
					"messages": null
					}
					
					Response for Netbanking payment mode:
					
					{
					"status": "success",
					"data": {
					"payment_mode": "netbanking",
					"ucc": "XXXXXXXXX",
					"links": [
					{
					"href":
					"https://shopping.icicibank.com/corp/BANKAWAY?IWQRYTASKOBJNAME=bay_mc_login&BAY_BANKID=ICI",
					"method": "post",
					"parameters": {
					"ES": "",
					"MD": "P",
					"PID": "000000002250",
					"SPID": "NA"
					},
					"rel": "redirect"
					}
					],
					"status": "IN_PROGRESS",
					"payment_ref_id":
					"BD20250804115446608076 6FE99D46",
					"transaction_id": "BICIB860SAFSXX",
					"vpa_id": "",
					"message": "Payment in progress, redirect to bank"
					},
					"messages": null
					}
					
					Response for OTM payment mode:
					
					{
					"status": "success",
					"data": {
					"payment_mode": "mandate",
					"ucc": "XXXXXXX",
					"links": [
					{
					"href": "",
					"method": "",

CONFIDENTIAL

					"parameters": {}, "rel": "" }], "status": "success", "payment_ref_id": "5010000230", "transaction_id": "", "vpa_id": "", "message": "Mandate payment process is done. Please check your payment status for the order" } }
messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					"messages": [
					{
					"msgid": 579,
					"errcode": "invalid",
					"field": "payment_mode",
					"vals": [
					"Payment mode must be one of: netbanking, upi, mandate, got:UPA"
					]
					}
					]

Notes: Payment Gateway

Notes: -

1) UPI –
   In the UAT environment, simulator is available with the agency to facilitate UPI (Collect type) testing.
   For testing purposes:
- To simulate a successful payment flow, use the VPA: "success@razorpay"
- To simulate a failed payment flow, use the VPA: "failure@razorpay"

2) Net banking –
   In UAT environment, simulator is available with agency to facilitate Net banking flow testing for both success and failure scenarios.

3) For Net Banking payments, the member must utilize all data provided in the API response to generate their own HTML payment page.
   In case of Net banking:
- The response includes an href link along with a method (either GET or POST).

CONFIDENTIAL

- If the method is POST, the member must dynamically handle and submit the parameters block as received in the response, and then redirect the user to the provided href.
- If the method is GET, the member can directly redirect the user to the given href link.

4) "bank_id" field is optional and is not mandatory to be included in the request. BSE maintains and updates all associated data for this field.

5) For a savings bank account, is_corporate must be set to false and is_retail must be set to true.

6) For Net Banking transactions, the member must construct and render their own HTML payment page using the data provided in the API response. The response includes an href URL and an HTTP method (GET or POST). If the method is POST: Dynamically create a form using the parameters block exactly as received. Auto-submit the form to the provided href URL to redirect the user to the bank's payment page. If the method is GET: Directly redirect the user to the provided href URL.This ensures proper redirection and compatibility with Net Banking payment flows.

6.2.14 KYC via API

This API allows KYC verification of a registered client on the BSE platform.

Request

POST /v2/get_kyc_link

```
{
   "data": [
      {
         "event": "ucc_kyc_pending",
         "investor": {
            "client_code": "SamSIDet01"
         },
         "member_code": "xxxx"
      }
   ]
}
```

Note: The KYC journey can be initiated only after client registration is completed on the BSE platform, after UCC creation.

Attribute	M	List	Type	Limit	Description and example(s)
event	Y	N	Enum		"ucc_kyc_pending"
member_code	Y	N	Object		Member Code.
investor	Y	N	Object		Refer Investor

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"

CONFIDENTIAL

data	Y	Y	object		"data": [
					{
					"member": "xxxx",
					"investor": {
					"client_code": "SamSIDet01",
					"pan_holder": [
					" ABCDE1234C"
					],
					"holding_nature": "SINGLE"
					},
					"parent_client_code": "",
					"action": {
					"msgcode": "kyc_initiated",
					"at": "2025-12-19T13:58:58.992311481+05:30",
					"event": "ucc_kyc_pending",
					"event_object": [
					{
					"holder_rank": "1",
					"pan": "ABCDE1234C",
					"kyc_link":
					"https://starmfv2demo.bseindia.com/api/2fa_view_object/389dc6cc-d481-41ed-a7e0-2695549b146f"
					}
					]
					}
					}
					]

messages	Y	Y	object		[ ]

Sample Failure response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"error"
data	Y	Y	object		{ }

messages	Y	Y	object		Array of messages:
					{
					"status": "error",
					"data": **null**,
					"messages": [
					{
					"msgid": 560,
					"errcode": "data_not_found"
					}
					]
					}

CONFIDENTIAL

6.2.15 Get BSE PG Payment Status

Retrieves the payment status of a transaction using either the Order ID or the Payment Gateway Reference ID (PG Ref ID). The response includes detailed payment information along with a complete audit trail of all status changes throughout the transaction lifecycle.

Request

POST /get_bse_pg_payment_status

```
{
   "data": {
      "order_id":
         5000000001,
      "payment_ref_id": "RZ20250326E3B0C44298FC",
      "include_audit": true
   }
}
```

Attribute	M	List	Type	Limit	Description and example(s)
order_id	C	N	Integer		order_id. Either Order ID or Payment Ref ID must be provided.
payment_ref_id	C	N	String		payment_ref_id. Either Order ID or Payment Ref ID must be provided.
include_audit	Y	N	Boolean		True: response includes full audit trail, False: response excludes history object.

Response

Success response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"success"
data	Y	Y	object		{ "lists": { "order_id": 5000000001, "payment_ref_id": "RZ20250425123631486311O3C12036", "payment_mode": "upi", "investor": { "client_code": "ALSPG1223H" }, "amount": "5000.00", "status": "SUCCESS", "bank_ref_no": "RZ20250425123631486311O3C12036", "txn_date": "2025-04-25T12:36:31Z ", "last_updated": "2025-04-25T12:36:37Z ", "history": [{ "status": "exch_init", "remarks": "Order created in Razorpay", "updated_by": "",

CONFIDENTIAL

					"updated_at": "2025-04-25T12:36:31Z"
					},
					{
					"status": "agency_in_process",
					"remarks": "Razorpay payment created",
					"updated_by": "",
					"updated_at": "2025-04-25T12:36:36Z"
					},
					{
					"status": "agency_payment_complete",
					"remarks": "Payment successful",
					"updated_by": "",
					"updated_at": "2025-04-25T12:36:37Z"
					}
					]
					}
					}

messages	Y	Y	object		[ ]

Notes:
1. The get_bsepg_payment_status API will return transaction statuses standardized as defined in the Webhook Document.
2.The status field indicates whether the transaction was successful or failed. Values will be returned in uppercase only: "SUCCESS" – transaction completed successfully. "FAILED" – transaction did not complete

Event	Description
exch_init	This event will be triggered, when payment request has been initiated by Exchange
agency_pending	Payment Gateway: Payment request is sent to an Agency, waiting for response
agency_in_process	Payment Gateway: Payment request is in process at agency's end
agency_rejected	Payment Gateway: Payment is rejected by an agency
agency_cancelled	This Status will trigger, when none of the event triggers
agency_payment_complete	This Status will trigger, when the complete payment process is completed. The payment is successful.

Sample Failure response

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		"error"
data	Y	Y	object		{ }
messages	Y	Y	object		Array of messages: { "status": "error", "data": **null**,

CONFIDENTIAL

					"messages": [
					{
					"msgid": 507,
					"errcode": "record_not_found",
					"field": "payment_ref_id",
					"vals": [
					"xxyy1122344"
					]
					}
					]
					}

6.3 Webhook Listing

For Webhooks, please refer to the documentation available at: Link

7 Annexure

7.1 Environments

UAT
URL: https://starmfv2demo.bseindia.com/api/
Production
URL: https://v2.bsestarmf.in/api/

7.2 Masters and Enumerated values

This is a representative list only. Please refer to the platform website for the latest updates for all masters.

7.2.1 Country List

Country

7.2.2 Tax Code

tax_status

7.2.3 Holding Nature

holding_nature

CONFIDENTIAL

7.2.4 Bank Account Types

bank_acc_type

7.2.5 Transaction Code

Possible values are

NEW: For new orders
MOD: To modify orders placed earlier (subject to business process constraints)
CXL: To cancel orders placed earlier (subject to business process constraints)

7.2.6 Payment Receipt Modes

(These modes are applicable where investor had made a payment to CC)
DIRECTDEBIT
NEFT
RTGS
NACH
UPI

7.3 Objects

7.3.1 Member

```
{
    "memberid": "...",
    "brokercode": "..."
    "subbrcode": "...",
    "subbrarn": "...",
    "euin": "...",
    "euinflag": "...",
    "partnerid": "..."
}
```

Attribute	M	List	Type	Len	Description and example(s)
member_id	Y	N	String	20	Member Code, assigned by the platform at the time of onboarding
subbr_code	N	N	String	15	Sub Broker Code
subbr_arn	N	N	String	20	Sub Broker ARN Code
euin	C	N	String	20	EUIN Number, only for specific APIs
euin_flag	C	N	String	1	EUIN declaration
partner_id	N	N	String		Partner Code, assigned by the Platform to each ISV, required when a member uses services provided by ISV

CONFIDENTIAL

7.3.2 Investor

```
{
    "client_code": "...",
}
```

OR

```
{
    "panholders": [ PAN number of Holder 1, PAN number of Holder 2, … ],
    "holdingnature": "..."
}
```

Attribute	M	List	Type	Len	Description and example(s)
client_code	C	N	String	2-50	Unique Client Code(UCC) If pan_holders is not passed, then this is mandatory.
pan_holders	C	Y	String	1-5	PAN number of Holder 1, PAN number of Holder 2, … If ucc is not passed, then this is mandatory.
holding_nature	C	N	Enum		If more than one PAN holders are provided holding_nature This is Mandatory when pan_holders field is passed.

7.3.4 Holder

```
{
}
```

Attribute	M	List	Type	Len	Description and example(s)
holder_rank	Y	N	Enum		Rank of holder holder_rank
occ_code	Y	N	Enum		Occupation Code occ_code
auth_mode	Y	N	Enum		Holder Authentication Mode. auth_mode
is_pan_exempt	Y	N	Boolean		Is holder Exempted from PAN details
pan_exempt_category	N	N	Enum		If the holder is PAN exempted, then Category of PAN exemption. pan_exempt_category
identifier	Y	Y	Object		Identifier Object identifier Allowed Identifiers: - pan - pan_exempt_ref_no - nomination_form - wet_signature - aadhaar_esign - elog - supporting_document (PAN and aadhaar ensign related supporting docs if any) - accredited_investor (in case of SIF) Refer to identifier
kyc_type	Y	N	Enum		Type of KYC like ckyc/biometric/kra/aadhaar etc kyc_type

CONFIDENTIAL

ckyc_number	C	N	String	Exact 14	Ckyc number if kyc_type is `ckyc` Only numeric value is allowed here exact 14 digits. ckyc_number is conditional mandatory in case of kyc_type=C eg. “12345678912345”
person	Y	Y	Object	3	Person Object. person
contact	Y	Y	Object		Contact Object. contact
nomination	N	Y	Object	5	Nomination Object (provided only under first holder). nomination
guardian_relation	C	N	Enum		Only if the holder is minor.guardian_relation

7.3.5 bank_account

{
}

Attribute	M	List	Type	Len	Description and example(s)
ifsc_code	Y	N	String	Exact 11	IFSC code of the Bank. Standard IFSC codes. Must be exact 11 characters. Uppercase only.
bank_acc_num	Y	N	String	9-20	Bank Account Number (including leading zeros). Minimum Length=9 | Maximum Length=20
bank_acc_type	Y	N	Enum		Type of Bank Account like Savings/Current etc. bank_acc_type
account_owner	C	N	Enum		Mandatory only if UCC is a Minor or Custodian during creation of UCC / addition of bank account for UCC. bank_acc_owner Not required for Order
identifier	C	Y	Object		List of valid identifier objects. Identifier Allowed Identifiers: - cancel_cheque - bank_statement - bank_log Refer to identifier
bank_name	N	N	String		This field is not to be passed in add_ucc, order_new, order_update and any other (create or modify API) request. It will only be part of the response in get_ucc, list_ucc, get_order etc.

7.3.6 depository

{
}

Attribute	M	List	Type	Len	Description and example(s)
depository_code	Y	N	Enum		Depository code for CDSL/NSDL. depository_code

CONFIDENTIAL

dp_id	Y	N	String	8-8	dp id provided by depository Minimum Length=8 | Maximum Length=8
client_id	Y	N	String	8-8	Client id provided by depository Minimum Length=8 | Maximum Length=8
cmbp_id	C	N	String	8-8	Clearing Member Business Partner ID provided by NSDL Minimum Length=8 | Maximum Length=8. This is mandatory for NDSL, but not for CSDL.
bank_account	Y	N	String	9-20	Bank Account Number linked to this Depository Account. Min 9 Max 20.
account_owner	Y	N	Enum		Owner of the Depository account like Self or Guardian. account_owner
identifier	N	Y	Object		Identifier Object. Identifier Allowed Identifiers: - cml_copy Refer to identifier
is_default	Y	N	Boolean		Is this account a default account?

7.3.7 comm_addr

{
}
Note: 1. If only the postal code is provided, the system will automatically populate the city, state, and country fields in comm_addr using the India Post postal code master.

Attribute	M	List	Type	Len	Description and example(s)
address_line_1	Y	N	String	1-120	Address Line 1 Minimum Length=1 | Maximum Length=120
address_line_2	N	N	String	1-120	Address Line 3 Minimum Length=1 | Maximum Length=120
address_line_3	N	N	String	1-120	Address Line 3 Minimum Length=1 | Maximum Length=120
postalcode	Y	N	String	3-255	Postalcode/Pincode must have a minimum length of 3 characters, with a maximum of 120 characters for Indian addresses and 255 characters for foreign addresses; for Indian Pin Codes, City, State, and Country will be derived from the India Post Postal Code Master, and the Pin Code must be numeric but passed in string format (e.g., "411035"), whereas for foreign addresses the postal code may be alphanumeric.
city	N	N	String	Max 255	City. Auto-populated from postal code
state	N	N	String	Max 255	State. Auto-populated from postal code
country	N	N	String	Max 255	Country. Auto-populated from postal code “India” will be default.

CONFIDENTIAL

7.3.8 addr

{
}
Notes: 1. Members are advised to restrict the maximum length to 40 characters in their own systems for validation when capturing foreign address inputs in the addr field (Address Line 1, 2, and 3).
2 addr object is optional for nomination

Attribute	M	List	Type	Len	Description and example(s)
address_line_1	Y	N	String	1-40	Address Line 1 Minimum Length=1 | Maximum Length=40
address_line_2	N	N	String	1-40	Address Line 2 Minimum Length=1 | Maximum Length=40
address_line_3	N	N	String	1-40	Address Line 3 Minimum Length=1 | Maximum Length=40
city	Y	N	String	Max 255	City. Provided input will be taken into consideration.
state	Y	N	String	Max 255	State. Provided input will be taken into consideration.
country	Y	N	String	Max 255	Country Code, it is 3 digit code eg. IND. Provided input will be taken into consideration. Country to be passed is 3 Character ISO Code. Refer to https://en.wikipedia.org/wiki/ISO_3166-1_alpha-3 for codes.
postalcode	Y	N	String	Max 255	Postalcode / pincode. Can be alphanumeric.

7.3.9 contact

{
}
Notes: 1. Contact is optional for nomination

Attribute	M	List	Type	Len	Description and example(s)
contact_number	C	N	String	Max 15	Contact Number of the holder(e.g. 9988776655) Max 20 digits allowed. For Indian mobile number (6-9 start is allowed). For other mobile number maximum 15 digits are allowed
extension	C	N	String	Max 15	Extension of the holder in case of landline (e.g. 22051). If the contact_type is RE or OF, this attribute is required. Max 15 characters.
country_code	C	N	String	Max 3	Country code or calling code of the holder (e.g. 91) Must be a valid numeric country code. Max 3 digits. “+” is allowed eg. +91 is allowed.
whose_contact_number	C	N	Enum		Whose contact number is this. For e.g. Self/Parent/Spouse etc. whose_contact_number

CONFIDENTIAL

email_address	Y	N	String	Max 50	Email address of the holder. Maximum Length=50
whose_email_address	C	N	Enum		Whose email id is this. For e.g. Self/Parent/Spouse etc. whose_email_address
contact_type	Y	N	Enum		Contact is Office/Residence. contact_type
fax_no	C	N	String	Max 20	If the contact_type is RE or OF, this attribute is required. Maximum 20 characters are allowed.

7.3.10 nomination

{
}
Note:1.In UCC, a maximum of five nominees can be registered. The total allocation across all nominees must equal 100%. Out of these, only up to three nominees can be assigned a percentage share (collectively summing to 100%). The remaining two nominees must be sent with their percentage set to 0%.
2. If Nominee percentage for one Nominee is not provided, All other Nominee percentage should be mandatorily blank. If Nominee for even one Nominee percentage is provided, then the total nominee percentage should equal 100% and all other Nominee percentage should be mandatorily provided.

Attribute	M	List	Type	Len	Description and example(s)
person	Y	N	Object		person
comm_addr	N	N	Object		addr *(added in v0.9.21)*
contact	N	N	Object		contact *(added in v0.9.21)*
nomination_percent	N	N	Integer	1-100	Nomination percentage (*added on v0.9.21*) (no decimal points, min = 1 and max = 100); total across all nominees must be exactly 100.
nomination_relation	Y	N	Enum		Nominee relationship for e.g. Son/Father/Mother etc. nomination_relation
is_pan_exempt	Y	N	Boolean		This field must always be "N" for "nominee"
identifier	N	Y	Object	1	Identifier block for PAN. Identifier Allowed Identifiers (any one of the following): - pan - passport - driving licence - aadhaar (last 4 digits of 12/16 digit number) Refer to identifier
is_minor	M	N	Boolean		Is the Nominee minor?
guardian	N	Y	Object	1	Guardian Object in case the Nominee is a minor. Nominee: guardian

CONFIDENTIAL

7.3.11 Nominee: guardian

{
}
Notes: 1. If the nomination block includes both contact and comm_addr, then these fields are not required in the guardian block. If the guardian block includes both contact and comm_addr, then these fields are not required in the nomination block. At least one of the two blocks must provide both object details, and if neither does, the request will be rejected as invalid.

Attribute	M	List	Type	Len	Description and example(s)
first_name	N	N	String	Max 70	Guardian: first name. Maximum 70 characters allowed.
middle_name	N	N	String	Max 70	Guardian: middle name. Maximum 70 characters allowed.
last_name	N	N	String	Max 70	Guardian: last name. Maximum 70 characters allowed.
dob	N	N	String		Guardian: date of birth. YYYY-MM-DD eg. “2006-05-01”
is_pan_exempt	N	N	Boolean		This field can be “true/false” for “guardian”
pan_exempt_category	N	N	Enum		Guardian: pan exempt category in case guardian is PAN exempted. pan_exempt_category
identifier	N	Y	Object		Guardian: Identifier block for PAN. Identifier Identifier block for PAN. Identifier Allowed Identifiers: - pan - passport - driving licence - aadhaar (last 4 digits of 12/16 digit number) Refer to identifier

7.3.12 PAN holder

```
{
    "holderrank": 1,
    "panno": "AAAAA1111Z",
    "mobile_no": "+911111122222",
    "email_id": "abc@pqr.domain"
}
```

Attribute	M	List	Type	Limit	Description and example(s)
holder_rank	Y	N	Integer	1-3	Rank indicates PAN Holder 1, PAN Holder 2 and so on, wherever a UCC has more than one PAN holder.
pan	Y	N	String	10	As per Income Tax Department issued number
kyc_status	O	N			Mandatory where record has to be added, optional when a record has to be updated
mobile_no	O	N	String		Mandatory where a record has to be added, optional when a record has to be updated.

CONFIDENTIAL

email_id	O	N	String		Mandatory where record has to be added, optional when a record has to be updated
bank_accounts	O	Y	Object	5	Bank Account object. bank_account
nominees	O	Y	Object	3	Nominee Details. nomination

7.3.13 person

{
}

Attribute	M	List	Type	Limit	Description and example(s)
first_name	Y	N	String		First name of the holder
middle_name	N	N	String		Middle name of the holder
last_name	N	N	String		Last name of the holder. Note: Minimum Length (first_name+space+middle_name+space+last_name)=2 Maximum Length (first_name+space+middle_name+space+last_name)=70
dob	C	N	String		Date of Birth(in case of individual holder). Date of Register/Incorporation(in case of non-individual holder). Conditional mandatory for nomination. Mandatory in case of Nominee is minor. Optional for others
gender	C	N	Enum		Gender of person(in case of Individual). Optional for nomination gender -

7.3.14 ubo_person

{
}

Attribute	M	List	Type	Limit	Description and example(s)
first_name	Y	N	String		First name of the holder
middle_name	N	N	String		Middle name of the holder
last_name	N	N	String		Last name of the holder. Note: Minimum Length (first_name+space+middle_name+space+last_name)=2 Maximum Length (first_name+space+middle_name+space+last_name)=70
dob	C	N	String		Date of Birth(in case of individual holder). Date of Register/Incorporation(in case of non-individual holder). Not mandatory in case of Nomination.
gender	N	N	Enum		Gender of person(in case of Individual). gender

CONFIDENTIAL

tax_residency		Y	Object		Country of tax Residency. tax_residency

7.3.15 identifier

{
}
Notes:
1. Both file_size and file_blob are mandatory when uploading files.
2. file_blob defines the actual file size, while file_size must be passed as a standardized multiple of 1024 KB.
3. For AOF uploads, file_blob is mandatory and the maximum file_size allowed is 4096 KB (4 MB).
4. For all other file types, the maximum file_size allowed is 10240 KB (10 MB).
5. If an identifier object is passed without AOF, an elog is generated.

Attribute	M	List	Type	Limit	Description and example(s)
identifier_type	Y	N	Enum		Type of Identifier for e.g. pan/pkern/lei/passport/accredited_investor (in case of SIF) etc. identifier_type
identifier_number	Y	N	String	1- 50	Identifier number of Identifier type. For e.g. PAN number for identifier type “pan” . Max 50 characters allowed in identifier_number
issue_date	N	N	String		Issue date of the identifier. MM-DD-YYYY
expiry_date	N	N	String		Expiry date of the identifier. MM-DD-YYYY
file_name	N	N	String	100	Name of file if being sent with the request, max upto 100. Path identifiers (/, \) are not allowed.
file_size	N	N	Integer	1024-10240	Size of file in KB. Must always be specified in multiples of 1024 KB (e.g., file_size = 1024). This field is mandatory when uploading a file. Only standardized values in multiples of 1024 KB are accepted. The maximum limit is 10 MB, i.e., 10240 KB.
file_blob	N	N	String		Base64-encoded string containing the file data. This field is mandatory when uploading a file and defines the actual file size.

7.3.16 fatca

{
}

Attribute	M	List	Type	Limit	Description and example(s)
holder_rank	Y	N	Integer	1-3	Rank indicates PAN Holder 1, PAN Holder 2 and so on, wherever a UCC has more than one PAN holder.
place_of_birth	Y	N	String	2-70	Place of Birth e.g. New York Minimum Length=2 | Maximum Length=70
country_of_birth	Y	N	String	Max 70	Country of Birth e.g. USA (Country Code) ISO 3166-1 Alpha 3 format Refer Link.
client_name	Y	N	String		Name of person declaring FATCA. Should match with that

CONFIDENTIAL

					of holder. Must be exact length of holder.
investor_type	Y	N	String		Type of Investor. investor_type
dob	Y	N	String		Date of birth. MM-DD-YYYY format
father_name	C	N	String	2-70	Name of Father of holder Minimum Length=2 | Maximum Length=70. Mandatory only if pan is not provided.
spouse_name	C	N	String	2-70	Name of Spouse of holder Minimum Length=2 | Maximum Length=70. Mandatory only if pan is not provided.
address_type	Y	N	ENUM		Type of Address. address_type
occ_code	Y	N	ENUM		Occupation Code. occ_code
occ_type	Y	N	ENUM		Occupation Type. occ_type
tax_status	Y	N	String		Tax Status to be passed in string. tax_status
exemption_code	C	N	ENUM		Exemption Code. Mandatory in case of non-individual exemption_code
identifier	Y		Object		PAN is required. This PAN should match PAN of the holder. Identifier Allowed Identifiers: - pan - pan_exempt_ref_no Refer to identifier
corporate_service_sector	Y	N	ENUM		Corporate Service Sector. corporate_service_sector
wealth_source	Y	N	ENUM		Wealth Source. wealth_source
income_slab	Y	N	ENUM		Income Slab. income_slab
net_worth	C	N	Integer	3-20	Net Worth Minimum Length=3 | Maximum Length=20. Mandatory in case of Non-Individuals.
date_of_net_worth	C	N	String		Date on which Net Worth was calculated. MM-DD-YYYY format. Mandatory in case of Non-Individuals.
politically_exposed	Y	N	ENUM		Is the person Politically Exposed? politically_exposed
is_self_declared	C	N	boolean		Is the Declaration Self Declared? . Mandatory only in case of Non-Individuals.
data_source	Y	N	ENUM		Data Source. data_source
log_name	C	N	String		It is mandatory, in case of data_source is Electronic. It is free text e.g. 196.15.16.107#23-Nov-15;16:4
tax_residency	Y	Y	Object	5	Country of Tax Residencies tax_residency
ffi_drnfe	C	N	ENUM		Ffi_drnfe , It is mandatory in case tax status is non-individual.

CONFIDENTIAL

is_giin_avail	C	N	ENUM		Is_giin_avail, It is mandatory in case giin_no is not provided.
giin_no	C	N	String	Exact 19	GIIN no Minimum Length=19 | Maximum Length=19 It is mandatory in case of is_giin_avail is not provided.
giin_exempt_category	C	N	Enum		Mandatory in case of is_giin_avail is provided.
spr_name	C	N	String	2-70	Sponsor Name Minimum Length=2 | Maximum Length=70 It is mandatory in case of giin_no is provided.
nfe_category	C	N	ENUM		Nfe_category, It is mandatory in case tax status is non-individual.
nfe_sub_category	C	N	ENUM		Nfe_sub_category , It is mandatory in case of nfe_category is Active
nature_of_business	C	N	String	2-70	Nature of Business Minimum Length=2 | Maximum Length=70 It is Mandatory in case of nfe_category is selected as Active NFFE / Passive NFFE
nature_of_relation	C	N	ENUM		Nature_of_relation It is mandatory in case of nfe_category is selected as related to listed entity(RL)
ubo	C	Y	Object		ubo , It is mandatory in case tax status is non-individual.
npo	C	Y	Object		npo , It is mandatory in case tax status is non-individual.

7.3.17 ubo

{
}

Attribute	M	List	Type	Limit	Description and example(s)
is_ubo_applicable	Y	N	Boolean		Is UBO Applicable? true/false
ubo_count	Y	N	Integer		No of UBO present
ubo_detail	Y	Y	Object		UBO details object. ubo_detail

7.3.18 ubo_detail

{
}

Attribute	M	List	Type	Limit	Description and example(s)
person	Y	Y	Object		Person details. ubo_person
place_of_birth	Y	N	String	Max	Place of Birth. Maximum 70 characters allowed.

CONFIDENTIAL

				70	
country_of_birth	Y	N	String	Max 70	Country of Birth e.g. USA (Country Code) ISO 3166-1 Alpha 3 format Refer Link.
occ_code	N	N	Enum		Occupation Code. occ_code
occ_type	N	N	Enum		Occupation Type. occ_type
beneficiary_percent	N	N	Number		Beneficiary Percent of UBO. Max 100.
ubo_type_code	Y	N	Enum		Type of UBO. ubo_type_code
addr	N	N	object		Address. addr
ubo_addr_type	Y	N	Enum		Type of address. ubo_addr_type
contact	N	N	Object		Contact. contact
identifier	Y	Y	Object	1	Identifier block for PAN. identifier Allowed Identifiers: - pan - pan_exempt_ref_no Refer to identifier
ubo_declaration_flag	Y	N	Boolean		UBO declaration flag
exchange_name	C	N	String	Max 70	Name of Exchange. BSE/NSE/Others. Mandatory if is_ubo_applicable is false and NFFE_category is Listed or related to listed. Max 70 characters.
isin	C	N	String	Exact 12	ISIN code Mandatory if ubo_declaration_flag is N. Exact 12 characters.
name_of_realted_listed_company	N	N	String	Max 70	Name of related listed company. Maximum 70 characters allowed.
ubo_category	Y	N	Enum		UBO Category. ubo_category
ubo_email_id	N	N	String	256	UBO Email ID. Max 256 characters allowed. Must be a valid email address format.
smo_designation	C	N	String	5-20	SMO Designation Minimum Length=5 | Maximum Length=20 Mandatory if ubo_category is selected as SMO

7.3.19 npo

{
}

Attribute	M	List	Type	Limit	Description and example(s)
npo_form	Y	N	Boolean		Is NPO Form.

CONFIDENTIAL

npo_dcl	C	N	Boolean		Is NPO declaration. Mandatory in case npo_form is passed as true
npo_rg_no	Y	Y	String	Max 50	NPO registration number. Max 50 characters allowed

7.3.20 aof

{
}

Attribute	M	List	Type	Limit	Description and example(s)
is_aof_submitted	Y	N	Boolean		Is AOF submitted

7.3.21 aof_ria

{
}

Attribute	M	List	Type	Limit	Description and example(s)
is_aof_ria_submitted	Y	N	Boolean		Is AOF submitted

7.3.22 tax_residency

{
}

Attribute	M	List	Type	Limit	Description and example(s)
country	Y	N	String	Max 70	Country of Birth e.g. USA (Country Code) ISO 3166-1 Alpha 3 format Refer Link.
tax_id_no	Y		String		Tax ID No Minimum Length=10 | Maximum Length=50
tax_id_type	Y		String		Tax ID Type. fatca_identifier_type

7.3.23 ucc_list_filter_param

{
}

Attribute	M	List	Type	Limit	Description and example(s)
holding_nature	N	N	Enum		Holding nature. holding_nature
tax_status	N	N	Enum		Tax status. tax_status

CONFIDENTIAL

is_client_physical	N	N	Boolean		Is the UCC Client Physical
is_client_demat	N	N	Boolean		Is the UCC Client Demat
parent_client_code	N	N	String		Parent client Code

7.3.24 ucc_status_obj

{
}

Attribute	M	List	Type	Limit	Description and example(s)
holders	N	Y	Object	3	ucc_status_holder
bank_account	N	Y	Object	5	ucc_status_bank_account
depository	N	Y	Object	5	ucc_status_depository
transaction_ready	N	N	Object	2	ucc_status_transaction_ready

7.3.25 status_count_summary_obj

{
}

Attribute	M	List	Type	Limit	Description and example(s)
status	N	Y	Enum	3	ucc_count_status
status_count	N	Y	Number	5	Count of objects

7.3.26 ucc_status_holder

{
}

Attribute	M	List	Type	Limit	Description and example(s)
holder_rank	N	N	Object		holder_rank
holder_pan	N	Y	String		PAN of Holder
pan_verification	N	Y	Object		ucc_status_pan
fatca_status	N	N	Object		ucc_status_fatca
elog	N	N	Object		ucc_status_elog
elog_ria	N	N	Object		ucc_status_elog_ria
nominee_2fa	N	N	Object		ucc_status_nominee_2fa

CONFIDENTIAL

kyc_status	N	N	Object		ucc_status_kyc
aof	N	N	Object		ucc_status_aof
aof_ria	N	N	Object		ucc_status_aof_ria

7.3.27 ucc_status_bank_account

{
}

Attribute	M	List	Type	Limit	Description and example(s)
bank_acc_num	Y	N	String		Bank Acc Number
ifsc_code	Y	N	String		IFSC code
verified_status	Y	N	Enum		“TRUE”/”FALSE”
verification_failed_reason	N	N	String		Reason for which verification failed
verified_at	N	N	String		Timestamp of when the object was verified

7.3.28 ucc_status_depository

{
}

Attribute	M	List	Type	Limit	Description and example(s)
depository_code	Y	N	Object		depository_code
dp_id	Y	N	Object		DP ID of the depository account
client_id	Y	N	Object		Client ID of the depository account
verified_status	Y	N	Enum		“TRUE”/”FALSE”
verification_failed_reason	N	N	String		Reason for which verification failed
verified_at	N	N	String		Timestamp of when the object was verified

7.3.29 ucc_status_aof / ucc_status_aof_ria / ucc_status_elog / ucc_status_elog_ria / ucc_status_fatca

{
}

Attribute	M	List	Type	Limit	Description and example(s)
rta_code	Y	N	Enum		“CAMS” / “KFIN”
verified_status	Y	N	Enum		“TRUE”/”FALSE”

CONFIDENTIAL

verification_failed_reason	N	N	String		Reason for which verification failed
verified_at	N	N	String		Timestamp of when the object was verified

7.3.30 ucc_status_pan / ucc_status_nominee_2fa

{
}

Attribute	M	List	Type	Limit	Description and example(s)
verified_status	Y	N	Enum		“TRUE”/”FALSE”
verification_failed_reason	N	N	String		Reason for which verification failed
verified_at	N	N	String		Timestamp of when the object was verified

7.3.31 ucc_status_kyc

{
}

Attribute	M	List	Type	Limit	Description and example(s)
kyc_type	Y	N	Enum		“CKYC”
verified_status	Y	N	Enum		“TRUE”/”FALSE”
verification_failed_reason	N	N	String		Reason for which verification failed
verified_at	N	N	String		Timestamp of when the object was verified

7.3.32 ucc_status_transaction_ready

{
}

Attribute	M	List	Type	Limit	Description and example(s)
mode	Y	N	Enum		“DEMAT” / “PHYSICAL”
verified_status	Y	N	Enum		“TRUE”/”FALSE”
verification_failed_reason	N	N	String		Reason for which verification failed
verified_at	N	N	String		Timestamp of when the object was verified

CONFIDENTIAL

7.3.33 info_order

{
}

Attribute	M	List	Type	Limit	Description and example(s)

7.3.34 mem_details

{
}

Attribute	M	List	Type	Limit	Description and example(s)
euin_flag	N	N	Boolean		EUIN declaration (Y | N), only for specific APIs, If enabled EUIN value is required in euin field
euin	C	N	String		Mandatory if euin_flag is true and euin details are not registered at the Exchange, if blank and EUIN details are registered at the exchange it will be auto populated when sending euin details to the RTA Note: If a member does not have an EUIN, they must provide it while placing order.
broker_code	N	N	String		If no broker code is supplied. obtained from the member after that. Note: If a member does not have broker code, they must give one.
sub_br_code	N	N	String		Sub Broker Code
sub_br_arn	N	N	String		Sub Broker ARN Code
partner_id	N	N	String		Partner Code, assigned by the Platform to each ISV, required when a member uses services provided by ISV

7.3.35 depository_acct (order/sxp/mandate)

{
}

Attribute	M	List	Type	Limit	Description and example(s)
depository	Y	N	Enum		Depository Allowed values: 'C' (CDSL), 'N' (NSDL). Refer depository_code (order/sxp/mandate)
dp_id	Y	N	String		DP ID of Depository Account
client_id	Y	N	String		Client ID of Depository Account

CONFIDENTIAL

7.3.36 bank_acct (order/sxp/mandate)

{
}

Attribute	M	List	Type	Limit	Description and example(s)
ifsc	Y	N	String		IFSC Code of bank Account
no	Y	N	String		Bank Account Number
type	C	N	Enum		Bank Account Type bank_acc_type Mandatory for orders/sxp/mandates.
name	N	N	String		bank name
vpa	N	Y	String		UPI Address
branch	N	N	String		Bank branch

7.3.37 mem_mandate_info(mandate)

{
}

Attribute	M	List	Type	Limit	Description and example(s)
member_mandate_id	N	N	String		Member Mandate ID
mandate_status_date	N	N	String		Date at which the Mandate Status is updated
umrn_number	N	N	String		URN Number
utility_code	N	N	String		Utility code
sponsor_code	N	N	String		Sponsor code

7.3.38 order_list_filter_param

{
}

Attribute	M	List	Type	Limit	Description and example(s)
open_close	Y	N	Enum		order_status
status	N	N	Enum		order_list_status
type	N	N	Enum		order_type - []String
ucc	N	N	String		UCC code of client. When specified, then member_code filter value will be mandatory
member_code	C	N	String		Member Code

CONFIDENTIAL

					This is mandatory if ucc is passed
threshold_order	N	N	Boolean		Whether it is Threshold Order
amc_code	N	N	String		AMC Code
sxp_reg_no	N	N	String		SXP Registration No
placed_at_after	N	N	String		Shows records based upon the timestamp range between the specified values. In case placed_at_before is omitted then the system will take the current timestamp as the value. UTC Timestamp
placed_at_before	N	N	String		Shows records based upon the timestamp range between the specified values.In case placed_at_after is omitted then the system will select all data since the beginning of operation. UTC Timestamp
"order_src_type" :["lumpsum"],	N	N	[] String		Values can be `lumpsum`, `nfo`, `sip`, `swp`, `stp`.

7.3.39 order_holder

{
}

Attribute	M	List	Type	Limit	Description and example(s)
holder_rank	Y	N	Enum		holder_rank
email	N	N	String		Email ID
mobnum	N	N	String		Mobile Number

7.3.40 order_src_info

{
}

Attribute	M	List	Type	Limit	Description and example(s)
src_isin	N	N	String		Source ISIN
src_sch_rta_code	N	N	String		Source Scheme RTA Code
src_sch_opt	N	N	String		Source Scheme Option
sip_rgdt	N	N	String		SxP register date
sip_fq	N	N	String		SxP Frequency
sip_st_dt	N	N	String		SxP Start Date
sip_end_dt	N	N	String		SxP End Date

CONFIDENTIAL

7.3.41 allotment_details

{
}

Attribute	M	List	Type	Limit	Description and example(s)
allotment_date	N	N	String		Allotment Date
allotment_partial_full	N	N	String		Is allotment Partial or Full
allotment_units	N	N	String		Allotment Units
short_units	N	N	String		Short Units
allotment_amount	N	N	String		Allotment Amount
allotment_nav	N	N	String		Allotment NAV
nav_date	N	N	String		NAV Date
folio	N	N	String		Folio
stt	N	N	String		STT
stamp_duty	N	N	String		Stamp Duty

7.3.42 redempt_details

{
}

Attribute	M	List	Type	Limit	Description and example(s)
redempt_date	N	N	String		Redemption Date
redempt_units	N	N	String		Redemption Units
redempt_amount	N	N	String		Redemption Amount
redempt_nav	N	N	String		Redemption NAV
nav_date	N	N	String		NAV Date
folio	N	N	String		Folio
tds	N	N	String		TDS
exit_load	N	N	String		Exit Load
payout_date	N	N	String		Payout Date
payout_utr	N	N	String		Payout UTR
bank_acct	N	N	String		Bank Account

CONFIDENTIAL

paymt_mode	N	N	String		Payment Mode
dispatch_ref_no	N	N	String		Dispatch Reference Number

7.3.43 refund_details

{
}

Attribute	M	List	Type	Limit	Description and example(s)
refund_receipt_date	N	N	String		Refund Receipt Date
refund_amount	N	N	String		Refund Amount
interest_amount	N	N	String		Interest Amount if applicable
total_amount	N	N	String		Total Amount
refund_due_date	N	N	String		Refund Due Date
refund_hist	N	N	String		refund_hist

7.3.44 refund_hist

{
}

Attribute	M	List	Type	Limit	Description and example(s)
refund_release_date	N	N	String		Refund release date
refund_status	N	N	String		Refund status
refund_utr	N	N	String		Refund UTR
reversal_date	N	N	String		Reversal Date
reversal_utr	N	N	String		Reversal UTR

7.3.45 history_obj

{
}

Attribute	M	List	Type	Limit	Description and example(s)
event_status	N	N	String		Event Status
msg	N	N	String		Message
when	N	N	String		When

CONFIDENTIAL

user	N	N	String		Username

7.3.46 rejection_reason

{
}

Attribute	M	List	Type	Limit	Description and example(s)
by	N	N	String		Rejection By
reason	N	N	String		Rejection Reason

7.3.47 info_sxp

{
}

Attribute	M	List	Type	Limit	Description and example(s)
mem_details	N	N	Object		Member Details mem_details

7.3.48 sxp_list_filter_param

{
}

Attribute	M	List	Type	Limit	Description and example(s)
sxp_type	Y	N	Enum		sxp_type
status	N	N	Enum		sxp_status
freq	N	N	Enum		sxp_freq
src_scheme	N	N	String		Source Scheme
is_topup	N	N	Boolean		If false then show non-top up records and if true then shows top up records
reg_at_after	N	N	String		Shows records based upon the timestamp range between the specified values. In case reg_at_before is omitted then the system will take the current timestamp as the value. In case reg_at_after is omitted then system will select all data since the beginning of operation
reg_at_before	N	N	String		
next_due_date_at_after	N	N	String		Shows records based upon the timestamp range between the specified values. In case next_due_date_at_after is omitted then the system will take the current timestamp as the value.
next_due_date_	N	N	String		

CONFIDENTIAL

at_before					
is_topup	N	N	Boolean		Filter based on topup requests
ucc	N	N	String		ucc
member	N	N	String		Member
phys_or_demat	N	N	String		order_phys_or_demat

7.3.49 sxp_special_product

{
}

Attribute	M	List	Type	Limit	Description and example(s)
special_prod_type	Y	N	Enum		Special Product Type special_products_type
special_prod_name	Y	N	String		E.g. “icici_freedom_sip” or “icici_insured” or “hdfc_dream_sip” or “sbi_mitra_sip”
target_scheme	C	N	String		Target scheme code(mandatory for certain types of special products)
target_amt	C	N	Number		Target Amount (mandatory if target scheme is passed)
goal_type	C	N	Enum		Goal Type special_products_goal_type
sip_tenure	N	N	INT		It is optional. The total time period you want to invest.
goal_amt	C	N	Number		Goal Amount, mandatory if type is goal.

7.3.50 mandate_list_filter_param

{
}

Attribute	M	List	Type	Limit	Description and example(s)
is_active	N	N	Boolean		Is mandate Active
is_verified	N	N	Boolean		Is mandate Verified
type	N	N	Enum		mandate_type
created_at_after	N	N	String		UTC timestamp
created_at_before	N	N	String		UTC timestamp
reg_at_after	N	N	String		Shows records based upon the timestamp range between the specified values. In case reg_at_before is omitted then the system will take the current timestamp as the value.

CONFIDENTIAL

					UTC timestamp
reg_at_before	N	N	String		Shows records based upon the timestamp range between the specified values. In case reg_at_after is omitted then the system will select all data since the beginning of operation. UTC timestamp

7.3.51 investor_mis

```
{
    "ucc": "...",
}
```

OR

```
{
    "panholders": [ PAN number of Holder 1, PAN number of Holder 2, … ],
    "holdingnature": "..."
}
Note: One of the above objects is mandatory
```

Attribute	M	List	Type	Len	Description and example(s)
ucc	C	N	String		Client code of UCC, either ucc or pangolder should be provided
panholders	C	N	String		PAN Holder combination, either ucc or panholder should be provided
holding_nature	C	N	Enum		If more than one PAN holders are provided holding_nature Mandatory if panholders field is passed.

7.3.52 mis_info

```
{
}
```

Attribute	M	List	Type	Limit	Description and example(s)
src	N	N	String		Source. For example ‘SIP’
reg_no	N	N	String		SIP Registration No
umrn	C	N	String		UMRN. Mandatory for MIS_TYPE=’XSIP’
mem_details	N	N	Object		Member details. mis_mem_details

7.3.53 mis_mem_details

```
{
}
```


CONFIDENTIAL

Attribute	M	List	Type	Limit	Description and example(s)
subbr_code	N	N	String	15	Sub Broker Code
subbr_arn	N	N	String	20	Sub Broker ARN Code
partner_id	C	N	String		Partner Code, assigned by the Platform to each ISV, required when a member uses services provided by ISV

7.3.54 nft_auth

```
{
}
```

Attribute	M	List	Type	Limit	Description and example(s)
user_id	Y	N	String		NFT user id
member_code	Y	N	String		NFT member code
password	Y	N	String		NFT password
amc	Y	N	String		AMC Code
rta	Y	N	Enum		RTA
member_id	Y	N	String		Member ID
client_code	Y	N	String		Client Code
entity_type	Y	N	String		Constant value “UCC”

7.3.55 nominee_change_info

The total percentage of all 3 Nominee should add up to 100%

```
{
}
```

Attribute	M	List	Type	Limit	Description and example(s)
amc_code	Y	N	String		unique AMC code to be length 3
user_code	Y	N	String		agent_code max of length 15, ARN/RIA Code
folio_no	Y	N	String		Folio no
nct_type	Y	N	Enum		Type of operation
tax_number	Y	N	String		PAN
twofa_auth	Y	N	Enum		Two Factor Auth
email	N	N	String		primary holder email its based on twofa_auth

CONFIDENTIAL

mobile_no	N	N	String		primary holder mobile its based on twofa_auth
j1_email	N	N	String		Holder 1 Email ID
j1_mobile	N	N	String		Holder 1 mobile no
j2_email	N	N	String		Holder 2 Email ID
j2_mobile	N	N	String		Holder 2 mobile no
broke_cd	Y	N	String		agent RIA/ARN Code
ria_code	Y	N	String		agent RIA/ARN Code
nom_opt	Y	N	String		Y|N option which is nom opt out example
nom1_name	Y	N	String		Nominee 1 name
nom1_rela	Y	N	String		Nominee 1 relation
nom1_per	Y	N	String		Nominee 1 percent
nom1_pan	Y	N	String		Nominee 1 PAN
nom1_min_f	Y	N	String		Nominee 1 is minor?
nom1_dob	N	N	String		Nominee 1 date of birth
nom1_guard	N	N	String		Nominee 1 guardian
nom1_grela	N	N	String		Nominee 1 guardian relation
nom1_gpan	N	N	String		Nominee 1 guardian PAN
nom2_name	N	N	String		Nominee 2 name
nom2_rela	N	N	String		Nominee 2 relation
nom2_per	N	N	String		Nominee 2 percent
nom2_pan	N	N	String		Nominee 2 PAN
nom2_min_f	N	N	String		Nominee 2 is minor?
nom2_dob	N	N	String		Nominee 2 date of birth
nom2_guard	N	N	String		Nominee 2 guardian
nom2_grela	N	N	String		Nominee 2 guardian relation
nom2_gpan	N	N	String		Nominee 2 guardian PAN
nom3_name	N	N	String		Nominee 3 name

CONFIDENTIAL

nom3_rela	N	N	String		Nominee 3 relation
nom3_per	N	N	String		Nominee 3 percent
nom3_pan	N	N	String		Nominee 3 PAN
nom3_min_f	N	N	String		Nominee 3 is minor?
nom3_dob	N	N	String		Nominee 3 date of birth
nom3_guard	N	N	String		Nominee 3 guardian
nom3_grela	N	N	String		Nominee 3 guardian relation
nom3_gpan	N	N	String		Nominee 3 guardian PAN

7.3.56 contact_info

{
}

Attribute	M	List	Type	Limit	Description and example(s)
amc_code	Y	N	String		unique AMC code to be length 3
user_code	Y	N	String		agent_code max of length 15, ARN/RIA Code
folio_no	Y	N	String		Folio no
nct_type	Y	N	Enum		Type of operation
tax_number	Y	N	String		PAN
broke_cd	Y	N	String		agent RIA/ARN Code
ria_code	Y	N	String		agent RIA/ARN Code
twofa_auth	Y	N	Enum		either E/M/B
doc_type	Y	N	Enum		E/W E-sign and W-sign if doc_type present than image is compulsory, for E-Sign file type should be pdf and W-Sign file type should be of tiff
nom_opt	Y	N	String		Y|N option which is nom optout example
email	N	N	String		primary holder email its based on twofa_auth
mobile_no	N	N	String		primary holder mobile its based on twofa_auth
j1_email	N	N	String		Holder 1 Email ID
j1_mobile	N	N	String		Holder 1 mobile no

CONFIDENTIAL

j2_email	N	N	String		Holder 2 Email ID
j2_mobile	N	N	String		Holder 2 mobile no
ph_ema_dec	N	N	Enum		Primary holder email declaration SE|SP|DC|DS|DP|GD|PM|CD|PO
ph_mob_dec	N	N	Enum		Primary holder mobile declaration SE|SP|DC|DS|DP|GD|PM|CD|PO
j1_ema_dec	N	N	Enum		Joint holder 1 email declaration SE|SP|DC|DS|DP|GD|PM|CD|PO
j1_mob_dec	N	N	Enum		Joint holder 1 mobile declaration SE|SP|DC|DS|DP|GD|PM|CD|PO
j2_ema_dec	N	N	Enum		Joint holder 2 email declaration SE|SP|DC|DS|DP|GD|PM|CD|PO
j2_mob_dec	N	N	Enum		Joint holder 2 mobile declaration SE|SP|DC|DS|DP|GD|PM|CD|PO

7.3.57 bank_change_info

```
{
}
```

Attribute	M	List	Type	Limit	Description and example(s)
amc_code	Y	N	String		unique AMC code to be length 3
user_code	Y	N	String		agent_code max of length 15, ARN/RIA Code
folio_no	Y	N	String		Folio no
nct_type	Y	N	Enum		Type of operation
tax_number	Y	N	String		PAN
broke_cd	Y	N	String		agent RIA/ARN Code
ria_code	Y	N	String		agent RIA/ARN Code
twofa_auth	Y	N	Enum		either E/M/B
doc_type	Y	N	Enum		E/W E-sign and W-sign if doc_type present than image is compulsory, for E-Sign file type should be pdf and W-Sign file type should be of tiff
client_code	Y	N	String		Client Code
entity_type	Y	N	String		“UCC”
ref_id	Y	N	Integer		UCC ref_id
nom_opt	Y	N	String		Y|N option which is nom optout example

CONFIDENTIAL

pb_act_no	Y	N	String		bank account number
pb_hld_nam	Y	N	String		bank holder name
pb_ifsc_cd	Y	N	String		bank IFSC Code
pb_act_ty	Y	N	String		bank Account type
pb_nam	Y	N	String		bank name
pb_br_nam	Y	N	String		bank branch name
ab1_act_no	N	N	String		bank account number
ab1_hld_na	N	N	String		bank holder name
ab1_ifs_cd	N	N	String		bank IFSC Code
ab1_act_ty	N	N	String		bank Account type
ab1_name	N	N	String		bank name
ab1_br_nam	N	N	String		bank branch name
ab2_act_no	N	N	String		bank account number
ab2_hld_na	N	N	String		bank holder name
ab2_ifs_cd	N	N	String		bank IFSC Code
ab2_act_ty	N	N	String		bank Account type
ab2_name	N	N	String		bank name
ab2_br_nam	N	N	String		bank branch name
ab3_act_no	N	N	String		bank account number
ab3_hld_na	N	N	String		bank holder name
ab3_ifs_cd	N	N	String		bank IFSC Code
ab3_act_ty	N	N	String		bank Account type
ab3_name	N	N	String		bank name
ab3_br_nam	N	N	String		bank branch name
ab4_act_no	N	N	String		bank account number
ab4_hld_na	N	N	String		bank holder name
ab4_ifs_cd	N	N	String		bank IFSC Code

CONFIDENTIAL

ab4_act_ty	N	N	String		bank Account type
ab4_name	N	N	String		bank name
ab4_br_nam	N	N	String		bank branch name
ab5_act_no	N	N	String		bank account number
ab5_hld_na	N	N	String		bank holder name
ab5_ifs_cd	N	N	String		bank IFSC Code
ab5_act_ty	N	N	String		bank Account type
ab5_name	N	N	String		bank name
ab5_br_nam	N	N	String		bank branch name

7.3.58 scheme_nfo_date_time_detail

This object defines which transaction types are allowed during the NFO period and their respective cut-off timelines.

{
}
Notes:
• If nfo_cutoff_date > nfo_open_date → Transaction type is allowed
• If nfo_cutoff_date = nfo_open_date → Transaction type is not allowed

Attribute	M	List	Type	Limit	Description and example(s)
nfo_cutoff_date	Y				NFO Cut-off date. Last date a specific transaction type is allowed
nfo_cutoff_time	Y				NFO Cut-off time. Cut-off time on that date
nfo_transaction_type	Y				Type of transaction (Purchase / SIP / Switch, etc.): "New Fund Offer" "Purchase" "Systematic Transfer Plan - IN" "Systematic Investment Plan" "Systematic Transfer Plan - OUT" "Systematic Withdrawal Plan" "Switch-OUT" "Switch-IN" "Redemption"

7.3.59 nfo_payment_details

This object defines payment mode-wise cut-offs during the NFO period.

{
}

Attribute	M	List	Type	Limit	Description and example(s)

CONFIDENTIAL

nfo_payment_mode_name	Y				Payment mode (UPI / Net Banking / Mandate, etc.) “Cheque” "NEFT/RTGS" "Mandate" "UPI" “DirectCredit/NodalPayment”
nfo_payment_cutoff_date	Y				NFO Payment Cut-off date. Last date for that payment mode
nfo_payment_cutoff_time	Y				NFO Payment Cut-off time. Cut-off time for that mode

7.3.60 scheme_interval_lifecycle

{
}

Attribute	M	List	Type	Limit	Description and example(s)
scheme_interval_open_date	Y				
scheme_interval_close_date	Y				

7.3.61 scheme_lumpsum

{
}

Attribute	M	List	Type	Limit	Description and example(s)
scheme_transaction_type	Y		Enum		“Purchase” “New Fund Offer” “Switch-OUT” “Switch-IN” “Redemption”
scheme_transaction_cutoff_time	N		String		Cut off time
scheme_transaction_mode_allowed	Y		Object	Y	Refer scheme_transaction_mode_allowed
scheme_transaction_single_details	Y		Object	Y	Refer scheme_transaction_single_details
scheme_transa	Y	N	String		“Purchase”

CONFIDENTIAL

ction_type_tag_name					
scheme_transaction_effective_start_date	Y	N	String		"2025-02-01T00:00:00"
scheme_transaction_effective_end_date	N	N	String		"2025-02-01T00:00:00"
scheme_transaction_allowed_options	N	N	Object		Refer scheme_transaction_allowed_options

7.3.62 scheme_transaction_allowed_options

{
}

Attribute	M	List	Type	Limit	Description and example(s)
scheme_sxp_paused	N	N	Boolean		true
scheme_sxp_registration_allowed	N	N	Boolean		false
scheme_sxp_trigger_allowed	N	N	Boolean		false

7.3.63 scheme_transaction_mode_allowed

{
}

Attribute	M	List	Type	Limit	Description and example(s)
scheme_transaction_mode_allowed	Y		Object		“Demat” “Physical”

7.3.64 scheme_transaction_single_details

{
}

Attribute	M	List	Type	Limit	Description and example(s)

CONFIDENTIAL

scheme_transaction_units	Y		Object		Refer scheme_transaction_units
scheme_transaction_amounts	Y		Object		Refer scheme_transaction_amounts
scheme_installment_numbers	N		Object		Refer scheme_installment_numbers Will be available for “systematic” only

7.3.65 scheme_transaction_units

```
{
}
```

Attribute	M	List	Type	Limit	Description and example(s)
scheme_transaction_max_unit	Y		Integer		Max Units
scheme_transaction_min_unit	Y		Integer		Min Units
scheme_transaction_mult_unit	Y		Integer		Multiplier

7.3.66 scheme_transaction_amounts

```
{
}
```

Attribute	M	List	Type	Limit	Description and example(s)
scheme_transaction_max_amt	Y		Integer		Max Amount
scheme_transaction_min_amt	Y		Integer		Min Amount
scheme_transaction_mult_amt	Y		Integer		Multiplier
scheme_transaction_min_additional	C		Integer		Minimum amount for additional deposits. Mandatory for “Purchase” and “Switch-IN”

7.3.67 scheme_installment_numbers

```
{
}
```


CONFIDENTIAL

Attribute	M	List	Type	Limit	Description and example(s)
maximum	Y		Integer		Max no of Installments
minimum	Y		Integer		Min no of Installments

7.3.68 scheme_systematic

{
}

Attribute	M	List	Type	Limit	Description and example(s)
scheme_transaction_type	Y		Enum		“Systematic Transfer Plan - IN” “Systematic Transfer Plan - OUT” “Systematic Investment Plan” “Systematic Withdrawal Plan”
scheme_transaction_allowed_options	Y		Object		Refer scheme_transaction_allowed_options
scheme_transaction_single_details	Y		Object		Refer scheme_transaction_single_details
scheme_sxp_frequency	Y		Enum		“Daily” “Fortnightly” “Weekly” “Monthly” “Quarterly” “Half Yearly” “Annually” “Periodically”
scheme_sxp_frequency_detail	Y		Object		Refer scheme_sxp_frequency_detail
scheme_systematic_transaction_detail	Y		Object		Refer scheme_systematic_transaction_detail
scheme_transaction_allowed_options	N	N	Object		Refer scheme_transaction_allowed_options
scheme_transaction_cutoff_time	N	N	String		"00:00:00"
scheme_transaction_effective_	N	N	String		"00:00:00"

CONFIDENTIAL

end_date					
scheme_transaction_effective_start_date	Y	N	String		"2025-02-01T00:00:00"
scheme_transaction_mode_allowed	Y	N	Object		Refer scheme_transaction_mode_allowed
scheme_transaction_type	Y	N	String		"STP-IN"
scheme_transaction_type_tag_name	Y	N	String		"Systematic Transfer Plan - IN"
sip_flag	N	N	Boolean		false
stp_in_flag	N	N	Boolean		false
stp_out_flag	N	N	Boolean		false
switch_in_flag	N	N	Boolean		false
switch_out_flag	N	N	Boolean		false
swp_flag	N	N	Boolean		false
scheme_category	Y	N	String		“Debt”
amc_active_flag	N	N	Boolean		true
is_active	N	N	Boolean		true

7.3.69 scheme_transaction_allowed_options

{
}

Attribute	M	List	Type	Limit	Description and example(s)
pause	Y		Boolean		Is pause allowed
trigger	Y		Boolean		Is trigger allowed
first_order	Y		Boolean		Is first order?
registration	Y		Boolean		Is registration allowed

CONFIDENTIAL

7.3.70 scheme_sxp_frequency_detail

{
}

Attribute	M	List	Type	Limit	Description and example(s)
type	Y		Enum		“days” “dates”
value	Y		Object		E.g. [1,2,3,4,25,30]

7.3.71 scheme_systematic_transaction_detail

{
}

Attribute	M	List	Type	Limit	Description and example(s)

gaps	Y		Object		{
					“maximum”: 200,
					“minimum”: 300,
					“installment”: 100
					}

pauses	Y		Object		{
					“maximum”: 200,
					“minimum”: 300,
					“no_of_pauses”: 0
					}

7.3.72 webhook_ack

{
}

Attribute	M	List	Type	Limit	Description and example(s)
status	Y	N	String		“success” on to indicate webhook is consumed

data	Y	N	Object		{
					"id": "20241027-aA123.12"
					}
					Here the id has a unique id generated by the consumer of webhook.
					This ID should begin and end with [azAZ09]
					ID format is YYYYMMDD-[azAZ09,8]

messages	N	Y	Object		Should be blank

7.3.73 sxp_history_filter_param

{
}

CONFIDENTIAL

Attribute	M	List	Type	Limit	Description and example(s)
no_of_txn	Y	N	Integer		Specifies the number of transactions to be shown
from_date	N	N	String		Specifies the start date for the transaction.
to_date	N	N	String		Specifies the end date for the transaction.
member	N	N	String		Member code

7.3.74 nav_filter_param

```
{
}
```

Attribute	M	List	Type	Limit	Description and example(s)
nav_date	Y	N	String		The Net Asset Value of the Mutual Fund Scheme on a particular date. By default, it will return the NAV of current date.
bse_scheme_code	N	N	String		The BSE mutual fund scheme code.

7.3.75 mandate_filter_param

```
{
}
```

Attribute	M	List	Type	Limit	Description and example(s)
is_active	N	N	boolean		Fetches mandate which is active
is_verified	N	N	boolean		Fetches mandate which is verified
type	N	Y	Array		Mandate type filtering
member_code	N	N	String		Member code filtering
status	N	Y	Array		Member status filtering
ucc	N	N	String		UCC Filtering
created_at_after	N	N	String		Date filtering range
created_at_before	N	N	String		Date filtering range

CONFIDENTIAL

7.3.76 scheme_filter_param

{
}

Attribute	M	List	Type	Limit	Description and example(s)
scheme_category	N	N	String		“debt” “equity”
scheme_amc_name	N	N	String		Scheme AMC Name
scheme_option	Y	N	Enum		“Growth” “IDCW Payout” “IDCW Reinvestment”
scheme_plan	Y	N	Enum		“Direct” “Regular”
scheme_isin	N	N	String		Scheme ISIN
scheme_redemption_settlement_days	Y	N	Enum		“T1” “T2” “T3” “T4” “T4” “T6” “T7” “T8” “T9” “T10”
scheme_transaction_mode_allowed	Y		Object	Y	Refer scheme_transaction_mode_allowed

7.3.77 nft_response_obj

{
}

Attribute	M	List	Type	Limit	Description and example(s)
IHNo	N	N	String		
Status	N	N	String		
AMCCode	N	N	String		
DocType	N	N	String		

CONFIDENTIAL

Errcode	N	N	String		
FolioNo	N	N	String		
NCTType	N	N	String		
UsrTxnNo	N	N	String		
EntryDate	N	N	String		
ReturnMsg	N	N	String		
TaxNumber	N	N	String		
TwoFAAuth	N	N	String		
ReturnCode	N	N	String		
PortRemarks	N	N	String		

7.3.78 scheme_transaction_single_details

{
}

Attribute	M	List	Type	Limit	Description and example(s)
scheme_transaction_amt	N	N	Object		Refer scheme_transaction_amt
scheme_transaction_units	N	N	Object		Refer scheme_transaction_units

7.3.79 scheme_sxp_pauses

{
}

Attribute	M	List	Type	Limit	Description and example(s)
scheme_sxp_max_pauses	N	N	Integer		Maximum number of installments that can be paused.
scheme_sxp_mi	N	N	Integer		Minimum number of installments required before a pause is

CONFIDENTIAL

n_pauses					allowed.
scheme_sxp_no_of_pauses	N	N	Integer		Total number of pause instances allowed.

7.3.80 scheme_sxp_gaps

{
}

Attribute	M	List	Type	Limit	Description and example(s)
scheme_sxp_installment_gap	N	N	Integer		Minimum gap between two SIP installments.
scheme_sxp_max_gap	N	N	Integer		Maximum gap allowed between SIP installments.
scheme_sxp_min_gap	N	N	Integer		Minimum gap allowed between SIP installments.

7.3.81 scheme_transaction_amt

{
}

Attribute	M	List	Type	Limit	Description and example(s)
scheme_transaction_max_amt	N	N	Integer		Maximum transaction amount allowed.
scheme_transaction_min_amt	N	N	Integer		Minimum transaction amount allowed
scheme_transaction_min_adtnl_amt	N	N	Integer		Minimum additional amount for subsequent transactions.
scheme_transaction_mult_amt					Multiplicity factor for transaction amount.

CONFIDENTIAL

7.3.82 scheme_transaction_units

{
}

Attribute	M	List	Type	Limit	Description and example(s)
scheme_transaction_max_unit	N	N	Integer		Maximum units allowed.
scheme_transaction_min_unit	N	N	Integer		Minimum units required.
scheme_transaction_mult_unit	N	N	Integer		Multiplicity factor for units.

7.3.83 stepup

{
}

Attribute	M	List	Type	Limit	Description and example(s)
stepup_type	Y	N	String		Type of step-up. Allowed values: "percent" or "amount".
value	Y	N	Number		The step-up increment value. If stepup_type = "percent", this is the percentage increase. If "amount", this is the fixed amount increase.
frequency	Y	N	String		Frequency of step-up. Allowed values: "y" (yearly) or "h" (half-yearly).
start_date	Y	N	String		Date from which the step-up should begin (format: YYYY-MM-DD). Example: 2026-04-01
stepup_delink	N	N	Boolean		true/false.
stepup_ninstallments	N	N	Number		Number of installments for which the step-up applies.

7.4 Enums

7.4.1 holding_nature

SI	Single
JO	Joint

CONFIDENTIAL

AS	Anyone or Survivor

7.4.2 tax_status

Tax Code	Tax Status	Tax type	Is Resident?	Is Minor?
01	Individual	Individual	Y	N
02	On behalf of minor	Individual	Y	Y
03	HUF	Non-Individual	Y	N
04	Company	Non-Individual	Y	N
05	AOP	Non-Individual	Y	N
06	Partnership Firm	Non-Individual	Y	N
07	Body Corporate	Non-Individual	Y	N
08	Trust	Non-Individual	Y	N
09	Society	Non-Individual	Y	N
10	Others	Non-Individual	Y	N
11	NRI-Others	Non-Individual	N	N
12	DFI	Non-Individual	Y	N
13	Sole Proprietorship	Non-Individual	Y	N
21	NRE	Individual	N	N
22	OCB	Non-Individual	N	N
23	FII	Non-Individual	N	N
24	NRO	Individual	N	N
25	Overseas Corp. Body - Others	Non-Individual	N	N
26	NRI Child	Individual	N	Y
27	NRI - HUF (NRO)	Non-Individual	N	N
28	NRI - Minor (NRO)	Individual	N	Y
29	NRI - HUF (NRE)	Non-Individual	N	N
31	Provident Fund	Non-Individual	Y	N
32	Super Annuation Fund	Non-Individual	Y	N
33	Gratuity Fund	Non-Individual	Y	N
34	Pension Fund	Non-Individual	Y	N
36	Mutual Funds FOF Schemes	Non-Individual	Y	N
37	NPS Trust	Non-Individual	Y	N
38	Global Development Network	Non-Individual	N	N
39	FCRA	Non-Individual	N	N
41	QFI - Individual	Individual	N	N
42	QFI - Minors	Individual	N	Y
43	QFI - Corporate	Non-Individual	N	N
44	QFI - Pension Funds	Non-Individual	N	N

CONFIDENTIAL

45	QFI - Hedge Funds	Non-Individual	N	N
46	QFI - Mutual Funds	Non-Individual	N	N
47	LLP	Non-Individual	Y	N
48	Non-Profit organization [NPO]	Non-Individual	Y	N
51	Public Limited Company	Non-Individual	Y	N
52	Private Limited Company	Non-Individual	Y	N
53	Unlisted Company	Non-Individual	Y	N
54	Mutual Funds	Non-Individual	Y	N
55	FPI - Category I	Non-Individual	N	N
56	FPI - Category II	Non-Individual	N	N
57	FPI - Category III	Non-Individual	N	N
58	Financial Institutions	Non-Individual	Y	N
59	Body of Individuals	Non-Individual	Y	N
60	Insurance Company	Non-Individual	Y	N
61	OCI - Repatriation	Individual	N	N
62	OCI - Non Repatriation	Individual	N	N
70	Person of Indian Origin	Individual	N	N
72	Government Body	Non-Individual	Y	N
73	Defense Establishment	Non-Individual	Y	N
74	Non - Government Organisation	Non-Individual	Y	N
75	Bank/Co-Operative Bank	Non-Individual	Y	N
76	Artificial Juridical person	Non-Individual	Y	N
77	Seafarer NRE	Individual	N	N
78	Seafarer NRO	Individual	N	N

tax_code	tax_status
01	Individual
02	On behalf of minor
03	HUF
04	Company
05	AOP
06	Partnership Firm
07	Body Corporate
08	Trust
09	Society
10	Others

CONFIDENTIAL

11	NRI-Others
12	DFI
13	Sole Proprietorship
21	NRE
22	OCB
23	FII
24	NRO
25	Overseas Corp. Body - Others
26	NRI Child
27	NRI - HUF (NRO)
28	NRI - Minor (NRO)
29	NRI - HUF (NRE)
31	Provident Fund
32	Super Annuation Fund
33	Gratuity Fund
34	Pension Fund
36	Mutual Funds FOF Schemes
37	NPS Trust
38	Global Development Network
39	FCRA
41	QFI - Individual
42	QFI - Minors
43	QFI - Corporate
44	QFI - Pension Funds
45	QFI - Hedge Funds
46	QFI - Mutual Funds
47	LLP
48	Non-Profit organization [NPO]

CONFIDENTIAL

51	Public Limited Company
52	Private Limited Company
53	Unlisted Company
54	Mutual Funds
55	FPI - Category I
56	FPI - Category II
57	FPI - Category III
58	Financial Institutions
59	Body of Individuals
60	Insurance Company
61	OCI - Repatriation
62	OCI - Non Repatriation
70	Person of Indian Origin
72	Government Body
73	Defense Establishment
74	Non - Government Organisation
75	Bank/Co-Operative Bank
76	Artificial Juridical person
77	Seafarer NRE
78	Seafarer NRO

7.4.3 rdmp_idcw_pay_mode (Payment mode for redemptions & IDCW)

01	Cheque
02	Direct Credit
03	Electronic Clearing Service
04	National Electronic Fund Transfer
05	Real-Time Gross Settlement

CONFIDENTIAL

7.4.4 nomination_auth_mode

W	Wet Signature
E	Aadhaar ESign
O	OTP Authentication

7.4.5 comm_mode

P	Physical
M	Mobile
E	Email

7.4.6 onboarding

Z	Paperless
P	Paper(physical)

7.4.7 holder_rank

1	First/Primary Holder
2	Second Holder
3	Third Holder
-1	Guardian

7.4.8 occ_code

1	Business
2	Service
3	Professional
4	Agriculturist
5	Retired
6	Housewife
7	Student
8	Others

CONFIDENTIAL

9	Doctor
41	Private Sector Service
42	Public Sector Service
43	Forex Dealer
44	Government Service
99	Unknown / Not Applicable

7.4.9 auth_mode

M	Mobile
E	Email
B	Both

7.4.10 pan_exempt_category

01	Sikkim Resident
02	Transactions carried out on behalf of STATE GOVT
03	Transactions carried out on behalf of CENTRAL GOVT
04	COURT APPOINTED OFFICIALS
05	UN Entity/Multilateral agency exempt from paying tax in India
06	Official Liquidator
07	Court Receiver
08	Investment in Mutual Funds Up to Rs. 50,000/- p.a. including SIP

CONFIDENTIAL

7.4.11 kyc_type

K	KRA Compliant
C	CKYC Compliant
B	BIOMETRIC KYC
E	Aadhaar EKYC PAN

7.4.12 bank_acc_type

SB	Savings account
CB	Current account
NE	NRE account
NO	NRO account

7.4.13 bank_acc_owner / account_owner

SELF	Self
GUARDIAN	Guardian

7.4.14 depository_code

NSDL	NSDL
CDSL	CDSL

7.4.15 depository_code (order/sxp/mandate)

N	NSDL
C	CDSL

7.4.16 whose_contact_number / whose_email_address

SE	Self
SP	Spouse
DC	Dependent Children
DS	Dependent Siblings
DP	Dependent Parents

CONFIDENTIAL

GD	Guardian
PM	PMS
CD	Custodian
PO	POA
NA	Not Applicable (This can only be passed for non-individual Tax Status types OR nominee contact details)

7.4.17 contact_type

RE	Residential
OF	Office
PR	Primary
OT	Other

7.4.18 nomination_relation

1	Aunt
2	Brother
3	Daughter
4	Daughter In Law
5	Father
6	Father In Law
7	Grand Daughter
8	Grand Son
9	Grand Father
10	Grand Mother
11	Husband
12	Mother
13	Mother In Law
14	Nephew
15	Niece

CONFIDENTIAL

16	Friend
17	Sister
18	Son
19	Son In Law
20	Uncle
21	Wife
22	Others
24	Brother In Law
25	Sister In Law
26	Spouse

7.4.19 gender

M	Male
F	Female
O	Other

7.4.20 identifier_type

file_type	file_label	extension_allowed	is_doc_number_mandatory	is_issue_date_mandatory	is_expiry_mandatory	identifier_size (Maximum)
accredited_investor	Accredited Investor	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE		TRUE	10240
lei	Legal Entity Identifier	["pdf", "jpg", "jpeg",	TRUE	TRUE	TRUE	10240

CONFIDENTIAL

		"bmp", "tif", "png", "eml", "msg", "zip"]				
pan	PAN	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE	FALSE	FALSE	10240
cancel_cheque	Cancel Cheque	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
bank_statement	Bank Statement	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
cml_copy	CML Copy	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
amc_mail_copy	AMC Mail Copy	["pdf", "jpg",	FALSE	FALSE	FALSE	10240

CONFIDENTIAL

		"jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]				
gst	GST	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE	TRUE	FALSE	10240
aadhaar	Aadhaar Card	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE	FALSE	FALSE	10240
rta_email_doc	RTA Email Document	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
registration_doc	Registration Document	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240

CONFIDENTIAL

Driving License	Driving License	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE	TRUE	TRUE	10240
passport	Passport	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE	TRUE	TRUE	10240
pan_exempt_ref_no	PAN Exempt Ref No	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE	FALSE	FALSE	10240
arn_certificate	AMFI Registration Number	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE	TRUE	TRUE	10240
sebi_reg_certificate	SEBI Registration Number	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml",	TRUE	TRUE	FALSE	10240

CONFIDENTIAL

		"msg", "zip"]				
euin	EUIN	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE	TRUE	TRUE	10240
undertaking_certificate	Undertaking Certificate	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
letter_of_application	Letter of Application	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
gst_declaration	GST Declaration	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
wet_signature	Wet Signature	["pdf", "jpg", "jpeg", "bmp", "tif", "png",	FALSE	FALSE	FALSE	10240

CONFIDENTIAL

		"eml", "msg", "zip"]				
address_proof	Address Proof	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
nism_cerificate	NISM passing certificate	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
tan_declaration	TAN allotment/declaration	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
llp_deed	LLP Deed	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
patnership_deed	Partnership Deed	["pdf", "jpg", "jpeg", "bmp", "tif",	FALSE	FALSE	FALSE	10240

CONFIDENTIAL

		"png", "eml", "msg", "zip"]				
certification_of_incorporation	Certification of Incorporation	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
self_certified_pan	Self-Certified PAN card	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
partnership_resolution	Partnership resolution	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
bank_resolution	Bank resolution	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
certificate_of_registration	Certificate of Registration	["pdf", "jpg", "jpeg", "bmp",	FALSE	FALSE	FALSE	10240

CONFIDENTIAL

		"tif", "png", "eml", "msg", "zip"]				
authorised_signatory	List of Authorised Signatory	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
board_resolution	Board Resolution	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
trust_deed	Trust Deed	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
tan	TAN	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
suspension_document	Suspension Supporting Document	["pdf", "jpg", "jpeg",	FALSE	FALSE	FALSE	10240

CONFIDENTIAL

		"bmp", "tif", "png", "eml", "msg", "zip"]				
supporting_document	Supporting Document	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
scheme_information_document	Scheme information document	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
key_information_memorandum_and_application_form	Key Info Memorandum and App Form	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
aadhaar_esign	Aadhaar Esign	["pdf", "jpg", "jpeg", "bmp", "tif", "png"]	FALSE	FALSE	FALSE	10240
aof	Account Opening Form	["pdf", "jpg", "jpeg", "bmp", "tif",	TRUE	FALSE	FALSE	4096

CONFIDENTIAL

		"png", "eml", "msg", "zip"]				
nomination_form	Nomination Form	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
fatca_form	Fatca Form	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	FALSE	FALSE	FALSE	10240
elog	Electronic Log	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE	FALSE	FALSE	10240
aof_ria	Account Opening Form RAI	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE	FALSE	FALSE	10240
cin	Corporate Identification Number	["pdf", "jpg", "jpeg", "bmp",	TRUE	TRUE	TRUE	10240

CONFIDENTIAL

		"tif", "png", "eml", "msg", "zip"]				
purchase_redemption	PURCHASE_REDEMPTION	["txt", "csv"]	TRUE	NULL	NULL	10240
switch	SWITCH	["txt", "csv"]	TRUE	NULL	NULL	10240
payin_bank_hdfc_xls	PAY IN BANK HDFC XLS	["xls"]	TRUE	NULL	NULL	10240
payin_bank_icici_xlsx	PAY IN BANK ICICI XLSX	["xlsx"]	TRUE	NULL	NULL	10240
payin_bank_icici_csv	PAY IN BANK ICICI CSV	["txt", "csv"]	TRUE	NULL	NULL	10240
payin_bank_icici_mt940	PAY IN BANK ICICI MT940	["txt", "csv"]	TRUE	NULL	NULL	10240
payin_bank_icici_mt942	PAY_IN_BANK_ICICI_MT942	["txt", "csv"]	TRUE	NULL	NULL	10240
pa_bank_as_mfd	PA_BANK_AS_MFD	["txt", "csv"]	TRUE	NULL	NULL	10240
pa_excl_mem	PA_EXCL_MEM	["txt", "csv"]	TRUE	NULL	NULL	10240
sxp_records_in_sip_reg	SXP_RECORDS_IN_SIP_REG	["txt", "csv"]	TRUE	NULL	NULL	10240
sxp_records_in_xsip_isip_reg	SXP_RECORDS_IN_XSIP_ISIP_REG	["txt", "csv"]	TRUE	NULL	NULL	10240
sxp_records_in_swp_reg	SXP_RECORDS_IN_SWP_REG	["txt", "csv"]	TRUE	NULL	NULL	10240
sxp_records_in_stp_reg	SXP_RECORDS_IN_STP_REG	["txt", "csv"]	TRUE	NULL	NULL	10240
reg_mandate	REG_MANDATE	["txt", "csv"]	TRUE	NULL	NULL	10240
nach_response	NACH_RESPONSE	["txt", "csv"]	TRUE	NULL	NULL	10240
iman_response	IMAN_RESPONSE	["txt", "csv"]	TRUE	NULL	NULL	10240
abp_mandate_download	ABP_MANDATE_DOWNLOAD	["txt", "csv"]	TRUE	NULL	NULL	10240

CONFIDENTIAL

cancel_mandate	CANCEL_MANDATE	["txt", "csv"]	TRUE	NULL	NULL	10240
rff_kfin_file_processing	RFF_KFIN_FILE_PROCESSING	["txt", "csv"]	TRUE	NULL	NULL	10240
rta_in_kfintech_sftp	RTA_IN_KFINTECH_SFTP	["txt", "csv"]	TRUE	NULL	NULL	10240
rta_in_cams_sftp	RTA_IN_CAMS_SFTP	["txt", "csv"]	TRUE	NULL	NULL	10240
rff_cams_file_processing	RFF_CAMS_FILE_PROCESSING	["txt", "csv"]	TRUE	NULL	NULL	10240
dp_cdsl_in_purch_liquid	DP_CDSL_IN_PURCH_LIQUID	["D19"]	TRUE	NULL	NULL	10240
dp_cdsl_in_purch_others	DP_CDSL_IN_PURCH_OTHERS	["D18"]	TRUE	NULL	NULL	10240
dp_nsdl_in_purch_liquid	DP_NSDL_IN_PURCH_LIQUID	["D01"]	TRUE	NULL	NULL	10240
dp_nsdl_in_purch_others	DP_NSDL_IN_PURCH_OTHERS	["D01"]	TRUE	NULL	NULL	10240
	Bank Log	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml", "msg", "zip"]	TRUE	TRUE	TRUE	10240
cff_val_resp_in	CFF_VAL_RESP_IN	["txt", "csv"]	TRUE	NULL	NULL	10240
payout_resp_in	PAYOUT_RESP_IN	["txt", "csv"]	TRUE	NULL	NULL	10240
payout_amc_in	PAYOUT_AMC_IN	["txt", "csv"]	TRUE	NULL	NULL	10240
rcptin_resp_records_in_cdsl	RCPTIN_RESP_RECORDS_IN_CDSL	["txt", "csv"]	TRUE	NULL	NULL	10240

CONFIDENTIAL

rcptin_resp_records_in_ndsl	RCPTIN_RESP_RECORDS_IN_NDSL	["txt", "csv"]	TRUE	NULL	NULL	10240
cdsl_payout_resp_in	CDSL_PAYOUT_RESPONSE_IN	["txt", "csv"]	TRUE	NULL	NULL	10240
nsdl_payout_resp_in	NSDL_PAYOUT_RESPONSE_IN	["D**"]	TRUE	NULL	NULL	10240
amc_mis	AMC_MIS	["txt", "csv"]	TRUE	NULL	NULL	10240
pay_in_bank_hdfc_50200087951110	PAY_IN_BANK_HDFC_50200087951110	["txt", "csv"]	TRUE	NULL	NULL	10240
billing_bulk_file_upload	BILLING_BULK_FILE_UPLOAD	["csv"]	TRUE	FALSE	FALSE	10240
CDSL	CDSL	["txt"]	TRUE	NULL	NULL	10240
NSDL	NSDL	["txt"]	TRUE	NULL	NULL	10240
pa_exch_razorpay_upi	PA_EXCH_RAZORPAY_UPI	["txt", "csv"]	TRUE	NULL	NULL	10240
pa_exch_axis_cheque	PA_EXCH_AXIS_CHEQUE	["txt", "csv"]	TRUE	NULL	NULL	10240
pa_exch_icici_neft_rtgs	PA_EXCH_ICICI_NEFT_RTGS	["txt", "csv"]	TRUE	NULL	NULL	10240
pa_exch_hdfc_neft_rtgs	PA_EXCH_HDFC_NEFT_RTGS	["txt", "csv"]	TRUE	NULL	NULL	10240
pa_in_xsip	PA_IN_XSIP	["txt", "csv"]	TRUE	NULL	NULL	10240
pa_exch_billdesk_otm	PA_EXCH_BILLDESK_OTM	["txt", "csv"]	TRUE	NULL	NULL	10240
pa_exch_finlogic	PA_EXCH_FINLOGIC	["txt", "csv"]	TRUE	NULL	NULL	10240
fund_movement_doc	Fund Movement Supporting Document	["pdf", "jpg", "jpeg", "bmp", "tif", "png", "eml",	NULL	NULL	NULL	10240

CONFIDENTIAL

		"msg", "zip"]				
not_applicable	Not applicable	-	NULL	NULL	NULL	0

7.4.21 Country

Country to be passed is 3 Character ISO Code.
Refer to https://en.wikipedia.org/wiki/ISO_3166-1_alpha-3 for codes.

7.4.22 address_type

1	Residential or Business
2	Residential
3	Business
4	Registered Office
5	Unspecified
6	Resident Or Business Foreign
7	Residential Foreign
8	Business Foreign
9	Registered Office Foreign
10	Unspecified Foreign

7.4.23 occ_type

B	Business
S	Service
O	Others

7.4.24 exemption_code

A	An organization exempt from tax under section 501(a) or any individual retirement plan as defined in section 7701(a)(37)
B	The United States or any of its agencies or instrumentalities
C	A state, the District of Columbia, a possession of the United States, or any of their political subdivisions or instrumentalities
D	A corporation the stock of which is regularly traded on one or more established securities markets, as described in Reg. section 1.1472-1(c)(1)(i)
E	A corporation that is a member of the same expanded affiliated group as a corporation described in Reg. section 1.1472-1(c)(1)(i)
F	A dealer in securities, commodities, or derivative financial instruments (including notional principal contracts, futures, forwards, and options) that is registered as such under the laws of the United States or any state
G	A real estate investment trust
H	A regulated investment company as defined in section 851 or an entity registered at all times

CONFIDENTIAL

	during the tax year under the Investment Company Act of 1940
I	A common trust fund as defined in section 584(a)
J	A bank as defined in section 581
K	A broker
L	A trust exempt from tax under section 664 or described in section 4947(a)(1)
M	A tax exempt trust under a section 403(b) plan or section 457(g) plan
N	Not Applicable

7.4.25 corporate_service_sector

1	Foreign Exchange/Money Changer Services
2	Gaming/Gambling/Lottery Services
3	Money Laundering/Pawning
4	Not Applicable

7.4.26 wealth_source

1	Salary
2	Business Income
3	Gift
4	Ancestral Property
5	Rental Income
6	Prize Money
7	Royalty
8	Others

7.4.27 income_slab

31	Below 1 Lakh
32	> 1 <=5 Lacs
33	>5 <=10 Lacs
34	>10 <= 25 Lacs
35	> 25 Lacs < = 1 Crore
36	Above 1 Crore

7.4.28 politically_exposed

Y	the investor is politically exposed person
N	the investor is not politically exposed person
R	if the investor is a relative of the politically exposed person

7.4.29 data_source

P	Physical

CONFIDENTIAL

E	Electronically

7.4.30 ffi_drnfe

FFI	FFI
DRNFE	DRNFE

7.4.31 is_giin_avail

AF	Applied for
NR	Not required to apply for
NO	Not obtained - Non-participating FI

7.4.32 nfe_category

L	Listed Entity
RL	Related to Listed Entity
A	Active NEFFE
P	Passive NEFFE
NA	Not Applicable for Non NFFE

7.4.33 nfe_sub_category

01	Less than 50 percent of the NFEs gross income for the preceding financial yearis passive income and less than 50 percent of the assets held by theNFE during the preceding financial year are assets that produce or are held for the production of passive income;
02	The NFE is a Governmental Entity, an International Organization, a Central Bank , or an entity wholly owned by one or more of the foregoing;
03	Substantially all of the activities of the NFE consist of holding (in whole or in part) the outstanding stock of, or providing financing and services to, one or more subsidiaries that engage in trades or businesses other than the business of a Financial Institution, except that an entity shall not qualify for this status if the entity functions as an investment fund, such as a private equity fund, venture capital fund, leveraged buyout fund, or any investment vehicle whose purpose is to acquire or fund companies and then hold interests in those companies as capital assets for investment purposes;
04	The NFE is not yet operating a business and has no prior operating history, but is investing capital into assets with the intent to operate a business other than that of a Financial Institution, provided that the NFE shall not qualify for this exception after the date that is 24 months after the date of the initial organization of the NFE;
05	The NFE was not a Financial Institution in the past five years, and is in the process of liquidating its assets or is reorganizing with the intent to continue or recommence operations in a business other than that of a Financial Institution;
06	The NFE primarily engages in financing and hedging transactions with, or for, Related Entities that are not Financial Institutions, and does not provide financing or hedging services to any Entity that is not a Related Entity, provided that the group of any such Related Entities is primarily engaged in a business other than that of a Financial Institution;
07	Any NFE that fulfils all of the following requirements: * It is established and operated in India exclusively for religious, charitable, scientific, artistic, cultural, athletic, or educational purposes; or it is established and operated in India and it is a professional organization, business league, chamber of commerce, labor organization, agricultural or horticultural organization, civic league or an organization operated exclusively for the promotion of social welfare; * It is exempt from income tax in India; * It has no shareholders or members who have a proprietary or beneficial interest in its income or assets; The applicable laws of the NFEs country or territory of residence or the NFEs

CONFIDENTIAL

	formation documents do not permit any income or assets of the NFE to be distributed to, or applied for the benefit of, a private person or non-charitable Entity other than pursuant to the conduct of the NFEs charitable activities, or as payment of reasonable compensation for services rendered, or as payment representing the fair market value of property which the NFE has purchased; and The applicable laws of the NFEs country or territory of residence or the NFEs formation documents require that, upon the NFEs liquidation or dissolution, all of its assets be distributed to a governmental entity or other non-profit organization, or escheat to the government of the NFEs country or territory of residence or any political subdivision thereof. Explanation.- For the purpose of this sub-clause, the following shall be treated as fulfilling the criteria provided in the said sub-clause, namely:- (I) an Investor Protection Fund referred to in clause (23EA); (II) a Credit Guarantee Fund Trust for Small Industries referred to in clause 23EB; and (III) an Investor Protection Fund referred to in clause (23EC), of section 10 of the Act;

7.4.34 nature_of_relation

SU	Subsidiary
CO	Controlled

7.4.35 fatca_identifier_type

A	Passport
B	Election ID Card
C	PAN Card
D	ID Card
E	Driving License
G	UIDIA / Aadhar letter
H	NREGA Job Card
O	Others
X	Not categorized
T	TIN [Tax Payer Identification Number]
C1	Company Identification Number
G1	US GIIN
E1	Global Entity Identification Number

7.4.36 ubo_category

UBO	UBO
SMO	SMO

7.4.37 ubo_type_code

C01	CP of legal person-ownership
C02	CP of legal person-other means
C03	CP of legal person-senior managing official
C04	CP of legal arrangement-trust-settlor
C05	CP of legal arrangement-trust-trustee

CONFIDENTIAL

C06	CP of legal arrangement-trust-protector
C07	CP of legal arrangement-trust-beneficiary
C08	CP of legal arrangement-trust-other
C09	CP of legal arrangement-trust-other-settlor equivalent
C10	CP of legal arrangement-trust-other-trustee-equivalent
C11	CP of legal arrangement-trust-other-protector equivalent
C12	CP of legal arrangement-trust-other-beneficiary-equivalent
C13	CP of legal arrangement-trust-other-other-equivalent
C14	Unknown

7.4.38 ubo_addr_type

1	Residential or Business
2	Residential
3	Business
4	Registered Office
5	Unspecified

7.4.39 ucc_status

ALL	All Records
ACTIVE	Active UCC Records
INACTIVE	Inactive UCC Records
SUSPENDED	Suspended UCC Records
PENDING_AUTH	UCC Records which are Pending UCC Authentication
PENDING_VERIFICATION	UCC Records which are Pending Verification

7.4.40 ucc_count_status

PENDING_VERIFICATION	UCC Records which are Pending Verification
PUSH_BACK	Active UCC Records
PENDING_AUTHENTICATION	UCC Records which are Pending UCC Authentication
REJECTED	Rejected UCC Records
ACTIVE	Active UCC Records
INACTIVE	Inactive UCC Records
DRAFT	Records in Draft State
PENDING_APPROVAL	Records which are awaiting Exchange Approval

7.4.41 order_type

p	Purchase
r	Redemption

CONFIDENTIAL

s	Switch

7.4.42 order_phys_or_demat

p	Physical
d	Demat

7.4.43 order_status

o	Open Orders
c	Completed Orders
a	All Orders

7.4.44 order_source

sip	Order source SIP
stp	Order source STP
swp	Order source SWP
nfo	Order source NFO
lumpsum	Order source Lumpsum
combo	Order source is Combo order

7.4.45 order_list_status

received	Order is Received
threshold_approval_pending	Threshold Approval for Order is pending
match_pending	Order Match is Pending
expired	Order is Expired
matched	Order has Matched
queued_for_rta	Order is queued for RTA
queued_for_dp	Order is queued for DP
ucc_rejected	UCC rejected order
platform_rejected	Platform rejected order
rta_rejected	RTA rejected order
ops_rejected	OPS team rejected order
rta_error	RTA Error for the order
done	Order Processed successfully

7.4.46 mandate_type

X	NACH
N	Enach, e-mandate
U	UPI Autopay

CONFIDENTIAL

7.4.47 mandate_mode

ACH	ACH
AD	Auto Debit

7.4.48 sxp_freq

m	Monthly
w	Weekly
d	Daily
f	Fortnightly
q	Quarterly
h	Half yearly
y	Yearly

7.4.49 sxp_type

SIP	SIP
XSIP	XSIP
SWP	SWP
STP	STP
TOPUP	SXP Top-up
SPROD	Special product

7.4.50 sxp_status

reg	Sxp is registered by the member.
active	Sxp is Active
inactive	Sxp is yet to start as per schedule
paused	When UCC has requested to pause SxP
cancelled	When UCC has requested to terminate SxP
mandate_unlink	When the mandate is removed from the SxP
autocancelled	For SIP, When N consecutive payments (as per sub scheme master) have failed
matured	Once all instalments are completed as per the schedule
invalidated	As per business rules defined in masters, this SxP is no longer valid

7.4.51 sxp_cancel_reason

1	Non availability of Funds
2	Scheme not performing
3	Service issue
4	Load Revised
5	Wish to invest in other schemes
6	Change in Fund Manager

CONFIDENTIAL

7	Goal Achieved
8	Not comfortable with market volatility
9	Will be restarting SIP after few months
10	Modifications in bank/mandate/date etc
11	I have decided to invest elsewhere
12	This is not the right time to invest
13	Others(members to enter cancellation reason)

7.4.52 special_products_type

FREEDOM	Freedom
GOAL	Goal
INSURED	Insured
SMART	Smart

7.4.53 special_products_goal_type

1	Tax Savings
2	Retirement Planning
3	Kids Education
4	Kids Marriage
5	Dream House
6	Dream Vacation
7	Dream Car
8	Others

7.4.54 paymt_mode

NEFT	NEFT
RTGS	RTGS
CHEQUE	Cheque
UPI	UPI
IFT	Internal Fund Transfer
IMPS	IMPS

7.4.55 nct_type

kfin	**cams**	**Description**
NCTCF01	NOM	Opt Out of Nominee
NCTCF02	NOM	Opt In for Nominee
NCTCF03	COC	Change Of Contact
NCTCF04	COM	Change Of Bank

CONFIDENTIAL

7.4.56 investor_type

Individual	Individual
Non-Individual	Non-Individual

7.4.57 mis_type

XSIP	XSIP
OTM	OTM
DIRECT	DIRECT
NODAL	NODAL
NEFT	NEFT
UPI	UPI
DOWNLOAD	DOWNLOAD
UPIR	UPI Recurring
NACH	NACH
CHEQUE	Cheque
ENACH	ENACH
DIRECT DEBIT	DIRECT DEBIT

7.4.58 mis_status

A	Accepted
R	Rejected
P	Pending

7.4.59 2fa_event

ucc_auth	event for 2FA UCC authentication
ucc_elog	event for 2FA UCC Elog
ucc_nom	event for 2FA UCC nomination
verify_order_new	event for 2FA new order
verify_order_update	event for 2FA order update
verify_order_cancel	event for 2FA order cancel
verify_sxp_reg	event for 2FA SxP register
verify_sxp_topup	event for 2FA SxP topup
verify_sxp_cancel	event for 2FA SxP cancel
verify_sxp_pause	event for 2FA SxP pause
verify_sxp_resume	event for 2FA SxP resume
verify_mandate_cancel	event for 2FA mandate cancel
mandate_enach	event for 2FA mandate E-Nach
nft_bank_acct_change	event for 2FA NFT bank account change

CONFIDENTIAL

nft_contact_change	event for 2FA NFT contact change
nft_nominee_change	event for 2FA NFT nominee change

7.4.60 scheme_sub_category type

BPSU	Banking & PSU Fund
CRP	Corporate Bond Fund
CRDT	Credit Risk Fund
DYN	Dynamic Bond Fund
FLT	Floater Fund
GLT	Gilt Fund
GLT10	Gilt Fund with 10 year Constant Duration
LIQ	Liquid Fund
LNG	Long Duration Fund
LOW	Low Duration Fund
MED	Medium Duration Fund
MLD	Medium to Long Duration Fund
MON	Money Market Fund
OVN	Overnight Fund
SRT	Short Duration Fund
USRT	Ultra Short Duration Fund
CNTR	Contra Fund
DIV	Dividend Yield Fund
ELSS	ELSS
FLX	Flexi Cap Fund
FOC	Focused Fund
LMC	Large & Mid Cap Fund
LRG	Large Cap Fund
MID	Mid Cap Fund
MLT	Multi Cap Fund
SCTH	Sectoral / Thematic Fund
SML	Small Cap Fund
VAL	Value Fund
AGG	Aggressive Hybrid Fund

CONFIDENTIAL

ARB	Arbitrage Fund
BAL	Balanced Hybrid Fund
CNSV	Conservative Hybrid Fund
ADV	Dynamic Asset Allocation or Balanced Advantage Fund
EQS	Equity Savings
MLTA	Multi-Asset Allocation Fund
FOF	Fund of Fund
INT	International
GLD	Gold
INDX	Index Funds
ETF	ETFs
CHLD	Children's Fund
RET	Retirement Fund
FMP	Fixed Maturity Plan
LIQD	Liquid

7.4.61 order_lifecycle_status

Order Status	**Meaning**
sxp_order_triggered	Order Triggered
ops_rejected	Order Rejection - by Exchange
received	Order Received - by Exchange
order_2fa_pending	Investor authentication awaited
bank_tpv_pending	Bank verification awaited
matched	Fund info matched
queued_for_rta	Order queued to RTA
rta_error	Data validation error - RTA
queued_for_rta	Order Sent to RTA
rta_resp_rcvd	Order Accepted by RTA
dp_units_matched	DP Obligation Matched
units_rta_settled	Order settled directly by RTA
done	Allotment Done Cases: - Purchase demat units settled - Purchase physical rff accepted

CONFIDENTIAL

	- Redemption demat funds settled - Redemption funds rff accepted - Switch demat units settled - Switch physical rff accepted
partial_units_done	Partial Allotment Done
redempt_rta_settled	Funds Credited - By RTA - Physical
redempt_exch_settled	Funds Credited - By BSE - Demat
queued_for_dp	Allotment Pending (Demat- RFF received)
rta_rejected	Order Rejected -by RTA
dp_rejected	Order Rejected - by DP
refund_pending	Refund Awaited - from RTA/AMC
exch_refund_init	Refund initiated - from BSE
exch_refund_done	Refund Credited- by BSE
exch_refund_attempted	Refund Attempt Failed N/5
exch_refund_failed	Refund Failed
redempt_payout_attempted	Redemption Fund Payout Attempt Failed N/3
redempt_payout_failed	Redemption Fund Payout Failed
redempt_fund_returned_amc	Redemption Funds returned to AMC
funds_to_unclaimed	Moved to unclaimed A/C
threshold_approval_pending	Threshold Approval Pending
match_pending	Match Pending
expired	Order Expired
ucc_rejected	Order Rejection - by investor
platform_rejected	Order Rejection - by platform
refund_approved	After checker approves refund record

7.4.62 sxp_lifecycle_status

Sxp Status	**Meaning**
active	Active
cancelled	Cancelled by member
sxp_2fa_pending	Investor authentication awaited
autocancelled	Auto Cancelled
paused	Paused
sxp_investor_canc	Cancelled by investor

CONFIDENTIAL

matured	Matured
inactive	Inactive
invalidated	Platform rejected
reg	Registered

7.4.63 wh_event

Webhook event and its meaning

Webhook Event	**Meaning**
PENDING_AUTHENTICATION	UCC : This will be the initial event triggered (Client authentication pending)
ucc_auth_ucc	UCC : This event will be triggered when, client authentication is accepted by the Client.
PENDING_VERIFICATION	UCC : This event indicates that the client's details are undergoing third party verifications (PAN/KYC/Bank etc.).
ucc_elog_verification	UCC : This event will be triggered (Client Elog authentication is pending)
ucc_kyc_verification	UCC : This event indicates UCC KYC Verification is Completed.
ucc_pan_verification	UCC : This event indicates UCC Pan Verification is Completed.
ucc_bank_acc	UCC : This event indicates UCC Bank Verification is Completed.
ucc_auth_elog	UCC : Its status is contingent upon user acceptance and can be triggered at any stage of the workflow cycle after (ucc_elog_verification)
ucc_auth_nominee	UCC : Its status is contingent upon user acceptance and can be triggered at any stage of the workflow cycle after (PENDING_VERIFICATION)
ACTIVE	UCC : The event indicates the UCC is active and available for Transaction
suspended	UCC : This event will only trigger if the UCC has been suspended by Exchange.
ucc_dp_acc	UCC : This event indicates UCC DP

CONFIDENTIAL

	Verification is Completed.
received	ORDER : Order Received
order_2fa_pending	ORDER : Order 2FA Pending - In case of 2FA included member
bank_tpv_pending	ORDER : Bank TPV Pending
payment_pending	ORDER : Payment Pending
match_pending	ORDER : OMB Pending - ICCL
matched	ORDER : OMB Completed - ICCL
sent_to_rta	ORDER : Final CFF File reported to RTA
queued_for_rta	ORDER : CFF in RTA Processing
rta_reprocess	ORDER : In case of CFF Upload level failure - If Order need to be reprocessed
rta_resp_rcvd	ORDER : RFF Recived from RTA
rta_rejected	ORDER : Order Rejected by RTA
units_rta_settled	ORDER : Units Settled by RTA
done	ORDER : Order Cycle Complete
platform_rejected	ORDER : This event will be triggered if order placed exceeds threshold limit.
threshold_approval_pending	ORDER : This event will be triggered if threshold is in approval stage.
ops_rejected	ORDER : This event will be triggered if threshold is not approved by Ops team
redempt_rta_settled	ORDER : Redemption Completed
amc_mis_payout_updated	ORDER : Payout report recived from AMC
queued_to_rta	ORDER : In Process - BSE <> RTA
send_to_rta	ORDER : CFF Reported to RTA
sw_rta_so_valid	ORDER : IF Valid Switch Out RFF is received
sw_rta_si_valid	ORDER : IF Valid Switch In RFF is received
queued_for_dp	ORDER : Order Queued to DP
dep_rejected	ORDER : Order Rejected by DP
dp_units_matched	ORDER : Units' allotment done
units_payout_sent	ORDER : Units Payout sent
units_return_to_amc	ORDER : Units Retured to AMC

CONFIDENTIAL

partial_units_matched	ORDER : Partial Units' allotment done
cff_validation_pending	ORDER : Validation CFF reported to RTA
units_pool_init	ORDER : Units pooling initiated
units_rcpt_in_sent	ORDER : Receipt_in File Sent to DP
units_pull_completed	ORDER : Units pooling completed
amc_mis_pending	ORDER : If Valid RFF is Received
red_matched	ORDER : IF MIS - VALID RFF Details & Bank receipt is matched
redempt_payout_attempted	ORDER : PAYOUT attempt to UCC (N/5 N- No of bank accounts available in UCC.
redempt_payout_failed	ORDER : If payout is failed
redempt_fund_returned_amc	ORDER : If the attempt are exhausted then funds is return back to AMC
units_pool_completed	ORDER : Units Pooling Completed
refund_pending	ORDER : Refund Pending
exch_refund_init	ORDER : Exchange Refund Initiated
exch_refund_attempted	ORDER : Exchange Refund attempted (N/5 N - No of banks available in UCC)
received_by_bank	ORDER : Refund Amt Received by customer
exch_refund_failed	ORDER : Exchange refund failed
funds_to_unclaimed	ORDER : In Case if Refund failed, then this status will be triggered
amc_refund_matched	ORDER : Refund amount matched at AMC
amc_refund_attempted	ORDER : AMC Refund Attempted (N/5 N- No of bank account available in UCC)
amc_refund_failed	ORDER : AMC Refund Failed
reg	SXP : This will be initial event indicating SXP has been successfully registered at BSE.
sxp_2fa_pending	SXP : This event will be triggered in case of 2FA included members.
sxp_order_triggered	SXP : This event will be triggered when child orders are initiated for the registered SXPs.

CONFIDENTIAL

paused	SXP : This event will be triggered, depending upon client initiation.
sxp_investor_canc	SXP : This event will be triggered, depending upon client initiation.
cancelled	SXP : This event will be triggered, if the SXP order is cancelled by the exchange.
mandate_unlink	SXP : This event will be triggered, depending upon client initiation.
autocancelled	SXP : This event will only trigger if three consecutive SIPs fail.
matured	SXP : This event will only trigger, if SXP order has matured.
initiated	MANDATES : This event will be triggered, when mandate registration process is initiated.
investor_auth_awaited	MANDATES : Investor authentication Pending
rejected	MANDATES : This event will be triggered if mandate registration is not completed at agency.
completed	MANDATES : This event will trigger when mandate end date = current date
scan_upload_pending	MANDATES : This event will be triggered, when physical document submission is pending.
in_process_agency	MANDATES : This event will be triggered, when mandate is in processing at agency.
auto_rejected	MANDATES : This event will be triggered, if mandate is rejected by agency.
pre_debit _notification_ sent_successfully	MANDATES : This event will be triggered, when amount has successfully been pre debited from the account.
exch_init	PAYMENT GATEWAY: This event will be triggered, when payment request have been initiated by Exchan
agency_pending	PAYMENT GATEWAY: Payment Gateway: Payment request is sent to an Agency, waiting for response

CONFIDENTIAL

agency_inprocess	PAYMENT GATEWAY: Payment Gateway: Payment request is in process at agency's end
agency_approved	PAYMENT GATEWAY: Payment Gateway: Payment is approved by an agency
agency_rejected	PAYMENT GATEWAY: Payment is rejected by an agency
agency_cancelled	PAYMENT GATEWAY: This Status will trigger, when none of the event triggers
agency_payment_complete	PAYMENT GATEWAY: This Status will trigger, when the complete payment process is completed.

7.4.64 wh_event_type

Type of event

Event type	**Meaning**
UCC	UCC related events
ORDER	Order related events
SXP	SxP related events
MANDATES	Mandate related events
NFT	NFT related events
PAYMENT GATEWAY	PAYMENT GATEWAY related events

7.4.65 guardian_relation

6	Father
13	Mother
23	Court appointed legal guardian

7.4.66 giin_exempt_category

1	Governmental Entity, International Organization or Central Bank
2	Treaty Qualified Retirement Fund; a Broad Participation Retirement Fund; a Narrow Participation Retirement Fund; or a Pension Fund of a Governmental Entity, International Organization or Central Bank
3	Non-public fund of the armed forces, an employees state insurance fund, a gratuity fund or a provident fund
4	Entity is an Indian FI solely because it is an investment entity

CONFIDENTIAL

5	Qualified credit card issuer
6	Investment Advisors, Investment Managers& Executing Brokers
7	Exempt collective investment vehicle
8	Trustee of an Indian Trust
9	FI with a local client base
10	Non-registering local banks
11	FFI with only Low-Value Accounts
12	Sponsored investment entity and controlled foreign corporation
13	Sponsored, Closely Held Investment Vehicle
14	Owner Documented FFI

7.5 Error Codes

This Section provides a list of expected error codes for completeness. Some of the errors will never appear for StARMFv2 API users. In future releases, an API will be available to fetch the latest list of error codes and descriptions.

7.5.1 Order Error Codes

Refer to Error Codes for examples of error codes

Error Code	Error Description
503	Try after sometime
505	ID not found for the selected record
507	Record not found
509	Token verification failed
517	Missing {<field>}
522	{<field>} is Required
524	Length for {<field>} should be {<val_0>} but received {<val_1>}
531	JSON marshal error for {<field>}
539	Duplicate Record for {<field>} found for value {<val_0>} in {<val_1>}
560	Data not found for {<field>}
561	{<field>} is not allowed
564	Not in Range {value} <> {value1}

CONFIDENTIAL

579	Invalid {<field>} value for {<val_0>}
591	Failed to load dependencies
602	Inactive record
673	unauthorized access
686	Rigel error {<val_0>}
687	Something wrong {<val_0>}
696	Invalid file type {<val_0>}
697	Member not found
707	maximum attempts reached
708	some holders have already rejected this request
709	invalid action
710	Your approval accepted, further approvals pending
711	Try after sometime
712	Too fast resend OTP request, ignored
1005	Order is placed after Closing Date.
1015	Order is above Member Threshold
1016	Order is above Global Threshold
1024	Modification not allowed
1026	Failed to update {<field>} for {<val_0>}
1029	Multiple values provided for {<field>} for {<val_0>}
1047	Try after sometime
1053	Order Cancellation Failed
1055	Try after sometime
1520	Try after sometime
1541	Invalid Id {}
1581	Invalid Json
1584	The field {<field>} is invalid for {<val_0>}
1585	The field {<field>} is invalid for {<val_0>}

CONFIDENTIAL

1586	The field {<field>} is invalid for {<val_0>}
1589	time parsing error for {<field>}
1590	Insufficient information for {<field>}
1593	The field {<field>} is invalid for {<val_0>}
1594	Details Mismatch for {<field>} field value should be {<val_1>} instead of {<val_0>}
1595	Details Mismatch for field {<field>} for {<val_0>}
1596	Details Mismatch for field {<field>}
1597	Details Mismatch
1598	Bank details not verified
1599	Try after sometime
1600	Order Not Allowed
1601	Try after sometime
1602	Try after sometime
1604	reg amount can't be more than mandate amount
1605	Invalid date
1606	Try after sometime
1678	Try after sometime
2518	The field {<field>} is invalid for {<val_0>}
2675	Failed to process file
3520	Try after sometime
3521	Invalid extension
3624	Operation failed
3698	Base64 decoding failed: Invalid or corrupted data
3699	HTTP request creation failed
3794	Try after sometime
3901	otp not matched
3910	failed to check mime.

CONFIDENTIAL

7.5.2 SxP Error Codes

Refer to Error Codes for examples of error codes

Error Code	Error Description
524	Length for {<field>} should be {<val_0>} but received {<val_1>}
574	Invalid {<field>} given value {<val_1>} {<val_0>}
3522	Required field is not present.
3505	ID not found for {<field>} for value {<val_0>}
3539	Record already exists
3507	Record not found
3520/3503	Try again after some time
3551/3531	Incorrect information provided
3579/3671/3603/3580	Invalid date time for {<field>} for value {<val_0>}
3561	not_allowed
581	invalid_json
3669	invalid_field
3692	detail_mismatch
3801	global_threshold_high
3604	Invalid Effective End Date for {<field>}
3667	Invalid Brokerage found for {<field>} for value {<val_0>}
3672	Invalid Type for {<field>} field for value {<val_0>}
3573	The {<field>} is not found from rigel
3501	Received an invalid request
4560	Data not found
3602	Inactive record for {<field>} for value {<val_0>}
3669	The field {<field>} is invalid for {<val_0>}, {<val_1>}
673	unauthorized access
3676	member not found
3698	Base64 decoding failed: Invalid or corrupted data

CONFIDENTIAL

3675	Invalid file type
3682	The field {<field>} not regular plain for {<val_0>}
3683	The field {<field>} not direct plain for {<val_0>}
3789	The field {<field>} amount {<val_1>} is invalid for {<val_1>}, @<val_2>@
3690	The {<field>} field must be {<val_0>}
3778	The {<val_0>} member is suspended. Please choose a different member.
3779	The {<val_0>} member is not mapped with amc {<val_1>}
3800	The order amount for given {<val_0>} exceeds the member's threshold amount {<val_1>}. Please enter a lower amount.
3801	The order amount for given {<val_0>} exceeds the global threshold amount {<val_1>}. Please enter a lower amount.
3692	Details Mismatch for field {<field>}
3793	Details Mismatch for {<field>} field value should be {<val_1>} instead of {<val_0>}
3693	incomplete operation for field {<field>} for value {<val_0>}, {<val_1>}
3901	otp not matched
3902	maximum attempts reached
3903	Link expired or some holders have already rejected this request
3904	invalid action
3905	Your approval accepted, further approvals pending
3906	Some holders have already rejected this request
3907	Too fast resend OTP request, ignored
1593	The field {<field>} is invalid for {<val_0>}
3908	Session expired
3702	The field {<field>} is invalid event
3809	Invalid {<field>} for {<val_0>} and {<val_1>} and @<val_2>@
3810	{<field>} is not valid for {<val_0>} of type {<val_1>} @<val_2>@
3710	Authentication is pending for registration number {<val_0>}. Please complete the authentication process to proceed
3711	The cancellation request for registration number {<val_0>} has already been processed
3707	Failed to initiate payment gateway transaction {<field>}
3708	BillDesk API error for {<field>}

CONFIDENTIAL

3709	BillDesk order mapping failed due to {<field>}
3812	Failed to create Razorpay payment for {<field>}
3813	Order creation failed due to {<field>}
3689	Invalid amount {<val_1>} for {<field>} {<val_0>}

7.5.3 Mandate Error Codes

Refer to Error Codes for examples of error codes

Error Code	Error Description
3701	Scan image upload not allowed
3706	Mandate is already linked to sxp
3704	sxp not active
3705	Not allowed sip type
3580	Invalid date time for {<field>} for value {<val_0>}
3581	Invalid json
3573	The {<field>} is not found from rigel
3544	error while inserting record
4560	Data not found
3604	Invalid Effective End Date for {<field>}
3624	Operation failed
3655	Failed to update the record in the {<field>} for value {<val_0>}
3657	There was a validation error in the {<field>}
3663	The ID does not exist for {<field>}
3668	Failed to add record, {<val_0>}
3669	The field {<field>} is invalid for {<val_0>}, {<val_1>}
3676	member not found
3677	slow query error

CONFIDENTIAL

3675	Invalid file type
3679	The field {<field>} list limit exceeded for {<val_0>}
3680	Invalid Bank Account Details
3692	Details Mismatch for field {<field>}
3792	ID not found for {<field>} for value @<val_0>@
3909	The field {<field>} token mismatch for given {<val_0>}, {<val_1>}
3910	failed to check mime.
3911	file extension for {<val_0>} is invalid for field {<field>}
3700	The field {<field>} is failed to map record for value {<val_0>}
3701	The field {<field>} is not allowed to upload Scan image for value {<val_0>}
3703	The field {<field>} is invalid event
3704	The field {<field>} sxp is not active for {<val_0>}
3705	The field {<field>} is {<val_0>} sip type is not allowed
3697	Failed to create HTTP client
3798	Failed to read HTTP response
3699	HTTP request creation failed
3912	Encryption failed
3802	Decryption failed
3804	failed to register mandate, {<field>}
3806	failed to get mandate history, {<val_0>}
3807	kafka billing error
3712	The provided mandate is already linked to SXP for registration number {<val_0>}
3713	Mismatch in mandate rejection count
3714	Mandate {<field>} is {<val_0>}

CONFIDENTIAL

3811	Mandate cancellation failed for {<field>}: {<val_0>}. The mandate is currently in {<val_1>} status.

7.5.4 Miscellaneous (SXP/Mandates/Payment) Error Codes

Error Code	Description
501	Received an invalid request
503	Try after sometime
504	Invalid ID for the selected record
505	ID not found for the selected record
506	Selected {<field>} does not exist
507	Record not found
508	Token missing
509	Token verification failed
510	Token cache failed
511	Invalid tax code for {<field>}
512	Invalid group id for {<field>}
513	Invalid account type id for {<field>}
514	Invalid tax name for {<field>}
515	iso3166_2 error
516	{<field>} expects only {<val_0>} and {<val_1>} characters
517	Missing {<field>}
519	{<field>} must be between {<val_0>} and {<val_1>}
520	
521	ISO3166_1_ALPHA3 for {<field>}
522	{<field>} is Required
523	{<field>} expects only {<val_0>} characters
524	Length for {<field>} should be {<val_0>} but received {<val_1>}
525	{<field>} has the value {<val_0>}, exceeds maximum value {<val_1>}
526	{<field>} must be {<val_0>} characters
527	{<field>} should be max {<val_0>} characters
528	{<field>} is invalid for {<val_1>}
529	{<field>} is invalid for {<val_1>}
530	{<field>} does not match for {<val_0>}
531	JSON marshal error for {<field>}
532	one of for {<field>}
533	Mismatch for id and entity type
534	ID and status mismatch
535	Invalid value for {<field>}
536	Invalid Status
537	invalid number range {value}
538	{<field>} expects only {<val_0>} and {<val_1>} characters

CONFIDENTIAL

539	Duplicate Record for {<field>} found for value {<val_0>} in {<val_1>}
540	Name already exists
541	Code already exists
542	Country and state mismatch
543	{<field>} expects only {<val_0>} and {<val_1>} characters
544	Invalid format used
545	ID and Tag ID mismatch
546	Already inactive
547	All fields restricted
548	No more ID allowed with all
549	Overlapping date range
550	ID or entity required
551	JSON unmarshal error for {<field>}
552	Invalid date time for {<field>} for value {<val_0>}
553	Provided bank not supported for {<field>}
554	Pan bank verification failed for {<field>}
555	Yes bank pennydrop transfer failed for {<field>}
556	Yes bank pennydrop status check failed for {<field>}
557	Yes bank pennydrop status check timed out for {<field>}
558	Custom pennydrop failure for {<field>}
559	Invalid value for {<field>},{<val_0>}
560	Data not found for {<field>}
561	{<field>} is not allowed
562	Entity not exist in {<field>}
563	CCCM ID should be same for all DP accounts
564	Not in Range {value} <> {value1}
565	Invalid declaration type'
566	Required {<field>} Document for {<val_0>}
567	Invalid transaction combination for {<field>}
568	Invalid pattern of {<val_0>} for {<field>}
569	Server Credentials missing in {<field>}
570	Protean PAN verification failed
571	{<field>} {<val_1>} should be greater than {<val_0>}
572	Invalid numeric suffix for {<field>}
573	Invalid scheme name prefix
574	Invalid {<field>} given value {<val_1>} {<val_0>}
575	Select atleast {<val_0>} {<field>}
576	Invalid value for {<field>}
577	Invalid value for {<field>}
578	Invalid value for {<field>}
579	Invalid {<field>} value for {<val_0>}
580	Unable to get token
581	
582	Invalid username format
583	

CONFIDENTIAL

584	Group not found
585	Users are present in this group
586	Could not add user to keycloak
587	User not found
588	Unable to get users
589	Unable to deactivate users
590	Unable to activate users
591	Failed to load dependencies
592	Visibility Already Exists
593	Visibility Does Not Exist
594	Visibility Mapped To Role
595	Object repeated for {<field>}
596	CVLKRA failed in {<field>}
597	UCC exists for mandate
598	Invalid operation
599	{<field>} is not activated yet, choose the Effective Start Date after {<val_0>}
600	
601	msg org branch does not exist
602	Inactive record
603	{<field>} is not activated yet, choose the Effective Start Date after {<val_0>}
605	Failed to store object in {<field>}
606	Pennyless yes bank error
607	Failed to fetch nomination detail
608	Failed to get the object
609	Minio error
610	Cdsl file encoding failed
611	Nsdl file encoding failed
612	Depositary failed in {<field>}
613	Failed to get identifier id in {<field>}
614	Failed to get holder rank in {<field>}
615	Failed to get DP verification req data
616	NSDL File Creation Failed
617	CDSL file creation error
618	CDSL file flush error
619	Invalid Depository
620	Error getting minor to major email template
621	error processing minor to major email
622	error while updating database
623	Failed to fetch data for nomination validation:
625	
626	Failed to load minio config
627	Failed to remove object
628	Out of memory
629	Missing multipart form

CONFIDENTIAL

630	Error reading file
631	Binding error
632	Invalid Holding Type
633	Invalid Tax_Status
634	Declaration detail fetch error
635	Scheduled email job add
636	Invalid NAV file name
637	Member_Type_Mismatch
638	id and is process mismatch
639	id and is communication mismatch
640	The provided ID and label in the {<field>} do not correspond correctly.
641	The provider specified in the {<field>} is not recognized.
642	The ID, entity, or status type specified in the {<field>} do not match correctly.
643	The ID and reference ID in the {<field>} do not match correctly.
644	An error occurred while processing the scheduled pending email jobs in {<field>}.
645	A dependency error occurred in the {<field>}.
646	A transaction error occurred in the {<field>}.
647	The provided PAN (Primary Account Number) in the {<field>} is invalid.
648	The PAN (Primary Account Number) is required in the {<field>}.
649	The reason for PAN (Primary Account Number) is required in the {<field>}.
650	The end date is required in the {<field>}.
651	Failed to update the record in the {<field>}.
652	Failed to fetch PAN details in the {<field>}.
653	The effective end date should be greater than the current date in the {<field>}.
654	Invalid request. The PAN is already debarred or exists.
656	The start date should be less than the end date in the {<field>}.
657	There was a validation error in the {<field>}.
658	Transaction error occurred for the user in the {<field>}.
659	Authentication failed for the NFT (Non-Fungible Token) in the {<field>}.
660	Id and reference tag Id do not match correctly.
661	The minimum and maximum values are invalid in the {<field>}.
662	The record is not in draft status.
663	The ID does not exist.
664	The error state does not exist in the {<field>}.
665	The holder type ID is invalid in the {<field>}.
666	There was an error processing the bank account identifiers in the {<field>}.
668	

CONFIDENTIAL

669	Invalid {field}
673	unauthorized access
686	Rigel error {<val_0>}
687	Something wrong {<val_0>}
696	Invalid file type {<val_0>}
697	Member not found
707	maximum attempts reached
708	some holders have already rejected this request
709	invalid action
710	Your approval accepted, further approvals pending
711	Try after sometime
712	Too fast resend OTP request, ignored
1005	Order is placed after Closing Date.
1039	
1047	Try after sometime
1051	
1052	ID Invalid
1520	Try after sometime
1581	Invalid Json
1589	time parsing error for {<field>}
1593	The field {<field>} is invalid for {<val_0>}
1595	Details Mismatch for field {<field>} for {<val_0>}
1598	Bank details not verified
1600	Order Not Allowed
1601	Try after sometime
1603	
1678	Try after sometime
2011	
2518	The field {<field>} is invalid for {<val_0>}
2675	Failed to process file
3521	Invalid extension
3562	Reg not allowed
3604	Invalid Effective End Date for {<field>}
3624	Operation failed
3667	Invalid Brokerage found for {<field>} for value {<val_0>}
3670	
3671	Invalid End date
3672	Invalid Type for {<field>} field for value {<val_0>}
3676	
3677	slow query error
3679	The field {<field>} list limit exceeded for {<val_0>}
3680	Invalid Bank Account Details
3682	The field {<field>} not regular plain for {<val_0>}
3684	Invalid amount {<val_1>} for {<field>} {<val_0>}
3688	Not in min/max range {field} <> {field}

CONFIDENTIAL

3690	The {<field>} field must be {<val_0>}
3693	incomplete operation for field {<field>} for value {<val_0>}, {<val_1>}
3694	Nomination Details Invalid
3696	
3697	
3698	Base64 decoding failed: Invalid or corrupted data
3699	HTTP request creation failed
3700	The field {<field>} is failed to map record for value {<val_0>}
3701	The field {<field>} is not allowed to upload Scan image for value {<val_0>}
3702	The field {<field>} is invalid event
3703	The field {<field>} is invalid event
3704	The field {<field>} sxp is not active for {<val_0>}
3705	The field {<field>} is {<val_0>} sip type is not allowed
3706	Payment Processing failed
3708	BillDesk API error for {<field>}
3710	Authentication is pending for registration number {<val_0>}. Please complete the authentication process to proceed
3711	The cancellation request for registration number {<val_0>} has already been processed
3712	The provided mandate is already linked to SXP for registration number {<val_0>}
3713	Mismatch in mandate rejection count
3714	
3778	The {<val_0>} member is suspended. Please choose a different member.
3779	The {<val_0>} member is not mapped with amc {<val_1>}
3789	The field {<field>} amount {<val_1>} is invalid for {<val_1>}, @<val_2>@
3790	Amount Multiplier not allowed for {freq}
3791	
3793	Details Mismatch for {<field>} field value should be {<val_1>} instead of {<val_0>}
3794	Try after sometime
3795	SXP reg not allowed type {type}
3798	Failed to read HTTP response
3800	
3802	Decryption failed
3803	
3804	failed to register mandate, {<field>}
3805	
3806	failed to get mandate history, {<val_0>}
3807	kafka billing error
3808	
3809	Invalid {<field>} for {<val_0>} and {<val_1>} and @<val_2>@

CONFIDENTIAL

3810	{<field>} is not valid for {<val_0>} of type {<val_1>} @<val_2>@
3811	Mandate cancellation failed for {<field>}: {<val_0>}. The mandate is currently in {<val_1>} status.
3812	Failed to create Razorpay payment for {<field>}
3813	Order creation failed due to {<field>}
3814	
3815	
3816	
3817	
3818	Operation not allowed
3819	Invalid Start date
3820	Invalid End date
3821	Bank not allowed for enach registration
3823	SXP reg amount can't be more than mandate amount
3824	{field} should not be same {field1}
3825	
3826	
3829	Top UP already exists
3830	ids approved/rejected can't be modified
3831	
3901	otp not matched
3908	Session expired
3909	The field {<field>} token mismatch for given {<val_0>}, {<val_1>}
3910	failed to check mime.
3911	file extension for {<val_0>} is invalid for field {<field>}
3912	Encryption failed
3914	
4560	Data not found

8 Examples

8.1 ucc

8.1.1 add_ucc

8.1.1.1 Request

Endpoint: /v2/add_ucc

```
{
    "data": {
        "investor": {
```


CONFIDENTIAL

```
        "client_code": "testucc"
    },
    "is_multi_ucc": false,
    "parent_client_code": "",
    "pms_client": true,
    "pms_code": "11212",
    "holding_nature": "SI",
    "tax_code": "01",
    "rdmp_idcw_pay_mode": "01",
    "is_client_physical": true,
    "is_client_demat": false,
    "is_nomination_opted": true,
    "nominee_soa": false,
    "nomination_auth_mode": "O",
    "comm_mode": "E",
    "onboarding": "Z",
    "holder": [
        {
            "holder_rank": "1",
            "occ_code": "02",
            "auth_mode": "M",
            "is_pan_exempt": true,
            "pan_exempt_category": "01",
            "identifier": [
                {
                    "identifier_type": "pan_exempt_ref_no",
                    "identifier_number": "HGOPO8474H"
                }
            ],
            "kyc_type": "K",
            "ckyc_number": "",
            "person": {
                "first_name": "Vinodh sakuru",
                "middle_name": "",
                "last_name": "",
                "dob": "1984-10-08",
                "gender": "M"
            },
            "contact": [
                {
                    "contact_number": "9819852550",
                    "country_code": "91",
                    "whose_contact_number": "SE",
                    "email_address": "shivam02ahirrao@gmail.com",
```


CONFIDENTIAL

```
            "whose_email_address": "SE",
            "contact_type": "PR"
        }
    ],
    "nomination": [
        {
            "person": {
                "first_name": "Anjali",
                "middle_name": "divesh",
                "last_name": "shirsath",
                "dob": "2008-01-23"
            },
            "contact": {
                "contact_number": "9819852550",
                "country_code": "91",
                "whose_contact_number": "SE",
                "email_address": "shivam02ahirrao@gmail.com",
                "whose_email_address": "SE",
                "contact_type": "PR"
            },
            "comm_addr": {
                "address_line_1": "Flat No. 102, ABC ApartmentsFlat ",
                "address_line_2": "",
                "address_line_3": "",
                "comm_mode": "E",
                "postalcode": "400010",
                "country": "IND",
                "state": "Maharashtra",
                "City": "Mumbai"
            },
            "nomination_percent": 100,
            "nomination_relation": "3",
            "is_pan_exempt": false,
            "pan_exempt_category": "",
            "is_minor": true,
            "identifier": [
                {
                    "identifier_type": "aadhaar",
                    "identifier_number": "5555"
                }
            ],
            "guardian": {
                "first_name": "radha",
                "middle_name": "divesh",
```


CONFIDENTIAL

```
                    "last_name": "shirsath",
                    "dob": "2000-07-01",
                    "is_pan_exempt": false,
                    "pan_exempt_category": "",
                    "identifier": [
                        {
                            "identifier_type": "pan",
                            "identifier_number": "AQNPT6583C"
                        }
                    ]
                }
            }

        ]
    }

],
"comm_addr": {
    "address_line_1": "Flat No. 102, ABC Apartments",
    "address_line_2": "",
    "address_line_3": "Nashik, Maharashtra 422005",
    "comm_mode": "E",
    "postalcode": "400010",
    "address_id": 0
},

"bank_account": [
    {
        "ifsc_code": "YESB0000123",
        "bank_acc_num": "9876543210987654",
        "bank_acc_type": "CB",
        "account_owner": "SELF",
        "identifier": []
    }

],
"fatca": [
    {
        "HolderRank": "1",
        "place_of_birth": "New York City",
        "country_of_birth": "IND",
        "client_name": "vaibhav shirshat",
        "investor_type": "Individual",
        "dob": "1984-10-08",
```


CONFIDENTIAL

```
                "father_name": "Michael Johnson",
                "spouse_name": "Emily Johnson",
                "address_type": "1",
                "occ_code": "01",
                "occ_type": "B",
                "tax_status": "Individual",
                // "exemption_code": "A",
                "identifier": {
                    "identifier_type": "pan_exempt_ref_no",
                    "identifier_number": "HGOPO8474H"
                },
                // "corporate_service_sector": "1",
                "wealth_source": "1",
                "income_slab": "31",
                // "net_worth": 125000.00,
                // "date_of_net_worth": "2020-07-20",
                "politically_exposed": "Y",
                "is_self_declared": true,
                "data_source": "P",
                "tax_residency": [
                    {
                        "country": "IND",
                        "tax_id_no": "1234567890",
                        "tax_id_type": "A"
                    },
                    {
                        "country": "CAN",
                        "tax_id_no": "987654321",
                        "tax_id_type": "B"
                    }
                ]
            }

        ]

    }
}
```

8.1.1.2 Response

```
{
    "status": "success",
    "data": {
        "client_code": "testucc",
```


CONFIDENTIAL

```
        "member_code": "90001",
        "parent_client_code": "",
        "status": "APPROVED"
    },
    "messages": []
}
```


8.1.2 update_ucc

Endpoint: /v2/update_ucc

8.1.2.1 Modify UCC Profile

8.1.2.1.1 Request


```
{
    "data": {
        "member": {
            "member_id": ""
        },
        "investor": {
            "client_code": "89748974"
        },
        "holder": {
            "add": [
                {
                    "holder_rank": "1",
                    "is_pan_exempt": false,
                    "identifier": {
                        "identifier_type": "pan",
                        "identifier_number": "ABCPD1234E"
                    },
                    "person": {
                        "first_name": "vaibhav",
                        "middle_name": "rakesh",
                        "last_name": "jindal",
                        "dob": "2000-01-13"
                    }
                }
            ]
        }
    }
}
```


8.1.2.1.2 Response


```
{
   "status": "success",
   "data": {
       "client_code": "89748974",
```


CONFIDENTIAL

```
        "member_code": "xxxx",
        "status": "APPROVED"
    },
    "messages": []
}
```


8.1.2.2 update_ucc: bank account

8.1.2.2.1 Request


```
{
    "data": {
        "member": {
            "member_id": "xxxx"
        },
        "investor": {
            "client_code": " 337154954"
        },
        "bank_account": {
            "delete": [
                {
                    "ifsc_code": "HDFC0000060",
                    "bank_acc_num": "00123456789123",
                    "bank_acc_type": "SB",
                    "account_owner": "SELF",
                    "identifier": {
                        "add": [
                            {
                                "identifier_type": "cml_copy",
                                "file_name": "cml_copy.png",
                                "file_size": 1024,
                                "file_blob":"ucc_202104304_1bank_statement.png",
                                "additional_info": null
                            }
                        ]
                    }
                }
            ],
            "add": [
                {
                    "ifsc_code": "ABHY0000001",
                    "bank_acc_num": "xx6986598569889",
                    "bank_acc_type": "SB",
                    "account_owner": "SELF",
                    "identifier": {
                        "add": [
                            {
                                "identifier_type": "cancel_cheque",
```


CONFIDENTIAL

```
                                "file_name": "cancel_cheque.png",
                                "file_size": 1024,
                                "file_blob": "",
                                "additional_info": null
                            }
                        ]
                    }
                }
            ]
        }
    }
}
```

8.1.2.2.2 Response

```
{
   "status": "success",
   "data": {
       "client_code": "337154954",
       "member_code": "xxxx",
       "status": "APPROVED"
   },
   "messages": []
}
```

8.1.2.3 update_ucc: Person (Holder) Object

8.1.2.3.1 Request

```
{
    "data": {
        "member": {
            "member_id": ""
        },
        "investor": {
            "client_code": "89748974"
        },
        "holder": {
            "add": [
                {
                    "holder_rank": "1",
                    "is_pan_exempt": false,
                    "identifier": {
                        "identifier_type": "pan",
                        "identifier_number": "ABCPD1234E"
                    },
                    "person": {
                        "first_name": "vaibhav",
```


CONFIDENTIAL

```
                        "middle_name": "rakesh",
                        "last_name": "jindal",
                        "dob": "2000-01-13"
                    }
                }
            ]
        }
    }
}
```


8.1.2.3.2 Response


```
{
    "status": "success",
    "data": {
        "client_code": "89748974",
        "member_code": "",
        "parent_client_code": "",
        "status": "APPROVED"
    },
    "messages": []
}
```


8.1.2.4 update_ucc: register nominee

8.1.2.4.1 Request


```
{
    "data": {
        "member_code": {
            "member_id": "xxxx"
        },
        "investor": {
            "client_code": "9042318998"
        },

        "holder": {
            "add": [
                {
                    "holder_rank": "1",
                    "occ_code": "03",
                    "is_pan_exempt": false,
                    "kyc_type": "B",
                    "nominee_soa": false,
                    "nomination": [
                        {
                            "person": {
                                "first_name": "Anjali",
                                "middle_name": "divesh",
                                "last_name": "shirsath",
```


CONFIDENTIAL

```
                "dob": "2008-01-23"
            },
            "contact": {
                "contact_number": "9403231688",
                "country_code": "91",
                "whose_contact_number": "SE",
                "email_address": "parth.ashtikar@bseindia.com",
                "whose_email_address": "SE",
                "contact_type": "PR"
            },
            "comm_addr": {
                "address_line_1": "Flat No. 102, ABCt ",
                "address_line_2": "",
                "address_line_3": "",
                "comm_mode": "E",
                "postalcode": "400010",
                "country": "India",
                "state": "Maharashtra",
                "City": "Mumbai"
            },
            "nomination_percent": "100",
            "nomination_relation": "3",
            "is_pan_exempt": false,
            "pan_exempt_category": "",
            "is_minor": true,
            "identifier": [
                {
                    "identifier_type": "pan",
                    "identifier_number": "CVKPO9999J"
                }
            ],
            "guardian": {
                "first_name": "radha",
                "middle_name": "",
                "last_name": "",
                "dob": "",
                "is_pan_exempt": false,
                "pan_exempt_category": "",
                "identifier": [
                    {
                        "identifier_type": "pan",
                        "identifier_number": "AQNPT9999C"
                    }
                ]
            }
        }
    ]
}
]
```


CONFIDENTIAL

```
        }
    }
}
```

8.1.2.4.2 Response

```
{
    "status": "success",
    "data": {
        "client_code": "9042318998",
        "member_code": "xxxx",
        "parent_client_code": "",
        "status": "APPROVED"
    },
    "messages": []
}
```

8.1.2.5 update_ucc: Update FATCA for holder

8.1.2.5.1 Request

```
{
    "data": {
        "member": {
            "member_id": "xxxx"
        },
        "investor": {
            "client_code": "7292"
        },
        "holder": {
            "add": [
                {
                    "holder_rank": "1",
                    "is_pan_exempt": false,
                    "identifier": {
                        "identifier_type": "pan",
                        "identifier_number": "ABCPD1234E"
                    },
                    "person": {
                        "first_name": "hkj",
                        "middle_name": "rakesh",
                        "last_name": "borse",
                        "dob": "2000-07-02"
                    }
                }
            ]
        },
```


CONFIDENTIAL

```
        "fatca": {
            "add": [
                {
                    "HolderRank": "1",
                    "dob": "2000-07-02",
                    "client_name": "bhushan borse",
                    "identifier": {
                        "identifier_type": "pan",
                        "identifier_number": "ABCPD1234E"
                    }
                }
            ]
        }
    }
}
```

8.1.2.5.2 Response

```
{
    "status": "success",
    "data": {
        "client_code": "7292",
        "member_code": "xxxx",
        "parent_client_code": "",
        "status": "APPROVED"
    },
    "messages": []
}
```

8.1.2.6 update_ucc: Update Communication Address

8.1.2.6.1 Request

```
{
    "data": {
        "member": {
            "member_id": "xxxx"
        },
        "investor": {
            "client_code": "7292"
        },
        "comm_addr": {
            "address_line_1": "Flat No. 310, Trimurti Apartments",
            "address_line_2": "MG Road west costal",
            "address_line_3": "Navi Mumbai, Maharashtra 422005",
            "postalcode": "400010"
        }
    }
}
```


CONFIDENTIAL

8.1.2.6.2 Response


```
{
    "status": "success",
    "data": {
        "client_code": "7292",
        "member_code": "xxxx",
        "parent_client_code": "",
        "status": "APPROVED"
    },
    "messages": []
}
```


8.1.2.7 update_ucc: Update Foreign Address

8.1.2.7.1 Request


```
{
    "data": {
        "member": {
            "member_id": "xxxx"
        },
        "investor": {
            "client_code": "7292"
        },
        "foreign_addr": {
            "address_line_1": "Flat No. 310, Trimurti Apartments",
            "address_line_2": "MG Road west costal",
            "address_line_3": "Navi Mumbai, Maharashtra 422005",
            "postalcode": "400010"
        }
    }
}
```


8.1.2.7.2 Response


```
{
    "status": "success",
    "data": {
        "client_code": "7292",
        "member_code": "xxxx",
        "parent_client_code": "",
        "status": "APPROVED"
    },
    "messages": []
}
```


CONFIDENTIAL

8.1.2.8 update_ucc: Update Depository Account details

8.1.2.8.1 Request


```
{
    "data": {
        "member": {
            "member_id": ""
        },
        "investor": {
            "client_code": "7292"
        },
        "depository": {
            "add": [
                {
                    "depository_code": "NSDL",
                    "dp_id": "IN123455",
                    "client_id": "12345678",
                    "cmbp_id": "IN890000",
                    "bank_account": "kk6986598569889",
                    "account_owner": "SELF",
                    "identifier": {
                        "add": [
                            {
                                "identifier_type": "cml_copy",
                                "identifier_number": "",
                                "file_name": "cml_copy.png",
                                "file_size": 1024,
                                "file_blob": "",
                                "additional_info": null
                            }
                        ]
                    }
                }
            ],
            "delete": [
                {
                    "depository_code": "NSDL",
                    "dp_id": "IN123455",
                    "client_id": "12345678",
                    "bank_account": "kk6986598569889",
                    "account_owner": "SELF",
                    "identifier": {
                        "add": [
                            {
                                "identifier_type": "cml_copy",
                                "file_name": "ucc_20240622_155111_2cml_copy.png",
                                "file_size": 1024
                            }
                        ]
```


CONFIDENTIAL

```
                    }
                }
            ]
        }
    }
}
```

8.1.2.8.2 Response

```
{
    "status": "success",
    "data": {
        "client_code": "7292",
        "member_code": "xxxx",
        "parent_client_code": "",
        "status": "APPROVED"
    },
    "messages": []
}
```

8.1.2.9 update_ucc: Update Contact details

8.1.2.9.1 Request

```
{
    "data": {
        "member_code": {
            "member_id": ""
        },
        "investor": {
            "client_code": "44656464"
        },
        "holder": {
            "add": [
                {
                    "holder_rank": "1",
                    "occ_code": "02",
                    "is_pan_exempt": false,
                    "kyc_type": "B",
                    "contact": [
                        {
                            "contact_number": "9403231688",
                            "country_code": "91",
                            "whose_contact_number": "SE",
                            "email_address": "aryan.rastogi@bseindia.com",
                            "whose_email_address": "SE",
                            "extension": "22 4000 1234",
                            "fax_no": "22 2850 6789",
                            "contact_type": "OF"
                        }
```


CONFIDENTIAL

```
                    ]
                }
            ]
        }
    }
}
```

8.1.2.9.2 Response

```
{
    "status": "success",
    "data": {
        "client_code": "7292",
        "member_code": "xxxx",
        "parent_client_code": "",
        "status": "APPROVED"
    },
    "messages": []
}
```

8.1.2.10 update_ucc: Update Identifier details

8.1.2.10.1 Request

```
{
    "data": {
        "member": {
            "member_id": ""
        },
        "investor": {
            "client_code": "7292"
        },
        "identifier": {
            "add": [
                 {
                    "identifier_type": "aof",
                    "issue_date": "",
                    "expiry_date": "",
                    "file_name": "2fa_error_code.pdf",
                    "file_size": 1024,
                    "file_blob": ""

                },
                {
                    "identifier_type": "elog",
                    "identifier_number": "172.16.254.2"
                }
            ],
            "delete": [
                {
```


CONFIDENTIAL

```
                    "identifier_type": "aof",
                    "file_name":"ucc_20240803_204912_1acc_opening_form2.pdf",
                    "file_size": 1024
                },
                {
                    "identifier_type": "aof_ria",
                    "file_name":"ucc_20240803_204912_2acc_opening_form2.pdf",
                    "file_size": 1024
                }
            ]
        }
    }
}
```

8.1.2.10.2 Response

```
{
    "status": "success",
    "data": {
        "client_code": "7292",
        "member_code": "xxxx",
        "parent_client_code": "",
        "status": "APPROVED"
    },
    "messages": []
}
```

8.1.2.11 UCC Inactive

8.1.2.11.1 Request

```
{
    "data": {
        "member": {
            "member_id": ""
        },
        "investor": {
            "client_code": "40002000091"
        },
        "parent_client_code": "",
        "ucc_status": "INACTIVE"
    }
}
```

8.1.2.10.2 Response

```
{
    "status": "success",
    "data": [
        {
```


CONFIDENTIAL

```
            "client_code": "T03P1",
            "member_code": "xxxx",
            "parent_client_code": ""
        }
    ],
    "messages": null
}
```


8.1.2.12 Update ucc: Update UCC Holder Object

8.1.2.12.1 Request


```
{
    "data": {
        "member": {
            "member_id": "xxxx"
        },
        "investor": {
            "client_code": "5877897"
        },
        "holding_nature": "JO",
        "holder": {
            "add": [
                {
                    "holder_rank": "2",
                    "occ_code": "02",
                    "is_pan_exempt": false,
                    "kyc_type": "B",
                    "identifier": {
                        "add": [
                            {
                                "identifier_type": "pan",
                                "identifier_type_id": 2,
                                "identifier_number": "ADSPU4691A"
                            }
                        ]
                    },
                    "contact": [
                        {
                            "contact_number": "9403231688",
                            "country_code": "91",
                            "whose_contact_number": "SE",
                            "email_address": "parth.ashtikar@bseindia.com",
                            "whose_email_address": "SE",
                            "contact_type": "PR"
                        }
                    ],
                    "person": {
                        "first_name": "Gitanjali",
```


CONFIDENTIAL

```
                "middle_name": "",
                "last_name": "",
                "dob": "2000-10-11",
                "gender": "F"
            }
        }
    ]
    // "delete": [
    //     {
    //         "holder_rank": "3",
    //         "is_pan_exempt": false
    //     }
    // ]
},
"fatca": {
    "add": [
        {
            "holder_rank": "2",
            "place_of_birth": "Cuddalore",
            "country_of_birth": "IND",
            "client_name": "Aryan",
            "investor_type": "Individual",
            "dob": "2000-10-11",
            "father_name": "Aryan Rastogi",
            "spouse_name": "",
            "address_type": "2",
            "occ_code": "41",
            "occ_type": "O",
            "tax_status": "Individual",
            // "exemption_code": "A",
            "identifier": {
                "identifier_type": "pan",
                "identifier_number": "ADSPU4691A"
            },
            "corporate_service_sector": "1",
            "wealth_source": "1",
            "income_slab": "31",
            "net_worth": 125000.00,
            "date_of_net_worth": "2025-01-28",
            "politically_exposed": "N",
            "is_self_declared": true,
            "data_source": "P",
            "tax_residency": [
                {
                    "country": "IND",
                    "tax_id_no": "1234567890",
                    "tax_id_type": "A"
                }
            ]
```


CONFIDENTIAL

```
                }
            ]
            // "delete": [
            //         {
            //         "holder_rank": "3"
            //     }
            // ]
        }
    }
}
```

8.1.2.12.2 Response

```
{
    "status": "success",
    "data": [
        {
            "client_code": "5877897",
            "member_code": "xxxx",
            "parent_client_code": ""
        }
    ],
    "messages": null
}
```

8.1.3 list_ucc

Endpoint: /v2/list_ucc

8.1.3.1 Request

```
{
   "data": {
       "start": 0,
       "length": 1000,
       "fields": [
           "ALL"
       ],
       "filter_param": {
           "holding_nature": "JOINT"
       },
       "ucc_status": "ALL"
   }
}
```


CONFIDENTIAL

8.1.3.2 Response


```
{
   "status": "success",
   "data": {
       "count": 1,
       "lists": [
           {
               "member_code": {
                   "member_id": "xxxx"
               },
               "investor": {
                   "client_code": "1002900031"
               },
               "parent_client_code": "",
               "holding_nature": "JOINT",
               "tax_status": "Individual",
               "tax_code": "01",
               "rdmp_idcw_pay_mode": "CHEQUE",
               "is_client_physical": true,
               "is_client_demat": true,
               "is_nomination_opted": true,
               "nomination_auth_mode": "O",
               "comm_mode": "E",
               "onboarding": "Z",
               "ucc_status": "PENDING_VERIFICATION",
               "holder": [
                   {
                       "holder_rank": "1",
                       "occ_code": "02",
                       "auth_mode": "M",
                       "is_pan_exempt": false,
                       "pan_exempt_category": "",
                       "identifier": [
                           {
                               "identifier_type": "pan",
                               "identifier_number": "NOTPA0008A",
                               "entity_sub_state": "HOLDER",
                               "is_active": true
                           }
                       ],
                       "kyc_type": "C",
                       "ckyc_number": "12341876543232",
                       "person": {
                           "first_name": "vaibhav",
```


CONFIDENTIAL

```
        "middle_name": "rajan",
        "last_name": "shirsath",
        "dob": "2000-01-05",
        "gender": "M"
    },
    "contact": [
        {
            "contact_number": "8050733694",
            "whose_contact_number": "SE",
            "email_address": "shishir.ballal@mindstack.in",
            "whose_email_address": "SE",
            "contact_type": "PR",
            "is_foreign": false
        }
    ],
    "nomination": [
        {
            "holder_name": "",
            "first_name": "Anjali",
            "middle_name": "divesh",
            "last_name": "shirsath",
            "dob": "2020-01-23",
            "nomination_relation": "3",
            "is_minor": true,
            "nomination_percent": 100,
            "pan_exempt_category": "",
            "identifier": [
                {
                    "identifier_type": "pan",
                    "identifier_number": "NOTPA0002A",
                    "entity_sub_state": "holder"
                }
            ],
            "guardian": {
                "first_name": "radha",
                "middle_name": "divesh",
                "last_name": "shirsath",
                "dob": "2000-06-01",
                "identifier": [
                    {
                        "identifier_type": "pan",
                        "identifier_number": "GFHPH7654R",
                        "entity_sub_state": "holder"
                    }
```


CONFIDENTIAL

```
                    ]
                }
            }
        ],
        "is_pan_verified": true
    },
    {
        "holder_rank": "2",
        "occ_code": "02",
        "auth_mode": "M",
        "is_pan_exempt": false,
        "pan_exempt_category": "",
        "identifier": [
            {
                "identifier_type": "pan",
                "identifier_number": "NOTPA0006A",
                "entity_sub_state": "HOLDER",
                "is_active": true
            }
        ],
        "kyc_type": "C",
        "ckyc_number": "12341876543242",
        "person": {
            "first_name": "sam",
            "middle_name": "ram",
            "last_name": "shirsath",
            "dob": "2000-01-01",
            "gender": "M"
        },
        "contact": [
            {
                "contact_number": "9912345678",
                "whose_contact_number": "SE",
                "email_address": "vaibhavborse2001@gmail.com",
                "whose_email_address": "SE",
                "contact_type": "PR",
                "is_foreign": false
            }
        ],
        "is_pan_verified": true
    }
],
"comm_addr": {
    "address_line_1": "Flat No. 102, ABC Apartments",
```


CONFIDENTIAL

```
        "address_line_2": "Gangapur Road",
        "address_line_3": "Nashik, Maharashtra 422005",
        "postalcode": "400010"
    },
    "foreign_addr": {
        "address_line_1": "",
        "city": "",
        "state": "",
        "country": "",
        "postalcode": ""
    },
    "depository": [
        {
            "depository_code": "CDSL",
            "dp_id": "12345678",
            "client_id": "87654321",
            "bank_account": "6986598569865",
            "account_owner": "SELF",
            "identifier": [
                {
                    "identifier_type": "cml_copy",
                    "entity_sub_state": "DEPOSITORY",
                    "file_name": "ucc_20241206_103658_1cml_copy.png",
                    "file_blob": "ucc_20241206_103658_1cml_copy.png",
                    "file_size": 1024,
                    "is_active": true
                }
            ]
        },
        {
            "depository_code": "CDSL",
            "dp_id": "87654321",
            "client_id": "12345678",
            "bank_account": "6986598569865",
            "account_owner": "SELF",
            "identifier": [
                {
                    "identifier_type": "cml_copy",
                    "entity_sub_state": "DEPOSITORY",
                    "file_name": "ucc_20241206_103658_2cml_copy.png",
                    "file_blob": "ucc_20241206_103658_2cml_copy.png",
                    "file_size": 1024,
                    "is_active": true
                }
```


CONFIDENTIAL

```
            ]
        },
        {
            "depository_code": "NSDL",
            "dp_id": "IN123456",
            "client_id": "87654321",
            "cmbp_id": "IN890000",
            "bank_account": "6986598569865",
            "account_owner": "SELF",
            "identifier": [
                {
                    "identifier_type": "cml_copy",
                    "entity_sub_state": "DEPOSITORY",
                    "file_name": "ucc_20241206_103658_3cml_copy.png",
                    "file_blob": "ucc_20241206_103658_3cml_copy.png",
                    "file_size": 1024,
                    "is_active": true
                }
            ]
        },
        {
            "depository_code": "NSDL",
            "dp_id": "IN876543",
            "client_id": "12345678",
            "cmbp_id": "IN990000",
            "bank_account": "6986598569865",
            "account_owner": "SELF",
            "identifier": [
                {
                    "identifier_type": "cml_copy",
                    "entity_sub_state": "DEPOSITORY",
                    "file_name": "ucc_20241206_103658_4cml_copy.png",
                    "file_blob": "ucc_20241206_103658_4cml_copy.png",
                    "file_size": 1024,
                    "is_active": true
                }
            ]
        }
    ],
    "bank_account": [
        {
            "ifsc_code": "UTIB0000004",
            "bank_acc_num": "6986598569865",
            "bank_acc_type": "SB",
```


CONFIDENTIAL

```
                        "account_owner": "SELF",
                        "identifier": [
                            {
                                "identifier_type": "bank_statement",
                                "entity_sub_state": "BANK",
                                "file_name":
"ucc_20241206_103658_1bank_statement.png",
                                "file_blob":
"ucc_20241206_103658_1bank_statement.png",
                                "file_size": 1024,
                                "is_active": true
                            }
                        ]
                    }
                ],
                "fatca": [
                    {
                        "client_name": "jhon doe",
                        "tax_status": "NRE",
                        "investor_type": "Individual",
                        "place_of_birth": "New York City",
                        "country_of_birth": "America",
                        "dob": "2000-01-01",
                        "address_type": "1",
                        "occ_code": "01",
                        "occ_type": "B",
                        "data_source": "P",
                        "wealth_source": "1",
                        "income_slab": "31",
                        "politically_exposed": "Y",
                        "is_self_declared": true,
                        "father_name": "Michael Johnson",
                        "spouse_name": "Emily Johnson",
                        "exemption_code": "A",
                        "identifier": {
                            "identifier_type": "pan",
                            "identifier_number": "NOTPA0006A",
                            "entity_sub_state": "holder"
                        },
                        "corporate_service_sector": "1",
                        "net_worth": 125000,
                        "date_of_net_worth": "2019-06-20",
                        "tax_residency": [
                            {
```


CONFIDENTIAL

```
                "country": "India",
                "tax_id_no": "1234567890",
                "tax_id_type": "A"
            },
            {
                "country": "Canada",
                "tax_id_no": "987654321",
                "tax_id_type": "B"
            }
        ],
        "ubo": {},
        "npo": {}
    },
    {
        "client_name": "Sarvottam",
        "tax_status": "Individual",
        "investor_type": "Individual",
        "place_of_birth": "SSN",
        "country_of_birth": "India",
        "dob": "2000-01-01",
        "address_type": "1",
        "occ_code": "01",
        "occ_type": "B",
        "data_source": "P",
        "wealth_source": "1",
        "income_slab": "31",
        "politically_exposed": "Y",
        "is_self_declared": true,
        "father_name": "Michael Johnson",
        "spouse_name": "Emily Johnson",
        "exemption_code": "A",
        "identifier": {
            "identifier_type": "pan",
            "identifier_number": "NOTPA0008A",
            "entity_sub_state": "holder"
        },
        "corporate_service_sector": "1",
        "net_worth": 125000,
        "date_of_net_worth": "2020-06-20",
        "tax_residency": [
            {
                "country": "INDIA",
                "tax_id_no": "123-45-6789",
                "tax_id_type": "A"
```


CONFIDENTIAL

```
                        },
                        {
                            "country": "INDIA",
                            "tax_id_no": "987654321",
                            "tax_id_type": "A"
                        }
                    ],
                    "ubo": {},
                    "npo": {}
                }
            ],
            "identifiers": null
        }
    ],
    "status_count_summary": [
        {
            "status": "ACTIVE",
            "status_count": 1
        },
        {
            "status": "DRAFT",
            "status_count": 4
        },
        {
            "status": "PENDING_APPROVAL",
            "status_count": 36
        },
        {
            "status": "PENDING_VERIFICATION",
            "status_count": 9
        },
        {
            "status": "REJECTED",
            "status_count": 30675
        }
    ]
},
"messages": null
}
```


CONFIDENTIAL

8.1.4 get_ucc

Endpoint: /v2/get_ucc

8.1.4.1 Request


```
{
   "data": {
       "investor": {
           "client_code": "34099321001"
       }
   }
}
```


8.1.4.2 Response


```
{
   "status": "success",
   "data": {
       "member_code": {
           "member_id": "0103"
       },
       "investor": {
           "client_code": "34099321001"
       },
       "holding_nature": "SI",
       "tax_status": "NRI Child",
       "tax_code": "26",
       "rdmp_idcw_pay_mode": "01",
       "is_client_physical": true,
       "is_client_demat": false,
       "is_nomination_opted": false,
       "nomination_auth_mode": "O",
       "comm_mode": "P",
       "onboarding": "Z",
       "holder": [
           {
               "holder_rank": "-1",
               "occ_code": "03",
               "auth_mode": "M",
               "is_pan_exempt": false,
               "pan_exempt_category": "",
               "is_pan_verified": true,
               "identifier": [
                   {
                       "identifier_type": "pan",
```


CONFIDENTIAL

```
                "identifier_number": "ASWPG1434G",
                "is_active": true
            }
        ],
        "kyc_type": "C",
        "ckyc_number": "12341876543232",
        "person": {
            "first_name": "gangadhar",
            "middle_name": "ramesh",
            "last_name": "shirsath",
            "dob": "1960-01-12",
            "gender": "F"
        },
        "contact": [
            {
                "contact_number": "9912348958",
                "whose_contact_number": "SE",
                "email_address": "shivam02xxxx@gmail.com",
                "whose_email_address": "SE",
                "contact_type": "PR",
                "is_foreign": false
            }
        ]
    },
    {
        "holder_rank": "1",
        "occ_code": "02",
        "auth_mode": "M",
        "is_pan_exempt": false,
        "pan_exempt_category": "",
        "is_pan_verified": true,
        "identifier": [
            {
                "identifier_type": "pan",
                "identifier_number": "ASWPG1334G",
                "is_active": true
            }
        ],
        "kyc_type": "C",
        "ckyc_number": "12341876543242",
        "person": {
            "first_name": "vaibhav",
            "middle_name": "rajan",
            "last_name": "shirsath",
```


CONFIDENTIAL

```
            "dob": "2020-01-01",
            "gender": "M"
        },
        "contact": [
            {
                "contact_number": "9912345678",
                "whose_contact_number": "SE",
                "email_address": "rubrobin2001@gmail.com",
                "whose_email_address": "SE",
                "contact_type": "PR",
                "is_foreign": false
            }
        ]
    }
],
"comm_addr": {
    "address_line_1": "Flat No. 504, ABC Apartments",
    "address_line_2": "Gangapur Road",
    "address_line_3": "Nashik, Maharashtra 422005",
    "postalcode": "400010"
},
"foreign_addr": {
    "address_line_1": "123 Main Street",
    "address_line_2": "Apt 101 njjjbbhjbhhbj",
    "address_line_3": "Houston, Texas 77002",
    "city": "Houston",
    "state": "Texas",
    "country": "United States of America",
    "postalcode": "77002"
},
"bank_account": [
    {
        "ifsc_code": "HDFC0009375",
        "bank_acc_num": "6986598569865",
        "bank_acc_type": "NE",
        "account_owner": "SELF",
        "identifier": [
            {
                "identifier_type": "bank_statement",
                "identifier_number": "",
                "file_name": "ucc_20241209_062049_1bank_statement.png",
                "file_size": 1024,
                "file_blob": "ucc_20241209_062049_1bank_statement.png",
                "is_active": true
```


CONFIDENTIAL

```
            }
        ],
        "is_verified": true
    },
    {
        "ifsc_code": "KKBK0002006",
        "bank_acc_num": "kk6986598569889",
        "bank_acc_type": "NE",
        "account_owner": "SELF"
    }
],
"fatca": [
    {
        "client_name": "gangadhar",
        "tax_status": "NRI Child",
        "investor_type": "Individual",
        "place_of_birth": "New York City",
        "country_of_birth": "USA",
        "dob": "1960-01-12",
        "address_type": "2",
        "occ_code": "01",
        "occ_type": "B",
        "data_source": "P",
        "wealth_source": "1",
        "income_slab": "31",
        "politically_exposed": "Y",
        "is_self_declared": true,
        "father_name": "dinesh shewale",
        "spouse_name": "sangita",
        "exemption_code": "A",
        "identifier": {
            "identifier_type": "pan",
            "identifier_number": "ASWPG1434G"
        },
        "corporate_service_sector": "1",
        "net_worth": 125000,
        "date_of_net_worth": "20-Jun-2019",
        "tax_residency": [
            {
                "country": "IND",
                "tax_id_no": "1234567890",
                "tax_id_type": "A"
            },
            {
```


CONFIDENTIAL

```
                "country": "CAN",
                "tax_id_no": "987654321",
                "tax_id_type": "B"
            }
        ],
        "ubo": {},
        "npo": {}
    },
    {
        "client_name": "vaibhav",
        "tax_status": "NRI Child",
        "investor_type": "Individual",
        "place_of_birth": "New York City",
        "country_of_birth": "USA",
        "dob": "2020-01-01",
        "address_type": "2",
        "occ_code": "01",
        "occ_type": "B",
        "data_source": "P",
        "log_name":"",
        "wealth_source": "1",
        "income_slab": "31",
        "politically_exposed": "Y",
        "is_self_declared": true,
        "father_name": "Michael Johnson",
        "spouse_name": "Emily Johnson",
        "exemption_code": "A",
        "identifier": {
            "identifier_type": "pan",
            "identifier_number": "ASWPG1334G"
        },
        "corporate_service_sector": "1",
        "net_worth": 125000,
        "date_of_net_worth": "20-Jun-2022",
        "tax_residency": [
            {
                "country": "IND",
                "tax_id_no": "1234567890",
                "tax_id_type": "A"
            },
            {
                "country": "CAN",
                "tax_id_no": "987654321",
                "tax_id_type": "B"
```


CONFIDENTIAL

```
            }
        ],
        "ubo": {},
        "npo": {}
    }
],
"identifiers": [
    {
        "identifier_type": "",
        "identifier_number": ""
    }
],
"ucc_status_obj": [
    {
        "client_code": "34099321001",
        "holders": [
            {
                "holder_rank": "-1",
                "holder_pan": "ASWPG1434G",
                "pan_verification": {
                    "verified_status": "TRUE",
                    "verification_failed_reason": "",
                    "verified_at": "2024-12-09 06:56:05"
                },
                "fatca_status": [
                    {
                        "rta_type": "CAMS",
                        "verified_status": "1",
                        "verification_failed_reason": "",
                        "verified_at": ""
                    },
                    {
                        "rta_type": "KFIN",
                        "verified_status": "1",
                        "verification_failed_reason": "",
                        "verified_at": ""
                    }
                ],
                "elog": {
                    "ip": "",
                    "status": "",
                    "accepted_at": "",
                    "rta_verification": null
                },
```


CONFIDENTIAL

```
        "nominee_2fa": {
            "verified_status": "true",
            "verification_failed_reason": "",
            "verified_at": "2024-12-09 06:56:05"
        },
        "kyc_status": {
            "kyc_type": "C",
            "verified_status": "TRUE",
            "verification_failed_reason": "",
            "verified_at": "2024-12-09 06:56:05"
        },
        "aof": null,
        "aof_ria": null
    },
    {
        "holder_rank": "1",
        "holder_pan": "ASWPG1334G",
        "pan_verification": {
            "verified_status": "TRUE",
            "verification_failed_reason": "",
            "verified_at": "2024-12-09 06:56:05"
        },
        "fatca_status": [
            {
                "rta_type": "CAMS",
                "verified_status": "1",
                "verification_failed_reason": "",
                "verified_at": ""
            },
            {
                "rta_type": "KFIN",
                "verified_status": "1",
                "verification_failed_reason": "",
                "verified_at": ""
            }
        ],
        "elog": {
            "ip": "",
            "status": "",
            "accepted_at": "",
            "rta_verification": null
        },
        "nominee_2fa": {
            "verified_status": "true",
```


CONFIDENTIAL

```
                        "verification_failed_reason": "",
                        "verified_at": "2024-12-09 06:56:05"
                    },
                    "kyc_status": {
                        "kyc_type": "C",
                        "verified_status": "TRUE",
                        "verification_failed_reason": "",
                        "verified_at": "2024-12-09 06:56:05"
                    },
                    "aof": null,
                    "aof_ria": null
                }
            ],
            "bank_account": [
                {
                    "bank_acc_num": "6986598569865",
                    "ifsc_code": "HDFC0009375",
                    "verified_status": "TRUE",
                    "verification_failed_reason": "",
                    "verified_at": "2024-12-09 06:20:51"
                },
                {
                    "bank_acc_num": "kk6986598569889",
                    "ifsc_code": "KKBK0002006",
                    "verified_status": "",
                    "verification_failed_reason": "",
                    "verified_at": ""
                }
            ],
            "depository": null
        }
    ]
},
"messages": null
}
```


CONFIDENTIAL

8.2 Order

8.2.1 order_new

Endpoint: url- /s2/order_new

8.2.1.1 Request


```
{
 "data": {
   "orders": [
     {
       "src_of_req": "ui",
       "type": "p",
       "mem_ord_ref_id": "05260000000700007",
       "investor": {
         "ucc": "inclseaNREnonom2108"
       },
       "member": "0179",
       "mem_details": {
         "euin": "",
         "euin_flag": null,
         "sub_br_code": "",
         "sub_br_arn": "",
         "partner_id": ""
       },
       "scheme": "02-DP",
       "amount": 5000,
       "cur": "INR",
       "is_units": false,
       "all_units": false,
       "min_redeem_flag": false,
       "is_fresh": true,
       "folio": "",
       "dst_folio": "",
       "phys_or_demat": "p",
       "payment_ref_id": "130820250000011",
       "exch_mandate_id": null,
       "src": "lumpsum",
       "reg_no": "",
       "holder": [
         {
           "holder_rank": "1",
           "email": "shivam02ahirrao@gmail.com",
```


CONFIDENTIAL

```
    "mobnum": "8788106038",
    "is_nomination_opted": true,
    "nomination_auth_mode": "O"
  }
],
"email": "shivam02ahirrao@gmail.com",
"mobnum": "+919819852550",
"kyc_passed": true,
"remarks": "ajeetgautam cff test",
"dest_scheme": "",
"dpc": true,
"is_nomination_opted": true,
"nominee_soa": true,
"nomination_auth_mode": "O",
"nomination": [
  {
    "person": {
      "first_name": "Anjali",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "2023-01-23"
    },
    "contact": {
      "contact_number": "987459819852550",
      "country_code": "91",
      "whose_contact_number": "SE",
      "email_address": "shivam02ahirrao@gmail.com",
      "whose_email_address": "SE",
      "contact_type": "PR"
    },
    "comm_addr": {
      "address_line_1": "Flat No. 102, ABC Apartments",
      "address_line_2": "AJEEET",
      "address_line_3": "Nashik, Maharashtra 422005",
      "postal_code": "400010",
      "city": "Mumbai",
      "state": "Maharashtra",
      "country": "India"
    },
    "nomination_percent": 20,
    "nomination_relation": "3",
    "is_pan_exempt": false,
    "pan_exempt_category": "",
    "is_minor": true,
```


CONFIDENTIAL

```
    "identifier": [
      {
        "identifier_type": "aadhaar",
        "identifier_number": "5555"
      }
    ],
    "guardian": {
      "first_name": "radha",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "2000-07-01",
      "is_pan_exempt": false,
      "pan_exempt_category": "",
      "identifier": [
        {
          "identifier_type": "pan",
          "identifier_number": "AQNPT6583C"
        }
      ]
    }
  },
  {
    "person": {
      "first_name": "Manju",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "2020-01-23"
    },
    "contact": {
      "contact_number": "987459819852550",
      "country_code": "91",
      "whose_contact_number": "SE",
      "email_address": "shivam02ahirrao@gmail.com",
      "whose_email_address": "SE",
      "contact_type": "PR"
    },
    "comm_addr": {
      "address_line_1": "Flat No. 102, ABC Apartments",
      "address_line_2": "AJEEET",
      "address_line_3": "Nashik, Maharashtra 422005",
      "postal_code": "400010",
      "city": "Mumbai",
      "state": "Maharashtra",
      "country": "India"
```


CONFIDENTIAL

```
    },
    "nomination_percent": 20,
    "nomination_relation": "3",
    "is_pan_exempt": false,
    "pan_exempt_category": "",
    "is_minor": false,
    "identifier": [
      {
        "identifier_type": "aadhaar",
        "identifier_number": "5555"
      }
    ],
    "guardian": {
      "first_name": "radha",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "2000-07-01",
      "is_pan_exempt": false,
      "pan_exempt_category": "",
      "identifier": [
        {
          "identifier_type": "pan",
          "identifier_number": "AQNPT6583C"
        }
      ]
    }
  },
  {
    "person": {
      "first_name": "Raju",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "2020-01-23"
    },
    "contact": {
      "contact_number": "9819852550",
      "country_code": "91",
      "whose_contact_number": "SE",
      "email_address": "shivam02ahirrao@gmail.com",
      "whose_email_address": "SE",
      "contact_type": "PR"
    },
    "comm_addr": {
      "address_line_1": "Flat No. 102, ABC Apartments",
```


CONFIDENTIAL

```
            "address_line_2": "AJEET",
            "address_line_3": "Nashik, Maharashtra 422005",
            "postal_code": "400010",
            "city": "Mumbai",
            "state": "Maharashtra",
            "country": "India"
          },
          "nomination_percent": 60,
          "nomination_relation": "3",
          "is_pan_exempt": false,
          "pan_exempt_category": "",
          "is_minor": true,
          "identifier": [
            {
              "identifier_type": "pan",
              "identifier_number": "NOTPA0011A"
            }
          ],
          "guardian": {
            "first_name": "radha",
            "middle_name": "divesh",
            "last_name": "shirsath",
            "dob": "01-Jul-2000",
            "is_pan_exempt": true,
            "pan_exempt_category": "01",
            "identifier": [
              {
                "identifier_type": "pan_exempt_ref_no",
                "identifier_number": "AQNPT6583C"
              }
            ]
          }
        }
      ]
    }
  ]
}
```


8.2.1.2 Response


```
{
    "status": "success",
```


CONFIDENTIAL

```
    "data": {
        "items": [
            {
                "mem_ord_ref_id": "123456781",
                "id": 5000000231,
                "status": "success"
            }
        ]
    },
    "messages": []
}
```


8.2.2 order_update

Endpoint: /s2/order_update

8.2.2.1 Request


```
{
    "data": {
        "id": 5000004168,
        "mem_ord_ref_id":"12456593459",
        "type": "p",
        "scheme": "RRSONU-GR",
        "amount": 10000,
        "cur": "INR",
        "is_units": false,
        "all_units": false,
        "folio": "75766665",
        "phys_or_demat": "p",
        "src": "lumpsum",
            "reg_no": "",
            "mem_details": {
                "euin": "",
                "euin_flag": false,
                "sub_br_code": "",
                "sub_br_arn": "",
                "partner_id": ""
        },

                "holder": [
                    {
                        "holder_rank": "1",
```


CONFIDENTIAL

```
                    "email": "shivam02ahirrao@gmail.com",
                    "mobnum": "9856321470",
                    "is_nomination_opted": false,
                    "nomination_auth_mode": "O"
                }
            ],
    "email": "shivam02ahirrao@gmail.com",
    "mobnum": "+919856321470",
    "kyc_passed": true,
    "depository_acct": {
        "depository": "N",
        "dp_id": "IN464548",
        "client_id": "78545698"
    },
    "bank_acct": {
        "ifsc": "ABHY0065002",
        "no": "980000000000",
        "type": "savings",
        "name": "some other name"
    },
    "dpc": true,
    "remark": "reason for update",
  "is_nomination_opted": true,
  "nominee_soa": true,
  "nomination_auth_mode": "O",
  "nomination": [
    {
      "person": {
        "first_name": "Anjali",
        "middle_name": "divesh",
        "last_name": "shirsath",
        "dob": "2023-01-23"
      },
      "contact": {
        "contact_number": "987459819852550",
        "country_code": "91",
        "whose_contact_number": "SE",
        "email_address": "shivam02ahirrao@gmail.com",
        "whose_email_address": "SE",
        "contact_type": "PR"
      },
      "comm_addr": {
        "address_line_1": "Flat No. 102, ABC Apartments",
        "address_line_2": "AJEEET",
```


CONFIDENTIAL

```
      "address_line_3": "Nashik, Maharashtra 422005",
      "postal_code": "400010",
      "city": "Mumbai",
      "state": "Maharashtra",
      "country": "India"
    },
    "nomination_percent": 20,
    "nomination_relation": "3",
    "is_pan_exempt": false,
    "pan_exempt_category": "",
    "is_minor": true,
    "identifier": [
      {
        "identifier_type": "aadhaar",
        "identifier_number": "5555"
      }
    ],
    "guardian": {
      "first_name": "radha",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "2000-07-01",
      "is_pan_exempt": false,
      "pan_exempt_category": "",
      "identifier": [
        {
          "identifier_type": "pan",
          "identifier_number": "AQNPT6583C"
        }
      ]
    }
  },
  {
    "person": {
      "first_name": "Manju",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "2020-01-23"
    },
    "contact": {
      "contact_number": "987459819852550",
      "country_code": "91",
      "whose_contact_number": "SE",
      "email_address": "shivam02ahirrao@gmail.com",
```


CONFIDENTIAL

```
      "whose_email_address": "SE",
      "contact_type": "PR"
    },
    "comm_addr": {
      "address_line_1": "Flat No. 102, ABC Apartments",
      "address_line_2": "AJEEET",
      "address_line_3": "Nashik, Maharashtra 422005",
      "postal_code": "400010",
      "city": "Mumbai",
      "state": "Maharashtra",
      "country": "India"
    },
    "nomination_percent": 20,
    "nomination_relation": "3",
    "is_pan_exempt": false,
    "pan_exempt_category": "",
    "is_minor": false,
    "identifier": [
      {
        "identifier_type": "aadhaar",
        "identifier_number": "5555"
      }
    ],
    "guardian": {
      "first_name": "radha",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "2000-07-01",
      "is_pan_exempt": false,
      "pan_exempt_category": "",
      "identifier": [
        {
          "identifier_type": "pan",
          "identifier_number": "AQNPT6583C"
        }
      ]
    }
  },
  {
    "person": {
      "first_name": "Raju",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "2020-01-23"
```


CONFIDENTIAL

```
  },
  "contact": {
    "contact_number": "9819852550",
    "country_code": "91",
    "whose_contact_number": "SE",
    "email_address": "shivam02ahirrao@gmail.com",
    "whose_email_address": "SE",
    "contact_type": "PR"
  },
  "comm_addr": {
    "address_line_1": "Flat No. 102, ABC Apartments",
    "address_line_2": "AJEET",
    "address_line_3": "Nashik, Maharashtra 422005",
    "postal_code": "400010",
    "city": "Mumbai",
    "state": "Maharashtra",
    "country": "India"
  },
  "nomination_percent": 60,
  "nomination_relation": "3",
  "is_pan_exempt": false,
  "pan_exempt_category": "",
  "is_minor": true,
  "identifier": [
    {
      "identifier_type": "pan",
      "identifier_number": "NOTPA0011A"
    }
  ],
  "guardian": {
    "first_name": "radha",
    "middle_name": "divesh",
    "last_name": "shirsath",
    "dob": "01-Jul-2000",
    "is_pan_exempt": true,
    "pan_exempt_category": "01",
    "identifier": [
      {
        "identifier_type": "pan_exempt_ref_no",
        "identifier_number": "AQNPT6583C"
      }
    ]
  }
}
```


CONFIDENTIAL

```
        ]
    }
}
```

8.2.2.2 Response

```
{
    "status": "success",
    "data": {
        "success_id": [
            5000000232
        ],
        "investor": {}
    },
    "messages": []
}
```

8.2.3 order_cancel

Endpoint: /s2/order_cancel

8.2.3.1 Request

```
{
    "data": {
        "id": 5000004164,
        "investor": {
            "ucc": "Test3012",
            "ucc_id": 0,
            "pan_holders": [],
            "holding_nature": ""
        },
        "remark": "reason for cancel"
    }
}
```

8.2.3.2 Response

```
{
    "status": "success",
    "data": {
        "success_id": [
            5000000232
        ],
```


CONFIDENTIAL

```
        "investor": {
            "ucc": "66180440205"
        }
    },
    "messages": []
}
```


8.2.4 order_list

Endpoint: /s2/order_list

8.2.4.1 Request


```
{
    "data": {
        "fields": [
            "ALL"
        ],
        "start": 0,
        "length": 1,
        "filter_param": {
            "open_close": "o",
            "placed_at_after": "2024-01-06",
            "placed_at_before": "2025-11-06"
        }
    }
}
```


CONFIDENTIAL

8.2.4.2 Response


```
"lists": [

    {

        "id": 5000004356,

        "exch_order_id": "",

        "type": "p",

        "mem_ord_ref_id": "1234567895",

        "investor": {

            "ucc": "CLNT10083"

        },

        "status": "match_pending",

        "member": "0103",

        "member_name": "Icici Securities Limited",

        "scheme": "RRSONU-GR",

        "src_scheme_name": "REMIGES002-REGULAR-GROWTH",

        "amount": 6100,

        "cur": "INR",

        "is_units": false,

        "all_units": false,

        "is_fresh": true,

        "folio_num": "",

        "phys_or_demat": "p",

        "info": {

            "min_redeem_flag": false,

            "src": "lumpsum",
```


CONFIDENTIAL

```
        "reg_no": "",
        "mem_details": {
            "broker_arn": "",
            "euin_flag": true,
            "euin": "E123456",
            "sub_br_code": "IN123456",
            "sub_br_arn": "ARN-123456",
            "partner_id": "partner id",
            "mem_type": "MFI"
        }
    },
    "mem_2fa": "n",
    "mem_2fa_action_at": "",
    "mem_paymt": "",
    "order_src_info": {
        "src_isin": "IN1111111111",
        "src_sch_rta_code": "SONU",
        "src_sch_opt": "",
        "sip_rgdt": "",
        "sip_fq": "",
        "sip_st_dt": "",
        "sip_end_dt": "",
        "src_allowed_inst": 0,
        "cur_inst_no": 1,
        "is_new_order": true
```


CONFIDENTIAL

```
},
"email": "shivam02xxxx@gmail.com",
"mobnum": "9001122333",
"placed_at": "2025-01-25T05:50:17Z",
"exch_mandate_id": 0,
"kyc_passed": true,
"tracker_id": "",
"depository_acct": {
    "depository": "N",
    "dp_id": "IN464548",
    "client_id": "78545698"
},
"bank_acct": {
    "ifsc": "ABHY0065002",
    "no": "980000000000",
    "type": "CB",
    "name": "ABHYUDAYA COOPERATIVE BANK LIMITED",
    "branch_name": "",
    "bank_city": ""
},
"dpc": true,
"remarks": "",
"dest_scheme": "",
"dest_scheme_name": "",
"payment_ref_id": "",
```


CONFIDENTIAL

```
"matched_pa": null,
"pa_matched_at": "",
"matched_bank_rcpt": null,
"bank_matched_at": "",
"full_matched_at": "",
"rejection_reason": {
    "by": "",
    "reason": ""
},
"rta_resp_at": "",
"rta_resp": null,
"dp_resp": null,
"refund_details": null,
"manually_updated_at": "",
"manually_updated_by": "",
"threshold_isapproved": false,
"threshold_app_rej_by": "",
"threshold_app_rej_at": "",
"expires_at": "",
"order_added_at": "",
"history": [
    {
        "event_status": "received",
        "msg": "Order received",
        "when": "2025-01-25T05:50:17.824221533Z",
```


CONFIDENTIAL

```
            "user": "member/0103/isec.maker"
        },
        {
            "event_status": "order_update",
            "msg": "order update request",
            "when": "2025-01-25T05:52:48.902134316Z",
            "user": "member/0103/isec.maker"
        }
    ],
    "matched_bank_rcpt_id": 0,
    "matched_pa_ids": 0,
    "dest_folio": "",
    "nomination": [
        {
            "first_name": "vaibhav",
            "middle_name": "saurab",
            "last_name": "shirshath",
            "dob": "2020-01-01",
            "nomination_relation": "18",
            "is_minor": true,
            "nomination_percent": 50,
            "is_pan_exempt": true,
            "pan_exempt_category": "03",
            "identifier": [
                {
```


CONFIDENTIAL

```
                "identifier_type": "pan_exempt_ref_no",
                "identifier_number": "AS12346789"
            }
        ],
        "guardian": {
            "first_name": "saurabh",
            "middle_name": "ramesh",
            "last_name": "shirsath",
            "dob": "2000-01-01",
            "identifier": [
                {
                    "identifier_type": "pan",
                    "identifier_number": "ASWHG2252G"
                }
            ],
            "pan_exempt_category": ""
        }
    },
    {
        "first_name": "lokesh",
        "middle_name": "saurab",
        "last_name": "shirsath",
        "dob": "2021-01-20",
        "nomination_relation": "18",
        "is_minor": true,
```


CONFIDENTIAL

```
        "nomination_percent": 10,
        "is_pan_exempt": true,
        "pan_exempt_category": "01",
        "identifier": [
            {
                "identifier_type": "pan_exempt_ref_no",
                "identifier_number": "AS98765443"
            }
        ],
        "guardian": {
            "first_name": "saurabh",
            "middle_name": "ramesh",
            "last_name": "shirsath",
            "dob": "1995-01-01",
            "pan_exempt_category": ""
        }
    },
    {
        "first_name": "savita",
        "middle_name": "saurabh",
        "last_name": "shirsath",
        "dob": "2000-01-01",
        "nomination_relation": "21",
        "is_minor": false,
        "nomination_percent": 40,
```


CONFIDENTIAL

```
            "pan_exempt_category": "",
            "identifier": [
                {
                    "identifier_type": "pan",
                    "identifier_number": "ASWPG2252G"
                }
            ],
            "guardian": {
                "pan_exempt_category": ""
            }
        }
    ],
    "holder": [
        {
            "holder_rank": "1",
            "email": "shivam02xxxx@gmail.com",
            "mobnum": "9001122449",
            "is_nomination_opted": true,
            "nomination_auth_mode": "O"
        }
    ],
    "settlement_no": "2425258",
    "rta_txn_no": "",
    "rta_remark": null,
    "reg_no": "",
```


CONFIDENTIAL

```
            "payment_aggr_code": "",
            "settlement_date": "2025-01-25 05:50:17.824227 +0000 UTC",
            "settlement_type": "",
            "pg_ref_no": "",
            "fund_receipt_date": "2025-01-25 05:50:17.824227 +0000 UTC",
            "allotment_details": null,
            "redempt_details": null
        }
    ],
```


8.2.5 order_get

Endpoint: /s2/order_get

8.2.5.1 Request


```
{
    "data": {
        "id": 5000000026,
        "filter_param": {
            "open_close": "o"
        }
    }
}
```


8.2.5.2 Response


```
{
    "status": "success",
    "data": {
        "id": 5000000026,
        "exch_order_id": "",
        "type": "p",
        "mem_ord_ref_id": "",
        "investor": {
            "ucc": "66004366022305"
```


CONFIDENTIAL

```
},
"status": "match_pending",
"member": "0103",
"scheme": "BS131Y-GR",
"amount": 80000,
"cur": "INR",
"is_units": false,
"all_units": false,
"is_fresh": true,
"folio_num": "",
"phys_or_demat": "p",
"info": {
    "min_redeem_flag": true,
    "src": "lumpsum",
    "reg_no": "",
    "mem_details": {
        "broker_arn": "",
        "euin_flag": false,
        "sub_br_code": "",
        "sub_br_arn": "",
        "partner_id": "",
        "mem_type": "MFI"
    }
},
"mem_2fa": "n",
"mem_2fa_action_at": "",
"mem_paymt": "",
"order_src_info": {
    "src_isin": "INF209KC1258",
    "src_sch_rta_code": "131Y",
    "src_sch_opt": "",
    "sip_rgdt": "",
    "sip_fq": "",
    "sip_st_dt": "",
    "sip_end_dt": "",
    "src_allowed_inst": 0,
    "cur_inst_no": 15
},
"email": "vaibhavborse2001@gmail.com",
"mobnum": "+919912345678",
"placed_at": "2025-01-09T12:58:28Z",
"exch_mandate_id": 0,
"kyc_passed": true,
"tracker_id": "",
```


CONFIDENTIAL

```
"depository_acct": {
    "depository": "C",
    "dp_id": "99301549",
    "client_id": "64261065"
},
"bank_acct": {
    "ifsc": "",
    "no": "",
    "type": "",
    "name": "",
    "branch_name": "",
    "bank_city": ""
},
"dpc": false,
"remarks": "",
"dest_scheme": "",
"payment_ref_id": "",
"matched_pa": null,
"pa_matched_at": "",
"matched_bank_rcpt": null,
"bank_matched_at": "",
"full_matched_at": "",
"rejection_reason": {
    "by": "",
    "reason": ""
},
"rta_resp_at": "",
"rta_resp": null,
"dp_resp": null,
"refund_details": null,
"manually_updated_at": "",
"manually_updated_by": "",
"threshold_isapproved": false,
"threshold_app_rej_by": "",
"threshold_app_rej_at": "",
"expires_at": "",
"order_added_at": "",
"history": [
    {
        "event_status": "received",
        "msg": "Order received",
        "when": "2025-01-09T12:58:28.049911735Z",
        "user": "member/0103/isec.maker"
    }
```


CONFIDENTIAL

```
],
"matched_bank_rcpt_id": 0,
"matched_pa_ids": 0,
"dest_folio": "",
"expiresat": "",
"nomination": [
    {
        "first_name": "Anjali",
        "middle_name": "divesh",
        "last_name": "shirsath",
        "dob": "2020-01-23",
        "nomination_relation": "3",
        "is_minor": true,
        "nomination_percent": 100,
        "pan_exempt_category": "",
        "identifier": [
            {
                "identifier_type": "pan",
                "identifier_number": "NOTPA0002A"
            }
        ],
        "guardian": {
            "first_name": "radha",
            "middle_name": "divesh",
            "last_name": "shirsath",
            "dob": "2000-06-01",
            "identifier": [
                {
                    "identifier_type": "pan",
                    "identifier_number": "GFHPH7654R"
                }
            ],
            "pan_exempt_category": ""
        }
    }
],
"holder": [
    {
        "holder_rank": "1",
        "email": "vaibhavborse2001@gmail.com",
        "mobnum": "9912345678",
        "is_nomination_opted": true,
        "nomination_auth_mode": "O"
    }
```


CONFIDENTIAL

```
        ],
        "settlement_no": "2425244",
        "rta_txn_no": "",
        "rta_remark": null,
        "reg_no": "",
        "payment_aggr_code": "",
        "settlement_date": "2025-01-09 12:58:28.049915 +0000 UTC",
        "settlement_type": "",
        "pg_ref_no": "",
        "fund_receipt_date": "2025-01-09 12:58:28.049915 +0000 UTC",
        "allotment_details": null,
        "redempt_details": null
    },
    "messages": null
}
```


CONFIDENTIAL

8.3 SxP

8.3.1 sxp_register

Endpoint: /sxp_register

8.3.1.1 Request


```
{
    "data": {
        "sxp_type": "sip",
        "mem_sxp_ref_id": "123456781",
        "investor": {
            "ucc": "66180440205"
        },
       "is_fresh": true,
       "Parent_client_code": "",
       "min_redeem_flag": false,
        "member": "0103",
        "src_scheme": "BS131Y-GR",
        "kyc_passed": true,
        "dest_scheme": "",
        "amc_code": "",
        "exch_mandate_id": 0,
        "amount": 5000,
        "cur": "INR",
        "src_folio": "",
        "dest_folio": "",
        "phys_or_demat": "P",
        "isunits": false,
        "dpc": false,
        "start_date": "2025-02-09",
        "end_date": "2030-12-31",
        "freq": "m",
        "txn_date": 9,
        "payment_ref_id": "",
        "mem_details": {
            "euin": "E345671",
            "euin_flag": true,
            "sub_br_code": "IN456789",
            "sub_br_arn": "ARN-435674",
            "partner_id": ""
        },
        "info": {},
        "holder": [
```


CONFIDENTIAL

```
        {
            "holder_rank": "1",
            "email": "vaibhavborse2001@gmail.com",
            "mobnum": "9912345678",
        }
    ],
    "depository_acct": {
        "depository": "",
        "dp_id": "",
        "client_id": ""
    },
    "bank_acct": {
        "ifsc": "HDFC0000644",
        "no": "50200000000000",
        "type": "CB",
        "name": "HDFC BANK"
    },
    "remark": "",
    "email": "rajesh@offline.com",
    "mobnum": "+919828288288",
    "first_order_today": false,
    "brokerage": 2.5,
    "ninstallments": 3,
    "special_product": {
        "special_prod_type": "",
        "special_prod_name": "",
        "target_scheme": "",
        "target_amt": 0,
        "goal_type": "",
        "goal_amt": 0,
        "sip_tenure": 0
    },
    "is_nomination_opted": true,
   "nominee_soa": true,
   "nomination_auth_mode": "O",
   "nomination": [
     {
       "person": {
         "first_name": "Anjali",
         "middle_name": "divesh",
         "last_name": "shirsath",
         "dob": "2023-01-23"
       },
       "contact": {
```


CONFIDENTIAL

```
      "contact_number": "987459819852550",
      "country_code": "91",
      "whose_contact_number": "SE",
      "email_address": "shivam02ahirrao@gmail.com",
      "whose_email_address": "SE",
      "contact_type": "PR"
    },
    "comm_addr": {
      "address_line_1": "Flat No. 102, ABC Apartments",
      "address_line_2": "AJEEET",
      "address_line_3": "Nashik, Maharashtra 422005",
      "postal_code": "400010",
      "city": "Mumbai",
      "state": "Maharashtra",
      "country": "India"
    },
    "nomination_percent": 20,
    "nomination_relation": "3",
    "is_pan_exempt": false,
    "pan_exempt_category": "",
    "is_minor": true,
    "identifier": [
      {
        "identifier_type": "aadhaar",
        "identifier_number": "5555"
      }
    ],
    "guardian": {
      "first_name": "radha",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "2000-07-01",
      "is_pan_exempt": false,
      "pan_exempt_category": "",
      "identifier": [
        {
          "identifier_type": "pan",
          "identifier_number": "AQNPT6583C"
        }
      ]
    }
  },
  {
    "person": {
```


CONFIDENTIAL

```
    "first_name": "Manju",
    "middle_name": "divesh",
    "last_name": "shirsath",
    "dob": "2020-01-23"
  },
  "contact": {
    "contact_number": "987459819852550",
    "country_code": "91",
    "whose_contact_number": "SE",
    "email_address": "shivam02ahirrao@gmail.com",
    "whose_email_address": "SE",
    "contact_type": "PR"
  },
  "comm_addr": {
    "address_line_1": "Flat No. 102, ABC Apartments",
    "address_line_2": "AJEEET",
    "address_line_3": "Nashik, Maharashtra 422005",
    "postal_code": "400010",
    "city": "Mumbai",
    "state": "Maharashtra",
    "country": "India"
  },
  "nomination_percent": 20,
  "nomination_relation": "3",
  "is_pan_exempt": false,
  "pan_exempt_category": "",
  "is_minor": false,
  "identifier": [
    {
      "identifier_type": "aadhaar",
      "identifier_number": "5555"
    }
  ],
  "guardian": {
    "first_name": "radha",
    "middle_name": "divesh",
    "last_name": "shirsath",
    "dob": "2000-07-01",
    "is_pan_exempt": false,
    "pan_exempt_category": "",
    "identifier": [
      {
        "identifier_type": "pan",
        "identifier_number": "AQNPT6583C"
```


CONFIDENTIAL

```
        }
      ]
    }
  },
  {
    "person": {
      "first_name": "Raju",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "2020-01-23"
    },
    "contact": {
      "contact_number": "9819852550",
      "country_code": "91",
      "whose_contact_number": "SE",
      "email_address": "shivam02ahirrao@gmail.com",
      "whose_email_address": "SE",
      "contact_type": "PR"
    },
    "comm_addr": {
      "address_line_1": "Flat No. 102, ABC Apartments",
      "address_line_2": "AJEET",
      "address_line_3": "Nashik, Maharashtra 422005",
      "postal_code": "400010",
      "city": "Mumbai",
      "state": "Maharashtra",
      "country": "India"
    },
    "nomination_percent": 60,
    "nomination_relation": "3",
    "is_pan_exempt": false,
    "pan_exempt_category": "",
    "is_minor": true,
    "identifier": [
      {
        "identifier_type": "pan",
        "identifier_number": "NOTPA0011A"
      }
    ],
    "guardian": {
      "first_name": "radha",
      "middle_name": "divesh",
      "last_name": "shirsath",
      "dob": "01-Jul-2000",
```


CONFIDENTIAL

```
            "is_pan_exempt": true,
            "pan_exempt_category": "01",
            "identifier": [
              {
                "identifier_type": "pan_exempt_ref_no",
                "identifier_number": "AQNPT6583C"
              }
            ]
          }
        }
      ]
    }
}
```

8.3.1.2 Response

```
{
    "status": "success",
    "data": {
        "id": "202504280000047"
    },
    "messages": []
}
```

8.3.2 sxp_cancel

Endpoint: /sxp_cancel

8.3.2.1 Request

```
{

  "data": {

    "reg_no": "202504280000047",

    "reason_cd": 6,

    "reason_cd_msg": "",

    "type": "SIP"

  }
```


CONFIDENTIAL

```
}
```


8.3.2.2 Response


```
{
    "status": "success",
    "data": {
        "id": "4"
    },
    "messages": []
}
```


8.3.3 sxp_topup

Endpoint: /sxp_topup

8.3.3.1 Request


```
{
   "data": {
       "reg_num": "202504280000047",
       "mem_sxp_ref_id": "5465-5465-54-5446",
       "amount": 1000,
       "cur": "INR",
       "start_date": "2023-03-16",
       "end_date": null,
       "freq": "w",
       "txn_date": 1,
       "payment_ref_id": "",
       "remark": "any comment",
       "first_order_today": true,
       "email": "rupesh@gmail.com",
       "mobnum": "+919985478565"
   }
}
```


CONFIDENTIAL

8.3.3.2 Response


```
{
   "status": "success",
   "data": {
       "id": "202504280000047"
   },
   "messages": []
}
```


8.3.4 sxp_set_pause

Endpoint: /sxp_set_pause

8.3.4.1 Request


```
{
    "data": {
        "reg_no": "202504280000047",
        "ninstallments": 51,
        "paused_from": "2025-05-09"
    }
}
```


8.3.4.2 Response


```
{
   "status": "success",
   "data": {
       "id": "25"
   },
   "messages": []
}
```


8.3.5 sxp_resume

Endpoint:

8.3.5.1 Request


```
{
    "data": {
        "reg_no": "202504280000047",
        "resume_reason":"The sxp has been resume"
    }
}
```


CONFIDENTIAL

8.3.5.2 Response


```
{
   "status": "success",
   "data": {
       "id": "25"
   },
   "messages": []
}
```


8.3.6 sxp_list

Endpoint: /sxp_list

8.3.6.1 Request


```
{
    "data": {
        "start": 0,
        "length": 2,
        "fields": [
            "ALL"
        ],
        "count_only": false,
            "filter_param": {
            "sxp_type": null,
            "status": null,
            "phys_or_demat": null,
            "start_date": "",
            "end_date": "",
            "ucc": "",
            "member": "",
            "is_topup": false,
            "reg_at_after": "",
            "reg_at_before": "",
            "next_due_date_at_after": "",
            "next_due_date_at_before": ""
        }
    }
}
```


8.3.6.2 Response


```
{
    "status": "success",
    "data": {
        "lists": [
```


CONFIDENTIAL

```
    {
"sxp": {
    "sxp_type": "XSIP",
    "mem_sxp_ref_id": "11819761840649851757927564777",
    "referenced_from": null,
    "ucc": "112522225",
    "member": "XXXXX",
    "src_scheme": "02T-GR",
    "dest_scheme": "",
    "amc_code": "H",
    "exch_mandate_id": 500000231,
    "amount": 100,
    "cur": "INR",
    "src_folio": "37667894/57",
    "dest_folio": "",
    "phys_or_demat": "P",
    "is_units": false,
    "all_units": false,
    "dpc": true,
    "start_date": "2025-10-01",
    "end_date": "2034-01-01",
    "freq": "m",
    "txn_date": 1,
    "info": {
        "mem_details": {
            "euin_flag": null,
            "partner_id": "",
            "mem_type": "RIA"
        },
        "com_ref_plan_id": 0,
        "dest_com_ref_plan_id": 0
    },
    "depository_acct": {
        "depository": "",
        "dp_id": "",
        "client_id": ""
    },
    "bank_acct": {
        "ifsc": "",
        "no": "",
        "type": "",
        "name": ""
    },
    "npauses": 0,
```


CONFIDENTIAL

```
"status": "active",
"paused_from": "",
"paused_till": "",
"nextscheduleat": "2025-12-01T00:00:00",
"npayments_missed": 0,
"nextinstallmentno": 0,
"invalidated_at": null,
"invalidate_reason": null,
"remark": "",
"email": null,
"mobnum": null,
"ref_type": null,
"brokerage": 0,
"kyc_passed": false,
"special_product": {
    "special_prod_type": "",
    "special_prod_name": "",
    "target_scheme": "",
    "target_amt": 0,
    "goal_type": "",
    "goal_amt": 0,
    "sip_tenure": 0
},
"holder": [
    {
        "holder_rank": "1",
        "email": "abc@gmail.com",
        "mobnum": "9XXXXXXXX0",
        "is_nomination_opted": false,
        "nomination_auth_mode": "O"
    }
],
"nomination": null,
"parent_client_code": "",
"next_due_date": "2025-12-01T00:00:00",
"previous_paid_date": "",
"n_installment_paid": 0,
"total_amt_paid": 100,
"ninstallments": 100,
"is_fresh": true,
"history": [
    {
        "event_status": "reg",
        "msg": "SXP Registered",
```


CONFIDENTIAL

```
                    "when": "2025-09-15T14:42:46.987478753+05:30",
                    "user": "member/XXXX/member.admin"
                },
                {
                    "event_status": "link_mandate",
                    "msg": "Mandate Linked to XSIP, ExchMandateID: 500000231",
                    "when": "2025-09-15T14:45:09.777078965+05:30",
                    "user": "member/XXXX/member.admin"
                }
            ],
            "collection_ready_date": "2025-09-17 00:00:00",
            "first_order_today": true
        },
        "sprod_sxp": null
    },
    "messages": []
}
        ],
        "total_count": 65
    },
    "messages": []
}
```


CONFIDENTIAL

8.3.7 sxp_get

Endpoint: /sxp_get

8.3.7.1 Request

```
{

    "data": {

        "reg_no": "202504280000047",

        "type": "SIP"

    }

}
```

8.3.7.2 Response


```
{
    "status": "success",
    "data": {
        "sxp": {
            "sxp_type": "XSIP",
            "mem_sxp_ref_id": "11819761840649851757927564777",
            "referenced_from": null,
            "ucc": "1243663738",
            "member": "XXXXXX",
            "src_scheme": "02T-GR",
            "dest_scheme": "",
            "amc_code": "H",
            "exch_mandate_id": 500000231,
            "amount": 100,
            "cur": "INR",
            "src_folio": "37667894/57",
            "dest_folio": "",
            "phys_or_demat": "P",
            "is_units": false,
            "all_units": false,
            "dpc": true,
            "start_date": "2025-10-01",
            "end_date": "2034-01-01",
            "freq": "m",
            "txn_date": 1,
            "info": {
                "mem_details": {
```


CONFIDENTIAL

```
            "euin_flag": null,
            "partner_id": "",
            "mem_type": "RIA"
        },
        "com_ref_plan_id": 0,
        "dest_com_ref_plan_id": 0
    },
    "depository_acct": {
        "depository": "",
        "dp_id": "",
        "client_id": ""
    },
    "bank_acct": {
        "ifsc": "",
        "no": "",
        "type": "",
        "name": ""
    },
    "npauses": 0,
    "status": "active",
    "paused_from": "",
    "paused_till": "",
    "nextscheduleat": "2025-12-01T00:00:00",
    "npayments_missed": 0,
    "nextinstallmentno": 0,
    "invalidated_at": null,
    "invalidate_reason": null,
    "remark": "",
    "email": null,
    "mobnum": null,
    "ref_type": null,
    "brokerage": 0,
    "kyc_passed": false,
    "special_product": {
        "special_prod_type": "",
        "special_prod_name": "",
        "target_scheme": "",
        "target_amt": 0,
        "goal_type": "",
        "goal_amt": 0,
        "sip_tenure": 0
    },
    "holder": [
        {
```


CONFIDENTIAL

```
                    "holder_rank": "1",
                    "email": "abc@gmail.com",
                    "mobnum": "9XXXXXXXX8",
                    "is_nomination_opted": false,
                    "nomination_auth_mode": "O"
                }
            ],
            "nomination": null,
            "parent_client_code": "",
            "next_due_date": "2025-12-01T00:00:00",
            "previous_paid_date": "",
            "n_installment_paid": 0,
            "total_amt_paid": 100,
            "ninstallments": 100,
            "is_fresh": true,
            "history": [
                {
                    "event_status": "reg",
                    "msg": "SXP Registered",
                    "when": "2025-09-15T14:42:46.987478753+05:30",
                    "user": "member/xxxxx/memner.admin"
                },
                {
                    "event_status": "link_mandate",
                    "msg": "Mandate Linked to XSIP, ExchMandateID: 500000231",
                    "when": "2025-09-15T14:45:09.777078965+05:30",
                    "user": "member/XXXX/member.admin"
                }
            ],
            "collection_ready_date": "2025-09-17 00:00:00",
            "first_order_today": true
        },
        "sprod_sxp": null
    },
    "messages": []
}
```


8.3.8 sxp_get_history

Endpoint: /sxp_get_history

CONFIDENTIAL

8.3.8.1 Request


```
{
   "data": {
       "reg_no": "202505000000211",
       "fields": [
           "ALL"
       ],
       "filter_param": {
           "no_of_txn": 1
       }
   }
}
```


8.3.8.2 Response


```
{
    "status": "success",
    "data": {
        "lists": [
            {
                "all_units": false,
                "amount": 100,
                "cur": "INR",
                "date": "2025-11-03T00:40:06.295078",
                "dest_folio": "",
                "dest_scheme": "",
                "folio": "37667894/57",
                "history": [
                    {
                        "event_status": "sxp_order_triggered",
                        "msg": "Order Triggered From SXP",
                        "when": "2025-11-03T00:34:34.178353289+05:30",
                        "user": "system"
                    },
                    {
                        "event_status": "match_pending",
                        "msg": "Order pending for matching",
                        "when": "2025-11-03T00:40:06.295053117+05:30",
                        "user": "exchange/bse/internalexch.user"
                    },
                    {
                        "event_status": "matched",
                        "msg": "Order matched with bank receipt and PA",
                        "when": "2025-11-03T13:41:50.752224006+05:30",
```


CONFIDENTIAL

```
                        "user": "system"
                    },
                    {
                        "event_status": "sent_to_rta",
                        "msg": "order sent to RTA",
                        "when": "2025-11-03T14:35:19.470999362+05:30",
                        "user": "system"
                    },
                    {
                        "event_status": "sent_to_rta",
                        "msg": "order sent to RTA",
                        "when": "2025-11-03T14:38:47.826488855+05:30",
                        "user": "system"
                    },
                    {
                        "event_status": "queued_for_rta",
                        "msg": "Order status updated to queued_for_rta",
                        "when": "2025-11-03T14:51:57.077311045+05:30",
                        "user": "system"
                    }
                ],
                "id": 5000130037,
                "is_units": false,
                "mem_ord_ref_id": "SYS-202505000000211-3",
                "member": "63655",
                "payment_ref_id": "20250500000021120251103",
                "phys_or_demat": "p",
                "regst_no": "202505000000211",
                "src_scheme": "02T-GR",
                "status": "queued_for_rta",
                "txn_type": "sip",
                "ucc": "Ua47266c62c9c45f5ba53309d460a63aa"
            }
        ]
    },
    "messages": []
}
```


8.3.9 sxp_update

8.3.9.1 Request

```
{
```


CONFIDENTIAL

```
    "data": {
        "reg_no": "202605000001234",
        "client_code": "DemoClient01",
        "exch_mandate_id": 500001234,
        "amount": 500,
        // "src_folio": "12345678",
        // "dest_folio": "87654321",
        "phys_or_demat": "d",
        "isunits": false,
        "dpc": false,
        "depository_acct": {
            "dp_id": "12345678",
            "client_id": "12345678",
            "depository": "C"
        },
        "email": "demo@example.com",
        "mobnum": "9999999999",
        "ninstallments": 30, // mandatory for all freq except 'daily'
        "npauses": 0,
        "paused_from": "",
        "paused_till": "", // mandatory for 'daily'
        "stepup": {
            "stepup_type": "percent", // "percent" or "amount"
            "value": 10,
            "frequency": "y", // 'y' or 'h'
            "start_date": "2026-04-01",
            "cap_amount": 1000000, // optional
            "stepup_ninstallments": 12
        }
    }
}
```

8.3.9.2 Response

```
{
    "status": "success",
    "data": {
        "id": "202605000009724"
    },
    "messages": []
}
```


CONFIDENTIAL

8.4 NFT

8.4.1 Nominee Change

8.4.1.1 Request


```
{
    "data": {
        "user_id": "1000001",
        "member_code": "10000",
        "password": "45s6",
        "amc": "amc",
        "rta": "kfin",
        "member_id": "1212",
        "client_code": "1212sa",
        "entity_type": "UCC",
        "ref_id": 123,
        "nominee_change_info": [
            {
                "amc_code": "RMF",
                "user_code": "INA100009859",
                "folio_no": "495070943",
                "nct_type": "NCTCF02",
                "tax_number": "AAHPB9209R",
                "twofa_auth": "B",
                "email": "shivam02xxxx@gmail.com",
                "mobile_no": "1111111111",
                "j1_email": "santhosh+testing@tantiv4.com",
                "j1_mobile": "1111111111",
                "broke_cd": "INA100009859",
                "ria_code": "INA100009859",
                "nom_opt": "N",
                "nom1_name": "Shivam",
                "nom1_rela": "Father",
                "nom1_per": "50.0",
                "nom1_pan": "OHSPS1271J",
                "nom1_min_f": "Y",
                "nom1_dob": "2020-01-01",
                "nom1_guard": "Guardian One",
                "nom1_grela": "F",
                "nom1_gpan": "OHSPS1271J",
                "nom2_name": "Nominee Two",
                "nom2_rela": "Brother",
                "nom2_per": "20.0",
```


CONFIDENTIAL

```
                "nom2_pan": "OHSPS1271J",
                "nom2_min_f": "N",
                "nom2_dob": "2000-01-02",
                "nom2_guard": "",
                "nom2_grela": "",
                "nom2_gpan": "",
                "nom3_name": "Nominee Three",
                "nom3_rela": "Sister",
                "nom3_per": "30.0",
                "nom3_pan": "OHSPS1271J",
                "nom3_min_f": "Y",
                "nom3_dob": "2020-05-05",
                "nom3_guard": "Guardian Three",
                "nom3_grela": "M",
                "nom3_gpan": "OHSPS1271J"
            }
        ]
    }
}
```


8.4.1.2 Response


```
{
    "request_id": "..."
}
```


8.4.2 Contact Change

8.4.2.1 Request


```
{
    "data": {
        "user_id": "1000001",
        "member_code": "10000",
        "password": "45s6",
        "amc": "amc",
        "rta": "kfin",
        "member_id": "1212",
        "client_code": "1212sa",
        "entity_type": "UCC",
        "ref_id": 123,
        "contact_info": [
            {
                "amc_code": "RMF",
                "user_code": "INA100009859",
```


CONFIDENTIAL

```
                "folio_no": "495070943",
                "nct_type": "NCTCF03",
                "tax_number": "AAHPB9209R",
                "broke_cd": "INA100009859",
                "ria_code": "INA100009859",
                "twofa_auth": "B",
                "doc_type": "E",
                "nom_opt": "N",
                "email": "example@example.com",
                "mobile_no": "1234567890sss",
                "j1_email": "j1@example.com",
                "j1_mobile": "9876543210",
                "j2_email": "j2@example.com",
                "j2_mobile": "9876543211",
                "ph_ema_dec": "SE",
                "ph_mob_dec": "SP",
                "j1_ema_dec": "DC",
                "j1_mob_dec": "DS",
                "j2_ema_dec": "DP",
                "j2_mob_dec": "GD"
            }
        ],
        "image": "...=="
    }
}
```


8.4.2.2 Response


```
{
    "request_id": "..."
}
```


8.4.3 Bank Account Change

8.4.3.1 Request


```
{
    "data": {
        "user_id": "1000001",
        "member_code": "10000",
        "password": "45s6",
        "amc": "amc",
        "rta": "kfin",
        "member_id": "1212",
        "client_code": "1212sa",
```


CONFIDENTIAL

```
"entity_type": "UCC",
"ref_id": 123,
"bank_change_info": [
    {
        "amc_code": "RMF",
        "user_code": "INA100009859",
        "folio_no": "495070943",
        "user_txn_no": "202409300000041",
        "nct_type": "NCTCF04",
        "tax_number": "AAHPB9209R",
        "broke_cd": "INA100009859",
        "ria_code": "INA100009859",
        "twofa_auth": "B",
        "nom_opt": "N",
        "doc_type": "E",
        "pb_act_no": "1234123123",
        "pb_hld_nam": "John Doe",
        "pb_ifsc_cd": "PKGB0010889",
        "pb_act_ty": "Savin",
        "pb_nam": "Canara",
        "pb_br_nam": "Mumbai",
        "ab1_act_no": "1234123123",
        "ab1_hld_na": "John Doe",
        "ab1_ifs_cd": "PKGB0010889",
        "ab1_act_ty": "Savin",
        "ab1_name": "Canara",
        "ab1_br_nam": "Mumbai",
        "ab2_act_no": "1234123123",
        "ab2_hld_na": "John Doe",
        "ab2_ifs_cd": "PKGB0010889",
        "ab2_act_ty": "Savin",
        "ab2_name": "Canara",
        "ab2_br_nam": "Mumbai",
        "ab3_act_no": "1234123123",
        "ab3_hld_na": "John Doe",
        "ab3_ifs_cd": "PKGB0010889",
        "ab3_act_ty": "Savi",
        "ab3_name": "Canara",
        "ab3_br_nam": "Mumbai",
        "ab4_act_no": "1234123123",
        "ab4_hld_na": "John Doe",
        "ab4_ifs_cd": "PKGB0010889",
        "ab4_act_ty": "Save",
        "ab4_name": "Canara",
```


CONFIDENTIAL

```
                "ab4_br_nam": "Mumbai",
                "ab5_act_no": "1234123122",
                "ab5_hld_na": "John Doe",
                "ab5_ifs_cd": "PKGB0010889",
                "ab5_act_ty": "Save",
                "ab5_name": "Canara",
                "ab5_br_nam": "Mumbai"
            }
        ],
        "image": "....=="
    }
}
```


8.4.3.2 Response


```
{
    "request_id": "..."
}
```


CONFIDENTIAL

8.5 PA MIS

8.5.1 upload_mis

8.5.1.1 Request


```
{
    "data": [
        {
            "mis_type": "XSIP",
            "payment_ref_id": "DSFFJ",
            "agency_code": "abcd1234",
            "member": "14000",
            "investor": {
                "ucc": "8508394940",
                "holding_nature": "SI",
                "client_code": "8508394940"
            },
            "amount": 1,
            "credit_dt": "20240510",
            "credit_at": "15:30:34",
            "bank_txn_ref": "ABC13456",
            "src_bank_acc": {
                "ifsc": "ICIC0001556",
                "no": "155601509844",
                "type": "SB",
                "name": "some other name"
            },
            "dest_bank_acc": {
                "ifsc": "ICIC0001556",
                "no": "348702010085595",
                "type": "SB",
                "name": "some other name"
            },
            "exchorder_num": "12312312312",
            "paymt_mode": "NEFT",
            "custom_ref_num": "22331231123",
            "info": {
                "umrn": "cvsdv",
                "src": "sip",
                "reg_no": "REG12345",
                "mem_details": {
                    "sub_br_code": "SUB001",
                    "sub_br_arn": "ARN123456",
```


CONFIDENTIAL

```
                    "partner_id": "PART123456"
                }
            },
            "remark": "SomeRemarknothing",
            "status": "someStautsu11"
        }
    ]
}
```

8.5.1.2 Response

```
{
    "status": "success",
    "data": "Accepted",
    "messages": null
}
```

8.5.2 upload_mis_reversal

Refer to "upload_mis" mentioned earlier for further details.

8.6 Mandate

8.6.1 mandate_register

8.6.1.1 Request

```
{
    "data": {
        "investor": {
            "ucc": "8kr4EBmr"
            // "pan_holders": [
            //     ""
            // ],
            // "holding_nature": "SI"
        },
        "member":"0103",

        "mem_details": {
                "euin": "",
                "euin_flag": true,
                "sub_br_code": "code",
                "sub_br_arn": "arn",
                "partner_id": "partner_id"
```


CONFIDENTIAL

```
            },

        // "parent_client_code": "87654678",
        "investor_bank_details": {
            "ifsc": "UTIB0000145",
            "no": "6986598569865",
            "type": "SA",
            "name": "zdsd",
            "branch": "Ghansoli",
            "vpa": [
               "shivam02ahirrao@oksbi"
           ]
        },

        // "mem_mandate_info": {
        //     "member_mandate_id": "MM123456789",
        //     "mandate_status_date": "2024-02-12T10:30:00Z",
        //     "umrn_number": "UMRN987654321",
        //     "utility_code": "UTL000123",
        //     "sponsor_code": "SPN456789"
        // },

        "amount": 2000,
        "start_date": "2025-02-21",
        "valid_till": "2035-03-15",
        "reg_date": "2025-01-15",
        "type": "U",

        // "identifier": {
        //     "identifier_type": "nach_scan_img",
        //     "file_name": "nach_scan_img.png",
        //     "file_blob": "iVBORw0KGgoAAAAN Base64 encoded string . . .",
        //     "file_size": 1024
        // },
        "mode": "DD",
        "frequency": "AS AND WHEN PRESENTED",
        "request_type": "Entry",
        "redirect_url": ". . . redirection url provided by Member . . ."
    }
}
```

8.6.1.2 Response

```
{
```


CONFIDENTIAL

```
    "status": "success",
    "data": {
        "investor": {
            "ucc": "8kr4EBmr"
        },
        "member": "0103",
        "exch_mandate_id": 30
    },
    "messages": null
}
```


8.6.2 mandate_get

8.6.2.1 Request


```
{
    "data": {
        "exch_mandate_id": 30
    }
}
```


8.6.2.2 Response


```
{
   "status": "success",
   "data": {
      "exch_mandate_id": 30,
      "investor_bank_details": {
         "no": "6986598569865",
         "vpa": [
            "shivam02ahirrao@oksbi"
         ],
         "ifsc": "UTIB0000145",
         "name": "zdsd",
         "type": "SA",
         "branch": "Ghansoli",
         "micr_code": ""
      },
      "max_txn_amt": 2000,
      "cur": "INR",
      "valid_till": "2035-03-15T00:00:00Z",
      "status": "RC",
```


CONFIDENTIAL

```
"start_date": "2025-02-21T00:00:00Z",
"reg_date": "2025-01-15T00:00:00Z",
"type": "U",
"ucc": "8kr4EBmr",
"member": "0103",
"details": {
    "field1": "",
    "blod_id": ""
},
"others": {
    "mode": "DD",
    "status": null,
    "investor": {
        "ucc": "8kr4EBmr"
    },
    "frequency": "AS AND WHEN PRESENTED",
    "debit_type": "Maximum",
    "client_name": "",
    "mem_details": {
        "euin_flag": true,
        "member_id": "",
        "partner_id": "partner_id",
        "sub_br_arn": "arn",
        "broker_code": "",
        "sub_br_code": "code"
    },
    "request_type": "Entry",
    "mem_mandate_info": {
        "umrn_number": "",
        "sponsor_code": "",
        "utility_code": "",
        "member_mandate_id": "",
        "mandate_status_date": ""
    }
},
"audit_trail": [
    {
        "msg": "Mandate registered successful pending for 2fa",
        "user": "member/0103/isec.maker",
        "when": "2025-02-21T11:14:15.870888963Z",
        "event_status": "mandate_registered"
    }
],
"identifier": {
    "identifier": {}
}
```


CONFIDENTIAL

```
    },
    "messages": []
}
```

8.6.3 mandate_list

8.6.3.1 Request

```
{
    "data": {
        "start": 0,
        "length": 50,
        "fields": [
            "id",
            "umrn",
            "src_acct",
            "dest_acct",
            "max_txn_amt",
            "cur",
            "valid_till",
            "type",
            "details",
            "is_active",
            "is_verified",
            "verified_on",
            "verified_by_org",
            "cancelled_at",
            "cancelled_by",
            "created_at",
            "ALL"
        ],
        "format": "json",
        "count_only": false,
        "sort_dir": "a",
        "is_compressed": false,
        "search": {
            "value": ""
        },
        "filter_param": {
            "is_active": true,
            "is_verified": true,
            "type": ["U"],
            "member_code": "",
            "status": ["A"],
```


CONFIDENTIAL

```
            "ucc": "",
            "created_at_after": "",
            "created_at_before": ""
        }
    }
}
```

8.6.3.2 Response

```
{
    "status": "success",
    "data": {
        "lists": [
            {
                "exch_mandate_id": 9,
                "ucc": "8kr4EBmr",
                "man_2fa": "n",
                "man_2fa_action_at": "2023-02-15 00:00:00",
                "member_code": "0103",
                "amount": 200,
                "cur": "INR",
                "ifsc": "UTIB0000145",
                "acct_no": "6986598569865",
                "bank_name": "John Doe",
                "bank_branch": "Ghansoli",
                "acct_type": "SA",
                "mode": "DD",
                "frequency": "AS AND WHEN PRESENTED",
                "debit_type": "Maximum",
                "reg_date": "2023-02-15",
                "start_date": "2025-02-18",
                "end_date": "2065-02-15",
                "type": "U",
                "details": {
                    "field1": "",
                    "blod_id": ""
                },
                "is_active": true,
                "is_verified": true,
                "cancelled_at": "0001-01-01",
                "status": "A",
                "created_at": "2025-02-18",
                "audit_trail": [
```


CONFIDENTIAL

```
            {
                "msg": "Mandate registered successful",
                "user": "member/0103/isec.maker",
                "when": "2025-02-18T12:31:48.783716754Z",
                "event_status": "mandate_registered"
            }
        ],
        "others": {
            "mode": "DD",
            "status": null,
            "investor": {
                "ucc": "8kr4EBmr"
            },
            "frequency": "AS AND WHEN PRESENTED",
            "debit_type": "Maximum",
            "client_name": "",
            "mem_details": {
                "euin_flag": true,
                "member_id": "",
                "partner_id": "partner_id",
                "sub_br_arn": "arn",
                "broker_code": "",
                "sub_br_code": "code"
            },
            "request_type": "Entry",
            "mem_mandate_info": {
                "umrn_number": "UMRN987654321",
                "sponsor_code": "SPN456789",
                "utility_code": "UTL000123",
                "member_mandate_id": "MM123456789",
                "mandate_status_date": "2024-02-12T10:30:00Z"
            }
        }
    },
    {
        "exch_mandate_id": 28,
        "ucc": "8kr4EBmr",
        "man_2fa": "n",
        "man_2fa_action_at": "2025-01-15 00:00:00",
        "member_code": "0103",
        "amount": 2000,
        "cur": "INR",
        "ifsc": "UTIB0000145",
        "acct_no": "6986598569865",
```


CONFIDENTIAL

```
"bank_name": "zdsd",
"bank_branch": "Ghansoli",
"acct_type": "SA",
"mode": "DD",
"frequency": "AS AND WHEN PRESENTED",
"debit_type": "Maximum",
"reg_date": "2025-01-15",
"start_date": "2025-02-21",
"end_date": "2035-03-15",
"type": "U",
"details": {
    "field1": "",
    "blod_id": ""
},
"is_active": true,
"is_verified": true,
"cancelled_at": "0001-01-01",
"status": "A",
"created_at": "2025-02-21",
"audit_trail": [
    {
        "msg": "Mandate registered successful",
        "user": "member/0103/isec.maker",
        "when": "2025-02-21T10:50:32.169068276Z",
        "event_status": "mandate_registered"
    }
],
"others": {
    "mode": "DD",
    "status": null,
    "investor": {
        "ucc": "8kr4EBmr"
    },
    "frequency": "AS AND WHEN PRESENTED",
    "debit_type": "Maximum",
    "client_name": "",
    "mem_details": {
        "euin_flag": true,
        "member_id": "",
        "partner_id": "partner_id",
        "sub_br_arn": "arn",
        "broker_code": "",
        "sub_br_code": "code"
    },
```


CONFIDENTIAL

```
                    "request_type": "Entry",
                    "mem_mandate_info": {
                        "umrn_number": "UMRN987654321",
                        "sponsor_code": "SPN456789",
                        "utility_code": "UTL000123",
                        "member_mandate_id": "MM123456789",
                        "mandate_status_date": "2024-02-12T10:30:00Z"
                    }
                }
            }
        ],
        "total_count": 2
    },
    "messages": null
}
```


8.6.4 mandate_update

8.6.4.1 Request


```
{
    "data": {
        "investor": {
            "ucc": "8kr4EBmr"
        },
        "exch_mandate_id": 32,
        "member": "0103",
        "identifier": {
            "identifier_type": "nach_scan_img",
            "file_name": "nach_scan_img.png",
            "file_blob":
"iVBORw0KGgoAAAANSUhEUgAAAWgAAAFgBAMAAABkmP6LAAAAG1BMVEVnrs9Xn8V4vdrv7+9Gj7uLzuX///
+f4PHH4uwR+sD+AAAgAElEQVR42uydy27jOhKGGwcYzGscHDHy4ENx5jwIBW1jF8Wcdg5OWBDVt57BGri
hdJFGlZitIBRnFsOWGxPv5VRUqK3P1rh9tmhtsXvf0syu1zqJ5/jQC9+sxpO/4Y6FWen2DLi5L6h0Av8xPq
XJRfHz8FuihQaKCe/QzowmR0yXzKTz8EGvO50DqXmXL5EdC5U1rnyPFnQBegM+S0rsmfprTOacqP0aA/Py/
dPR1AaT1J03YaE3oFHh+ANkJDjhQ0640DvSLfXT3tSWm3XcaDLsjzsTM0CX3SZajL8Tga9BKSQ2MvOkKfkB
VmDtjrD02vC/p529uDdljgZJtsXHlbIClYFziJ3G3b8vZeaDzqwczsCo2kuZmn87GgD7l1Wh5fdvKU46oCR
0uk+GIcaHt4CVs36JyO73IbqpGgqfxxBshvHTyt7JqS2/XlNgr00jo82RXmbuiTixJNJONA5/5WYCXd6WlJ
tIUTOv8YA3oFMx16Ppn4doI2szSKPQq0lcgE+ni/pyIv/EW8GE3pPA/nR7cBu9QeA3qJ/jz3lB8dBlzk3qn
iSNCUjoVx/tEV2p5wjaV0UYkt8neAtjld5CPO09Xl0EvqO2xX1aUFpb6NlB61nMak7gCd1417Qd9xIHvImz
PAvcfE+3qI9NNlhJOAQxX5ZM9Ou0D7GTbGmcumIhRtm/s8LSuznXeS+OWnW6G8vNNTUdP5NJbSQejjfZ5Cp
vdG6Y+CPo2idNHiOW27+T7ofUtSp20PbUH6P/T90Jd7PO2/D7pNrwehx7mW11ZOadtl2xQ/wrW8LOw7bVt8
I3T+KHT+p0Ffvg+6+3UPd3qatg0WQ/cD6Icu1hQPQq++E3oedp60XYYHOw500Hn2p0MH57wHoW8jQa/q0Cr
```


CONFIDENTIAL

PcnVL2obSSi1Ggp5pTPwqafUXxDlpW4BFPUAjQS+Uk9jt3AFNQcGvcq98ZKNBk0OQWO+oklmdkrYVoZU/44
0BTRN1poktwmvSNse0gmGiea4+RoO+lmEtN620gl1I7pTtqmyaK6929bvxoOdWaaIA6iQ0DE0pZQNU6n4bE
RpqCJUG0TT3JWG7RG0RFjY7440Bvaca1OxKYYrk6piCxoxQyhZkubcbEToDTpyqFYU6BX3NndKmGk9DQN95
FyMkpSKRsSoztU7YXjUrwhpq9ZI8Yv7UU9Xn56L3rROr0reC+jf5odV7SdhC0xyZFS2mxxT0SmofUslT7/s
9lFlTqB5h/ktBg74gNUw2uiJM8UZvLEFRSuqe0HZJBPcKB/CasM2wIS4wlCbJ2zavijKwXHJ7Ql99pRHGHk
a02W4yOtogU/0ik2eBZoYqzeSlJzT4tYLRRBa3PdgiRAswTjlaZnbZz+yBwoPQc1zXcIXIaJFLKL3PTEJje
CCj7lInJzN16QW9JNcm3oiegKZhIjZmVBI6zxx1po59oVErhCDN47ZzExAz3nJ7Sd1sTT3TkvDaG1q5/ujd
Imp7dflkhpyvE46uWDUmrVQv6FWWZZ7YiCJvUVuP2JjI1O31XtVA+0svaKkCWwI6z7yNLBI3pmZZ1aYX9Ex
VkwM2+RGz3WTNTS7ijuZVUUwlDgDt6Ncx20MWMEk4qgan7KAf9DWkWxw6kFFZ4k8ODZNjn3tNy8PMgNKvMd
tlYJhZ4i6tRvt1n3tNd9tMqkx/4wNfOkO/xh01dekHDWuyFz0SLmI7V26M5hGH1ofStQT86AcNTp171Dtme
+2s9Bx6VZ4j1Q/6UE0P7FbGbJXyWtLuS9TRFaNpY9pb6Y3NZYKBvUsMOnP5T/rJY9QRDZG4Af3WC3onqb+y
Y+iufJYyBg1NHDEQXWKOlhQYRVb6XU9oAHazh0amaTRse5AEnGXSlLCMQl8pijRAMN/1g0aJDbVEFaPQygG
bJIk6khQQSmzt57Un9FVCl7YOIX4v7bZ7KYFWodxAI6N/65CuACgPzZWVx6ErSiO/jEBvM5QZQIgmizm6Gn
2hb8yRW0/ordQdlQ/YIPUyPLMI284lDg2fAEOvoO2OUIaK0tmuL7QRDktKQsFEoK+6EUmGrZWMQS8tMymtB
9kXeo9Ko9QQev0VgTYTXkarnIQSaHU0lyiKiY3eXfeFPpjswOkOpYhAK8okk1DaKgaNcx31DUZmEX/0qinM
SDLDIAOJQpp2W0lHP+ZF231EruxIozRwI3zfD5yVFFY6lZGCSrZekF3JmtJ6LwI9xyIhkVHp1/7QSprJDpX
WcwLMSS3QmPQ0yMy0bj0LNsWKTcFoPQi0lRqEkBjwsO2SZgCTTiYuredmVOLKKS1v/aGvtBxKqkLoet1mO7
dZYZMJKqDF0ZZaKhMZvbsYAtpQ2NcsCm01w2TCtaLFkZL13stFYNcfeu5VlC2v1zbbq4u1s2t3RGtspfv1Q
NDKm3fj0MoLiHlubWwF8cpFlWXbH3rpKayS4jWjHSkAl3q+xW4A6JWsbyoBrSoTu2qHXrni9jJwCOiZDG3x
xqrSNjI/1puW28vXQS/uDYuU4hatWhqkwkPU2ErUBVq1gIQLILDdBolhf+i2w4l5aIDtJR7YsmGgr6G+1/d
Dy+SyVUvpfvea4tu3YN/hxudQ27aegyE89r51Ak9VQ31Pwo1D4rWdMRx4lxF2hN53gBbhpsHGwVTKBoJuUy
TUONTytfWCWzjtxoYONm3hCLYVx4Ggd1w2oy7uhhYt0MFSiV7a7AQtSxQuao9Ly5UdoUfI6/NBoPG7blYfJ
J8NBf0ejmMQWlMIHKMbXqhnCgo1oi8pB4M+S1HXWWdqCFr75XdFfMubQgucaQaBngaEDkNP9fDq4wv3fJbS
CmzkpvwfBPqtoTPXs2+g8VnIZtEGe97Y6nZ6lx1fBoPeorbuofsP/j0TahDSWY9NP3H+HOx5y3XFckFxQyG
oDgeB3oN/BIbw6xqT4fUC4y1wlAASTtMz6SwsuX6dDAcNhS4Q2IRfiNCfwrjJUj1K4YPUG+seQArQAnc5pf
Qg0DuuN9M7uRCX4CJXURoi8hT8XIdJDKsFJNZliHtN6a2gOHJpZzQuAjfLzI3S3MCUO8FbFs6U8mZwoArnQ
3zgzEGj0qgxeChhAtCYorgkInY5uFDP1EQirFF6MiT0O6JwXLug7GUIeoqTNCktYaAsdO/QAbvjNoSow8uQ
0GezDNIsDd9PzcZn+hWOjZQO3Vo2tYMHpVEGLgb95xSnwoM1E+wkAC0cNTxKOxbqWdiQ0cigy+dBod+4tNl
M3OVTo/FC0LGSa2OLq9L4APljRkhrS5kdg0JvOfOIySFrNhZeNOhJPAd6fsMEwga0eOpJdFDoPR3TCJMmgN
68YRhakISGfxLo+R0bUDu0kIIP+0+EHjhxSvtaOmrcMb/iZhNuSnhq9nxgwh8dRqUc3rDQG+vF3xqfTVhyU
4Ie9+9mz1s7CREw7h8H/sdYQ8xi0rjZmntSc8qVwEc1zlZmOhrEzJsNDP0ueXN7rjee+kOyC2ej51DcqLtB
oc8hpXm9caAVZx+NnrcBASjbhoXmoa3eOBAPIW6NnsOdscvQ0NNWN35jwQJKLxo9B6taPKcxuh1Pz6ZBR/W
PGAYbNW/wCEM/DfaBM/N2zlm5KNon/GK/a421+gK/8cnLIddzS3bcBofW6nAm6MkU/FO18YEx+L3+hmb67X
OjZwEjbzx2g0OvGKiBrKimTsPa5wCZmb2QHHYmLeOvPdjT8NAz7R8dQI6gY1a/KsBJam7BxFOjPDhnrfUxL
DQzicoYqg37i0rjN0poGwm9+7velagobb5rXQ0CvUBlKWWt0tU7Qqf6RxRtqFf9vK7fEs7x5yYS9D3ZfYHS
Z+ZRW7jq/eTnitI0vvrH+aeMc4fMqCu2/hJoy8xguhOB6vHC7rSs/2sPNKngo54dA0NPGdMuGM17FOLnSmM
/7IyyiC1qF6sY496sYab9591XQOujTvDHUWnITFaZXGc6CuYhTOMa9JvOCcwtihdkye8vgd4yBu4EsoBLU4
nUeMVwUYEHsXFW/6MC9cMwoakvc1TVjvH5CPQSkYVRGqOP9WPOfn2lTVh4tasNlCEul9wx8xTG/NfkAegVA
xrCYYyof3uN56xCjaP7d+2Pv1pjbp4s9SSBUVYCe+kOPWPMzk+4JkLmTrzGUyZcfnDimlS7OmPpabk5d4de
xzjGDGrktuv8H3YIEpjRhtzcazyFnzuloVon1a6wEpzSqDZLYJzB4rn7/zIiuAus8Vy+VrrmDojT2J6qN1b
Q7wRFCpKobBTH2NJ0e+kM/Y8hFsxorve8EzucEyDZGe3r3/tdnZnbhPteRzEORoKXztD/YcyPLLNK2sasui
F7FZphBbulBztdRDH+azxPOkO/VaJuKpFNbOONmVFs+PVT5fLc0qsJkhuLNYZxti15Z+itF1fuMvdf7jr5X
17cKfPZ3xXof/7H3LX0tq1j4UNmcuMlmU4wXTIK2mbZxqjqbRcDzNJNUd8uOxGiepne4nadB+rkZw95HiT1
chVHBYa2rBcf3/nOx0NakZyiN622tquL2FceDVowtagK38j573a6D1CjKgn0ac6BqdzS7jqvbGfQ7fRRMl+

CONFIDENTIAL

05d4B/a6v/IviYFu7y+i+8x1A1/2Yi9MG6K1Mnw2qY/gikc6dOxnoeFH5+peg+ytw5Zbr4g33Pr4j1ucDbd
6NBb3oF9hsuN2FK54I+qoYEjXlvdrqh3BNtb/8y+F2ly0lPh709aCoe8eWLtPLfk9tBtu9bbnm5PGgvwyAL
raBzpgeUMfB8B3y7QKrx4O+GMDsvjfHlkbaT1VtU0dfuy1Bh97z6Pl0mKH1J7qG9K4X9ItU1fVQPx54ILmj
pv3HfwmYD40uOJL3OJMbihN5vaVwT7u3nfx7O4AWTTa95grtvtP3lu2g+40qhm6l6U4K3I8dQM89vPBGnOk
dIu0cJ0PZQXrpDHRQRw9sGLgrZe06WXW9C2iup9u0Djl7w7QuYlWuaJsb3sVAu8uUV1w72wW0rwjryMgMK+
eXUxwI8Cy+nGwHekQdrnc47G83F7TjFlc7MU3dX2uuyiWB6434gVALzT6TVHXdJJrtc6vedt8CZRDLWR27g
H7tAWuErRmwxg8P7rSaR4VzBmzM+dmQqEM32SPU/b+c4ThD/PAH9nYFnZD6elBujN59XhPDTsBpNCYM0imK
aywUmUad9jW01IkR1F+o98duoM+0RiCo5IJQEEpXwCddkCPYIGH6R/ISK6aI/nDuZV9Dt6wwLMH9N4ShnUC
/FZwFk0oAqFpHu466DWEOfXRVx/kamYw52Hwo+35lANBNSABX5/O+3BH0mppCwZG6kWbtHPdKVnwhB0ODf/
DAxE6msixrN+u7aJjkzExjheWOoBfQSUS2Rlc7oRv7KUNn1b7WTJ7WkWkX1NFtaKljTfhBhfbqHUHPX8ivU
fOjneeFE+gcoRx3UKFfu/2a1OEosjPT9IJNt6FbzQLjYEe9gIjeCXQpu2VdlmEJs+T7TwUCR+3J4tIgg78L
zySTblBVYTnoNvQWYi3ZhzvZ5V7T4V2PfF4vfp4TcBp1NYPCVfhickFWaPYFdVEPpVPzWgxufLj9cqdbJ36
5Wz0gcCfylhWSdFVojjXJD5qm0q0vhTo3WLbg+/z3gMYvVH97jevkXZSD10AFJAjqfSIO0O2qyltwmcxEbD
CrfiPoeTl/OA+4I+qArawvWZxFMiVs7XW+FOKUgyOLKySMwGZS0CWlXOLz+f0yxBNu3bf/sr7iLd1IsGnVv
HbMrkvaCPhX9ZSgFw/3+ETh/cPDQzjG3aVeEGxOuhYbROkMqF3zUruM6Jj260lAh2vg95+8DpTCOE2rF38+
hCdBMPO7c4IdMEDRZFjAzNr3XkMOlaOjL/5jCtDV4qePzMajguRqDTTOvJB/4OzZjicbaEQkcNK6EbGZK6a
9+smgq+oBQ7LmQblBHyDyF3c8TkSjil6m7xo1r1uKj6l8Mmgf1BTE0JX3KvFpwK3/xEtdi5+B43iyxbRu1r
yEXtSwqp8Keo0TDU1LAMObAgaYcE93+BGGKtNIB82sUfPZgDgO6ilACziGyJ8Qt0gAHvarEP4qT7bYKG9en
eQ1f4XcYSnB5umgq4QN4pJt+CUAws4Hh6/u/HCzOA8dIMMs4Fb5XwpdyyJ5n9RPB127EDKQvCDeiFnj4cS3
o6ChP/sIGMhuiToUVPktn1cgBjWsA11PALpaiguJMqQ1RmSiSijDSLJ/V84Dj8BZXbI4q/kMdJ86NHx82r2
mvHuFYQwc40o4A3RsFJgo3jGvyqqc/yVQo1UaYs3lW5AatY75wmv21DtraPcG1cpu1KkB0gWwScQo8glKe2
VXt6k/0jp6Pkw5Yo0uF7Xrfu3dDfRrYKYJYuo9UeGZIolXT7Yfkt45EDvIKQn0EnTGdBJ1EMckoL8g04w6J
5V5zgIF4QDMf1eVC2diYMfy8s3tOkqLmI7lD+qJQF8I0yhoTEQOgcTeh8cZs8a3J60s50sj2dFiuSESxFWk
46g4DNGTgL7keZFL0yXikmCyNVoMwcOY4ZWfdd8ayk5lJPKTJdhVIEYdv5zUU4H+aigsUQucCCRjjkzLwmb
th79IGMbnP1TJERrYcJYN2u2Xo3oy0GsjF2nAxegEAhRRaubLcSiQ04g6sgqAtx6fGcygIwOR6c10oCvDgh
Ogol/NkF37GhTHBB/7zHc/XTXckR2Ei3OXEIedFObDEXVSTwe6NhFLik4ZwGwQSdYR/36g8THszEr+517Qx
zFHa63rKUHH0Vg32GSlQg/PLKBw1nyu658iBo2CBhncY/TAMqtJQTto8CqhhFcydsSQl7klJDuj3ogKWJ2Z
Zl06+mRWTwr6Q4NQ6Yi6YYED6NpGOdWsrq4NHdqHGBQFLG8fluWkoL/lzLV7nWtsM/ON6AjKT6BuTVdDjXQ
3nxb0TU9LrWAybAhOoGZldWV6RBajkDqtpnlCP+7ewG4pYfcKqZemRW5u8dFkD5zJ7ht4clIHdfVh+PRhOT
noG5gA9axeq8GTq3py0K8nAA32tP46gFqd1v+noEO8vjS9Z47q3wD6wkyC2s8trvtqMpvfAfpyGtBgPzcCn
9gy6a9OpCfDJwIN9uP6uNtDq98Cej0VaK+Er7Yd7TaPezC4Ggl6waANKFBPk7XZnDUZsHePeJq5ni/uz52v
xULxUP6CeDAqvAkxbdN76BUuv0dwJmb2NRyWN6YpjvGgF387a60xoS5rZ+V20IleBY0mCUi2yHF6s63NoXF
+DMm8w3L0c+P1rQec++io3PpHt2NqXgluehN+01iMHIamnUi+MRiu1xbERPtxPhr0peW/9IS20e9HWy2Osw
aTi9owIAPEpxHULAixjZvC/H7Dnrw2ZJlRz6vRoH3cMUbMpzrt/mYL0x/AmCjr5HX6MBkuMqZJNgnERHbB3
H1j15jNiCBG8+nqA7auAhlhhc3Zoy3T65voZRXFSi4yyCvWwet0xOAelUJvKDJOmQUeUWpv/POIZ8HJ0gpT
YcLUYLDwG0VQ0TskbdSniIId7yORTZFD+iaVQvoV1aP+dUu7m9Ggv1qqAhf2e2DBHpRDhf8rHBtyvREXhdJ
Kjht1OL+1dMQYbiKUY6bJ0HBcza7D6nD8k58fjBEngwKJtr4yy3/47xb+QmDF1UYiH/cL5tR4ifrpp2UFI6
sqhhWWJHrK2M9BPc9Ggz6z1LtFc9izDHmXfhmqW/gCGTMkUQkMRjiVbXgevudVS0skizMJKXBhjuGHf/mjq
7Gg10rqEVnEqj1q/BGuPtCUkwc2k4Vq3CcsdkVl3ynL3hNnMjexb/rGDh2YciTo8sYqhqwiT0md9nvVV/hS
Ym4WfhWYVJC2N1zWk22R63iKeyKbiVZq9e96LNMWIkzFvUTJYOA/zV3VDzr1L5U2wETV+GRfxpbukeyovKz
J5N+Dj2OZfm1MRgFtgay8QdbPFLuFvxowWZsRakNqrGm+K8TZaJ94VfwrDY+8/ALlh4wyrjWlcNRPQ7qF1y
ZPqqWMBCQZXFZ+ehNViCaRYmLfV3Ys6IXNsYLpSXa/56GIrP1YDjdN6iDQNLhcHNvMTrGU1gH7UTUS9IVpN
mzyXsnJ7nUL26zbNklveMoe5Q/dI9mknKSqVO7ZWKbf2GYzqodqZbu/YKF6U9dTvktkZaufynarl/THWNDf
1K+TsXY1DnRPsvZjVraur60dsNVH9ZGg+5jtkTWF/azw8biCoez700bZdz1kU8a7saCv31vPZHjTmoqHzSZ

CONFIDENTIAL

```
fh5vGvBaDjjF2BNVg7b6P9Wkuvlja3nJm7EUBqCNqQMgRutjCFuD3r6zwDWeMq8Ee4Su2foTKygZl98A+Gg
+6/vbeRNYYhsnwM/s2zPhy0CZhVjn4/G25wijseHvc8XvbasCY/zwCNHJN6jBGmgkbiSs8afMLP2HGEuURV
m280Vg6ZW3zNyCrn/9oyDHsPHsMaOTactNIKrMWXmQFsXWSFX7zPuVRuGrAjqbg+ZDxn63HJNee7P81cz7P
bdtKHB9N9Tw+CiniybVT1+NjXzjm01Frr1Mf48bjybGvGDM6Pr90em7qRJM/uwB2Fz8oiSElSDKkKCRFAp/
94oslRFOivcRfR4OgzW3oLEUKczVRJ+ccpdKLmW+V7w3ai9Qi5fmFoqe3/E76Zevi/v+1ikHanc4GQTfNLd
tDIEcst9fSy+zbhuRWM/OohJGx/K4TDsVXIM6mLRpaPxxgxZZhbl/Gi4HQ5lQ4SR5pcEIaj0TIyzo5+BZGb
A/Fqgpf6PHQZwQPrV/wMP8DRQ3bHXQ9ELqZswVIqiiXrZA8wzxpF5u3EAIk/0xUkhNofcQm4UrP65zj4gfF
blKqGQptHhThOUr3j16YlcekfersL2WPwFaaiBs8+4iHJ2kewnDV6xd8v3n4jPJWKTbkcOj6NQT3scgTHn4
+FDKsbfU4resW/LsTiVFxpyjpIwlW+kKp2VN+4ct8UZwGhkNX9V8EwL1M5lbiWG7cpa7jpC7zyTdIb00kTG
YdjUKwEzGZfYXz/CqhP63b8mIDaDuwCJGolRhykpjGb9fZr2RbrSXQ4CmOtq20PPVxPiOwn2m0feN6I2g3G
KVNP7iCzckCfpPVCj6apC6bQ6Rz2N08G5gk0Utyoa36ZetPDvYzDaqbjaCrqZaWiZd1p8VEQniXDqZHUGG/
aG3efRLslvShm0At/YKHHgCdTVXtYIztRYiEhxqdZfdDkUM4s4mtRpIvMtoRC6DhXZPPmJvpce+bIVq3Tjx
ChBzl+CoiKHWZ/mybmwUEjSdttSdxYZTYnYbj0Fs2Vt/vcZq1lDSYELvB6E+N8UYbUEtllAU6WYoCX9amEP
SFzkijMq1G9XVal7mDGNkoGRMJ+CQ4hbf480wR6Pr1CtFWFTdnSy6DPELeN+2uWlnF7MemCHRV3ame1K+yu
m6/HWxy0uRlOG/KQM91T2p8lf6dwPzQs4vyOo7LQFd9DUJntnjs7UbULxZFoOs/oL9OybGbaa1nixLQ1Xzc
W6fz9O8E80Ct0ZV+MWh4XwK6dwZxWqe51pzSgTh5/1RVX39V/bjxuAB0Vd/1pnbTkGQQO2qN5/wF7erLGHt
R+/PMltBu5tTXkpY6OXZ+C3r2FIeH+aL7xK8vP5qtoeufYQB1mmutQxZZp03HvajhfGvoqj7VSiuwz+Rh5e
cXt+rf9u1lf/ybv2udL+a9qNVsCPSameuDmBH4n8qpk3d1Pr1e+naaN3o8zNUQH8DS+Nn0Rh8C0m9VfwKq1
TcnqkZWVt6TaP4os/YuLToclqpJy1UB6DAWYysQ/CL6a9ZP0yfstTeHvE5RfS3yiJtOSkDbsWjr8gppphWV
tdM+MzhpvbYl220yCFpS27q19t15VgK6qsaeSQdbA3h8L62Y1L24LQgL09GSGcdxoEmFLAAr+n0R6PoCE17
3JE5SGvJUYh3yseuevgtvaBe1TuwVraJwUUZpO3ECaUhM4Qn9MssVfI7w1NGSO8dqyUMufqA+8nW6B9ZloC
ub9jRbgYach6TWkvQXtO66FfcB+TgA7jkSQbPS0BSCduPH6+mbER+DH4Y6paa9cNbRxVZqPi52GVnFp0+4L
AXtE6x3nWcEUpqMocQcLL4LCaFe39IHpOjFXcByk9H43FIC2p1hxLTQWgAtw0iF/sAO6Oozj0UaEErkJnfr
q2LQPlWRmpxk4wIJL0pTPNjV0gOCHMlhh9RnF47KQVf/RW6HWyKrgM/N1D6t0l6dSjensY9kSepWeF8Q2rY
kikgRdVCBSlZ9dyy6qvodpC55shpajiwF/TuKlnTC5YbjUjCP/Yd/dlVlUOXhJzLgoBvmv/ndrbEILX0bQm
g17zYddVVV34UMFCQIz+0/I6YtXaDOiwomSXSmgjemq+GfIe4tY5HLtSkJXZlPCN8oOo7GzqqmMeG0y1VZa
Jv2AFa1s6w+IJ51xo+t/YPgeFKVhXbTBq2hV9E3nZecQ5+1LGczXmno+hPqngVw0VHVfFlpCWJRGtpdFugu
qEU7NxQ7B+JKpTU0xaGtRIRFdMtPVlk7Vy86Ut5yj0ny2AE0G6SPq63U66qax7DDP1rHmx1AV80f2KW0e7D
miN+tubhfJ7mzNbTxzS6g67lGWGuOYGvA+FFgqappWgOwBrzhbCfQzW+ImPgQU1u6trVIiHizuqrPmDBjUN
ttwMVuoG2brnZ3qdyB8bIrmgag8wjS4qtVVf2GMmYpZu4XCrbZEbTR3ICMnzTfIQnuetxFc7ZclSEnxJi1k
Nvyy66g7SQVk5GXL+ocBd8tVXWHojTtzrGS9m+GQveeyNafyQokVpY60EPIRrfhVX5Hh511SfLJh7A/Eo8G
/ozjkK+rjj2Pcy1qTDwNwJ0uG2yRu6b9ZUHPjJwbk/4CftzvEPrCZxCfRZLsIbhhI1GD3JNvmulIYtE8XkO
4pHS1Q2h3YiTsXGntxPa2iRtc+deT456+DVuJOU2Wnvna7BDaTq09GKcLOhWjKJ2ZXIJSigPRKy5BaU8AAA
IGSURBVJRGVvpql0r7mRP5OhGaOjkk8WjrvERPh+mHjMOz3UI3/0a2gaSCCAqSWfx/gJmgifgas6DRW3qn0
D7f5jwiI7ZgoCU0SpgcQsh8YHYNPeekHAxJwLkfNCTM0PLxUrnZObSfOa30LWdeOjnyRAQhwGtI0hx3Db17
snN7iEF0tIBeM/QybwTu9iEaF3uANjpz7fK4antabJzFFvhxZvYAHQ2yHlSvGY6rjHWzF2g7te5b1meTyH9
U7QXaaCxQJIjFBtAb/OJVfYHlynWZu8V6rH4uB/1mb9DNuBj0/f6gP5RihmZ/0HbmVKZc7RO6OS0DfbZX6H
lRd+wJuuvE2L/c7Bl6aWq9kTvqPUMXODHOzL6hCxjkav/Q2xtkUe0feluDXJsDQNevt4M+qQ4AveXMCTb+c
s4G8+l0dbzlBG+jdreFftgCujkU9BYzp6vDQW9ukOaA0B+2mpQeCHrDEyM0B4VuNsrWJweGNtPhZ8bL5tDQ
9XTwaLw/OLT7isXAyb95BtC1+WuQOerqGUBb7L8HTUmfB3TV/Kf3B/TvzHOBtnOwnhb53lTPBtquPuheg3D
bhrabT7dX+4zH77dvqCy0/1ZcL+ZnBe1+Xq6L+cfmWUJbA35Zp/ZlZernCe1WL1Ziv2/KNLQj6KaZ/jpqXU
06r031zKHd+lcBn/30NXx/tUDN/wCr1MAOVjApiAAAAABJRU5ErkJggg==",
            "file_size": 1024
        }
```


CONFIDENTIAL

```
    }
}
```

8.6.4.2 Response

```
{
    "status": "success",
    "data": {
        "investor": {
            "ucc": "8kr4EBmr"
        },
        "member": "0103",
        "exch_mandate_id": 32
    },
    "messages": null
}
```

8.6.5 mandate_cancel

8.6.5.1 Request

```
{
    "data": {
        "ids": [
            32
        ],
        "investor": {
            "ucc": "8kr4EBmr"
            // "pan_holders": [
            //     ""
            // ],
            // "holding_nature": "SI"
        }
        // "parent_client_code": ""
    }
}
```

8.6.5.2 Response

```
{
    "status": "success",
```


CONFIDENTIAL

```
    "data": {
        "success_id": [
            32
        ],
        "investor": {
            "ucc": "8kr4EBmr"
        }
    },
    "messages": []
}
```


8.6.6 mandate_link

8.6.6.1 Request


```
{
    "data": {
        "reg_no": "d18b4e71-83d4-4ce1-80d1-81a67d262da0",
        "exch_mandate_id": 14
    }
}
```


8.6.6.2 Response


```
{
    "status": "success",
    "data": {
        "reg_no": "d18b4e71-83d4-4ce1-80d1-81a67d262da0"
    },
    "messages": []
}
```


8.6.7 mandate_delink

8.6.7.1 Request


```
{
```


CONFIDENTIAL

```
    "data": {
        "reg_nos": [
            "d18b4e71-83d4-4ce1-80d1-81a67d262da0"
        ]
    }
}
```

8.6.7.2 Response

```
{
    "status": "success",
    "data": {
        "SuccessIds": [
            "d18b4e71-83d4-4ce1-80d1-81a67d262da0"
        ],
        "FailedIds": null
    },
    "messages": null
}
```

8.6.8 get_2fa_link

8.6.8.1 Request

```
{
    "data": [
        {
            "event": "verify_order_new",
            "order": "5000000016"
        },
        {
            "event": "verify_sxp_reg",
            "sxp": "50f51953-ce35-4c60-90dd-5053c2185375"
        },
        {
            "event": "verify_mandate_cancel",
            "mandate": "1234560041"
        },
        {
```


CONFIDENTIAL

```
            "event": "UCC_ELOG",
            "investor": {
                "client_code": "ucc45",
                "pan_holder": [
                    ""
                ],
                "holding_nature": ""
            },
            "parent_client_code": "",
            "member_code": "MBR00100"
        }
    ]
}
```


8.6.8.2 Response


```
{

        "status": "success",

        "data": [

        {

                "member": "0103",

                "investor": {

                "client_code": "CLNT22041996",

                "pan_holder": null,

                "holding_nature": ""

                },

                "parent_client_code": "",

                "action": {

                "msgcode": "",

                "at": "2025-02-21T08:23:53.21071Z",

                "event": "UCC_NOM",

                     "event_object": [
```


CONFIDENTIAL

```
                {
                        "holder_rank": "1",
                        "pan": "NOTPA0008A",
                        "2fa_url":
"https://qa.starmfv2.remiges.tech/api/2fa_view_object/292c581d-f065-45fb-a5d0-
60b272f530d0"
                }
        ]
        }
    },
 {
        "member": "0103",
        "investor": {
        "client_code": "CLNT22041996",
        "pan_holder": null,
        "holding_nature": ""
        },
        "parent_client_code": "",
        "action": {
        "msgcode": "",
        "at": "2025-02-21T08:23:53.194752Z",
        "event": "UCC_ELOG",
        "event_object": [
                {
                        "holder_rank": "1",
                        "pan": "NOTPA0008A",
```


CONFIDENTIAL

```
                        "2fa_url":
"https://qa.starmfv2.remiges.tech/api/2fa_view_object/ca49cc2f-8eb3-4799-9a60-
5a7bf927593b"

                }

            ]

            }

        },

 {

            "member": "0103",

            "investor": {

            "client_code": "8kr4EBmr",

            "pan_holder": null,

            "holding_nature": ""

            },

            "parent_client_code": "",

            "action": {

            "msgcode": "",

            "at": "2025-02-20T09:10:58.208871Z",

            "event": "verify_sxp_reg",

            "event_object": [

                {

                        "holder_rank": "",

                        "pan": "",

                        "2fa_url":
"https://qa.starmfv2.remiges.tech/api/s4/2fa_view_object/sxp/eb51227e-0927-4b77-
85b0-7511577af70f"

                }
```


CONFIDENTIAL

```
            ]

            }

      },

{

            "member": "0103",

            "investor": {

            "client_code": "AJEET007",

            "pan_holder": null,

            "holding_nature": ""

            },

            "parent_client_code": "",

            "action": {

            "msgcode": "",

            "at": "2025-02-21T07:39:55.236159Z",

            "event": "verify_order_cancel",

            "event_object": [

                  {

                        "holder_rank": "",

                        "pan": "",

                        "2fa_url":
"https://qa.starmfv2.remiges.tech/api/s2/2fa_view_object/orders/d711f70b-f278-4fab-
af8d-0ddca5edad26"

                  }

            ]

            }

      },
```


CONFIDENTIAL

```
{
                "member": "0103",
                "investor": {
                "client_code": "8kr4EBmr",
                "pan_holder": null,
                "holding_nature": ""
                },
                "parent_client_code": "",
                "action": {
                "msgcode": "",
                "at": "2025-02-20T09:10:58.208871Z",
                "event": "mandate",
                "event_object": [
                        {
                                "holder_rank": "",
                            "pan": "",
                                "2fa_url":
"https://qa.starmfv2.remiges.tech/api/s4/2fa_view_object/sxp/eb51227e-0927-4b77-
85b0-7511577af70f"
                        }
                ]
                }
        }
        ],
        "messages": null
}
```


CONFIDENTIAL

9 Annexure

9.1 Error Message Parsing in Angular

Following is the sample Code to parse the error messages from the APIs and form the error message.
The below example can be used in angular.
The consumer of the API may need to write their own version of the below code to support other languages.

```
 interface Message {
  msgid: number;
  field?: string;
  vals?: string[];
}

interface MessageDictionary {
  [msgid: number]: { [language: string]: string };
}



  generateErrorMessage(
    message: Message,
    languageDictionary: MessageDictionary,
    language: string
  ): string {
    // Retrieve the message template based on msgid and language
    const messageTemplate = languageDictionary[message.msgid]?.[language];

    // Fallback if no message template is found
    if (!messageTemplate) {
      console.log(
        `Error message not found for msgid: ${message.msgid} and language ${language}`
      );
      return `Something went wrong. Please contact support`;
    }

    let errorMessage = messageTemplate;

    // Replace placeholders for the field
    if (message.field) {
      errorMessage = errorMessage.replace(/@<field>@/g, message.field);
    }
```


CONFIDENTIAL

```
  // Replace placeholders for vals
  if (message.vals && message.vals.length > 0) {
    message.vals.forEach((value: any, index: any) => {
      // const placeholder = new RegExp(`{@<val_${index}>@}`, "g");
      const placeholder = `@<val_${index}>@`;
      errorMessage = errorMessage.replace(placeholder, value);
    });
  }

  // Remove any remaining placeholders
  errorMessage = errorMessage.replace(/@<[^>]+>@/g, "");

  return errorMessage;
}
```


CONFIDENTIAL

9.2 Scheme List Sample

Success response					
Attribute	**M**	**List**	**Type**	**Limit**	**Description and example(s)**
status	Y	N	String		"success"

data	Y	Y	Object		"data": {
					"count": 7809,
					"lists": [
					{
					"parent_scheme_code": "P-DBT-FMP",
					"parent_scheme_name": "ICICI PRUDENTIAL FIXED MATURITY PLAN SERIES 83 - 1113 DAYS PLAN E",
					"name": "ICICI PRUDENTIAL FIXED MATURITY PLAN SERIES 83 - 1113 DAYS PLAN E DIRECT PLAN CUMULATIVE",
					"scheme_plan": "Direct",
					"scheme_option": "Growth",
					"scheme_option_frequency": "",
					"scheme_addon": "",
					"scheme_transaction_mode_allowed": [
					{
					
					"scheme_transaction_mode_demat_physical_allowed": "Demat"
					},
					{
					
					"scheme_transaction_mode_demat_physical_allowed": "Physical"
					}
					],
					"scheme_isin": "INF109KC1EL9",
					"scheme_amc_code": "F831113E",
					"scheme_rta_code": "9315",
					"scheme_amfi_code": "",
					"scheme_bse_code": "IC9315-GR",
					"scheme_cpc_code": "P9315",
					"scheme_amc_name": "ICICI PRUDENTIAL MUTUAL FUND",
					"scheme_rta_name": "CAMS",
					"scheme_sub_category": "Fixed Maturity Plan",
					"scheme_sector": "",
					"scheme_benchmark": "",
					"scheme_face_value": 10,
					"scheme_offer_status": "OPEN",
					"scheme_offer_type": "",
					"scheme_investment_mode": "Active",
					"scheme_redemption_settlement_days": "",
					"scheme_nfo_date_time_detail": [
					{
					"nfo_cutoff_date": "",
					"nfo_cutoff_time": "18:00:00",
					"nfo_transaction_type": "New Fund Offer"
					},
					{

CONFIDENTIAL

```
                "nfo_cutoff_date": "",
                "nfo_cutoff_time": "18:00:00",
                "nfo_transaction_type": "Purchase"
            },
            {
                "nfo_cutoff_date": "",
                "nfo_cutoff_time": "18:00:00",
                "nfo_transaction_type": "Systematic Transfer
Plan - IN"
            },
            {
                "nfo_cutoff_date": "",
                "nfo_cutoff_time": "18:00:00",
                "nfo_transaction_type": "Switch-IN"
            },
            {
                "nfo_cutoff_date": "",
                "nfo_cutoff_time": "18:00:00",
                "nfo_transaction_type": "Systematic
Investment Plan"
            },
            {
                "nfo_cutoff_date": "",
                "nfo_cutoff_time": "18:00:00",
                "nfo_transaction_type": "Systematic Transfer
Plan - OUT"
            },
            {
                "nfo_cutoff_date": "",
                "nfo_cutoff_time": "18:00:00",
                "nfo_transaction_type": "Systematic
Withdrawal Plan"
            },
            {
                "nfo_cutoff_date": "",
                "nfo_cutoff_time": "18:00:00",
                "nfo_transaction_type": "Switch-OUT"
            },
            {
                "nfo_cutoff_date": "",
                "nfo_cutoff_time": "18:00:00",
                "nfo_transaction_type": "Redemption"
            }
        ],
        "nfo_payment_details": [
            {
                "nfo_payment_cutoff_date": "2024-01-01",
                "nfo_payment_cutoff_time": "23:59:59",
                "nfo_payment_mode_name": "Cheque"
            },
            {
                "nfo_payment_cutoff_date": "2024-01-01",
                "nfo_payment_cutoff_time": "23:59:59",
                "nfo_payment_mode_name": "NEFT/RTGS"
            },
            {
                "nfo_payment_cutoff_date": "2024-01-01",
                "nfo_payment_cutoff_time": "23:59:59",
                "nfo_payment_mode_name": "Mandate"
            },
            {
```


CONFIDENTIAL

```
                    "nfo_payment_cutoff_date": "2024-01-01",
                    "nfo_payment_cutoff_time": "23:59:59",
                    "nfo_payment_mode_name": "UPI"
                },
                {
                    "nfo_payment_cutoff_date": "2024-01-01",
                    "nfo_payment_cutoff_time": "23:59:59",
                    "nfo_payment_mode_name": "DirectCredit/
NodalPayment"
                }
            ],
            "nfo_open_date": "2018-05-28T00:00:00Z",
            "nfo_close_date": "2018-05-28T00:00:00Z",
            "nfo_allotment_date": "2018-05-28T00:00:00Z",
            "reopen_date": "2018-05-28T00:00:00Z",
            "scheme_interval_lifecycle": null,
            "scheme_last_order_closure_date": "2018-05-
28T00:00:00Z",
            "scheme_final_closure_date": "",
            "scheme_entry_load": "",
            "scheme_entry_load_remarks": "",
            "scheme_exit_load": "0",
            "scheme_exit_load_remarks": "",
            "scheme_lockin_period": 0,
            "scheme_lockin_period_type": "",
            "lumpsum": [
                {
                    "scheme_transaction_allowed_options": {
                        "scheme_sxp_first_order_today_allowed":
null,
                        "scheme_sxp_paused": null,
                        "scheme_sxp_registration_allowed": null,
                        "scheme_sxp_trigger_allowed": null
                    },
                    "scheme_transaction_cutoff_time": "15:00:00",
                    "scheme_transaction_effective_end_date":
"2018-06-11T00:00:00",
                    "scheme_transaction_effective_start_date":
"2018-05-28T00:00:00",
                    "scheme_transaction_mode_allowed": [
                        {

"scheme_transaction_mode_demat_physical_allowed":
"Demat"
                        },
                        {

"scheme_transaction_mode_demat_physical_allowed":
"Physical"
                        }
                    ],
                    "scheme_transaction_single_details": {
                        "scheme_transaction_amt": {
                            "scheme_transaction_max_amt":
100000000000,
                            "scheme_transaction_min_adtnl_amt":
5000,
                            "scheme_transaction_min_amt": 5000,
                            "scheme_transaction_mult_amt": 10
                        },
                        "scheme_transaction_units": {
```


CONFIDENTIAL

```
                        "scheme_transaction_max_unit": 0,
                        "scheme_transaction_min_unit": 0,
                        "scheme_transaction_mult_unit": 0
                     }
                  },
                  "scheme_transaction_type": "Purchase",
                  "scheme_transaction_type_tag_name":
"Purchase"
               },
               {
                  "scheme_transaction_allowed_options": {
                     "scheme_sxp_first_order_today_allowed":
null,
                     "scheme_sxp_paused": null,
                     "scheme_sxp_registration_allowed": null,
                     "scheme_sxp_trigger_allowed": null
                  },
                  "scheme_transaction_cutoff_time": "15:00:00",
                  "scheme_transaction_effective_end_date":
"2018-06-11T00:00:00",
                  "scheme_transaction_effective_start_date":
"2018-05-28T00:00:00",
                  "scheme_transaction_mode_allowed": [
                     {

"scheme_transaction_mode_demat_physical_allowed":
"Demat"
                     },
                     {

"scheme_transaction_mode_demat_physical_allowed":
"Physical"
                     }
                  ],
                  "scheme_transaction_single_details": {
                     "scheme_transaction_amt": {
                        "scheme_transaction_max_amt":
100000000000,
                        "scheme_transaction_min_adtnl_amt": 0,
                        "scheme_transaction_min_amt": 1,
                        "scheme_transaction_mult_amt": 0
                     },
                     "scheme_transaction_units": {
                        "scheme_transaction_max_unit":
100000000000,
                        "scheme_transaction_min_unit": 0.001,
                        "scheme_transaction_mult_unit": 0.001
                     }
                  },
                  "scheme_transaction_type": "Redemption",
                  "scheme_transaction_type_tag_name":
"Redemption"
               },
               {
                  "scheme_transaction_allowed_options": {
                     "scheme_sxp_first_order_today_allowed":
null,
                     "scheme_sxp_paused": null,
                     "scheme_sxp_registration_allowed": null,
                     "scheme_sxp_trigger_allowed": null
                  },
```


CONFIDENTIAL

					"scheme_transaction_cutoff_time": "15:00:00",
					"scheme_transaction_effective_end_date":
					"2018-06-11T00:00:00",
					"scheme_transaction_effective_start_date":
					"2018-05-28T00:00:00",
					"scheme_transaction_mode_allowed": [
					{
					
					"scheme_transaction_mode_demat_physical_allowed":
					"Demat"
					},
					{
					
					"scheme_transaction_mode_demat_physical_allowed":
					"Physical"
					}
					],
					"scheme_transaction_single_details": {
					"scheme_transaction_amt": {
					"scheme_transaction_max_amt":
					100000000000,
					"scheme_transaction_min_adtnl_amt":
					5000,
					"scheme_transaction_min_amt": 5000,
					"scheme_transaction_mult_amt": 10
					},
					"scheme_transaction_units": {
					"scheme_transaction_max_unit": 0,
					"scheme_transaction_min_unit": 0,
					"scheme_transaction_mult_unit": 0
					}
					},
					"scheme_transaction_type": "Switch-IN",
					"scheme_transaction_type_tag_name":
					"Switch-IN"
					},
					{
					"scheme_transaction_allowed_options": {
					"scheme_sxp_first_order_today_allowed":
					null,
					"scheme_sxp_paused": null,
					"scheme_sxp_registration_allowed": null,
					"scheme_sxp_trigger_allowed": null
					},
					"scheme_transaction_cutoff_time": "15:00:00",
					"scheme_transaction_effective_end_date":
					"2018-06-11T00:00:00",
					"scheme_transaction_effective_start_date":
					"2018-05-28T00:00:00",
					"scheme_transaction_mode_allowed": [
					{
					
					"scheme_transaction_mode_demat_physical_allowed":
					"Demat"
					},
					{
					
					"scheme_transaction_mode_demat_physical_allowed":
					"Physical"
					}
					],

CONFIDENTIAL

					"scheme_transaction_single_details": {
					"scheme_transaction_amt": {
					"scheme_transaction_max_amt": 100000000000,
					"scheme_transaction_min_adtnl_amt": 0,
					"scheme_transaction_min_amt": 1,
					"scheme_transaction_mult_amt": 0
					},
					"scheme_transaction_units": {
					"scheme_transaction_max_unit": 100000000000,
					"scheme_transaction_min_unit": 0.001,
					"scheme_transaction_mult_unit": 0.001
					}
					},
					"scheme_transaction_type": "Switch-OUT",
					"scheme_transaction_type_tag_name": "Switch-OUT"
					}
					],
					"systematic": null,
					"scheme_category": "Debt",
					"amc_active_flag": true,
					"is_active": true
					}
					]
					}

messages	Y	Y	object		[ ]

CONFIDENTIAL

10 Internal Fields

The Exchange will send internal fields which are not part of the response structure with the response in some cases. These are for display purposes only and are not to be used.

SN	field_name	category	brief_description
1	mem_2fa	Member/2FA	Member-level 2FA flag for the transaction
2	mem_2fa_action_at	Member/2FA	Timestamp when member 2FA action was completed
3	mem_paymt	Member/Payment	Member payment routing/mode flag (system-derived).
4	tracker_id	Tracking	Internal correlation/tracking identifier for lifecycle tracing.
5	matched_pa	Matching/Reconciliation	Payment aggregator matching status
6	pa_matched_at	Matching/Reconciliation	Timestamp when PA match occurred.
7	matched_pa_ids	Matching/Reconciliation	Matched PA identifiers
8	matched_bank_rcpt	Matching/Reconciliation	Bank receipt matching status
9	bank_matched_at	Matching/Reconciliation	Timestamp when bank receipt was matched.
10	matched_bank_rcpt_id	Matching/Reconciliation	Internal bank receipt match identifier
11	match_bank_rcpt_id	Matching/Reconciliation	Internal bank receipt match identifier.
12	full_matched_at	Matching/Reconciliation	Timestamp when full reconciliation completed.
13	rta_resp_at	RTA Reverse Feed	Timestamp when RTA response was received/recorded.
14	rta_resp	RTA Reverse Feed	RTA response payload
15	dp_resp	RTA Reverse Feed	Depository response payload
16	manually_updated_at	Ops/Manual Update t	Timestamp for manual/ops intervention update.
17	manually_updated_by	Ops/Manual Update by	Actor/system for manual/ops update.
18	threshold_isapproved	Threshold	Threshold approval flag
19	threshold_rejected_by	Threshold	Actor/system who rejected threshold
20	threshold_rejected_at	Threshold	Timestamp of threshold rejection
21	threshold_app_rej_by	Threshold	Threshold approve/reject actor
22	threshold_app_rej_at	Threshold	Threshold approve/reject timestamp
23	expires_at	Expiry/Timing	Expiry timestamp for the order/session.
25	order_added_at	Expiry/Timing	Timestamp when order record was created/inserted.
26	refund_details	Refund	Refund details payload

CONFIDENTIAL