

Complaint Management System

A PROJECT REPORT

submitted by

MRINAL SATYAWANSHI

(205119057)

student of

Masters of Computer Applications

at

National Institute of Technology, Tiruchirappalli

ABSTRACT

"Complaint Management System" is designed to make the existing manual system automatic with the help of computerised equipment and full-edged computer software, fulfilling their requirements, so that their valuable data and information can be stored for a longer period with easy access and manipulation of the same. The required software is easily available and easy to work with. This web application can maintain and view computerised records without getting redundant entries. The project describes how to manage user data and complaints and solve it for the betterment of the organization.

INDEX

- 1. Objective and Scope of the Project
- 2. Theoretical Background of Project
- 3. Definition of Problem
- 4. System Analysis & Design
- 5. Details of Hardware & Software Used
- 6. ER Diagram of the Project
- 7. Input and Output Screen Design
- 8. Printout of the Code Sheet

1. OBJECTIVE & SCOPE OF PROJECT

1.1 OBJECTIVE

The objective of the system is to provide a platform for all the students to lodge a complaint. Apart from main objective this fulfills following other objective.

- To lodge complaint against seniors.
- To maintain list of students who had complaint in the past.
- To maintain list of non processed complaint, in process complaint and closed complaint.
- To provide admin a list of complaints by students.
- Increased accuracy and reliability.
- Increased operational efficiency.

This software package can be readily used by non-programming personal avoiding human handled chance of error.

1.2 SCOPE

The system can be easily used by educational institute to manage the complaints of the students. The main advantage of the Complaint Management System is easy to lodge any complaint. This software can be readily used by non-programming personal avoiding human handled chance of error.

Focus is on:-

- Simplified Management of Complaints.
- Easy to take action on various complaints.

CMS can be easily developed on local or rented remote servers and can be used by following organization:

- Educational Institutes
- Offices(to manage the complaint of the employees)

2. THEORITICAL BACKGROUND OF PROJECT

FRONT END

PHP

PHP is a server-side scripting language designed primarily for web development but also used as a general-purpose programming language. Originally created by Rasmus Lerdorf in 1994, the PHP reference implementation is now produced by The PHP Development Team.PHP originally stood for Personal Home Page, but it now stands for the recursive acronym PHP: Hypertext Preprocessor. PHP code may be embedded into HTML code, or it can be used in combination with various web template systems, web content management systems and web frameworks. PHP code is usually processed by a PHP interpreter implemented as a module in the web server or as a Common Gateway Interface (CGI) executable. The web server combines the results of the interpreted and executed PHP code, which may be any type of data, including images, with the generated web page. PHP code may also be executed with a command-line interface (CLI) and can be used to implement standalone graphical applications. The standard PHP interpreter, powered by the Zend Engine, is free software released under the PHP License. PHP has been widely ported and can be deployed on most web servers on almost every operating system and platform, free of charge.

The PHP language evolved without a written formal specification or standard until 2014, leaving the canonical PHP interpreter as a de facto standard. Since 2014 work has gone on to create a formal PHP specification.

HTML

HyperText Markup Language (HTML) is the standard markup language for creating web pages and web applications. With Cascading Style Sheets (CSS), and JavaScript, it forms a triad of cornerstone technologies for the World Wide Web.Web browsers receive HTML documents from a webserver or from local storage and render them into multimedia web pages. HTML describes the structure of a web page semantically and originally included cues for the appearance of the document. HTML elements are the building blocks of HTML pages. With HTML constructs, images and other objects, such as interactive forms may be embedded into the rendered page. It provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items. HTML elements are delineated by tags, written using angle brackets. Tags such as and <input /> introduce content into the page directly. Others such as ... surround and provide information about document text and may include other tags as subelements. Browsers do not display the HTML tags, but use them to interpret the content of the page. HTML can embed programs written in a scripting language such as JavaScript which affect the behavior and content of web pages. Inclusion of CSS defines the look and layout of content. The World Wide Web

Consortium (W3C), maintainer of both the HTML and the CSS standards, has encouraged the use of CSS over explicit presentational HTML since 1997.

Cascading Style Sheets (CSS) is a style sheet language used for describing the presentation of a document written in a markup language. Although most often used to set the visual style of web pages and user interfaces written in HTML and XHTML, the language can be applied to any XML document, including plain XML, SVG and XUL, and is applicable to rendering in speech, or on other media. Along with HTML and JavaScript, CSS is a cornerstone technology used by most websites to create visually engaging webpages, user interfaces for web applications, and user interfaces for many mobile applications. CSS is designed primarily to enable the separation of document content from document presentation, including aspects such as the layout, colors, and fonts. This separation can improve content accessibility, provide more flexibility and control in the specification of presentation characteristics, enable multiple HTML pages to share formatting by specifying the relevant CSS in a separate .css file, and reduce complexity and repetition in the structural content. Separation of formatting and content makes it possible to present the same markup page in different styles for different rendering methods, such as onscreen, in print, by voice (via speech-based browser or screen reader), and on Braille-based tactile devices. It can also display the web page differently depending on the screen size or viewing device. Readers can also specify a different style sheet, such as a CSS file stored on their own computer, to override the one the author specified. Changes to the graphic design of a document (or hundreds of documents) can be applied quickly and easily, by editing a few lines in the CSS file they use, rather than by changing markup in the documents.

The CSS specification describes a priority scheme to determine which style rules apply if more than one rule matches against a particular element. In this so-called cascade, priorities (or weights) are calculated and assigned to rules, so that the results are predictable. The CSS specifications are maintained by the World Wide Web Consortium (W3C). Internet media type (MIME type) text/css is registered for use with CSS by RFC 2318 (March 1998). The W3C operates a free CSS validation service for CSS documents.

JavaScript

JavaScript is a high-level, dynamic, untyped, and interpreted programming language. It has been standardized in the ECMAScript language specification. Alongside HTML and CSS, JavaScript is one of the three core technologies of World Wide Web content production; the majority of websites employ it, and all modern Web browsers support it without the need for plug-ins. JavaScript is prototype-based with first-class functions, making it a multi-paradigm language, supporting object-oriented, imperative, and functional programming styles. It has an API for working with text, arrays, dates and regular expressions, but does not include any I/O, such as networking, storage, or graphics facilities, relying for these upon the host environment in which it is embedded. Although there are strong outward similarities between JavaScript and Java, including language name, syntax, and respective standard libraries, the two are distinct languages and differ greatly in their design. JavaScript was influenced by programming languages such as self and Scheme.

JavaScript is also used in environments that are not Web-based, such as PDF documents, site-specific browsers, and desktop widgets. Newer and faster JavaScript virtual machines (VMs) and platforms built upon them have also increased the popularity of JavaScript for server-side Web applications. On the client side, developers have traditionally implemented JavaScript as an interpreted language, but more recent browsers perform just-in-time compilation. Programmers also use JavaScript in video-game development, in crafting desktop and mobile applications, and in server-side network programming with run-time environments such as Node.js.

Bootstrap

Bootstrap is a free and open-source front-end web framework for designing websites and web applications. It contains HTML- and CSS-based design templates for typography, forms, buttons, navigation and other interface components, as well as optional JavaScript extensions. Unlike many web frameworks, it concerns itself with front-end development only.

Bootstrap is modular and consists of a series of Less stylesheets that implement the various components of the toolkit. These stylesheets are generally compiled into a bundle and included in web pages, but individual components can be included or removed. Bootstrap provides a number of configuration variables that control things such as color and padding of various components.

Since Bootstrap 2, the Bootstrap documentation has included a customization wizard which generates a customized version of Bootstrap based on the requested components and various settings.

Each Bootstrap component consists of an HTML structure, CSS declarations, and in some cases accompanying JavaScript code.

Grid system and responsive design comes standard with an 1170 pixel wide grid layout. Alternatively, the developer can use a variable-width layout. For both cases, the toolkit has four variations to make use of different resolutions and types of devices: mobile phones, portrait and landscape, tablets and PCs with low and high resolution. Each variation adjusts the width of the columns.

BACK END TOOL: MySql

MySQL is an open-source relational database management system (RDBMS). Its name is a combination of —Myl, the name of co-founders Michael Widenius' daughter, and "SQL", the abbreviation for Structured Query Language. The MySQL development project has made its source code available under the terms of the GNU General Public License, as well as under a variety of proprietary agreements. MySQL was owned and sponsored by a single forprofit firm, the Swedish company MySQL AB, now owned by Oracle Corporation. For proprietary use, several paid editions are available, and offer additional functionality. MySQL is a central component of the LAMP open-source web application software stack (and other "AMP" stacks). LAMP is an acronym for "Linux, Apache, MySQL, Perl/PHP/Python". Applications that use the MySQL database include: TYPO3, MODx, Joomla, WordPress, phpBB, MyBB,

and Drupal. MySQL is also used in many high-profile, large-scale websites, including Google (though not for searches), Facebook, Twitter, Flickr, and YouTube.

Features OF MySql:-

- Updatable views.
- Cross-platform support.

Stored procedures, using a procedural language that closely adheres to SQL/PSM.

3. DEFINITION OF PROBLEM

Students have to do a lot of work to complaint anonymously. The following problems are faced by students:

- Students file their complaint offline which result in increased paper work.
- Students don't want to leak their information.
- They can't complain from their system.
- Not easy to complaint as explaining the situation can be different.

The above mentioned drawbacks can affect the organization in following ways:

- Miscommunication
- Lots of paper work

4. SYSTEM ANALYSIS AND DESIGN

4.1 SYSTEM ANALYSIS

Systems analysis is a process of collecting factual data, understand the processes involved, identifying problems and recommending feasible suggestions for improving the system functioning. This involves studying the business processes, gathering operational data, understand the information flow, finding out bottlenecks and evolving solutions for overcoming the weaknesses of the system so as to achieve the organizational goals. System Analysis also includes subdividing of complex process involving the entire system, identification of data store and manual processes.

Following are the features recognized on analyzing the problem:

- Students' entry
- Entering the complaint by the student.
- Managing students by admin.
- Managing the complaint and taking action by admin.
- Search the student and his complaint by admin.

4.2 SYSTEM DESIGN


DATABASE DESIGN

There is only one database used for accomplishing the project. Following are the tables included in the database:

- admin
- category
- complaintremark
- department
- subcategory
- tblcomplaints
- users


admin table:

Contains credentials for the admin.




category table:

Stores list of category.



complaintremark table:

Stores remark of complaints.




department table:

Stores list of various departments in institution.

Column Name	Data Type		Length	Default	PK?	Not Null?	Unsigned?	Auto Incr?	Zerofill?	Comment
id	int	•	11		~	~		~		
deptName	varchar	•	255			~				
deptDescription	tinytext	•				~				
postingDate	timestamp	•		CURRENT_TIM		~				
updationDate	varchar	•	255							
		•								


subcategory table:

Stores information about subcategory of complaint.




tblcomplaints table:

Stores complaints by students.



users table:

Stores credentials of the user.



5. DETAIL OF HARDWARE & SOFTWARE USED

Hardware:

Hardware	Specification
Processor	CPU Type
	AMD Ryzen 5 2500U with Radeon
	Vega Mobile Gfx
Display	VGA 1366x768 resolution
RAM	8GB

Software:

Type	Software Used
Operating System	Windows 10
Local Server	Xampp
Web Browser	Google Chrome
IDE	Breackets
Back End	MySQL(SQLYOG)

6. ER DIAGRAM OF THE PROJECT

Entity Relationship Diagram





Fig: ER DIAGRAM OF CMS


7. INPUT AND OUTPUT SCREEN DESIGN

Home Screen:




Admin login Screen:

Made by Mrinal Satyawanshi




Admin change password Screen:




Made by Mrinal Satyawanshi

Admin Not processed complaint Screen:




Admin Closed complaint Screen:




Made by Mrinal Satyawanshi


Admin Manage users Screen:




Admin Add Category Screen:




Admin Add Sub-Category Screen:




Admin Add Department Screen:




User Home Screen:




User Profile Details Screen:



User Lodge Complaint Screen:



User Complaint Details Screen:



7.1 PRINTOUT OF THE CODE SHEET

Admin Module:

```
index.php:
<?php
session_start();
error_reporting(0);
include("include/config.php");
if(isset($_POST['submit']))
{
      $username=$_POST['username'];
      $password=$_POST['password'];
$ret=mysqli_query($con,"SELECT * FROM admin WHERE
username='$username' and password='$password''');
$num=mysqli_fetch_array($ret);
if(\text{num}>0)
$extra="change-password.php";//
$_SESSION['alogin']=$_POST['username'];
$_SESSION['id']=$num['id'];
$host=$_SERVER['HTTP_HOST'];
$uri=rtrim(dirname($_SERVER['PHP_SELF']),'/\\');
header("location:http://$host$uri/$extra");
exit();
}
```

```
else
$_SESSION['errmsg']="Invalid username or password";
$extra="index.php";
$host = $_SERVER['HTTP_HOST'];
$uri = rtrim(dirname($_SERVER['PHP_SELF']),'/\\');
header("location:http://$host$uri/$extra");
exit();
?>
<!DOCTYPE html>
<html lang="en">
<head>
      <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
      <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
      <title>NITT CMS | Admin login</title>
      <link type="text/css" href="bootstrap/css/bootstrap.min.css"</pre>
rel="stylesheet">
      k type="text/css" href="bootstrap/css/bootstrap-responsive.min.css"
rel="stylesheet">
      <link type="text/css" href="css/theme.css" rel="stylesheet">
      link type="text/css" href="images/icons/css/font-awesome.css"
rel="stylesheet">
Page 27
```

```
<link type="text/css"</pre>
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,40
0,600' rel='stylesheet'>
</head>
<body>
      <div class="navbar navbar-fixed-top">
            <div class="navbar-inner">
                  <div class="container">
                        <a class="btn btn-navbar" data-toggle="collapse"
data-target=".navbar-inverse-collapse">
                              <i class="icon-reorder shaded"></i>
                        </a>
                        <a class="brand" href="index.html">
                              NITT CMS | Admin Portal
                        </a>
                        <div class="nav-collapse collapse navbar-inverse-</pre>
collapse">
                              <a href="../index.html">
                                    Back to Portal
```

```
</a>
```

```
</div><!-- /.nav-collapse -->
                  </div>
            </div><!-- /navbar-inner -->
      </div><!-- /navbar -->
      <div class="wrapper">
            <div class="container">
                  <div class="row">
                        <div class="module module-login span4 offset4">
                              <form class="form-vertical" method="post">
                                    <div class="module-head">
                                          <h3>Sign In</h3>
                                    </div>
                                    <span style="color:red;" ><?php echo</pre>
htmlentities($_SESSION['errmsg']); ?><?php echo
htmlentities($_SESSION['errmsg']="");?></span>
                                    <div class="module-body">
```

```
<div class="control-group">
                                                 <div class="controls row-
fluid">
                                                       <input class="span12"</pre>
type="text" id="inputEmail" name="username" placeholder="Username">
                                                 </div>
                                           </div>
                                           <div class="control-group">
                                                 <div class="controls row-
fluid">
                                     <input class="span12" type="password"</pre>
id="inputPassword" name="password" placeholder="Password">
                                                 </div>
                                           </div>
                                     </div>
                                     <div class="module-foot">
                                           <div class="control-group">
                                                 <div class="controls
clearfix">
                                                       <but
type="submit" class="btn btn-primary pull-right"
name="submit">Login</button>
                                                 </div>
                                           </div>
                                     </div>
                               </form>
```

```
</div>
                  </div>
            </div>
      </div><!--/.wrapper-->
      <div class="footer">
            <div class="container">
                  Made by Mrinal Satyawanshi
            </div>
      </div>
      <script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
      <script src="scripts/jquery-ui-1.10.1.custom.min.js"</pre>
type="text/javascript"></script>
      <script src="bootstrap/js/bootstrap.min.js"</pre>
type="text/javascript"></script>
</body>
Config.php
<?php
define('DB_SERVER','localhost');
define('DB_USER','root');
define('DB_PASS' ,");
define('DB_NAME', 'cms');
$con = mysqli_connect(DB_SERVER,DB_USER,DB_PASS,DB_NAME);
Page 31
```

```
// Check connection
if (mysqli_connect_errno())
{
echo "Failed to connect to MySQL: " . mysqli_connect_error();
}
?>
category.php:
<?php
session_start();
include('include/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else{
date_default_timezone_set('Asia/Kolkata');// change according timezone
$currentTime = date('d-m-Y h:i:s A', time());
if(isset($_POST['submit']))
      $category=$_POST['category'];
      $description=$_POST['description'];
$sql=mysqli_query($con,"insert into
category(categoryName,categoryDescription)
values('$category','$description')");
$_SESSION['msg']="Category Created !!";
}
if(isset($_GET['del']))
                  mysqli_query($con,"delete from category where id =
"".$ GET['id'].""");
           $_SESSION['delmsg']="Category deleted !!";
```

```
?>
<!DOCTYPE html>
<html lang="en">
<head>
                 <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
                 <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
                 <title>Admin| Category</title>
                 <link type="text/css" href="bootstrap/css/bootstrap.min.css"</pre>
rel="stylesheet">
                 k type="text/css" href="bootstrap/css/bootstrap-responsive.min.css"
rel="stylesheet">
                 <link type="text/css" href="css/theme.css" rel="stylesheet">
                 link type="text/css" href="images/icons/css/font-awesome.css"
rel="stylesheet">
                 <link type="text/css"</pre>
href = 'http://fonts.googleap is.com/css?family = Open + Sans: 400 italic, 600 italic, 400 italic, 4
0.600' rel='stylesheet'>
</head>
<body>
<?php include('include/header.php');?>
                 <div class="wrapper">
                                   <div class="container">
                                                    <div class="row">
<?php include('include/sidebar.php');?>
                                                    <div class="span9">
                                                                                        <div class="content">
                                                                                                         <div class="module">
                                                                                                                          <div class="module-head">
                                                                                                                                            <h3>Category</h3>
                                                                                                                          </div>
                                                                                                                          <div class="module-body">
                                                                                                                                                             <?php
if(isset($_POST['submit']))
{?>
                                                                                                                                                             <div class="alert
alert-success">
                                                                                                                                                                              <but
type="button" class="close" data-dismiss="alert">×</button>
Page 33
```

```
<strong>Well
                  <?php echo htmlentities($_SESSION['msg']);?><?php echo</pre>
done!</strong>
htmlentities($_SESSION['msg']="");?>
                                                        </div>
<?php } ?>
                                                        <?php
if(isset($_GET['del']))
{?>
                                                        <div class="alert
alert-error">
                                                              <but
type="button" class="close" data-dismiss="alert">×</button>
                                                        <strong>Oh
                  <?php echo htmlentities($_SESSION['delmsg']);?><?php</pre>
snap!</strong>
echo htmlentities($_SESSION['delmsg']="");?>
                                                        </div>
<?php } ?>
                                                        <br/>>
                  <form class="form-horizontal row-fluid" name="Category"
method="post" >
<div class="control-group">
<label class="control-label" for="basicinput">Category Name</label>
<div class="controls">
<input type="text" placeholder="Enter category Name" name="category"</pre>
class="span8 tip" required>
</div>
</div>
<div class="control-group">
                                                                    <label
class="control-label" for="basicinput">Description</label>
                                                                    <div
class="controls">
      <textarea class="span8" name="description" rows="5"></textarea>
                                                                    </div>
                                                              </div>
```

```
<div class="control-group">
                                                           <div
class="controls">
     <button type="submit" name="submit" class="btn">Create</button>
                                                           </div>
                                                      </div>
                                                </form>
                                      </div>
                                </div>
     <div class="module">
                                      <div class="module-head">
                                           <h3>Manage
Categories</h3>
                                      </div>
                                      <div class="module-body table">
                                           <table cellpadding="0"
cellspacing="0" border="0" class="datatable-1 table table-bordered table-
           display" width="100%">
striped
                                                <thead>
                                                      #
     Category
     Description
     Creation date
                                                           Last
Updated
     Action
                                                      </thead>
                                                <?php $query=mysqli_query($con,"select * from category");</pre>
$cnt=1;
while($row=mysqli_fetch_array($query))
Page 35
```

```
<?php echo htmlentities($cnt);?>
     <?php echo htmlentities($row['categoryName']);?>
     <?php echo htmlentities($row['categoryDescription']);?>
                                                                <?php echo htmlentities($row['creationDate']);?>
     <?php echo htmlentities($row['updationDate']);?>
                                                                <a
href="edit-category.php?id=<?php echo $row['id']?>" ><i class="icon-
edit"></i></a>
href="category.php?id=<?php echo $row['id']?>&del=delete" onClick="return
confirm('Are you sure you want to delete?')"><i class="icon-remove-
sign"></i></a>
                                                          <?php
$cnt=$cnt+1; } ?>
                                              </div>
                                   </div>
                             </div><!--/.content-->
                       </div><!--/.span9-->
                 </div>
           </div><!--/.container-->
     </div><!--/.wrapper-->
<?php include('include/footer.php');?>
     <script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
     <script src="scripts/jquery-ui-1.10.1.custom.min.js"</pre>
type="text/javascript"></script>
Page 36
```

```
<script src="bootstrap/js/bootstrap.min.js"</pre>
type="text/javascript"></script>
      <script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
      <script src="scripts/datatables/jquery.dataTables.js"></script>
      <script>
            $(document).ready(function() {
                   $('.datatable-1').dataTable();
                   $('.dataTables_paginate').addClass("btn-group datatable-
pagination");
                   $('.dataTables_paginate > a').wrapInner('<span />');
                   $('.dataTables_paginate > a:first-child').append('<i
class="icon-chevron-left shaded"></i>');
                   $('.dataTables_paginate > a:last-child').append('<i
class="icon-chevron-right shaded"></i>');
             });
      </script>
</body>
<?php } ?>
changepassword.php:
<?php
session_start();
include('include/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else{
date_default_timezone_set('Asia/Kolkata');// change according timezone
$currentTime = date('d-m-Y h:i:s A', time());
if(isset($_POST['submit']))
$sql=mysqli_query($con,"SELECT password FROM admin where
password="".$_POST['password']."' && username="".$_SESSION['alogin']."'");
$num=mysqli_fetch_array($sql);
if(\text{num}>0)
```

```
$con=mysqli_query($con,"update admin set
password="".$_POST['newpassword']."', updationDate='$currentTime' where
username="".$_SESSION['alogin'].""");
$_SESSION['msg']="Password Changed Successfully !!";
else
$_SESSION['msg']="Old Password not match!!";
?>
<!DOCTYPE html>
<html lang="en">
<head>
      <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
      <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
      <title>Admin| Change Password</title>
      <link type="text/css" href="bootstrap/css/bootstrap.min.css"</pre>
rel="stylesheet">
      k type="text/css" href="bootstrap/css/bootstrap-responsive.min.css"
rel="stylesheet">
      <link type="text/css" href="css/theme.css" rel="stylesheet">
      k type="text/css" href="images/icons/css/font-awesome.css"
rel="stylesheet">
      <link type="text/css"</pre>
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,40
0,600' rel='stylesheet'>
      <script type="text/javascript">
function valid()
if(document.chngpwd.password.value=="")
alert("Current Password Filed is Empty !!");
document.chngpwd.password.focus();
return false;
else if(document.chngpwd.newpassword.value=="")
alert("New Password Filed is Empty!!");
document.chngpwd.newpassword.focus();
return false;
Page 38
```

```
else if(document.chngpwd.confirmpassword.value=="")
alert("Confirm Password Filed is Empty !!");
document.chngpwd.confirmpassword.focus();
return false;
else if(document.chngpwd.newpassword.value!=
document.chngpwd.confirmpassword.value)
alert("Password and Confirm Password Field do not match!!");
document.chngpwd.confirmpassword.focus();
return false;
return true;
</script>
</head>
<body>
<?php include('include/header.php');?>
      <div class="wrapper">
            <div class="container">
                  <div class="row">
<?php include('include/sidebar.php');?>
                  <div class="span9">
                              <div class="content">
                                    <div class="module">
                                          <div class="module-head">
                                                 <h3>Admin Change
Password</h3>
                                          </div>
                                          <div class="module-body">
                                                       <?php
if(isset($_POST['submit']))
{?>
                                                       <div class="alert
alert-success">
                                                             <button
type="button" class="close" data-dismiss="alert">×</button>
```

```
<?php echo
htmlentities($_SESSION['msg']);?><?php echo
htmlentities($_SESSION['msg']="");?>
                                                        </div>
<?php } ?>
                                                        <br/>
                  <form class="form-horizontal row-fluid" name="chngpwd"</pre>
method="post" onSubmit="return valid();">
<div class="control-group">
<label class="control-label" for="basicinput">Current Password</label>
<div class="controls">
<input type="password" placeholder="Enter your current Password"</pre>
name="password" class="span8 tip" required>
</div>
</div>
<div class="control-group">
<label class="control-label" for="basicinput">New Password</label>
<div class="controls">
<input type="password" placeholder="Enter your new current Password"</pre>
name="newpassword" class="span8 tip" required>
</div>
</div>
<div class="control-group">
<label class="control-label" for="basicinput">Current Password</label>
<div class="controls">
<input type="password" placeholder="Enter your new Password again"</pre>
name="confirmpassword" class="span8 tip" required>
</div>
</div>
                                                              <div
class="control-group">
```

```
<div
class="controls">
      <button type="submit" name="submit" class="btn">Submit</button>
                                                                    </div>
                                                              </div>
                                                        </form>
                                           </div>
                                     </div>
                               </div><!--/.content-->
                         </div><!--/.span9-->
                  </div>
            </div><!--/.container-->
      </div><!--/.wrapper-->
<?php include('include/footer.php');?>
      <script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
      <script src="scripts/jquery-ui-1.10.1.custom.min.js"</pre>
type="text/javascript"></script>
      <script src="bootstrap/js/bootstrap.min.js"</pre>
type="text/javascript"></script>
      <script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
</body>
<?php } ?>
admin_note_detail.php:
<?php
  session_start();
  if(isset($_SESSION["user"])){
    if(isset($_REQUEST["nid"])){
     $nid=base64_decode($_REQUEST["nid"]);
    include 'db.php';
     $qry="SELECT A.*, B.sname, C.aname, D.fname, E.cname FROM
study_material AS A JOIN subject AS B ON A.subject_id=B.subject_id JOIN
author_detail AS C ON A.aid=C.aid JOIN faculty_detail AS D ON
B.faculty_id=D.faculty_id JOIN courses AS E ON B.cid=E.cid WHERE
note_id=".$nid;
     $result=mysqli_query($con,$qry);
     $row=mysqli_fetch_array($result);
```

```
}
?><!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>E-Notes: Note Detail</title>
    k rel="stylesheet" media="all" href="../CSS/bootstrap.min.css">
    <script src="../Script/jquery.min.js"></script>
    <script src="../Script/bootstrap.min.js"></script>
  </head>
  <body>
    <?php
    include 'admin header.php';
    <div class="container" style="padding-top: 80px;">
      <div class="row well" style="background-color: #369;color: #fff;">
        <section>
           <h2>Topic: <?php echo $row["topic"];?></h2>
           <b>Description: </b>
           <div class="form-control">
             <?php echo $row["description"];?>
           </div>
           <br>
           <b>Author: </b><?php echo $row["aname"];?>
           <b>Subject: </b><?php echo $row["sname"];?>
           <b>Course: </b><?php echo $row["cname"];?>
           <b>Uploaded By: </b><?php echo $row["fname"];?>
           <b>Uploaded On: </b><?php echo date('d-m-
Y',strtotime($row["upload_date"]));?>
           <!--<button type="button" class="btn btn-info" data-
toggle="modal" data-target="#mycomment">Comment</button>-->
        </section>
      </div>
      <div class="row well">
        <h3>Comments</h3>
        <?php
          include 'db.php';
           $qry="SELECT comment.cid, student_detail.sname, comment, date
FROM comment JOIN student_detail ON
comment.student_id=student_detail.student_id WHERE status=1 AND
note_id=".$nid." ORDER BY date DESC";
          //echo $qry;
```

```
$result=mysqli_query($con,$qry);
           while($row=mysqli_fetch_array($result)){
           echo '
             <i class="glyphicon glyphicon-user" style="font-size:
20px;"></i> '.$row["sname"].'<span style="float:right;">Posted On: '.date('d-
m-Y',strtotime($row["date"])).'</span><br
                <i class="glyphicon glyphicon-comment" style="color:
#0f0;font-size: 20px;position: relative;top: 8px;"></i> '.$row["comment"].'
                  <br/>br><a
href="block.php?nid='.$nid.'&cid='.base64_encode($row["cid"])."" class="btn
btn-sm btn-success" style="float: right;margin-left: 2px;">Block</a>
             ';
         ?>
         </div>
    </div>
  </body>
</html>
<?php
  }
  else{
    header("Location:admin_login.php");
  }
?>
```

Closed-complaint.php:

```
<?php
session_start();
include('include/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
}
else{
date_default_timezone_set('Asia/Kolkata');// change according timezone
$currentTime = date('d-m-Y h:i:s A', time());
?>
<!DOCTYPE html>
<html lang="en">
<head>
      <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
      <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
      <title>Admin| Closed Complaints</title>
      <link type="text/css" href="bootstrap/css/bootstrap.min.css"</pre>
rel="stylesheet">
      k type="text/css" href="bootstrap/css/bootstrap-responsive.min.css"
rel="stylesheet">
Page 44
```

```
k type="text/css" href="css/theme.css" rel="stylesheet">
      k type="text/css" href="images/icons/css/font-awesome.css"
rel="stylesheet">
      <link type="text/css"</pre>
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,40
0,600' rel='stylesheet'>
      <script language="javascript" type="text/javascript">
var popUpWin=0;
function popUpWindow(URLStr, left, top, width, height)
if(popUpWin)
if(!popUpWin.closed) popUpWin.close();
}
popUpWin = open(URLStr,'popUpWin',
'toolbar=no,location=no,directories=no,status=no,menubar=no,scrollbars=yes,re
sizable=no,copyhistory=yes,width='+500+',height='+600+',left='+left+',
top='+top+',screenX='+left+',screenY='+top+");
}
</script>
</head>
<body>
<?php include('include/header.php');?>
      <div class="wrapper">
            <div class="container">
Page 45
```

```
<div class="row">
<?php include('include/sidebar.php');?>
               <div class="span9">
                         <div class="content">
     <div class="module">
                                    <div class="module-head">
                                         <h3>Closed
Complaints</h3>
                                    </div>
                                    <div class="module-body table">
                                         cellspacing="0" border="0" class="datatable-1 table table-bordered table-
striped
          display" >
                                              <thead>
                                                   Complaint No
                                                        complainant Name
                                                        Reg
Date
     Status
Page 46
```

```
Action
                                                      </thead>
<?php
$st='closed';
$query=mysqli_query($con,"select tblcomplaints.*,users.fullName as name
from tblcomplaints join users on users.id=tblcomplaints.userId where
tblcomplaints.status='$st'");
while($row=mysqli_fetch_array($query))
{
?>
                                                      <?php echo htmlentities($row['complaintNumber']);?>
     <?php echo htmlentities($row['name']);?>
     <?php echo htmlentities($row['regDate']);?>
```

```
<button type="button" class="btn btn-
success">Closed</button>
                                                            <a
href="complaint-details.php?cid=<?php echo
htmlentities($row['complaintNumber']);?>"> View Details</a>
                                                           <?php } ?>
                                                      </div>
                                </div>
                           </div><!--/.content-->
                     </div><!--/.span9-->
                </div>
          </div><!--/.container-->
     </div><!--/.wrapper-->
<?php include('include/footer.php');?>
```

Page 48

```
<script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
      <script src="scripts/jquery-ui-1.10.1.custom.min.js"</pre>
type="text/javascript"></script>
      <script src="bootstrap/js/bootstrap.min.js"</pre>
type="text/javascript"></script>
      <script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
      <script src="scripts/datatables/jquery.dataTables.js"></script>
      <script>
             $(document).ready(function() {
                   $('.datatable-1').dataTable();
                   $('.dataTables_paginate').addClass("btn-group datatable-
pagination");
                   $('.dataTables_paginate > a').wrapInner('<span />');
                   $('.dataTables_paginate > a:first-child').append('<i
class="icon-chevron-left shaded"></i>');
                   $('.dataTables_paginate > a:last-child').append('<i
class="icon-chevron-right shaded"></i>');
             });
      </script>
</body>
<?php } ?>
```

```
Complaint-details.php:
```

```
<?php
  session_start();
  if(isset($_SESSION["user"])){
?>
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>E-Notes: Notes</title>
    k rel="stylesheet" media="all" href="../CSS/bootstrap.min.css">
    <script src="../Script/jquery.min.js"></script>
    <script src="../Script/bootstrap.min.js"></script>
    k rel="stylesheet" type="text/css" href="../CSS/style.css">
  </head>
  <body>
    <div class="container-fluid" style="margin-top: 80px;">
       <div class="row">
         <div class="col-md-3"></div>
         <div class="col-md-6 well">
            <h1><i class="glyphicon glyphicon-search" style="position:
relative;top: 5px;"></i> Uploaded Notes Search</h1>
            <form name="frm_notes_search" method="GET"</pre>
action="admin_view_notes.php">
            <div class="form-group">
              <div class="input-group">
                <span class="input-group-addon">Topic</span>
                <input class="form-control" type="text" name="txttopic"</pre>
value=""/>
              </div>
            </div>
            <div class="form-group">
              <div class="input-group">
                <span class="input-group-addon">Course</span>
                 <select class="form-control" name="txtcourse">
                   <option value="0">--Select--</option>
                   <?php
                   include 'db.php';
                   $qry = "SELECT * FROM courses";
                   $result = mysqli_query($con, $qry);
                   while ($row = mysqli_fetch_array($result)) {
                     echo"<option value="" . $row["cid"] . "">" .
$row["cname"] . "</option>";
```

```
</select>
              </div>
            </div>
            <div class="form-group">
              <div class="input-group">
                 <span class="input-group-addon">Author</span>
                 <select class="form-control" name="txtauthor">
                   <option value="0">--Select--</option>
                   <?php
                     include '../admin/db.php';
                      $qry = "SELECT * FROM author_detail";
                      $result = mysqli_query($con, $qry);
                      while ($row = mysqli_fetch_array($result)) {
                        echo"<option value="" . $row["aid"] . "'>" .
$row["aname"] . "</option>";
                 </select>
              </div>
            </div>
            <div class="form-group">
              <div class="input-group">
                 <span class="input-group-addon">Faculty</span>
                 <select class="form-control" name="txtfaculty">
                   <option value="0">--Select--</option>
                   <?php
                     include '../admin/db.php';
                     $qry="SELECT * FROM faculty_detail";
                      $result=mysqli_query($con,$qry);
                      while($row=mysqli_fetch_array($result)){
                        echo '<option
value="'.$row["faculty_id"]."'>'.$row["fname"].'</option>';
                   ?>
                 </select>
              </div>
            </div>
            <div class="form-group">
              <input class="btn btn-primary" type="submit" value="search"</pre>
name="btnsearch" />
            </div>
```

```
</form>
       </div>
       <div class="col-md-3"></div>
     </div>
     <div class="row well">
       <h1 class="text-center">Search Result</h1>
   <?php
   // put your code here
   include 'admin header.php';
   function retrieverecords($sql){
     //echo $sql;
     include 'db.php';
     //$qry = "SELECT A.*, B.sname, C.aname, D.fname FROM
study material AS A JOIN subject AS B ON A.subject id=B.subject id JOIN
author_detail AS C ON A.aid=C.aid JOIN faculty_detail AS D ON
B.faculty_id=D.faculty_id ORDER BY upload_date DESC";
     $result = mysqli_query($con, $sql);
     if(mysqli_affected_rows($con)>0){
     echo "<table class='table table-striped' cellspacing=0 cellpadding=0
border=1 align='center' bordercolor='#ffffff'>
       SNO
         Topic
         Subject
         Author
         Uploaded By
         Uploaded On
         Status
         Detail
         Block/Unblock
       ":
     \$i = 1:
     while ($row = mysqli_fetch_array($result)) {
       if (\$i % 2 == 0) {
         echo "";
       } else {
         echo "";
       echo "" . $i . "";
       echo "" . $row["topic"] . "";
       echo "" . $row["sname"] . "";
       echo "" . $row["aname"] . "";
       echo "" . $row["fname"] . "";
```

```
echo "" . date('d-m-Y',strtotime($row["upload_date"])) . "";
        if($row["status"]==0){
          echo "Blocked";
          echo "Unblocked";
        echo "<a
href='admin_note_detail.php?nid=".base64_encode($row["note_id"])."'
target=' blank'>View more..</a>";
        if($row["status"]==0){
          echo "<a
href='block.php?n_id=".base64_encode($row["note_id"])."&target=1'>Unblock
</a>";
        } else{
          echo "<a
href='block.php?n_id=".base64_encode($row["note_id"])."&target=0'>Block</
a>":
        echo "";
        $i++;
      echo "";
      } else{
        echo "<script>alert('No records found');</script>";
      }
    }
    if(isset($_REQUEST["btnsearch"])){
      $topic=$_REQUEST["txttopic"];
      $course=$_REQUEST["txtcourse"];
      $author=$ REOUEST["txtauthor"];
      $faculty=$ REQUEST["txtfaculty"];
      if($topic!="" && $course!="0" && $author!="0" && $faculty!="0"){
        $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
          . "WHERE topic LIKE '%$topic%' AND cid=$course AND
A.aid=$author AND B.faculty_id=$faculty ORDER BY upload_date DESC";
        retrieverecords($qry);
      else if($topic!="" && $course!="0" && $author!="0" &&
$faculty=="0"){
```

```
$qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "WHERE topic LIKE '%$topic%' AND cid=$course AND
A.aid=$author ORDER BY upload_date DESC";
        retrieverecords($qry);
      else if($topic!="" && $course!="0" && $author=="0" &&
$faculty!="0"){
        $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty detail AS D ON B.faculty id=D.faculty id "
           . "WHERE topic LIKE '%$topic%' AND cid=$course AND
B.faculty_id=$faculty ORDER BY upload_date DESC";
        retrieverecords($qry);
      else if($topic!="" && $course!="0" && $author=="0" &&
$faculty=="0"){
        $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "WHERE topic LIKE '%$topic%' AND cid=$course ORDER BY
upload_date DESC";
        retrieverecords($qry);
      else if($topic!="" && $course=="0" && $author!="0" &&
$faculty!="0"){
         $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty detail AS D ON B.faculty id=D.faculty id "
           . "WHERE topic LIKE '%$topic%' AND A.aid=$author AND
B.faculty_id=$faculty ORDER BY upload_date DESC";
        retrieverecords($qry);
      else if($topic!="" && $course=="0" && $author!="0" &&
$faculty=="0"){
         $qry = "SELECT A.*, B.sname, C.aname, D.fname "
```

```
. "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "WHERE topic LIKE '%$topic%' AND A.aid=$author ORDER
BY upload_date DESC";
        retrieverecords($qry);
      else if($topic!="" && $course=="0" && $author=="0" &&
$faculty!="0"){
         $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty detail AS D ON B.faculty id=D.faculty id "
           . "WHERE topic LIKE '%$topic%' AND B.faculty id=$faculty
ORDER BY upload_date DESC";
        retrieverecords($qry);
      else if($topic!="" && $course=="0" && $author=="0" &&
$faculty=="0"){
        $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "WHERE topic LIKE '%$topic%' ORDER BY upload_date
DESC";
        retrieverecords($qry);
      else if($topic=="" && $course!="0" && $author!="0" &&
$faculty!="0"){
         $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "WHERE cid=$course AND A.aid=$author AND
B.faculty_id=$faculty ORDER BY upload_date DESC";
        retrieverecords($qry);
      else if($topic=="" && $course!="0" && $author!="0" &&
$faculty=="0"){
        $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
```

```
. "WHERE cid=$course AND A.aid=$author ORDER BY
upload_date DESC";
         retrieverecords($qry);
      else if($topic=="" && $course!="0" && $author=="0" &&
$faculty!="0"){
         $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "WHERE cid=$course AND B.faculty_id=$faculty ORDER BY
upload_date DESC":
         retrieverecords($qry);
      else if($topic=="" && $course!="0" && $author=="0" &&
$faculty=="0"){
         $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "WHERE cid=$course ORDER BY upload date DESC";
         retrieverecords($qry);
      else if($topic=="" && $course=="0" && $author!="0" &&
$faculty!="0"){
         $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "WHERE aid=$author AND B.faculty_id=$faculty ORDER BY
upload_date DESC";
         retrieverecords($qry);
      else if($topic=="" && $course=="0" && $author!="0" &&
$faculty=="0"){
         $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "WHERE A.aid=$author ORDER BY upload_date DESC";
         retrieverecords($qry);
```

```
else if($topic=="" && $course=="0" && $author=="0" &&
$faculty!="0"){
         $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "WHERE B.faculty_id=$faculty ORDER BY upload_date
DESC":
         retrieverecords($qry);
      else{
         $qry = "SELECT A.*, B.sname, C.aname, D.fname"
           . "FROM study material AS A JOIN subject AS B ON
A.subject id=B.subject id JOIN author detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "ORDER BY upload_date DESC";
         retrieverecords($qry);
    else{
      $qry = "SELECT A.*, B.sname, C.aname, D.fname "
           . "FROM study_material AS A JOIN subject AS B ON
A.subject_id=B.subject_id JOIN author_detail AS C ON A.aid=C.aid JOIN
faculty_detail AS D ON B.faculty_id=D.faculty_id "
           . "ORDER BY upload_date DESC";
      retrieverecords($qry);
    ?>
      </div>
    </div>
  </body>
</html>
<?php
  }
  else{
    header("Location:admin_login.php");
?>
```

```
author_detail_entry.php:
<?php
  session_start();
  if(isset($_SESSION["user"])){
?>
<!DOCTYPE html>
<?php
//update data
  if(isset($_REQUEST["btnupdate"])){
    $id=$_REQUEST["txtid"];
    $name=$_REQUEST["txtname"];
    include 'db.php';
    $up gry="UPDATE author detail set aname="".$name."' WHERE
aid=".$id;
    mysqli_query($con,$up_qry);
    header("Location:view_authors.php?status=updated");
  }
  //insert student data
  if(isset($_REQUEST["btnsubmit"])){
    $id=$_REQUEST["txtid"];
    $name=$ REQUEST["txtname"];
    include 'db.php';
    $qry="INSERT INTO author_detail(aname) VALUES(".$name."')";
    if(mysqli_query($con, $qry)){
       echo "<script>alert('Author Added Successfully');</script>";
    else{
       echo "ERROR". mysqli_error($con);
  }
  //fetch data for id
  if(isset($_REQUEST["upid"]) & isset($_REQUEST["status"])){
    $id= base64_decode($_REQUEST["upid"]);
    include 'db.php';
    $gry="SELECT * FROM author detail WHERE aid=".$id;
    $up_res=mysqli_query($con,$qry);
    $up_row=mysqli_fetch_array($up_res);
    $name=$up_row["aname"];
  }
?>
<html>
  <head>
Page 58
```

```
<meta charset="UTF-8">
     <title>E-Notes: Author Entry</title>
     <link rel="stylesheet" media="all" href="../CSS/bootstrap.min.css">
     <script src="../Script/jquery.min.js"></script>
     <script src="../Script/bootstrap.min.js"></script>
     <link rel="stylesheet" type="text/css" href="../CSS/style.css">
  </head>
  <body>
    <?php
    // put your code here
    include 'admin_header.php';
     <div class="container" style="padding-top: 80px;">
       <div class="row">
         <div class="col-md-3"></div>
         <div class="col-md-6 well">
            <h1 class="text-center">Author Details</h1>
            <form name="author_detail_submit"</pre>
action="author_detail_entry.php" method="GET">
              <div class="form-group">
                <div class="input-group">
                   <span class="input-group-addon">ID</span>
                     <?php
                     $con1 = mysqli_connect("127.0.0.1", "root", "",
"information_schema") or die("Sorry!!! Cannot Connect");
                     $qry = "SELECT AUTO_INCREMENT FROM tables
WHERE table_schema='e_notes' and table_name = 'author_detail'";
                     $res = mysqli_query($con1, $qry);
                     $row = mysqli_fetch_array($res);
                     if (isset($_REQUEST["upid"]) &
isset($_REQUEST["status"])) {
                       echo '<input class="form-control" type="text"
name="txtid" value="' . $id . "' readonly="readonly" />';
                     } else {
                        echo '<input class="form-control" type="text"
name="txtid" value="'. $row["AUTO INCREMENT"].""
readonly="readonly" />';
                </div>
              </div>
              <div class="form-group">
                <div class="input-group">
```

```
<span class="input-group-addon">Author Name</span>
                     <?php
                     if (isset($_REQUEST["upid"]) &
isset($_REQUEST["status"])) {
                        echo '<input class="form-control" type="text"
name="txtname" value="' . $name . "" pattern="[a-zA-Z .]{1,}" title="Author
Name should contain only alphabets, dot(.) and spaces" required />';
                     } else {
                        echo '<input class="form-control" type="text"
name="txtname" value="" pattern="[a-zA-Z.]{1,}" title="Author Name should
contain only alphabets, dot(.) and spaces" required />';
                     ?>
                </div>
              </div>
              <div class="form-group">
                 <div class="input-group">
                     <?php
                     if (isset($_REQUEST["status"]) &&
isset($_REQUEST["upid"])) {
                       echo '<input class="btn btn-primary" type="submit"
name="btnupdate" value="Update" />';
                     } else {
                       echo '<input class="btn btn-primary" type="submit"
name="btnsubmit" value="Submit" />';
                </div>
              </div>
            </form>
         </div>
         <div class="col-md-3"></div>
       </div>
     </div>
  </body>
</html>
<?php
  }
    header("Location:admin_login.php");
?>
```

```
Edit-category.php:
<?php
session_start();
include('include/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
}
else{
date_default_timezone_set('Asia/Kolkata');// change according timezone
$currentTime = date( 'd-m-Y h:i:s A', time () );
if(isset($_POST['submit']))
{
      $category=$_POST['category'];
      $description=$_POST['description'];
      $id=intval($_GET['id']);
$sql=mysqli_query($con,"update category set
categoryName='$category',categoryDescription='$description',updationDate='$
currentTime' where id='$id'");
```

}

\$_SESSION['msg']="Category Updated !!";

```
?>
<!DOCTYPE html>
<html lang="en">
<head>
      <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
      <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
      <title>Admin| Category</title>
      <link type="text/css" href="bootstrap/css/bootstrap.min.css"</pre>
rel="stylesheet">
      k type="text/css" href="bootstrap/css/bootstrap-responsive.min.css"
rel="stylesheet">
      <link type="text/css" href="css/theme.css" rel="stylesheet">
      type="text/css" href="images/icons/css/font-awesome.css"
rel="stylesheet">
      <link type="text/css"</pre>
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,40
0,600' rel='stylesheet'>
</head>
<body>
<?php include('include/header.php');?>
      <div class="wrapper">
            <div class="container">
                   <div class="row">
<?php include('include/sidebar.php');?>
                   <div class="span9">
Page 62
```

```
<div class="content">
                                     <div class="module">
                                           <div class="module-head">
                                                 <h3>Category</h3>
                                           </div>
                                           <div class="module-body">
                                                        <?php
if(isset($_POST['submit']))
{?>
                                                        <div class="alert
alert-success">
                                                              <button
type="button" class="close" data-dismiss="alert">×</button>
                                                        <strong>Well
done!</strong>
                  <?php echo htmlentities($_SESSION['msg']);?><?php echo</pre>
htmlentities($_SESSION['msg']="");?>
                                                        </div>
<?php } ?>
                                                        <br/>br />
                  <form class="form-horizontal row-fluid" name="Category"</pre>
method="post" >
<?php
Page 63
```

```
$id=intval($_GET['id']);
$query=mysqli_query($con,"select * from category where id='$id'");
while($row=mysqli_fetch_array($query))
{
?>
<div class="control-group">
<label class="control-label" for="basicinput">Category Name</label>
<div class="controls">
<input type="text" placeholder="Enter category Name" name="category"</pre>
value="<?php echo htmlentities($row['categoryName']);?>" class="span8 tip"
required>
</div>
</div>
<div class="control-group">
                                                                    <label
class="control-label" for="basicinput">Description</label>
                                                                    <div
class="controls">
      <textarea class="span8" name="description" rows="5"><?php echo
htmlentities($row['categoryDescription']);?></textarea>
                                                                    </div>
                                                              </div>
                                                        <?php } ?>
```

```
<div class="control-group">
                                                                     <div
class="controls">
      <button type="submit" name="submit" class="btn">Update</button>
                                                                     </div>
                                                              </div>
                                                        </form>
                                           </div>
                                     </div>
                               </div><!--/.content-->
                         </div><!--/.span9-->
                  </div>
            </div><!--/.container-->
      </div><!--/.wrapper-->
<?php include('include/footer.php');?>
      <script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
Page 65
```

```
<script src="scripts/jquery-ui-1.10.1.custom.min.js"</pre>
type="text/javascript"></script>
      <script src="bootstrap/js/bootstrap.min.js"</pre>
type="text/javascript"></script>
      <script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
      <script src="scripts/datatables/jquery.dataTables.js"></script>
      <script>
             $(document).ready(function() {
                   $('.datatable-1').dataTable();
                   $('.dataTables_paginate').addClass("btn-group datatable-
pagination");
                   $('.dataTables_paginate > a').wrapInner('<span />');
                   $('.dataTables_paginate > a:first-child').append('<i
class="icon-chevron-left shaded"></i>');
                   $('.dataTables_paginate > a:last-child').append('<i
class="icon-chevron-right shaded"></i>');
             });
      </script>
</body>
<?php } ?>
Edit-department.php:
<?php
session_start();
include('include/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
else{
date_default_timezone_set('Asia/Kolkata');// change according timezone
Page 66
```

```
$currentTime = date('d-m-Y h:i:s A', time());
if(isset($_POST['submit']))
      $department=$_POST['department'];
      $description=$_POST['description'];
      $id=intval($_GET['id']);
$sql=mysqli_query($con,"update department set
deptName='$department',deptDescription='$description',updationDate='$curren
tTime' where id='$id'");
$_SESSION['msg']="Department info Updated !!";
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
      <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
      <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
      <title>Admin| State</title>
      k type="text/css" href="bootstrap/css/bootstrap.min.css"
rel="stylesheet">
      k type="text/css" href="bootstrap/css/bootstrap-responsive.min.css"
rel="stylesheet">
      <link type="text/css" href="css/theme.css" rel="stylesheet">
      k type="text/css" href="images/icons/css/font-awesome.css"
rel="stylesheet">
      type="text/css"
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,40
0.600' rel='stylesheet'>
</head>
<body>
<?php include('include/header.php');?>
      <div class="wrapper">
            <div class="container">
                  <div class="row">
<?php include('include/sidebar.php');?>
                  <div class="span9">
                              <div class="content">
```

```
<div class="module">
                                           <div class="module-head">
                                                 <h3>State</h3>
                                           </div>
                                           <div class="module-body">
                                                       <?php
if(isset($_POST['submit']))
{?>
                                                       <div class="alert
alert-success">
                                                             <but
type="button" class="close" data-dismiss="alert">×</button>
                                                       <strong>Well
                  <?php echo htmlentities($_SESSION['msg']);?><?php echo</pre>
done!</strong>
htmlentities($_SESSION['msg']="");?>
                                                       </div>
<?php } ?>
                                                       <br/>
                  <form class="form-horizontal row-fluid" name="Category"</pre>
method="post" >
<?php
$id=intval($_GET['id']);
$query=mysqli_query($con,"select * from department where id='$id'");
while($row=mysqli_fetch_array($query))
?>
<div class="control-group">
<label class="control-label" for="basicinput">Department Name</label>
<div class="controls">
<input type="text" placeholder="Enter category Name" name="department"</pre>
value="<?php echo htmlentities($row['deptName']);?>" class="span8 tip"
required>
</div>
</div>
<div class="control-group">
```

```
<label
class="control-label" for="basicinput">Description</label>
                                                                       <div
class="controls">
<textarea class="span8" name="description" rows="5"><?php echo
htmlentities($row['deptDescription']);?></textarea></div>
                                                                </div>
                                                          <?php } ?>
      <div class="control-group">
                                                                       <div
class="controls">
      <button type="submit" name="submit" class="btn">Update</button>
                                                                </div>
                                                          </form>
                                             </div>
                                       </div>
                                </div><!--/.content-->
                          </div><!--/.span9-->
                   </div>
             </div><!--/.container-->
      </div><!--/.wrapper-->
<?php include('include/footer.php');?>
      <script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
      <script src="scripts/jquery-ui-1.10.1.custom.min.js"</pre>
type="text/javascript"></script>
      <script src="bootstrap/js/bootstrap.min.js"</pre>
type="text/javascript"></script>
      <script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
      <script src="scripts/datatables/jquery.dataTables.js"></script>
      <script>
             $(document).ready(function() {
                   $('.datatable-1').dataTable();
```

Page 69

```
$('.dataTables_paginate').addClass("btn-group datatable-
pagination");
                  $('.dataTables_paginate > a').wrapInner('<span />');
                  $('.dataTables_paginate > a:first-child').append('<i
class="icon-chevron-left shaded"></i>');
                  $('.dataTables_paginate > a:last-child').append('<i
class="icon-chevron-right shaded"></i>');
            });
      </script>
</body>
<?php } ?>
Edit-subcategory.php:
<?php
session_start();
include('include/config.php');
if(strlen($_SESSION['alogin'])==0)
header('location:index.php');
}
else{
date_default_timezone_set('Asia/Kolkata');// change according timezone
$currentTime = date('d-m-Y h:i:s A', time());
if(isset($_POST['submit']))
      $category=$_POST['category'];
      $subcat=$_POST['subcategory'];
      $id=intval($ GET['id']);
$sql=mysqli_query($con,"update subcategory set
categoryid='$category',subcategory='$subcat',updationDate='$currentTime'
where id='$id'");
$_SESSION['msg']="Category Updated !!";
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
      <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
Page 70
```

```
<meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
      <title>Admin| Edit SubCategory</title>
      <link type="text/css" href="bootstrap/css/bootstrap.min.css"</pre>
rel="stylesheet">
      k type="text/css" href="bootstrap/css/bootstrap-responsive.min.css"
rel="stylesheet">
      <link type="text/css" href="css/theme.css" rel="stylesheet">
      k type="text/css" href="images/icons/css/font-awesome.css"
rel="stylesheet">
      <link type="text/css"</pre>
href='http://fonts.googleapis.com/css?family=Open+Sans:400italic,600italic,40
0,600' rel='stylesheet'>
</head>
<body>
<?php include('include/header.php');?>
      <div class="wrapper">
            <div class="container">
                   <div class="row">
<?php include('include/sidebar.php');?>
                   <div class="span9">
                               <div class="content">
                                      <div class="module">
                                            <div class="module-head">
                                                  <h3>Edit
SubCategory</h3>
                                            </div>
                                            <div class="module-body">
                                                        <?php
if(isset($_POST['submit']))
{?>
                                                        <div class="alert
alert-success">
                                                               <button
type="button" class="close" data-dismiss="alert">×</button>
                                                        <strong>Well
                  <?php echo htmlentities($_SESSION['msg']);?><?php echo</pre>
done!</strong>
htmlentities($_SESSION['msg']="");?>
                                                        </div>
<?php } ?>
Page 71
```

```
<br/>>
```

```
<form class="form-horizontal row-fluid" name="Category"
method="post" >
<?php
$id=intval($_GET['id']);
$query=mysqli_query($con,"select
category.id,category.categoryName,subcategory.subcategory from subcategory
join category on category.id=subcategory.categoryid where
subcategory.id='$id'");
while($row=mysqli_fetch_array($query))
?>
<div class="control-group">
<label class="control-label" for="basicinput">Category</label>
<div class="controls">
<select name="category" class="span8 tip" required>
<option value="<?php echo htmlentities($row['id']);?>"><?php echo</pre>
htmlentities($catname=$row['categoryName']);?></option>
<?php $ret=mysqli_query($con,"select * from category");</pre>
while($result=mysqli_fetch_array($ret))
      $cat=$result['categoryName'];
if($catname=$cat)
      continue;
else{
?>
<option value="<?php echo $result['id'];?>"><?php echo</pre>
$result['categoryName'];?></option>
<?php } }?>
</select>
</div>
</div>
<div class="control-group">
```

```
<label class="control-label" for="basicinput">SubCategory Name</label>
<div class="controls">
<input type="text" placeholder="Enter category Name" name="subcategory"</pre>
value="<?php echo htmlentities($row['subcategory']);?>" class="span8 tip"
required>
</div>
</div>
                                                          <?php } ?>
      <div class="control-group">
                                                                       <div
class="controls">
      <button type="submit" name="submit" class="btn">Update</button>
                                                                       </div>
                                                                </div>
                                                          </form>
                                             </div>
                                      </div>
                                </div><!--/.content-->
                          </div><!--/.span9-->
                   </div>
             </div><!--/.container-->
      </div><!--/.wrapper-->
<?php include('include/footer.php');?>
      <script src="scripts/jquery-1.9.1.min.js" type="text/javascript"></script>
      <script src="scripts/jquery-ui-1.10.1.custom.min.js"</pre>
type="text/javascript"></script>
      <script src="bootstrap/js/bootstrap.min.js"</pre>
type="text/javascript"></script>
      <script src="scripts/flot/jquery.flot.js" type="text/javascript"></script>
      <script src="scripts/datatables/jquery.dataTables.js"></script>
      <script>
```

```
$(document).ready(function() {
                   $('.datatable-1').dataTable();
                   $('.dataTables_paginate').addClass("btn-group datatable-
pagination");
                   $('.dataTables_paginate > a').wrapInner('<span />');
                   $('.dataTables_paginate > a:first-child').append('<i
class="icon-chevron-left shaded"></i>');
                   $('.dataTables_paginate > a:last-child').append('<i
class="icon-chevron-right shaded"></i>');
             });
      </script>
</body>
<?php } ?>
logout.php:
<?php
session_start();
$_SESSION['alogin']=="";
session_unset();
//session_destroy();
$_SESSION['errmsg']="You have successfully logout";
?>
<script language="javascript">
document.location="index.php";
</script>
User Pages
Index.php
<?php
session_start();
error_reporting(0);
Page 74
```

```
include("includes/config.php");
if(isset($_POST['submit']))
{
$ret=mysqli_query($con,"SELECT * FROM users WHERE
rollno="".$_POST['rollno']."" and password="".$_POST['password'].""");
$num=mysqli_fetch_array($ret);
if(\text{num}>0)
$_SESSION['login']=$_POST['rollno'];
$_SESSION['id']=$num['id'];
header("location:dashboard.php");
exit();
}
if(isset($_POST['change']))
{
 $email=$_POST['email'];
  $contact=$_POST['contact'];
  $password=$_POST['password'];
$query=mysqli_query($con,"SELECT * FROM users WHERE
userEmail='$email' and contactNo='$contact'");
```

```
$num=mysqli_fetch_array($query);
if($num>0)
{
mysqli_query($con,"update users set password='$password' WHERE
userEmail='$email' and contactNo='$contact' ");
$msg="Password Changed Successfully";
}
else
$errormsg="Invalid email id or Contact no";
}
?>
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="Dashboard">
  <meta name="keyword" content="Dashboard, Bootstrap, Admin, Template,
Theme, Responsive, Fluid, Retina">
```

```
<title>CMS | User Login</title>
  <!-- Bootstrap core CSS -->
  <link href="assets/css/bootstrap.css" rel="stylesheet">
  <!--external css-->
  <link href="assets/font-awesome/css/font-awesome.css" rel="stylesheet" />
  <!-- Custom styles for this template -->
  <link href="assets/css/style.css" rel="stylesheet">
  <link href="assets/css/style-responsive.css" rel="stylesheet">
<script type="text/javascript">
function valid()
if(document.forgot.password.value!= document.forgot.confirmpassword.value)
alert("Password and Confirm Password Field do not match!!");
document.forgot.confirmpassword.focus();
return false;
}
return true;
</script>
 </head>
```

```
<body>
  <!--
**************************
************************
*********
 MAIN CONTENT
********************************
**************************
<div id="login-page">
      <div class="container">
        <form class="form-login" name="login" method="post">
         <h2 class="form-login-heading">sign in now</h2>
         <?php if($errormsg){</pre>
echo htmlentities($errormsg);
             }?>
             color:green">
         <?php if($msg){
echo htmlentities($msg);
             }?>
```

```
<div class="login-wrap">
                   <input type="text" class="form-control" name="rollno"</pre>
placeholder="Roll No" required autofocus>
                   <br>
                   <input type="password" class="form-control"</pre>
name="password" required placeholder="Password">
                   <label class="checkbox">
                      <span class="pull-right">
                        <a data-toggle="modal" href="login.html#myModal">
Forgot Password?</a>
                      </span>
                   </label>
                   <button class="btn btn-theme btn-block" name="submit"
type="submit"><i class="fa fa-lock"></i> SIGN IN</button>
                   <hr>>
                   </form>
                   <div class="registration">
                      Don't have an account yet?<br/>
                      <a class="" href="registration.php">
                        Create an account
                      </a>
                   </div>
                 </div>
```

```
<!-- Modal -->
                  <form class="form-login" name="forgot" method="post">
                  <div aria-hidden="true" aria-labelledby="myModalLabel"
role="dialog" tabindex="-1" id="myModal" class="modal fade">
                    <div class="modal-dialog">
                      <div class="modal-content">
                         <div class="modal-header">
                           <button type="button" class="close" data-
dismiss="modal" aria-hidden="true">&times:</button>
                           <h4 class="modal-title">Forgot Password ?</h4>
                         </div>
                         <div class="modal-body">
                           Enter your details below to reset your
password.
<input type="email" name="email" placeholder="Email" autocomplete="off"
class="form-control" required><br>
<input type="text" name="contact" placeholder="contact No"</pre>
autocomplete="off" class="form-control" required><br>
<input type="password" class="form-control" placeholder="New Password"
id="password" name="password" required ><br/>
<input type="password" class="form-control unicase-form-control text-input"</pre>
placeholder="Confirm Password" id="confirmpassword"
name="confirmpassword" required >
                         </div>
                         <div class="modal-footer">
```

```
<button data-dismiss="modal" class="btn btn-
default" type="button">Cancel</button>
                            <button class="btn btn-theme" type="submit"
name="change" onclick="return valid();">Submit</button>
                          </div>
                        </div>
                     </div>
                   </div>
                   <!-- modal -->
                   </form>
            </div>
       </div>
  <!-- js placed at the end of the document so the pages load faster -->
  <script src="assets/js/jquery.js"></script>
  <script src="assets/js/bootstrap.min.js"></script>
  <!--BACKSTRETCH-->
  <!-- You can use an image of whatever size. This script will stretch to fit in
any screen size.-->
  <script type="text/javascript"</pre>
src="assets/js/jquery.backstretch.min.js"></script>
  <script>
```

Page 81

```
$.backstretch("assets/img/login-bg.jpg", {speed: 500});
  </script>
 </body>
</html>
Dashboard.php
<?php session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['login'])==0)
header('location:index.php');
}
else{ ?>
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="Dashboard">
```

```
<meta name="keyword" content="Dashboard, Bootstrap, Admin, Template,
Theme, Responsive, Fluid, Retina">
        <title>CMS | Dashboard</title>
        <!-- Bootstrap core CSS -->
       <link href="assets/css/bootstrap.css" rel="stylesheet">
        <!--external css-->
       <link href="assets/font-awesome/css/font-awesome.css" rel="stylesheet" />
       <link rel="stylesheet" type="text/css" href="assets/css/zabuto_calendar.css">
        k rel="stylesheet" type="text/css"
href="assets/js/gritter/css/jquery.gritter.css" />
       <link rel="stylesheet" type="text/css" href="assets/lineicons/style.css">
        <!-- Custom styles for this template -->
        <link href="assets/css/style.css" rel="stylesheet">
        k href="assets/css/style-responsive.css" rel="stylesheet">
        <script src="assets/js/chart-master/Chart.js"></script>
        <!-- HTML5 shim and Respond.js IE8 support of HTML5 elements and
media queries -->
        <!--[if lt IE 9]>
            <script
src = "https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js" > </script > (script) > (script)
```

```
<script
src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
  <![endif]-->
 </head>
 <body>
 <section id="container" >
<?php include("includes/header.php");?>
<?php include("includes/sidebar.php");?>
   <section id="main-content">
      <section class="wrapper">
        <div class="row">
          <div class="col-lg-9 main-chart">
            <div class="col-md-2 col-sm-2 box0">
              <div>
          </div></div>
```

```
<div class="col-md-2 col-sm-2 box0">
                       <div class="box1">
                                               <span
class="li_news"></span>
                  <?php
t = mysqli_query(son, "SELECT * FROM tblcomplaints where
userId="".$_SESSION['id']."' and status is null");
$num1 = mysqli_num_rows($rt);
{?>
                                               <h3><?php echo
htmlentities($num1);?></h3>
                       </div>
                                               <?php echo
htmlentities($num1);?> Complaints not Process yet
                 </div>
            <?php }?>
            <div class="col-md-2 col-sm-2 box0">
             <div class="box1">
          <span class="li_news"></span>
           <?php
 $status="in Process";
$rt = mysqli_query($con,"SELECT * FROM tblcomplaints where
userId="".$_SESSION['id']."' and status='$status'");
```

```
$num1 = mysqli_num_rows($rt);
{?>
          <h3><?php echo htmlentities($num1);?></h3>
             </div>
          <?php echo htmlentities($num1);?> Complaints Status in
process
            </div>
 <?php }?>
            <div class="col-md-2 col-sm-2 box0">
             <div class="box1">
          <span class="li_news"></span>
             <?php
 $status="closed";
$rt = mysqli_query($con,"SELECT * FROM tblcomplaints where
userId="".$_SESSION['id']."' and status="$status"");
$num1 = mysqli_num_rows($rt);
{?>
          <h3><?php echo htmlentities($num1);?></h3>
             </div>
          <?php echo htmlentities($num1);?> Complaint has been
closed
            </div>
<?php }?>
Page 86
```

```
</div><!-- /row mt -->
```

```
</div>
      </section>
    </section>
 </section>
<!--<?php include("includes/footer.php");?>-->
 <footer class="site-footer" style="margin-top:285px;">
      <div class="text-center">
        Made by Mrinal Satyawanshi
        <a href="#" class="go-top">
           <i class="fa fa-angle-up"></i>
        </a>
      </div>
    </footer>
  <!-- js placed at the end of the document so the pages load faster -->
  <script src="assets/js/jquery.js"></script>
  <script src="assets/js/jquery-1.8.3.min.js"></script>
```

```
<script src="assets/js/bootstrap.min.js"></script>
  <script class="include" type="text/javascript"</pre>
src="assets/js/jquery.dcjqaccordion.2.7.js"></script>
  <script src="assets/js/jquery.scrollTo.min.js"></script>
  <script src="assets/js/jquery.nicescroll.js" type="text/javascript"></script>
  <script src="assets/js/jquery.sparkline.js"></script>
  <!--common script for all pages-->
  <script src="assets/js/common-scripts.js"></script>
  <script type="text/javascript"</pre>
src="assets/js/gritter/js/jquery.gritter.js"></script>
  <script type="text/javascript" src="assets/js/gritter-conf.js"></script>
  <!--script for this page-->
  <script src="assets/js/sparkline-chart.js"></script>
      <script src="assets/js/zabuto_calendar.js"></script>
 </body>
</html>
<?php } ?>
Complaint-details.php
<?php session_start();</pre>
error_reporting(0);
include('includes/config.php');
```

Page 88

```
if(strlen($_SESSION['login'])==0)
header('location:index.php');
}
else{ ?>
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="Dashboard">
  <meta name="keyword" content="Dashboard, Bootstrap, Admin, Template,
Theme, Responsive, Fluid, Retina">
  <title>CMS | Complaint Details</title>
  <!-- Bootstrap core CSS -->
  k href="assets/css/bootstrap.css" rel="stylesheet">
  k href="assets/font-awesome/css/font-awesome.css" rel="stylesheet" />
  <link href="assets/css/style.css" rel="stylesheet">
  k href="assets/css/style-responsive.css" rel="stylesheet">
 </head>
```

```
<body>
 <section id="container" >
<?php include('includes/header.php');?>
<?php include('includes/sidebar.php');?>
   <section id="main-content">
      <section class="wrapper site-min-height">
      <h3><i class="fa fa-angle-right"></i> Complaint Details</h3>
       <hr/>
<?php $query=mysqli_query($con,"select
tblcomplaints.*,category.categoryName as catname from tblcomplaints join
category on category.id=tblcomplaints.category where
userId="".$_SESSION['id']."" and complaintNumber="".$_GET['cid'].""");
while($row=mysqli_fetch_array($query))
{?>
      <div class="row mt">
       <label class="col-sm-2 col-sm-2 control-label"><b>Complaint Number
: </b></label>
            <div class="col-sm-4">
            <?php echo htmlentities($row['complaintNumber']);?>
            </div>
<label class="col-sm-2 col-sm-2 control-label"><b>Reg. Date :</b></label>
        <div class="col-sm-4">
        <?php echo htmlentities($row['regDate']);?>
        </div>
```

Page 90

```
<div class="row mt">
      <label class="col-sm-2 col-sm-2 control-label"><b>Category
:</b></label>
        <div class="col-sm-4">
        <?php echo htmlentities($row['catname']);?>
        </div>
<label class="col-sm-2 col-sm-2 control-label"><b>Sub Category :</b>
</label>
        <div class="col-sm-4">
        <?php echo htmlentities($row['subcategory']);?>
        </div>
      </div>
 <div class="row mt">
      <label class="col-sm-2 col-sm-2 control-label"><b>Complaint Type
:</b></label>
        <div class="col-sm-4">
        <?php echo htmlentities($row['complaintType']);?>
        </div>
<label class="col-sm-2 col-sm-2 control-label"><b>Department :</b></label>
```

</div>

```
<div class="col-sm-4">
        <?php echo htmlentities($row['department']);?>
        </div>
       </div>
 <div class="row mt">
       <label class="col-sm-2 col-sm-2 control-label"><b>Nature of
Complaint :</b></label>
        <div class="col-sm-4">
        <?php echo htmlentities($row['noc']);?>
        </div>
<label class="col-sm-2 col-sm-2 control-label"><b>File :</b></label>
        <div class="col-sm-4">
        <?php $cfile=$row['complaintFile'];
if(\$cfile=="" \parallel \$cfile=="NULL")
 echo htmlentities("File NA");
}
else{ ?>
<a href="complaintdocs/<?php echo htmlentities($row['complaintFile']);?>"
target='_blank'> View File</a>
<?php } ?>
```

```
</div>
       </div>
<div class="row mt">
       <label class="col-sm-2 col-sm-2 control-label"><b>Complaint Details
</label>
        <div class="col-sm-10">
        <?php echo htmlentities($row['complaintDetails']);?>
        </div>
       </div>
<?php
$ret=mysqli_query($con,"select complaintremark.remark as
remark,complaintremark.status as sstatus,complaintremark.remarkDate as rdate
from complaintremark join tblcomplaints on
tblcomplaints.complaintNumber=complaintremark.complaintNumber where
complaintremark.complaintNumber="".$_GET['cid'].""");
while($rw=mysqli_fetch_array($ret))
{
?>
<div class="row mt">
<label class="col-sm-2 col-sm-2 control-label"><b>Remark:</b></label>
Page 93
```

```
<div class="col-sm-10">
 <?php echo htmlentities($rw['remark']); ?>&nbsp;&nbsp; <b>Remark Date:
<?php echo htmlentities($rw['rdate']); ?></b>
        </div>
       </div>
<div class="row mt">
<label class="col-sm-2 col-sm-2 control-label"><b>Status:</b></label>
        <div class="col-sm-10">
<?php echo htmlentities($rw['sstatus']); ?>
        </div>
       </div>
<?php } ?>
<div class="row mt">
<label class="col-sm-2 col-sm-2 control-label"><b>Final Status :</b></label>
        <div class="col-sm-4">
        <?php</pre>
if($row['status']=="NULL" || $row['status']==""" )
{
echo "Not Process yet";
} else{
Page 94
```

```
echo htmlentities($row['status']);
}
         ?>
         </div>
       </div>
<?php } ?>
             </section><! --/wrapper -->
    </section><!--/MAIN CONTENT -->
<?php include('includes/footer.php');?>
 </section>
  <!-- js placed at the end of the document so the pages load faster -->
  <script src="assets/js/jquery.js"></script>
  <script src="assets/js/bootstrap.min.js"></script>
  <script src="assets/js/jquery-ui-1.9.2.custom.min.js"></script>
  <script src="assets/js/jquery.ui.touch-punch.min.js"></script>
  <script class="include" type="text/javascript"</pre>
src="assets/js/jquery.dcjqaccordion.2.7.js"></script>
  <script src="assets/js/jquery.scrollTo.min.js"></script>
  <script src="assets/js/jquery.nicescroll.js" type="text/javascript"></script>
Page 95
```

```
<!--common script for all pages-->
  <script src="assets/js/common-scripts.js"></script>
  <!--script for this page-->
 <script>
   //custom select box
   $(function(){
      $('select.styled').customSelect();
   });
 </script>
 </body>
</html>
<?php } ?>
Profile.php
<?php
session_start();
error_reporting(0);
include('includes/config.php');
Page 96
```

```
if(strlen($_SESSION['login'])==0)
 {
header('location:index.php');
}
else{
date_default_timezone_set('Asia/Kolkata');// change according timezone
$currentTime = date('d-m-Y h:i:s A', time());
if(isset($_POST['submit']))
{
$fname=$_POST['fullname'];
$contactno=$_POST['contactno'];
$hostel=$_POST['hostel'];
$department=$_POST['department'];
$course=$_POST['course'];
$query=mysqli_query($con,"update users set
fullName='$fname',contactNo='$contactno',hostel='$hostel',department='$depar
tment',course='$course' where rollno="".$_SESSION['login'].""");
if($query)
$successmsg="Profile Successfully !!";
}
else
Page 97
```

```
$errormsg="Profile not updated !!";
?>
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="Dashboard">
  <meta name="keyword" content="Dashboard, Bootstrap, Admin, Template,
Theme, Responsive, Fluid, Retina">
  <title>CMS | User Change Password</title>
  <!-- Bootstrap core CSS -->
  <link href="assets/css/bootstrap.css" rel="stylesheet">
  <!--external css-->
  <link href="assets/font-awesome/css/font-awesome.css" rel="stylesheet" />
  <link rel="stylesheet" type="text/css" href="assets/js/bootstrap-</pre>
datepicker/css/datepicker.css" />
  <link rel="stylesheet" type="text/css" href="assets/js/bootstrap-</pre>
daterangepicker/daterangepicker.css" />
```

```
<link href="assets/css/style.css" rel="stylesheet">
  <link href="assets/css/style-responsive.css" rel="stylesheet">
 </head>
 <body>
 <section id="container" >
  <?php include("includes/header.php");?>
   <?php include("includes/sidebar.php");?>
   <section id="main-content">
      <section class="wrapper">
      <h3><i class="fa fa-angle-right"></i> Profile info</h3>
      <!-- BASIC FORM ELELEMNTS -->
      <div class="row mt">
            <div class="col-lg-12">
          <div class="form-panel">
             <?php if($successmsg)</pre>
             {?>
             <div class="alert alert-success alert-dismissable">
             <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">×</button>
Page 99
```

```
<b>Well done!</b> <?php echo
htmlentities($successmsg);?></div>
             <?php }?>
 <?php if($errormsg)</pre>
             {?>
             <div class="alert alert-danger alert-dismissable">
<button type="button" class="close" data-dismiss="alert" aria-
hidden="true">×</button>
             <b>Oh snap!</b> </b> <?php echo
htmlentities($errormsg);?></div>
             <?php }?>
<?php $query=mysqli_query($con,"select * from users where</pre>
rollno="".$_SESSION['login'].""");
while($row=mysqli_fetch_array($query))
?>
 <h4 class="mb"><i class="fa fa-user"></i>&nbsp;&nbsp;<?php echo
htmlentities($row['fullName']);?>'s Profile</h4>
  <h5><b>Last Updated at :</b>&nbsp;&nbsp;<?php echo
htmlentities($row['updationDate']);?></h5>
             <form class="form-horizontal style-form" method="post"
name="profile" >
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-label">Full Name</label>
Page 100
```

```
<div class="col-sm-4">
<input type="text" name="fullname" required="required" value="<?php echo</pre>
htmlentities($row['fullName']);?>" class="form-control" >
</div>
<label class="col-sm-2 col-sm-2 control-label">User Email </label>
<div class="col-sm-4">
<input type="email" name="useremail" required="required" value="<?php echo</pre>
htmlentities($row['userEmail']);?>" class="form-control" readonly>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-label">Roll No</label>
<div class="col-sm-8">
<input type="text" name="rollno" required="required" value="<?php echo</pre>
htmlentities($row['rollno']);?>" class="form-control" readonly>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-label">Contact</label>
<div class="col-sm-4">
<input type="text" name="contactno" required="required" value="<?php echo</pre>
htmlentities($row['contactNo']);?>" class="form-control">
</div>
<label class="col-sm-2 col-sm-2 control-label">Hostel</label>
Page 101
```

```
<div class="col-sm-4">
<textarea name="hostel" required="required" class="form-control"><?php
echo htmlentities($row['hostel']);?></textarea>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-label">Department</label>
<div class="col-sm-4">
<select name="department" required="required" class="form-control">
<option value="<?php echo htmlentities($row['department']);?>"><?php echo</pre>
htmlentities($st=$row['department']);?></option>
<?php $sql=mysqli_query($con,"select deptName from department ");</pre>
while ($rw=mysqli_fetch_array($sql)) {
 if($rw['deptName']==$st)
  continue;
 else
 {
 ?>
 <option value="<?php echo htmlentities($rw['deptName']);?>"><?php echo</pre>
htmlentities($rw['deptName']);?></option>
<?php
}}
```

```
?>
</select>
</div>
<label class="col-sm-2 col-sm-2 control-label">Course</label>
<div class="col-sm-4">
<input type="text" name="course" required="required" value="<?php echo</pre>
htmlentities($row['course']);?>" class="form-control">
</div>
</div>
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-label">Reg Date </label>
<div class="col-sm-4">
<input type="text" name="regdate" required="required" value="<?php echo</pre>
htmlentities($row['regDate']);?>" class="form-control" readonly>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-label">User Photo</label>
<div class="col-sm-4">
<?php $userphoto=$row['userImage'];</pre>
Page 103
```

```
if($userphoto==""):
?>
<img src="userimages/noimage.png" width="256" height="256" >
<a href="update-image.php">Change Photo</a>
<?php else:?>
     <img src="userimages/<?php echo htmlentities($userphoto);?>"
width="256" height="256">
     <a href="update-image.php">Change Photo</a>
<?php endif;?>
</div>
</div>
<?php } ?>
               <div class="form-group">
               <div class="col-sm-10" style="padding-left:25% ">
Page 104
```

```
<button type="submit" name="submit" class="btn btn-
primary">Submit</button>
</div>
</div>
                </form>
                </div>
                </div>
                </div>
             </section>
    </section>
  <?php include("includes/footer.php");?>
 </section>
  <!-- js placed at the end of the document so the pages load faster -->
  <script src="assets/js/jquery.js"></script>
  <script src="assets/js/bootstrap.min.js"></script>
  <script class="include" type="text/javascript"</pre>
src="assets/js/jquery.dcjqaccordion.2.7.js"></script>
  <script src="assets/js/jquery.scrollTo.min.js"></script>
  <script src="assets/js/jquery.nicescroll.js" type="text/javascript"></script>
```

```
<!--common script for all pages-->
  <script src="assets/js/common-scripts.js"></script>
  <!--script for this page-->
  <script src="assets/js/jquery-ui-1.9.2.custom.min.js"></script>
      <!--custom switch-->
      <script src="assets/js/bootstrap-switch.js"></script>
      <!--custom tagsinput-->
      <script src="assets/js/jquery.tagsinput.js"></script>
      <!--custom checkbox & radio-->
      <script type="text/javascript" src="assets/js/bootstrap-</pre>
datepicker/js/bootstrap-datepicker.js"></script>
      <script type="text/javascript" src="assets/js/bootstrap-</pre>
daterangepicker/date.js"></script>
      <script type="text/javascript" src="assets/js/bootstrap-</pre>
daterangepicker/daterangepicker.js"></script>
      <script type="text/javascript" src="assets/js/bootstrap-</pre>
inputmask/bootstrap-inputmask.min.js"></script>
```

```
<script src="assets/js/form-component.js"></script>
 <script>
   //custom select box
   $(function(){
      $('select.styled').customSelect();
   });
 </script>
 </body>
</html>
<?php } ?>
Register-complaint.php
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['login'])==0)
 {
header('location:index.php');
Page 107
```

```
}
else{
if(isset($_POST['submit']))
{
$uid=$_SESSION['id'];
$category=$_POST['category'];
$subcat=$_POST['subcategory'];
$complaintype=$_POST['complaintype'];
$department=$_POST['department'];
$noc=$_POST['noc'];
$complaintdetials=$_POST['complaindetails'];
$compfile=$_FILES["compfile"]["name"];
move_uploaded_file($_FILES["compfile"]["tmp_name"],"complaintdocs/".$_F
ILES["compfile"]["name"]);
$query=mysqli_query($con,"insert into
tblcomplaints(userId,category,subcategory,complaintType,department,noc,com
plaintDetails,complaintFile)
values('$uid', '$category', '$subcat', '$complaintype', '$department', '$noc', '$complai
ntdetials','$compfile')");
// code for show complaint number
$sql=mysqli_query($con,"select complaintNumber from tblcomplaints order by
complaintNumber desc limit 1");
while($row=mysqli_fetch_array($sql))
Page 108
```

```
{
$cmpn=$row['complaintNumber'];
}
$complainno=$cmpn;
echo '<script> alert("Your complain has been successfully filled and your
complaintno is "+"'.$complainno.'")</script>';
}
?>
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="Dashboard">
  <meta name="keyword" content="Dashboard, Bootstrap, Admin, Template,
Theme, Responsive, Fluid, Retina">
  <title>CMS | User Register Complaint</title>
  <!-- Bootstrap core CSS -->
  <link href="assets/css/bootstrap.css" rel="stylesheet">
  <!--external css-->
  <link href="assets/font-awesome/css/font-awesome.css" rel="stylesheet" />
```

```
<link rel="stylesheet" type="text/css" href="assets/js/bootstrap-</pre>
datepicker/css/datepicker.css" />
  <link rel="stylesheet" type="text/css" href="assets/js/bootstrap-</pre>
daterangepicker/daterangepicker.css" />
  <link href="assets/css/style.css" rel="stylesheet">
  <link href="assets/css/style-responsive.css" rel="stylesheet">
  <script>
function getCat(val) {
 //alert('val');
 $.ajax({
 type: "POST",
 url: "getsubcat.php",
 data:'catid='+val,
 success: function(data){
  $("#subcategory").html(data);
 }
 });
 </script>
 </head>
 <body>
Page 110
```

```
<section id="container" >
   <?php include("includes/header.php");?>
   <?php include("includes/sidebar.php");?>
   <section id="main-content">
      <section class="wrapper">
      <h3><i class="fa fa-angle-right"></i> Register Complaint</h3>
      <!-- BASIC FORM ELELEMNTS -->
      <div class="row mt">
            <div class="col-lg-12">
          <div class="form-panel">
             <?php if($successmsg)</pre>
             {?>
             <div class="alert alert-success alert-dismissable">
             <button type="button" class="close" data-dismiss="alert" aria-
hidden="true">×</button>
             <b>Well done!</b> <?php echo
htmlentities($successmsg);?></div>
             <?php }?>
 <?php if($errormsg)</pre>
             {?>
```

```
<div class="alert alert-danger alert-dismissable">
<button type="button" class="close" data-dismiss="alert" aria-
hidden="true">&times:</button>
             <b>Oh snap!</b> </b> <?php echo
htmlentities($errormsg);?></div>
             <?php }?>
             <form class="form-horizontal style-form" method="post"
name="complaint" enctype="multipart/form-data" >
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-label">Category</label>
<div class="col-sm-4">
<select name="category" id="category" class="form-control"</pre>
onChange="getCat(this.value);" required="">
<option value="">Select Category</option>
<?php $sql=mysqli_query($con,"select id,categoryName from category ");</pre>
while ($rw=mysqli_fetch_array($sql)) {
 ?>
 <option value="<?php echo htmlentities($rw['id']);?>"><?php echo</pre>
htmlentities($rw['categoryName']);?></option>
<?php
}
?>
</select>
</div>
```

Page 112

```
<label class="col-sm-2 col-sm-2 control-label">Sub Category </label>
<div class="col-sm-4">
<select name="subcategory" id="subcategory" class="form-control" >
<option value="">Select Subcategory</option>
</select>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-label">Complaint Type</label>
<div class="col-sm-4">
<select name="complaintype" class="form-control" required="">
         <option value=" Complaint"> Complaint
          <option value="General Query">General Query</option>
         </select>
</div>
<label class="col-sm-2 col-sm-2 control-label">Department</label>
<div class="col-sm-4">
<select name="department" required="required" class="form-control">
<option value="">Select Department</option>
```

```
<?php $sql=mysqli_query($con,"select deptName from department ");</pre>
while ($rw=mysqli_fetch_array($sql)) {
 ?>
 <option value="<?php echo htmlentities($rw['deptName']);?>"><?php echo</pre>
htmlentities($rw['deptName']);?></option>
<?php
}
?>
</select>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-label">Nature of Complaint</label>
<div class="col-sm-4">
<input type="text" name="noc" required="required" value="" required=""</pre>
class="form-control">
</div>
</div>
<div class="form-group">
```

```
<label class="col-sm-2 col-sm-2 control-label">Complaint Details (max 2000)
words) </label>
<div class="col-sm-6">
<textarea name="complaindetails" required="required" cols="10" rows="10"
class="form-control" maxlength="2000"></textarea>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-label">Complaint Related Doc(if any)
</label>
<div class="col-sm-6">
<input type="file" name="compfile" class="form-control" value="">
</div>
</div>
               <div class="form-group">
                <div class="col-sm-10" style="padding-left:25% ">
<button type="submit" name="submit" class="btn btn-
primary">Submit</button>
</div>
</div>
               </form>
               </div>
```

```
</div>
                </div>
             </section>
    </section>
  <?php include("includes/footer.php");?>
 </section>
  <!-- is placed at the end of the document so the pages load faster -->
  <script src="assets/js/jquery.js"></script>
  <script src="assets/js/bootstrap.min.js"></script>
  <script class="include" type="text/javascript"</pre>
src="assets/js/jquery.dcjqaccordion.2.7.js"></script>
  <script src="assets/js/jquery.scrollTo.min.js"></script>
  <script src="assets/js/jquery.nicescroll.js" type="text/javascript"></script>
  <!--common script for all pages-->
  <script src="assets/js/common-scripts.js"></script>
  <!--script for this page-->
  <script src="assets/js/jquery-ui-1.9.2.custom.min.js"></script>
```

```
<!--custom switch-->
      <script src="assets/js/bootstrap-switch.js"></script>
      <!--custom tagsinput-->
      <script src="assets/js/jquery.tagsinput.js"></script>
      <!--custom checkbox & radio-->
      <script type="text/javascript" src="assets/js/bootstrap-</pre>
datepicker/js/bootstrap-datepicker.js"></script>
      <script type="text/javascript" src="assets/js/bootstrap-</pre>
daterangepicker/date.js"></script>
      <script type="text/javascript" src="assets/js/bootstrap-</pre>
daterangepicker/daterangepicker.js"></script>
      <script type="text/javascript" src="assets/js/bootstrap-</pre>
inputmask/bootstrap-inputmask.min.js"></script>
      <script src="assets/js/form-component.js"></script>
 <script>
   //custom select box
    $(function(){
Page 117
```

```
$('select.styled').customSelect();
   });
 </script>
 </body>
</html>
<?php } ?>
Registration.php
<?php
include('includes/config.php');
error_reporting(0);
if(isset($_POST['submit']))
{
      $fullname=$_POST['fullname'];
      $rollno=$_POST['rollno'];
      $email=$_POST['email'];
      $password=$_POST['password'];
      $contactno=$_POST['contactno'];
      $status=1;
      $query=mysqli_query($con,"insert into
users(fullName,rollno,userEmail,password,contactNo,status)
values('$fullname','$rollno','$email','$password','$contactno','$status')");
      $msg="Registration successfull. Now You can login!";
```

```
}
?>
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="">
  <meta name="author" content="Dashboard">
  <meta name="keyword" content="Dashboard, Bootstrap, Admin, Template,
Theme, Responsive, Fluid, Retina">
  <title>CMS | User Registration</title>
  <link href="assets/css/bootstrap.css" rel="stylesheet">
  k href="assets/font-awesome/css/font-awesome.css" rel="stylesheet" />
  <link href="assets/css/style.css" rel="stylesheet">
  k href="assets/css/style-responsive.css" rel="stylesheet">
      <script>
function userAvailability() {
$("#loaderIcon").show();
jQuery.ajax({
url: "check_availability.php",
data:'email='+$("#email").val(),
type: "POST",
Page 119
```

```
success:function(data){
$("#user-availability-status1").html(data);
$("#loaderIcon").hide();
},
error:function (){ }
});
</script>
 </head>
 <body>
      <div id="login-page">
           <div class="container">
              <form class="form-login" method="post">
               <h2 class="form-login-heading">User Registration</h2>
               <?php if($msg){
echo htmlentities($msg);
                      }?>
               <div class="login-wrap">
```

```
<input type="text" class="form-control" placeholder="Full</pre>
Name" name="fullname" required="required" autofocus>
                    <br>
                    <input type="text" class="form-control" placeholder="Roll</pre>
No" name="rollno" required="required" autofocus>
                    <br>
                    <input type="email" class="form-control"</pre>
placeholder="email" id="email" onBlur="userAvailability()" name="email"
required="required">
                    <span id="user-availability-status1" style="font-</pre>
size:12px;"></span>
                    <br>
                    <input type="password" class="form-control"</pre>
placeholder="Password" required="required" name="password"><br >
                    <input type="text" class="form-control" maxlength="10"</pre>
name="contactno" placeholder="Contact no" required="required" autofocus>
                    <hr>>
                    <button class="btn btn-theme btn-block" type="submit"
name="submit" id="submit"><i class="fa fa-user"></i> Register</button>
                    <hr>
                    <div class="registration">
                      Already Registered<br/>
                      <a class="" href="index.php">
                        Sign in
                      </a>
```

```
</div>
                  </div>
                 </form>
             </div>
        </div>
  <!-- js placed at the end of the document so the pages load faster -->
  <script src="assets/js/jquery.js"></script>
  <script src="assets/js/bootstrap.min.js"></script>
  <!--BACKSTRETCH-->
  <!-- You can use an image of whatever size. This script will stretch to fit in
any screen size.-->
  <script type="text/javascript"</pre>
src="assets/js/jquery.backstretch.min.js"></script>
  <script>
     $.backstretch("assets/img/login-bg.jpg", {speed: 500});
  </script>
```

Page 123		