PLANNING & INSTALLATION

INSTALLATION GUIDE

Concrete pad, anchors, supply and drain

COOL DOG™ WATER FOUNTAINS

FRESH FLOW – NO BASIN FOUNTAINS

Installed directly onto a concrete pad, these models withstand constant use and all-weather conditions. Easy-access panels simplify servicing and adjustments, while commercial-grade materials ensure the fountains stay looking great season after season and easy to maintain.

PLUMBING SPECIFICATIONS

- ✓ The fountain supply line fixture is a 1/2″ NPT male, supply line should be a 1/2″ NPT female.
- ✓ Minimum 15 psi recommended
- ✓ Minimum 6′ x 6′ concrete pad with drain is recommended


SIMPLE CONCRETE PAD INSTALLATION

Our surface-mounted Fresh Flow Fountains are engineered for quick installation on a standard concrete pad. With just a few anchor bolts and a simple water connection, the unit is ready to deliver clean, on-demand hydration.

- ✓ Five anchor bolts secure the fountain to the concrete pad
- ✓ Water line enters through an 8″ rabbit hole opening
- ✓ Trench drain sits 2.5″ in front of the spout for clean runoff
- ✓ Adjust stream height as needed after connecting water


COOL DOG
WATER FOUNTAINS.COM







NOTE: The example installation here is the same for each Fresh Flow Fountain model.

COOL DOG WATER FOUNTAINS.COM

Model - DL-1000-DD-DWC-SLV







SECTION A-A
Flange Hole Pattern

Notes:
1. Follow all local plumbing codes.
2. Water supply line depth shall be according to local regulating codes and 3/8" - 1/2" size.
3. Hydrant shall be drained during winterizing process by depressing the drain pin.
4. Add one way check valve before pressure regulator if back flow prevention is required.

COOL DOG WATER FOUNTAINS.COM

Model - DL-1000-DD-DWC-SLV





SECTION B-B

Notes:
1. Follow all local plumbing codes.
2. Reference drain manufacturer for drain installation details.
3. Drawing not to scale.
4. Trench drain mesurements are a recommendation. Multiple sizes can be utilized.

FRESH FLOW WATER FOUNTAINS

Fresh water in, germs out.

Our Fresh Flow fountains are designed and engineered with a direct-flow, basin-less design to eliminate the hygiene issues caused by shared bowls. Instead of standing water, dogs access a direct, controlled flow — helping prevent germ spread, mosquito attraction, and the maintenance headaches associated with traditional bowls. Water is delivered only when activated, and it drains immediately, leaving nothing for germs to breed in.

Providing a sanitary, continuous flow of **clean water ensures dogs stay healthy, active, and protected** from the risks of stagnant water or shared bowls.

With a commercial-grade powder-coated exterior, the system is made for the realities of public use: tough, sanitary, and easy to maintain.

Key Health Benefits

No Standing Water = No Germ Party
Stagnant water can harbor bacteria, parasites, and viruses. A flowing-only design eliminates the environment where those thrive.


Reduces the Spread of Canine Illnesses
Shared bowls contribute to the transmission of conditions like kennel cough, giardia, and other communicable diseases. Fresh-on-demand water cuts down that risk dramatically.

Cleaner Environment for Play Spaces
No slimy bowls. No mosquito-friendly puddles. No "mystery water" for pets to step in or drink from.

Easier for Owners & Park Staff
No bowl cleaning, no refilling, no maintenance headaches — just drink and go.

FRESH & SANITARY WATER FOUNTAINS
CLEAN WATER NO BOWLS


Clean fresh water means happy dogs and healthier parks.



COOL DOG WATER FOUNTAINS.COM

Actual product specifications, shapes, dimensions, weights and colors may vary slightly from as featured in catalog or on internet. Changes represent most current product revisions as we strive for the highest quality materials and products and in doing so on-going changes can occur. Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement. The play products are designed and manufactured specifically for DOGS ONLY and should not be used for other purposes. Lead times may vary. Custom Colors add additional fees and lead time. All products require regular inspection, maintenance, and cleaning. Product images are not exact to actual product but are a representation of basic features, shapes, colors as these here.

FRESH FLOW WATER FOUNTAINS




See page 67 for line fixture specs.



Simple Concrete Pad Installation


Our surface-mounted Fresh Flow Fountains are engineered for quick installation on a standard concrete pad. With just a few anchor bolts and a simple water connection, the unit is ready to deliver clean, on-demand hydration.

- Five anchor bolts secure the fountain to the concrete pad
- Water line enters through an 8" rabbit hole opening
- Trench drain sits 2.5" in front of the spout for clean runoff
- Adjust stream height as needed after connecting water





Design your concrete pad large enough to accommodate a rinse area or Cool Dog Splash Pool!



Optional: A drain on a concrete pad will help keep the concrete clean and dry.

COOL DOG WATER FOUNTAINS.COM

Actual product specifications, shapes, dimensions, weights and colors may vary slightly from as featured in catalog or on internet. Changes represent most current product revisions as we strive for the highest quality materials and products and in doing so on-going changes can occur. Some products offered may have special unique designs, features or specifications that may be reserved and should not to be copied or simulated in any manner without written consent or agreement. The play products are designed and manufactured specifically for DOGS ONLY and should not be used for other purposes. Lead times may vary. Custom Colors add additional fees and lead time. All products require regular inspection, maintenance, and cleaning. Product images are not exact to actual product but are a representation of basic features, shapes, colors as these here.