

CONCRETE BATCHING PLANT

**LOGIK 2WXL 4/10
MD 5000/3350**

SPARE PARTS CATALOG



Le Officine Riunite - Udine S.p.A.
Via Santa Caterina, 35 -33030-
Basaldella di Campoformido- (UD) Italy
Tel. +39 0432 563939
Fax +39 0432 563926

R0
- Cod.10090213



SERIAL NUMBER: 10090213

- 1 - Contents
- 2 - Order of spare parts
- 3 - Aggregates storage unit with accessories
- 4 - Aggregates conveyor belt
- 5 - Auxiliary conveyor belt 30x1
- 6 - Cement screw feeder
- 7 - Cement rubber gaskets
- 8 - Pneumatic unit components
- 9 - Electrocompressor B6000
- 10 - Pneumatic butterfly valve
- 11 - Water and cement weigh hopper acc:
- 12 - Cement dust remover FC3V12-20
- 13 - Additive weigh hopper
 - **Twin shaft mixer mod. MD 5000/3350**
- 14 - Mixer box and wear plates
- 15 - Shafts and blades
- 16 - Motor side housing group
- 17 - Opposite motor side housing group
- 18 - Motors and transmission
- 19 - Discharge door and acc:
- 20 - Greasing and oleodinamic unit
- 21 - Reduction gear gate
- 22 - Gearbox right side
- 23 - Gearbox left side
- 24 - Waiting hopper

Warranty application

2 - ORDER OF SPARE PARTS

The exact supply of spare parts is guaranteed only if they are ordered according to the following indications.

For every requested part, the data to be indicated are:

- the code number of the part;
- the relevant description;
- the requested quantity.

In case the code is not indicated the part, as single spare part, is not available: its description appears in order to clarify the composition of the kit in which it is included.

THE ORDER MUST INCLUDE THE SERIAL NUMBER OF THE PLANT

Example of order

Refer to the drawing and to the relevant table indicated herebelow.


You want to order the part drawn on position 9. The order will be:

----- (Serial No.) - **K1005203** (Code No.) - **Fixed scraper belt** (Description) - **1** (Requested quantity)

The supply will consist of the following components already assembled:


- Scraper belt brush (position 9/1)

The part 9/1 is codified, therefore it can be singularly requested.



POS.	CODE	DESCRIPTION	Q.TY
9	K1005203	Fixed scraper belt	1
9/1	L1001401	Scraper belt brush	6


3 - AGGREGATES STORAGE UNIT WITH ACCESSORIES



3 - AGGREGATES STORAGE UNIT WITH ACCESSORIES

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	K1017995	Gate opening	1	7	K1027912	Antiwear plate weigh hopper	2
2	94100500	Weigh hopper vibrator	1	8	M2700230	Hydro Probe	1
3	94100800	Storage aggregate vibrator	1	9	K1020750	Load cell group C3 5000 kg	1
4	K1017997	Left vibrating plate	1	9/1	M2500462	Load cell C3 5000 kg	1
-	K1017998	Right vibrating plate	1	9/2	X1750560	Copper plait CEM FL 16-570	1
5	-	Antiwear plate storage aggregate	1				
6	K1010897	Regulator rod	1				


4 - AGGREGATES CONVEYOR BELT



4 - AGGREGATES CONVEYOR BELT

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	K1029662	Idle roller 320x1130	1	10	78000940	Support type SYJ 70 TF	2
2	F6604103	Driving roller 320x950	1	11	K1029775	Stone guard	1
3	67701092	Reduction gear R2I 180	1	12	F5403704	Emergency limit switch	1
4	58002652	Pulley SPA/A Ø 180/42	1	13	30101002	Stop pull-cord (per metres)	m
-	58002870	Pulley SPA/A Ø 200/42	1	14	70802392	Roller 1158	5
5	12504620	Belt SPA 1950 mm	3	15	70802391	Roller 388	73
6	78000700	Y support type SY 55 TF	2	16	70801303	Roller 60/15C	4
7	45802920	Motor 15 kW 4 p. 400/690 V 50HZ	1				
8	79009012	Rubber belt 26150x1000 mm	1				
9	K1016720	Fixed scraper belt	1				
9/1	L1001400	Brush support	7				
9/2	L1001401	Scraper belt brush	7				
9/3	67401105	Rubber support	7				


5 - AUXILIARY CONVEYOR BELT 30x1



5 - AUXILIARY CONVEYOR BELT 30x1

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	K1032164	Carter	1	24	K1031104	Frame L=6000	3
2	K1032117	Conveyor	1	-	K1031709	Frame L=3000	3
3	K1031754	Scraper belt	1	25	L1017037	Cover L=1500	17
4	34833800	Oleodinamic Joint	1	26	70802113	Roller 89x358	10
5	12507450	Belt SPB 2900	5	27	70802391	Roller 89/15x388	89
6	58007140	Pulley 250x48	1	28	K1031750	Roller support 25°	2
7	58007105	Pulley 224x60	1	-	K1031751	Roller support 20°	2
8	67701490	Reduction gear R21 210	1	-	K1031752	Roller support 15°	1
9	78000955	Y support Y type SYJ 90 TF	2	-	K1031753	Roller support 10°	1
10	L1017263	Wear plate	1	29	K1032374	Hopper	1
11	79202003	Rubber belt 61850x1000 mm	1	29/1	25601655	Rubber gasket 120x8 (to meter)	6
12	L1017038	Cover L=830	1	30	L1017237	Carter r.	1
-	L1017184	Cover L=500	1	31	L1017236	Carter l.	1
13	K1031591	Driving roller 520x1130	1	32	30101002	Stopping cord	m
14	K1032163	Carter	1	33	X2500265	Limit switch r.	1
15	K1031749	Roller 164x1050	1	-	X2500266	Limit switch l.	1
16	78101000	Y support Y type FY 45 TF	2	34	K1031083	Frame L=2994	1
17	K1031760	Pulley cover	1	35	K1032417	Stone guard	1
18	L1017033	Support cover	1	36	78000700	Y support Y type SY 55 TF	2
19	45805109	Motor 45 kW 4 poles 400/690	1	37	L1017465	Tension screw M27x1200	2
20	70802392	Roller 76/15x1158	17	38	K1031153	Tail l.	1
21	K1031277	Frame L=2813	1	39	K1031154	Tail r.	1
22	70801303	Roller 60x80	2	40	L1017217	Protection	1
23	K1030898	Roller support 30°	27	41	K1029662	Idle roller 320x1130	1
				42	L1016537	Tail support	1
				43	L1017466	Carter	1
				44	70802405	Roller 89/15x388	1

6 - CEMENT SCREW FEEDER



6 - CEMENT SCREW FEEDER

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	13015572	Cement s.f. ES 273-4250-22°30'-M43	1				
-	-	-	1	2	67401418	Rubber tube Ø 295x300	1
1/1	/	Electric motor	1	-	67401436	Rubber tube Ø 280x300	1
1/2	/	Reduction gear	1	3	24703100	Hose clamp Ø 325x9	1
1/3	/	Complete intermediate support	1	4	90501500	Butterfly valve V2 FF/300	1
1/4	/	Complete terminal support	1	5	F5002000	Complete clamp	1
1/5	/	Spiral	1	6	90501600	Manual comand for Ø 300	1


ATTENTION: by requesting screw feed spare parts, indicate the data relevant to screw feed itself.

Example:

For ordering spare part with position 1/2, the order will be as follows:

13015572 (Screw feeder code) - **Reduction gear** (Description) - **1** (Requested quantity)


7 - CEMENT RUBBER GASKETS



7 - CEMENT RUBBER GASKETS

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
INSIDE RUBBER TUBE				OUTSIDE RUBBER TUBE			
1	67401410	Rubber tube Ø180 H300	1	2	67401432	Rubber tube Ø180 H200	1
-	67401411	Rubber tube Ø180 H500	1		67401433	Rubber tube Ø205 H200	1
-	67401412	Rubber tube Ø205 H300	1		67401434	Rubber tube Ø235 H200	1
-	67401414	Rubber tube Ø235 H300	1		67401435	Rubber tube Ø275 H200	1
-	67401415	Rubber tube Ø235 H500	1		67401436	Rubber tube Ø295 H200	1
-	67401416	Rubber tube Ø275 H300	1		67401437	Rubber tube Ø340 H200	1
-	67401417	Rubber tube Ø275 H500	1				
-	67401418	Rubber tube Ø295 H300	1	3	24703100	Hose clamp Ø 325x9	1
-	67401419	Rubber tube Ø295 H500	1	-	24703200	Hose clamp Ø 380x9	1
-	67401420	Rubber tube Ø340 H300	1				
-	67401421	Rubber tube Ø340 H500	1				


8 - PNEUMATIC UNIT COMPONENTS



8 - PNEUMATIC UNIT COMPONENTS

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	12000953	Pneumatic cylinder C100/290	1	5	86801000	Rilsan pipe Ø 10/8 (per metres)	m
2	12003255	Fork	1	6	27250800	Lubricator regulator filter group 1/2"	1
3	F8980508	Complete rapid discharge valve 1/2"	1	-	27250700	Lubricator regulator filter group 1/4"	1
		Pipe fitting 1/2"	1	7	43501000	Pressure gauge	1
		Rapid discharge valve 1/2"	1	8	91704100	Ball valve 1/2" MF	1
		Silencer 1/2"	1	9	85600500	Rubber pipe Ø 10/19 (specify length)	m
		Nipple 1/2"	1	10	27250810	Regulator filter group 1/2"	1
4	F8450311	Solenoid valve E5 for cylinder 24VCC	1	11	27250735	Lubricator 1/2"	1
		Solenoid valve	1	12	23000512	Solenoid valve E3-W-1/4"-24 VCC	1
		Silencer	1	12/1	23000613	Coil 24 VCC	1
		Extension	1	13	F2802535	Condensate discharge tank	1
		Pipe fitting	1	14	67401761	Fluidification plate	1
4/1	23000613	Coil 24 VCC	1	15	F2800990	Nozzle	1
				16	23000608	Solenoid valve E5-W-1/4"-24 VCC	1
				16/1	23000613	Coil 24 VCC	1
				17	74250500	Silencer nylon 1/4"	1
				18	66501000	Discharge regulator 1/4"	1
				19	93101001	Flow regulator 1/4"	1


9 - ELECTROCOMPRESSOR B6000



9 - ELECTROCOMPRESSOR B6000

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	22500834	Electrocompressor group B6000	1	6	22500837	Motor	1
-	22500836	Plate valve group	1	7	22500838	Protections kit	1
-	22500831	Gaskets group	1	8	22510291	Pressure switch 1/4" G F	1
2	22500832	Flywheel	1	9	22510295	Pressure gauge	1
3	22511167	Filter	1	10	22500603	Safety valve 3/8" G	1
4	22511168	Filter cartridge	1	11	22500833	Belt	2
5	22510320	Check valve 3/4"-1/2"G MM	1				
-	22510325	Check valve 3/4"-1/2" G FM	1				


10 - PNEUMATIC BUTTERFLY VALVE



10 - PNEUMATIC BUTTERFLY VALVE

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	90500330	Butterfly valve Ø 250 2T WATER	1	2	F8450204	Electropneumatic drive 24VDC/CC	1
1/1	90500756	Circular gasket Ø 250 2T WATER	1	2/1	90501100	Transmission cylinder	1
				2/2	23000626	Complete solenoid valve 24VDC/CC	1
1	90500700	Butterfly valve Ø 300 CEMENT	1	2/2/1	23000630	Coil 24VDC/CC	1
1/1	90500720	Circular gasket Ø 300 CEMENT	1	2/3	90500920	Microswitches MIC 23	1
				2/4	74250500	Silencer 1/4" G	2


11 - WATER AND CEMENT WEIGH HOPPER ACCESSORIES



11 - WATER AND CEMENT WEIGH HOPPER ACCESSORIES

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	F1282107	Load cell group NBC 1100 kg	4	6	90551255	Pneumatic ball valve 2"1/2	1
1/1	M2500499	Elastomer	1	7	-	-	-
1/2	M2501572	Load cell NBC 1100 kg	1	8	F8450248	Pneumatic butterfly valve V1 FS/250 T=2	1
1/3	X1750540	Copper plait CEM FL 16-420	1	9	67401418	Rubber tube Ø 295x300	1
2	F8450199	Pneumatic butterfly valve V1 FS/300	1	10	52211320	Motor pump IR50/160NB 7,5kW	1
3	67401421	Rubber tube Ø 340x500	1	11	K1007743	Sac for airbag 4000L	1
-	67401437	Rubber tube Ø 340x200	1	12	86002200	PVC pipe D=300	2
4	94100500	Electric vibrator M/VS1 3/100	1	13	F8450199	Pneumatic butterfly valve V1 FS/300	1
5	K1014844	Load cell group NBC 1760 kg	1	14	67401421	Rubber tube Ø 340x500	1
5/1	M2501575	Load cell NBC 1760 kg	1	-	67401437	Rubber tube Ø 340x200	1
5/2	X1750540	Copper plait CEM FL 16-420	1				


12 - CEMENT DUST REMOVER MOD. FC 3V12-20



12 - CEMENT DUST REMOVER MOD. FC 3V12-20

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	-	Vibrator	1	5	24703100	Hose clamp Ø 325x9	1
2	-	Complete electromagnetic switch	1	6	90500500	Butterfly valve	1
3	20002142	Cartridge kit H500 FC 3V12	1	7	90500600	Hand control	1
-	20002252	Cartridge kit H750 FC 3V20	1	8	A3400820	Pipe gasket	1
4	86001300	PVC pipe Ø 120 (per metre)	m	9	91502011	Valve VCP	1
				9/1	91502022	Springs group	1
				9/2	91502013	Valve closing plate	1


13 - ADDITIVE WEIGH HOPPER



13 - ADDITIVE WEIGH HOPPER

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	67401955	Load cell	1	6	-	Bellows joint	1
2	-	Level indicator	1	7	-	Ball valve	1
3	67401881	Pneumatic ball valve 1/2"	1	8	-	Motor pump BMF 70	1
4	-	Inox tank	1	9	67401953	Pneumatic ball valve 1"	1
5	67401952	Pneumatic ball valve 1"1/2 w/switch	1	10	90900500	No-return valve 3/4"	1


14 - MIXER BOX AND WEAR PLATES



14 - MIXER BOX AND WEAR PLATES

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
A	K1030376	Complete antiwear bottom H500	1	4	L1015507	Central plate	4
B	K1030426	Complete antiwear shell H500	1	5	95654500	Screw TS M12x40 w/nut	180
1	K1030247	Mixer hopper	1	6	68701101	Washer 13x24	192
2	L1015503	Shell plate	20	-	69300976	Washer grower A13	156
3	L1015506	External plate	12	7	K1030374	Side door wear plate	2
				8	L1015954	Door wear plate	4
				9	L1015820	Door scraper wear plate	4
				10	95654900	Screw TS M12x50 w/nut	12


15 - SHAFTS AND BLADES



15 - SHAFTS AND BLADES

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	K1031012	Mixing arm	16	9	L1015603	Schaft L=3024	2
2	K1031050	Scraping arm right	2	10	L1014276	Cleaning ring	18
3	K1031031	Scraping arm left	2	11	68702001	Washer 31x56	160
4	K1031586	Mixing blade 12+8	16	12	18606000	Nut M30x3.5	80
5	K1031584	Upper scraping blade left 12+8	2	13	68701550	Washer 21x37	96
6	K1031585	Lower scraping blade left 12+8	2	14	10116200400	Nut M20x1.5	48
7	K1031583	Upper scraping blade right 12+8	4	15	10112201200	Screw TE FP M20x1.5x60	48
8	K1031008	Shell mixing arm	20	16	95206940	Screw TE FP M30x120	80


16 - MOTOR SIDE HOUSING GROUP



16 - MOTOR SIDE HOUSING GROUP

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
A	K1030146	Motor side housing group	1	12	L1015353	Seal 173x146	2
1	K1030148	Housing	1	13	L1015354	Spacer 170x148x8	1
2	L1015375	Housing flange	1	14	01006550	Shaft seal 140x170x15	2
3	L1015358	Spacer 180x120x14	1	15	69300791	Washer A10	6
4	L1015132	Closing flange	1	16	94703950	Screw TCEI TF M10x25	6
5	L1015352	Spacer gasket DE=146 L=95	1	17	L1015359	Greaser internal ring 165x152x38	1
6	L1015360	Spacer DE=140 L=85	1	18	02005790	O-ring 4475 120,2x3,53	3
7	11297010000	Bearing 200x120x65 23124 CCW33	1	19	68701301	Washer M16	4
8	L1015451	Spacer DE=140 L=32	1	20	95006000	Screw TE TF M16x50	4
9	34405398	Locknut	1	21	76500400	Pin A5x16	1
10	L1015141	Seal 163x145	1	22	97501590	Screw STEI M10x10	4
11	L1015136	Seal 163x145	1				


17 - OPPOSITE MOTOR SIDE HOUSING GROUP



17 - OPPOSITE MOTOR SIDE HOUSING GROUP

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
A	K1030147	Opposite motor side housing group	1	13	L1015354	Spacer 170x148x8	1
1	K1030148	Housing	1	14	L1015359	Greaser internal ring 165x152x38	1
2	L1015452	Closing flange	1	15	01006550	Shaft seal 140x170x15	1
3	L1015375	Housing flange	1	16	02005790	O-ring 4475 120,2x3,53	2
4	L1015358	Spacer 180x120x14	1	17	69300791	Washer A10	6
5	L1015141	Spacer 163x145	1	18	94703950	Screw TCEI TF M10x25	6
6	L1015352	Spacer gasket DE=146 L=95	1	19	69302000	Grower washer B25	1
7	L1015136	Spacer 163x145	1	20	95007285	Screw TS M24x50	1
8	L1015353	Spacer 173x146	2	21	68701301	Washer M16	4
9	L1015360	Spacer DE=140 L=85	1	22	95006000	Screw TE TF M16x50	4
10	11297010000	Bearing 200x120x65 23124 CCW33	1	23	76500400	Pin A5x16	1
11	L1015376	Spacer	1	24	97501590	Screw STEI M10x10	4
12	L1014154	Head washer	1	25	76601920	Pin 10x40	1


18 - MOTORS AND TRANSMISSIONS



18 - MOTORS AND TRANSMISSIONS

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	45806700	Motor 65KW 4P. 400/690V 50HZ	2	10	67600802	Reduction gear mod. 311R2 B1	1
2	K1030183	Motor support right	2	11	L1015614	Tie-rod support	2
-	K1030316	Motor support left	2	12	18606000	Nut M30	8
3	67600803	Reduction gear mod. 311R2 B3	1	13	K1030413	Carter protection	2
4	K1030250	Tie-rod M30x200	4	14	95007210	Screw TE TF M20x90	8
5	L1015615	Motor support pin 510	2	15	18903000	Nut M20	8
6	L1015450	Pulley 6 groove DP500	2	16	68761000	Washer 22x60	8
7	67402183	Joint tipo 21 EL300	1	17	95205340	Screw TE FP M16x190	8
8	12505200	Belt SPB 2500mm	12	18	68701301	Washer 17x30	8
9	58007110	Pulley 6 gole DP224	2	19	18603031	Nut M16	8


19 - DISCHARGE DOOR AND ACC:



19 - DISCHARGE DOOR AND ACC:

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	95501800	Screw TSPEI TF M12 X 35	10	13	K1028956	Pin D.25 L=65	2
2	68701101	Washer 13x24	10	14	L1015606	Door cover	1
3	18602021	Nut M12	10	15	L1016890	Funnel wear plate	2
4	L1016777	Cutter gasket 45°	1	-	L1016891	Funnel wear plate	2
-	L1016778	Cutter gasket 32°	1	-	L1016892	Funnel wear plate	2
5	L1016780	Gasket plate	2	16	K1031476	Funnel casing	1
6	K1030248	Mixer door	1	17	95206920	Screw TE FP M30 X 90	4
7	L1015217	Door lateral gasket	2	18	F4254170	Clamp with screws	1
8	78101040	Support Y SKF type FY J 70 TF	2	19	A0392520	Rubber tube DI=500 DE=510 L= 700	1
9	X7600167	Limitswitch BERO 3RG4023	3	20	95501800	Screw TSPEI TF M12 X 35	6
10	41504154	Key B 20 X 12 X 65	4	21	68701101	Washer 13x24	6
11	L1014402	Washer DE=75 DI=17 SP=8	2	22	18602021	Nut M12	6
12	K1029215	Door lever	2	23	95005802	Screw TE TF M16 X 40	2
				24	68701301	Washer 17x30	2
				25	95001905	Screw TE TF M8 X 35	4


20 - GREASING AND OLEODINAMIC UNIT



20 - GREASING AND OLEODINAMIC UNIT

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	67401950	Greasing unit TLS TP1	1	3	09601044	Oil gearcase HYDROVEN	1
1/1	TL101014010	Directional control valve	1			2° utilization 5 litres 24VDC/CC	1
1/2	TP1100006	Cover	1	3/1	09601254	Motor flange	1
1/3	TP1100009	Tank	1	3/2	09601277	Motor side joint	1
1/4	TP1100024	Tie road	4	3/3	09601278	Pump side joint	1
1/5	TP1100002	Pumping	1	3/4	09601255	K oil gearcase manifold with valves	1
1/6	TP1010010	Electronic tyster 2-32	1	3/5	09601259	Pump for oil gearcase	1
1/7	TP1100020	Grease filter 150 micron	1	3/6	09601260	Tank 5 litres for K oil gearcase HYDROVE	1
1/8	TP110000500	Manometer	1	3/7	F8980520	Complete solenoid valve 24VDC/CC	1
2	45600805	Motor 2,2 KW 4 poli 230/400V	1	3/8	09601258	Hand pump	1
				3/9	43500590	Manometer	1
				4	K1029177	Cylinder 50x25x320	2

21 - REDUCTION GEAR GATE




PRODOTTI TIPO / PRODUCT TYPE:		VERSIONE USCITA / OUTPUT VERSION		311 FZ		Data/Date: 28/01/98		LISTA RICAMBI N°: (REV.:1)	
		VERSIONE USCITA / OUTPUT VERSION		311 FZ		Da matr./From serial nbr: 1.437.0.003.0+REV.0		SPARE PART LIST Nbr.: 1.037.0.103.6	
		VERSIONE USCITA / OUTPUT VERSION		311 FZ		Sostituito da/Replaced by:		(N311L1***6FZ)	
Ref.	Codice/Code	Qt.	Denominazione	Denomination	Beschreibung	Note			
1	718293030	1	ANELLO SPALLAMENTO	CIRCLIP	ANNEAU ELASTIQUE	SPRENGRING	BR-160	6*	
2	710301051A	1	ANELLO TENUTA	SEAL RING	JOINT D'ETAINCHEITE	DICHTRING	130X160X15 DL NBR	6*	
3	6650000372	1	CORPO RIDUTTORE	GEARBOX HOUSING	CARTER REDUCTEUR	GETRIEBEGEHÄUSE		6*	
4	712750062	1	CUSCINETTO	BEARING	ROULEMENT	LAGER	6026	6*	
5	712770207A	1	SPESSORE	SPACER	EPAISSEUR	AUSGLEICHSCHEIBE	130,5x144,5x0,40		
6	2T235035451	1	ASSIEME USCITA	OUTPUT ASSEMBLY	ENSEMBLE SORTIE	KOMPL. ABTRIEB	6026 AV		
7	712710117	1	ANELLO NILOS	NILOS RING	ANNEAU NILOS	NILOSRING	16x65 UNI 6873		
8	718373003	3	SPINA ELASTICA	ELASTIC PIN	BOUNDON ELASTIC	SPANNSTIFT	2,62x107,62		
9	715303315A	1	O-RING	O-RING	O-RING	O-RING		12*	
10	6660502110	1	AN. CENTRAGGIO	CENTERING RING	ANNEAU CENTRAGE	ZENTRIERRING	UNI 7437-110	12*	
11	718299085A	1	ANELLO ELASTICO	CIRCLIP	ANNEAU ELASTIQUE	SICHERUNGSRING		12*	
12	2T235337200	1	RIDUZIONE COMPLETA	REDUCTION ASSEMBLY	ENSEMBLE REDUCTION	UNTERSETZUNGSSRUFE	1:6,23	16*	
13	715303296	2	O-RING	O-RING	O-RING	O-RING	3,50x360	16*	
14	6641030031	1	ANELLO DENTATO	TOOTH RING	ANNEAU DENTEE	ZAHNRANZ	z68 m5 h96	16*	
15	6643030060	1	SOLARE	SUN GEAR	ENGREN CENTRAL	Sonnenrad	z13 m5 1:6,23	16*	
16	2T235637200	1	STADIO DI RIDUZIONE	REDUCTION STAGE	STADE DE REDUCTION	UNTERSETZUNGSSRUFE	1:6,23		
17	712750034	1	CUSCINETTO	BEARING	ROULEMENT	LAGER	16034		
18	6653500871	1	COPERCHIO COLLEG.	COVER	COUVERCLE	DECKEL		6*	
19	720955018	2	VITE	SCREW	VIS	SCHRAUBE	M12x120-8.8 UNI 5931	\$1	
20	715303258	1	O-RING	O-RING	O-RING	O-RING	3,53x291,69	\$1	

7 Solo per riduttori con posizione di montaggio "O-P-Q-R" / Only for gearboxes in mounting position "O-P-Q-R"

\$1 Componente presente in tutti i riduttori escluso 311R2 / Component present in all gearboxes except 311R2

Ref. / Item	Sostituisce Replaces	Data / Date
# Ricambi consigliati da tenere a magazzino		
*Components included in the indicated assembly		
*Composants inclus dans le sous ensemble		
*In der Baugruppe enthaltene Teile		


22 - GEARBOX RIGHT SIDE




22 - GEARBOX RIGHT SIDE

Prodotto tipo / Product type:				Compilatore / Signature.		Lista ricambi n°:	
RIDUZIONE ANGOLARE / RIGHT ANGLE				Data / Date		Spare part list No.:	
RAPPORTO / RATIO: 1:4,066				Sostituisce II / Replacing		1.36249250S1	
				Sostituito dal / Replaced by		(ANG 311 4,06 S018A SX)	
Ref	Codice/Code	Qt.	Denominazione	Denomination	Beschreibung	Note	#
1	6660000910	1	GHIERA REGISTRO	ECROU	RUNDMUTTER	M155x2	
2	6654001310	1	FLANGIA COLLEGAM.	BRIDE	VERBINDUNGS FLANSCH		
3	715303308	1	O-RING	O-RING	O-RING	430,66x3,53	
4	712758019A	1	CUSCINETTO	BEARING	ROULEMENT	32020X	
5	6632581180	1	MOZZO FLANGIATO	HUB	MOYEU		
6	712758139A	1	CUSCINETTO	BEARING	ROULEMENT		
7	711356017	16	VITE	SCREW	VIS	33210	
8	6667505240	1	COPPIA CONICA	BEVEL GEAR	SCHRAUBE	UNI 5739 M12x35-8.8	
9	6652000350	1	CORPO ANGOLARE	HOUSING	KEGELTRIEB	1:4,066 SX	
10	720961001A	16	VITE	SCREW	GEHÄUSE		
11	712770184A	1	SPESSORE	SPACER	SCHRAUBE	UNI 5931 M14x40-8.8	
12	712770185A	1	SPESSORE	SPACER	AUSGLEICHSCHEIBE	80,2x89,8x0,3	
13	715303242	1	O-RING	SPACER	AUSGLEICHSCHEIBE	80,2x89,8x0,10	
14	6656000050	1	CAPPELLOTTA	O-RING	O-RING	2,62x82,22	
15	711355005	6	VITE	CAP NUT	ABSCHLUSSKAPPE		
16	6661500150	4	SPESSORE	SCREW	SCHRAUBE	UNI 5739 M10x25-8.8	
17	6661500160	2	SPESSORE	SPACER	AUSGLEICHSCHEIBE		
18	712480077	1	LINGUETTA	KEY	AUSGLEICHSCHEIBE		
19	712758115	1	CUSCINETTO	BEARING	PASSFEDER		
20	715303245A	1	O-RING	O-RING	LAGER	16x10x50 B TS00019	
21	6653002260	1	COPERCHIO CHIUSURA	COVER	O-RING	32314B 70x150x54	
22	720971001	8	VITE	SCREW	DECKEL	2,62x145,72	
23	712758108	1	CUSCINETTO	BEARING	SCHRAUBE	UNI 5931 M10x45-12.9	
24	715303244A	1	O-RING	O-RING	LAGER	60x130x48,5 32312	
25	710319006	1	ANELLO TENUTA	SEAL RING	O-RING	2,62x120,32	
26	6657001800	1	COPERCHIO CHIUSURA	COVER	DICHTRING	85x110x14,5 CASSETT	
27	711353005	4	VITE	SCREW	DECKEL		
28	6672000450	1	FLANGIA ATTACCO	CONNECTING FLANGE	SCHRAUBE	UNI 5739 M6x14-8.8	
29	6661500660	1	SPESSORE	SPACER	ANBAUFLANSCH		
30	6661500670	1	SPESSORE	SPACER	AUSGLEICHSCHEIBE		
31	6656000700	1	CAPPELLOTTA	CAP NUT	AUSGLEICHSCHEIBE		
32	720971107	4	VITE	SCREW	ABSCHLUSSKAPPE		
33	712205054	1	CAPP. IN GOMMA	RUBBER CAP	SCHRAUBE	UNI 5931 M12x45-12.9	
34	713006004A	2	DADO	NUT	ABSCHLUSSKAPPE	Ø80x10	
35	721983015	2	PRIGIONIERO	STUD SCREW	MUTTER	M12 6S UNI 5588	
36	6662003701	1	DISTANZIALE	SPACER	STIFTSCHRAUBE	M12X30-8.8 UNI 5911	
				ENTRETOISE	DISTANZSCHEIBE		
*Componenti inclusi nell'assieme indicato				Ref. / Item	Sostituisce	Replaces	Data / Date
*Components included in the indicated assembly							
*Composants inclus dans le sous ensemble							
*In der Baugruppe enthaltene Teile							
# Ricambi consigliati da tenere a magazzino							
# Recommended for stock							
# Pièces à stocker							
# Wir empfehlen diese Teile zu bevorratigen							

23 - GEARBOX LEFT SIDE



24 - WAITING HOPPER



24 - WAITING HOPPER

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	X3950053	Level indicator	1	7	K1018277	Inspection door	1
2	K1029553	Antiwear plate	1	-	36600504	Rubber door	1
3	X7600182	Limitswitch bero 3RG40-41	2	8	K1029557	Cover sx.	1
4	F6479105	Vibrator with screws MVSI 3/100	1	-	36600505	Rubber cover	5
5	K1028680	Cylinder 50x300x25	1	9	K1029558	Cover dx.	1
6	K1029552	Gate	1	10	10900515	Loking spring	1
				11	10900505	Reglable enclosure OSCAR	1
				12	X9200670	Lock for kei MAI E4	1
				-	X9200636	Spring cover	1
				13	43301010	Elesa handle	1



WARRANTY APPLICATION

ATTENTION !

In order to obtain the guarantee acknowledgement for parts of plant/equipment, the attached application form must be filled up, and, duly signed, must reach **Le Officine Riunite - Udine S.p.A.** together with its relevant material or separately. Eventual requests for guarantee submitted by different means will not be considered.

INSTRUCTIONS FOR FILLING APPLICATION FORM (see example on following page)

(NB.: To use the copy, you may photocopy the page without the reference numerals)

SEND TO: **Le Officine Riunite - Udine S.p.A.**

Basaldella di Campofornido (Udine) Italy - Via Santa Caterina n. 35 - 33030 - Fax 0432/563926

Fill in or check the following items

Applicant (to be filled by the Customers or the Service Centre)

(1) Write applicant's name

Machine/Plant (to be filled by the Customers or the Service Centre)

(2) Type

Write type of machine/plant

(3) Serial N.

Write serial number of machine/plant

(4) Customer

Write name of Company using the plant

Warranty beginning date: to be filled in by **Le Officine Riunite - Udine S.p.A.**

Warranty expiry date: to be filled in by **Le Officine Riunite - Udine S.p.A.**

Failure (to be filled by the Customers or the Service Centre)

(5) Date

Write date on which failure occurred

(6) Consequences

Check pertinent item

(7) Type

Check pertinent item

(8) General information. Description of damages and possible causes:

Describe briefly the problems found and the presumed causes

Action taken (to be filled by the Customers or the Service Centre). Check pertinent box to show who carried out the remedial action.

(9) Name of Service Centre (fill in only if action was taken by Service Centre)

(10) Date of remedial action

(11) Type

Check pertinent item; show **Le Officine Riunite - Udine S.p.A.** Waybill N. , in case of parts replacement

(12) Description of remedial action

Brief description of type of remedial action carried out



WARRANTY APPLICATION

Doc. n. _____

Data _____

APPLICANT: _____

(1)

PLANT/MACHINE

Type _____ (2) Serial No. _____ (3) Customer _____ (4)

Warranty beginning date _____ Warranty expiry date _____

FAILUREDATE _____ (5) CONSEQUENCES (6) ☐ Machine stopped ☐ Impaired operationTYPE: (7) ☐ Mechanical ☐ Hydraulic/pneumatic ☐ Electrical ☐ Software ☐ Other☐ Continuative ☐ At intervals of about.....minutes ☐ Casual☐ Upon starting ☐ After a period ofminutes**GENERAL INFORMATION. DESCRIPTION OF DAMAGES AND POSSIBLE CAUSES: (8)****example for electrical parts:**

- voltage during the different operation phases (min. and max.)

- occurred failures

- verifications carried out before the part replacement

- possibility of electric discharges causes by atmospheric agents or by line overvoltages

- Your comments

example for mechanical parts:- total m³ produced by the plant

- frequency of the periodical maintenance operations effected to the equipment in object

- how long does the mixture remain in the drum mixer or in the pan mixer on an average

- quantity and type of cement and aggregates used for the mixture

- concrete characteristics

- Your comments

SIGNATURE**CORRECTIVE ACTION**☐ SERVICE CENTRE _____ (9) Date _____ (10)☐ Le Officine Riunite - Udine S.p.A Date _____ (10)☐ CUSTOMER Date _____ (10)

TYPE: (11)

☐ Repair☐ Replacement of parts☐ Software modifications Waybill No. _____ of _____**Description of corrective action: (12)**



Le Officine Riunite - Udine S.p.A. - Concrete Machinery Division

Via Santa Caterina, 35 - 33030 Basaldella di Campoformido (Ud) Italy - tel. 0432.563911 - fax 0432.562131 e-mail: oru@oru.it - www.imergroup.com