SUPER SELECT

HOT ITEM



(SS) MULTIMETER DIGITAL

DM2002

- 2000 Counts LCD Display
- DC Voltage 200mV/2V/20V/200V/ 600V
- Ac Voltage 20V/200V/600V
- DC Current 20mA/200mA/10A
- Resistance 200ê/2kê/20kê/200kê /2Mê/20Mê
- With Lower Battery Indication Function
- Packed by Color Box
- Net Weight : 0.23 KG

DIGITAL LASER LEVELER (LASER HIJAU)

HLL305205



- Green Laser Beams
- Working Range : 0~30 M
- 1 Horizontal Line and 4 Vertical Lines
- Levelling Accuracy : ±1.0mm at 5 m
- Line Accuracy ±1.5mm at 5 m
- Levelling Time<3S
- Self-Levelling Angle ≤3°
- Laser Type : Green
- Laser Class 3R, <5Mw
- Without Tripods, Match With HLLT01152 Tripods
- With Cross Lock Function
- With Laser Gain Function
- Operating Temperature 0~+40°C
- Storage Temperature -20~+70°C
- Batteries AA(1.5V)*4
- Weight Without Batteries 980 g
- Packed by Plastic Box
- Net Weight : 1.6 KG



WATERPASS AL (WARNA)



HSL18030

- Length : 30Cm
- Aluminum
- Thickness : 1mm
- INGCO Unique Design
- Packed by Color Sleeve
- Net Weight : 0.16 KG



HSL18040

- Length:40cm
- Aluminum
- Thickness:1mm
- INGCO unique design
- Packed by color sleeve
- Net Weight : 0.17 KG



HSL18060

- Length:60cm
- Aluminum
- Thickness:1mm
- INGCO unique design
- Packed by color sleeve
- Net Weight : 0.23 KG



HSL18080

- Length : 80Cm
- Aluminum
- Thickness : 1mm
- INGCO Unique Design
- Packed by Color Sleeve
- Net Weight : 0.29 KG



HSL18100

- Length:100cm
- Aluminum
- Thickness:1mm
- INGCO unique design
- Packed by color sleeve
- Net Weight : 0.36 KG

WATERPASS



(SS) WATERPASS AL



HSL58040
◆ Length : 40cm
◆ Aluminum
◆ Aluminum Thickness : 1mm
◆ Packed by Color Sleeve
◆ Net Weight : 0.14 KG

HSL58060
◆ Length : 60Cm
◆ Aluminum
◆ Aluminum Thickness : 1mm
◆ Packed by Color Sleeve
◆ Net Weight : 0.22 KG

HSL58100
◆ Length : 100cm
◆ Aluminum
◆ Aluminum Thickness : 1mm
◆ Packed by Color Sleeve
◆ Net Weight :0.33 KG

WATERPASS HEAVY DUTY



HSL08040
◆ Length:40cm
◆ Double side milled
◆ 0.5mm/m accurate vials
◆ Thickness:1.5mm
◆ V-shape slot for measuring objects with round surface
◆ Packed by color sleeve
◆ Net Weight : 0.29 KG

HSL08060
◆ Length:60cm
◆ Double side milled
◆ 0.5mm/m accurate vials
◆ Thickness:1.5mm
◆ V-shape slot for measuring objects with round surface
◆ Packed by color sleeve
◆ Net Weight : 0.45 KG

WATERPASS INDUSTRIAL MAGNET



HSL38030M
◆ Length:30cm
◆ Double side milled
◆ 0.5mm/m accurate vials
◆ Thickness:1.5mm
◆ 2 Pcs powerful magnets
◆ Double flat surfaces design
◆ Packed by color sleeve
◆ Net Weight : 0.20 KG

HSL38040M
◆ Length:40cm
◆ Double side milled
◆ 0.5mm/m accurate vials
◆ Thickness:1.5mm
◆ 2 Pcs powerful magnets
◆ Double flat surfaces design
◆ Packed by color sleeve
◆ Net Weight : 0.30 KG


ingco
Make The World In Your Hands
SAFETY PRODUCTS

HELM LAS BASIC

AHM009



- Viewing Area : 90x35mm
- Cartridge Size : 110x90x10mm
- Arc Sensor : 2
- Light State : Din 4
- Dark State : Fixed Shade 11
- Shade Control : Unadjustable
- Power On/Off : Fully Automatic
- Sensitivity Control : Unadjustable, Auto
- UV/IR Protection : DIN 16
- Power Supply : Solar Cells.
- Re-chargeable Battery.
- No Battery Change Required
- Switching Time : 1/5000S, From Light To Dark
- Dark To Light : 0.15-0.45S Auto
- Low Amperage TIG : ≥20Amps(DC), ≥20Amps(Ac)
- Operating Tep : -5°C~+55°C
- Storing Tep : -20°C~+70°C
- Packed by Color Box
- Net Weight : 0.92 KG

HELM LAS

AHM008



- Viewing Area:92×42mm
- Cartridge Size:110×90×9mm
- Arc Sensor:2
- Optical Class:1/1/1/2
- Light State:DIN 4
- Dark State:Variable shade, 9 ~13
- Shade Control:External,Variable
- Power On/Off:Fully Automatic Sensitivity Control:AUTO
- UV/IR Protection:DIN 16
- Power Supply:Solar cells+2*CR2032
- Lithium batteries
- Switching Time:1/15000S, from Light to Dark
- Dark to Light(Delay):0.1-1.0 Auto
- Low Amperage TIG:=10amps(DC), = 10amps(AC)
- Grinding Function :YES
- Low Volume Alarm:YES
- Operating Tep:-5°~+55°
- Storing Tep:-20°~+70°
- Packed by color box
- Net Weight : 0.92 KG



(SS) TOPENG LAS

WM128

- Welding Mask
- Material : 100% PP
- Glass Size : 110*90*3mm
- Movable Type Glass
- 1 pcs Clear Protection Glass
- Packed by Label
- Net Weight : 0.5 KG

(CG) SARUNG TANGAN SAFETY ANTI GORES

HGCG22CG-XL



- Size:XL
- Use for timber and glass cutting worker, heavy sharp objects carriers etc.
- PU coated palm,flexible and good feeling.
- HPPE shell,cut-resistance and abrasion.
- Antistatic.
- Packed by poly bag
- Net Weight : 0.07 KG

SARUNG TANGAN KARET TEBAL

HGVP01



- Material:high quality PVC
- Size: L 32cm Use for gardener, cleaner etc.
- Weight :105-110g/ pair
- Packed by plastic bag"
- Net Weight : 0.12 KG

(SS) SARUNG TANGAN LATEX TEBAL

HGVL05



- Size:XL
- Use for heavy cargo handling worker, slight sharp objects carrier etc.
- Cotton/polyester seamless knitted shell.
- Textured palm dip for extra grip and durability.
- Packed by poly bag
- Net Weight : 0.11 KG

SARUNG TANGAN BINTIK PUTIH

HGVK05



- Size : 10 (XL)
- Use For Transporting and Cargo Handling
- Worker, Recycling Worker,
- Repairer Etc.
- Gauge : 10
- Weight : 58g/Pair; 700G/Dozen
- Cotton Class : A
- Packed in Poly Bag
- Net Weight : 0.06 KG

SARUNG TANGAN MEKANIK HD

HGMG01-XL



- Size : XL
- Microfibre Material Palm Provide Dexterity To Utilize Tools and Equipments
- Pack by Paper Hanger
- Net Weight : 0.07 KG

SARUNG TANGAN PROYEK

HGNG01



- Size : XL
- Use For Oil Environment (Less Oil)Worker Etc.
- Nitrile Coated Palm, Smooth and Rough-Texture Palm Finish.
- Packed by Poly Bag
- Net Weight : 0.05 KG



SABUK PENGAMAN BADAN SAFETY HARNESS

HSH501502

- 1 attachment point
- 4 adjustment point
- Material:High Strength Polyester
- Webbing Width:50mm
- Safety rope Size : 13mm*1.5m
- Safety rope material:Polyester
- Packed by color box
- Net Weight : 1.6 KG

MANTEL HUJAN POLYESTER



HRCTL031.L	HRCTL031.XL
Material : PVC+Polyester	Material : PVC+Polyester
100% New PVC	100% New PVC
Length : 120Cm	Length : 120Cm
Thickness : 0.33mm	Thickness : 0.33mm
Size : L	Size : XL
Waterproof : Breathe Freely	Waterproof, Breathe Freely
Two Down Pockets With Flap	Two Down Pockets With Flap
Packed by Poly Bag	Packed by Poly Bag
Net Weight : 1 KG	Net Weight : 1.03 KG

JAS HUJAN POLYESTER (1 SET)



HRCTSKT031.L	HRCTSKT031.XL
Material : PVC+Polyester	Material : PVC+Polyester
100% New PVC	100% New PVC
Thickness : 0.33mm	Thickness : 0.33mm
Size : L	Size : XL
Waterproof, With Breather Holes	Waterproof, With Breather Holes
Two Down Pockets With Flap	Two Down Pockets With Flap
Packed by Poly Bag	Packed by Poly Bag
Net Weight : 1.25 KG	Net Weight : 1.3 KG

HARDWARE TOOLS



GEMBOK GUDANG

60MM 80MM
70MM 90MM



DBBPL0602
◆ Size : 60mm
◆ Material : Brass
◆ Weight : 234g
◆ With 3 pcs Brass Keys
◆ Packed by Double Blister
◆ Net Weight : 0.25 KG

DBBPL0702
◆ Size : 70mm
◆ Material : Brass
◆ Weight : 411g
◆ With 3 pcs Brass Keys
◆ Packed by Double Blister
◆ Net Weight : 0.43 KG

DBBPL0802
◆ Size : 80mm
◆ Material : Brass
◆ Weight : 568g
◆ With 3 pcs Brass Keys
◆ Packed by Double Blister
◆ Net Weight : 0.57 KG

DBBPL0902
◆ Size : 90mm
◆ Material : Brass
◆ Weight : 609g
◆ With 3 pcs Brass Keys
◆ Packed by Double Blister
◆ Net Weight : 0.65 KG

GEMBOK HITAM

32MM 63MM
38MM 75MM
50MM



DIPL0301
◆ Size:32mm
◆ Material:Iron
◆ Weight:95g
◆ With 3 pcs iron keys
◆ Brass lock cylinder
◆ With waterproof rubber cover
◆ Packed by color box
◆ Net Weight : 0.1 KG

DIPL0401
◆ Size : 38mm
◆ Material : Iron
◆ Weight : 146g
◆ With 3 pcs Iron Keys
◆ Brass Lock Cylinder
◆ With Waterproof Rubber Cover
◆ Packed by Color Box
◆ Net Weight : 0.15 KG

DIPL0501
◆ Size : 50mm
◆ Material : Iron
◆ Weight : 289g
◆ With 3 pcs Iron Keys
◆ Brass Lock Cylinder
◆ With Waterproof Rubber Cover
◆ Packed by Color Box
◆ Net Weight : 0.3 KG

DIPL0601
◆ Size : 63mm
◆ Material : Iron
◆ Weight : 508g
◆ With 3 pcs Iron Keys
◆ Brass Lock Cylinder
◆ With Waterproof Rubber Cover
◆ Packed by Color Box
◆ Net Weight : 0.52 KG

DIPL0701
◆ Size : 75mm
◆ Material : Iron
◆ Weight : 714g
◆ With 3 pcs Iron Keys
◆ Brass Lock Cylinder
◆ With Waterproof Rubber Cover
◆ Packed by Color Box
◆ Net Weight : 0.74 KG

GEMBOK KUNINGAN

20MM 30MM 40MM







DBPL0202
◆ Size : 20mm
◆ Material : Brass
◆ Weight : 40g
◆ With 3 pcs Brass Keys
◆ Packed by Double Blister
◆ Net Weight : 0.06 KG

DBPL0302
◆ Size : 30mm
◆ Material : Brass
◆ Weight : 84g
◆ With 3 pcs Brass Keys
◆ Packed by Double Blister
◆ Net Weight : 0.10 KG

DBPL0402
◆ Size : 40mm
◆ Material : Brass
◆ Weight : 142g
◆ With 3pcs Brass Keys
◆ Packed by Double Blister
◆ Net Weight : 0.16 KG

GEMBOK KUNINGAN

50MM



DBPL0502
◆ Size : 50mm
◆ Material : Brass
◆ Weight : 270g
◆ With 3 pcs Brass Keys
◆ Packed by Double Blister
◆ Net Weight : 0.28 KG

60MM



DBPL0602
◆ Size : 60mm
◆ Material : Brass
◆ Weight : 385g
◆ With 3 pcs Brass Keys
◆ Packed by Double Blister
◆ Net Weight : 0.41 KG

70MM



DBPL0702
◆ Size : 70mm
◆ Material : Brass
◆ Weight : 542g
◆ With 3 pcs Brass Keys
◆ Packed by Double Blister
◆ Net Weight : 0.58 KG

Make The World In Your Hands

WELDING MACHINES



TANG LAS 300A

WAH3008



- INGCO Style New Design
- Rated Current : 300A
- Suitable For INGCO MMA Welding MACHINES
- Packed by Carton Box
- Net Weight : 0.35KG

TANG LAS 800A

WAH8008



- INGCO Style New Design
- Rated Current : 800A
- Suitable For INGCO MMA Welder (Below 630A)
- Packed by Carton Box
- Net Weight : 0.58KG

TANG LAS 1000A

WAH10008



- INGCO Style New Design
- Rated Current : 1000A
- Suitable For INGCO MMA Welding MACHINES
- Packed by Carton Box
- Net Weight : 0.83KG

(SS) TRAFO LAS 160A

ING-MMA1602



- IGBT Inverter Technology
- Input Voltage(V) : 1~220-240
- Frequency(Hz) : 50/60
- Output Current(A) : 15-160
- Duty Cycle(%) : 160A@30%
- LCD Display
- No-Load Voltage(V) : 75
- Max.Output Current(A) : 160
- Diameter Of Electrode(mm) : 1.6-4.0

- With 1pcs Electrode Holder With Cable
- With 1pcs Earth Clamp With Cable
- With 1pcs Wire Brush and 1pcs
- Helmet
- Packed by Color Box
- Net Weight : 3.7 KG

TRAFO LAS 160A

ING-MMA1606



- IGBT Inverter technology
- Input voltage (V) : 1~220-240
- Frequency (HZ) : 50/60
- Output current (A) : 10-160
- Duty cycle (%) : 160A@60%
- LCD display
- No-load voltage (V) : 65
- Max. output current (A) : 160
- Diameter of electrode(mm) : 1.6-4.0

- With 1pcs electrode holder with cable
- With 1pcs earth clamp with cable
- With 1pcs wire brush and 1pcs helmet
- Packed by carton box
- Net Weight : 6.3 KG



Make The World In Your Hands

OTHER TOOLS



TANGGA ALUMUNIUM MULTIFUNGSI 4X4 STEP

HLAD04441



- Material : Aluminium
- Surface finish : Oxidation
- No of step : 4x4
- Step rise : 28cm
- Total lengtht : 475cm
- Step ladder height :228cm
- Scaffold height : 130cm
- Fold height : 127cm
- Fold width : 37cm
- With 2pcs Scaffold Plate
- Approx.Wt : 18.9kg
- Max.Load : 150kg
- Packed by color sleeve
- Net Weight : 17.24 KG

TANGGA ALUMUNIUM MULTIFUNGSI 4X3 STEP

HLAD04431



- Safety Standard: En131
- Material : Aluminium
- Surface Finish Oxidation
- No Of Step: 4X3
- Step Rise: 27Cm
- Total Lengtht: 336Cm
- Step Ladder Height : 162Cm
- Scaffold Height : 91Cm
- Fold Height : 91Cm
- Fold Width : 35Cm
- With 2pcs Scaffold Plate
- Approx.Wt : 15.0Kg
- Max.Load : 150Kg
- Packed by Color Sleeve
- Net Weight : 13.42 KG

TANGGA ALUMINIUM 3 STEP

HLAD06031



- Material : Aluminium
- Surface finish : Oxidation
- No of step : 4x4
- Step rise : 28cm
- Total lengtht : 475cm
- Step ladder height :228cm
- Scaffold height : 130cm
- Fold height : 127cm
- Fold width : 37cm
- With 2pcs Scaffold Plate
- Approx.Wt : 18.9kg
- Max.Load : 150kg
- Packed by color sleeve
- Net Weight : 2.57 KG

TANGGA ALUMINIUM 4 STEP

HLAD06041



- Material : Aluminum
- Steps: 4 Steps
- Distance Between Two Step: 219mm
- Distance Between Top
- Step and Handle: 611mm
- Distance From Ground
- To Top Step: 877mm
- Top Aluminum Step
- Size: 260X250X30mm
- Approx.Wt : 3.3Kg
- Max.Load : 150Kg
- Packed by Shrink
- Net Weight : 3.4 KG

TANGGA ALUMINIUM 5 STEP

HLAD06051



- Material : Aluminum
- Steps: 4 Steps
- Distance Between Two Step: 219mm
- Distance Between Top
- Step and Handle: 611mm
- Distance From Ground
- To Top Step: 877mm
- Top Aluminum Step
- Size: 260X250X30mm
- Approx.Wt : 3.3Kg
- Max.Load : 150Kg
- Packed by Shrink
- Net Weight : 4 KG

TANGGA ALUMINIUM 6 STEP

HLAD06061



- Material : Aluminum
- Steps: 6 Steps
- Distance Between Two Step: 219mm
- Distance Between Top
- Step and Handle: 611mm
- Distance From Ground
- To Top Step: 1316mm
- Top Aluminum Step
- Size: 260X250X30mm
- Approx.Wt : 4.25Kg
- Max.Load : 150Kg
- Packed by Shrink
- Net Weight : 4.8 KG

TANGGA ALUMUNIUM DUA SISI 8 STEP

HLAD01081



- 3 Section Extention Ladder
- Material : Aluminium
- Surface Finish: Oxidation
- Steps : 3X9
- Max.Load : 150Kg
- Step Rise (mm) : 280
- Ext.Height (M) : 5.92

- Closed Size (Wxdxh)mm
- 79*16*256
- Width (mm): 380
- Approx.Wt : 13.2Kg
- Packed by Poly Bag
- Net Weight : 7.60 KG

TANGGA ALUMUNIUM 3 POSISI 3 X 9 STEP

HLAD03391



- 3 Section Extention Ladder
- Material : Aluminium
- Surface Finish: Oxidation
- Steps : 3X9
- Max.Load : 150Kg
- Step Rise (mm) : 280
- Ext.Height (M) : 5.92
- Closed Size (Wxdxh)mm 79*16*256

- Width (mm): 380
- Approx.Wt : 13.2Kg
- Packed by Poly Bag
- Net Weight : 13 KG

TANGGA ALUMUNIUM 7 STEP

HLAD06071





- Material : Aluminum
- Steps: 7 Steps
- Distance Between Two Step: 233mm
- Distance Between Top Step
- and Handle 605mm
- Distance From Ground To Top
- Step: 1500mm
- Top Aluminum Step
- Size: 260X250X30mm

- Approx.Wt : 4.9Kg
- Max.Load : 150Kg
- Packed by Shrink
- Net Weight : 4.95 KG

TANGGA ALUMUNIUM 8 STEP

HLAD06081





- Material : Aluminum
- Steps: 7 Steps
- Distance Between Two Step: 233mm
- Distance Between Top Step
- and Handle 605mm
- Distance From Ground To Top
- Step: 1500mm
- Top Aluminum Step
- Size: 260X250X30mm

- Approx.Wt : 4.9Kg
- Max.Load : 150Kg
- Packed by Shrink
- Net Weight : 5.45 KG

TANGGA ALUMUNIUM 9 STEP

HLAD06091





- Material:Aluminum
- Steps:9 steps
- Distance between two step:219mm
- Distance between top step and
- handle:600mm
- Distance from ground to top step:
- 1936mm
- Top aluminum step,size:
- 260x250x30mm

- Approx.Wt:5.9kg
- Max.Load: 150kg
- Packed by shrink
- Net Weight : 6.15 KG

INGCO

Make The World In Your Hands

CLEARANCE & SALE

Shop Now

% diskon dapat berubah
sewaktu-waktu dan stok terbatas



ingcoindonesia www.ingco.co.id Customer Service 0811-620-1188

(CG) MESIN BOR 13MM + 1 SET AKDB0801

ID6808CG



- Voltage:220-240V~50/60Hz
- Input power:680W
- No-load speed:0-3000rpm
- Max.drilling capacity:13mm
- Variable speed control Froward/
- Reverse switch
- Hammer function
- Packed by color box

(CG) SARUNG TANGAN SAFETY ANTI GORES

HGCG01CG-XL



- Size:XL
- Use for timber and glass cutting worker, heavy sharp objects carriers etc.
- PU coated palm,flexible and good feeling.
- HPPE shell,cut-resistance and abrasion.
- Antistatic.
- Packed by poly bag

(CG) OBENG GAGANG KARET SET 6 PCS !

HKSD0628CG



- 6 pcs screwdriver set
- Material:CR-V
- Include:
- 1pcs SL5.5*5*75
- 1pcs SL5.5*5*100
- 1pcs SL6.5*6*150
- 1pcs PH1*5*75
- 1pcs PH1*5*100
- 1pcs PH2*6*150
- Round blade
- New design handle
- Packed by PP hanger

(CG) BATU POTONG 4" X 1.2MM (50 PC/BOX) !

MCD1210550CG



- 50pcs/set 50pcs/shrink
- 105MM(4"")X1.2MM(3/64"")
- X 16MM(5/8"")
- Flat centre
- Cutting disc for metal and INOX
- Packed by plastic box

(CG) MESIN GRENDA 4" 750W + BONUS 2 PCS BATU POTONG !

AG750282CG



- Voltage:220-240V~50/60Hz
- Input power:750W
- No-load speed:12000rpm
- Disc diameter:100mm
- Spindle thread:M10
- With 1pcs auxiliary handle
- Disc not included
- Packed by color box" "

- 50pcs/set 50pcs/shrink
- 105MM(4"")X
- 1.2MM(3/64"")X16MM(5/8"")
- Flat centre Cutting disc
- for metal and INOX
- Packed by plastic box

(SS) MESIN BOR CORDLESS 20V (1B&1FC) => CDLI20051

CDLI20011

DISKON 10%



- Voltage:20V
- No-load speed:0-400/0-1500/min
- Max.torque:45NM
- Chuck capacity:0.8-10mm
- Torque settings:15+1
- Mechanical 2-speed gear
- 20V Lithium-Ion 1.5Ah battery
- With 1pcs battery pack
- With 1pcs fast charger
- Charge volts:220V-240V~50/60Hz
- Integrated work light
- LED battery power indicator
- Packed by color box

MESIN BOR CORDLESS 20V (2B&1C) => CDLI200215

CDLI20025

DISKON 20%



- Voltage:20V
- No-load speed:0-400/0-1500/min
- Max.torque:45NM
- Chuck capacity:0.8-10mm
- Torque settings:15+1
- Mechanical 2-speed gear
- 20V Lithium-Ion 2.0Ah batteries
- With 2pcs battery pack
- With 1pcs 2Hr charger
- Charge volts:220V-240V~50/60Hz
- Integrated work light
- LED battery power indicator
- With 47pcs accessories
- Packed by canvas bag

PAKET MESIN BOR DAN MESIN PEMBUKA BAUT 20V => CKLI2017

CKLI2007

DISKON 20%



- Voltage:20V
- With 1PCS Lithium-Ion cordless drill
- With 1PCS Lithium-Ion impact wrench
- With 2pcs 2.0Ah battery pack
- With 1pc 1Hr fast charger
- With 3pcs sockets(17 19 21mm)
- Lithium-Ion impact wrench
- Brushless Motor
- Voltage:20V
- Square Drive:1/2"
- No-load speed:0-1300/0-2100/min
- Impact rate:0-2000/0-3300bpm
- Max.torque:300NM

- Lithium-Ion cordless drill:
- Voltage:20V
- No-load speed:0-400/0-1500/min
- Max.torque:45NM
- Chuck capacity:0.8-10mm
- Torque settings:15+1
- Mechanical 2-speed gear
- Packed by canvas bag

((SS) MESIN BOR CORDLESS 20V (2B&1FC) => CDLI20028*)

CDLI20012

DISKON 10%



- Voltage:20V
- No-load speed:0-400/0-1500/min
- Max.torque:45NM
- Chuck capacity:0.8-10mm
- Torque settings:15+1
- Mechanical 2-speed gear
- 20V Lithium-Ion 1.5Ah batteries

- With 2pcs 1.5Ah battery pack
- With 1pcs fast charger
- Charge volts:220V-240V~50/60Hz
- Integrated work light
- LED battery power indicator
- With 1pcs screwdriver bits
- Packed by plastic box

(MESIN BOR CORDLESS 20V (2B&1FC)*)

CDLI2002



- Voltage:20V
- No-load speed:0-400/0-1500/min
- Max.torque:45NM
- Chuck capacity:0.8-10mm
- Torque settings:15+1
- Auto-lock keyless chuck
- Mechanical 2-speed gear
- Spindle lock function

- 20V Lithium-Ion 2.0Ah batteries
- With 2pcs battery pack
- With 1pc 1Hr fast charger
- Charge volts:110V-240V~50/60Hz
- Integrated work light
- LED battery power indicator
- With 47pcs accessories
- Packed by canvas bag

MESIN BOR IMPACT CORDLESS 20V HD (2B&1FC) ! => CIDLI20602

CIDLI20031



- Voltage:20V
- No-load speed:0-450/0-1900/min
- Max.impact rate:22500/min
- Max.torque:55NM
- Chuck capacity:2.0-13mm
- Torque settings:23+1+1
- Mechanical 2-speed gear
- 20V Lithium-Ion 2.0Ah batteries

- With 2pcs battery pack
- With 1pcs fast charger
- Charge volts:220V-240V~50/60Hz
- Integrated work light
- LED battery power indicator
- With 50pcs accessories
- Packed by plastic box

MESIN BOR IMPACT CORDLESS 20V (2B&1FC)=> CIDLI201452

CIDLI2002



- Voltage:20V
- No-load speed:0-400/0-1500/min
- Max.impact rate:22500/min
- Max.torque:45NM
- Chuck capacity:0.8-10mm
- Torque settings:18+1+1
- Auto-lock keyless chuck
- Mechanical 2-speed gear
- Spindle lock function

- 20V Lithium-Ion 2.0Ah batteries
- With 2pcs battery pack
- With 1pc 1Hr charger
- Charge volts:110V-240V~50/60Hz
- Integrated work light
- LED battery power indicator
- With 50pcs accessories
- Packed by canvas bag

PAKET COMBO MESIN PEMBUKA BAUT DAN KUNCI RATCHET ELEKTRIK 20V

COSLI23066



DISKON 10%

- Voltage: 20V
- 1 Pcs Lithium-Ion impact wrench (CIWLI2038)
- 1 Pcs Lithium-Ion drive ratchet (CDRLI20601)
- Lithium-Ion impact wrench (CIWLI2038):
- Brushless motor
- Square drive: 1/2"
- No-load speed: 0-1300/0-2300rpm
- Impact rate: 0-2000/0-3300bpm
- Max torque: 300Nm
- Integrated LED work light
- Lithium-Ion drive ratchet
- (CDRLI20601):
- Max torque: 65Nm
- Square drive: 3/8"
- No-load speed: 0-250rpm
- Charge volts: 220-240V~50/60Hz
- Packed by color box

PAKET COMBO MESIN BOR DAN MESIN PEMBUKA BAUT 20V

COSLI230702



DISKON 20%

- Voltage:20V
- With 1pcs lithium-ion cordless drill (CDLI200528)
- With 1pcs lithium-ion impact wrench (CIWLI2038)
- Lithium-ion cordless drill(CDLI200528):
- No-load speed: 0-400/0-1500rpm
- Max torque: 45Nm. Plastic chuck
- Chuck capacity: 0.8-10mm
- Torque settings: 15+1
- Mechanical 2-speed gear.
- Spindle lock function.
- Lithium-ion impact wrench (CIWLI2038):
- Brushless motor
- Square drive:1/2".
- No-load speed:0-1300/0-2300rpm
- Impact rate:0-2000/0-3300bpm
- Max torque:300NM
- Charge volts: 220-240V~50/60Hz

MESIN BOR IMPACT CORDLESS 20V BRUSHLESS (2B&1FC)

CIDLI20508



DISKON 20%

- Brushless motor. Voltage: 20V
- No-load speed: 0-450/0-1800rpm
- Max impact rate: 27000bpm
- Max torque: 50Nm
- Metal chuck.
- Chuck capacity: 0.8-10mm
- Torque settings: 18+1+1
- Mechanical 2-speed gear
- Spindle lock function
- Auto-lock keyless chuck
- Include: 47 Pcs accessories
- 3 Pcs masonry drill bits
- 2 Pcs 2.0Ah battery pack(FBLI20011)
- 1 Pcs charger(FCLI2001)
- Charge volts:220-240V~50/60Hz
- Integrated work light
- LED battery power indicator
- Packed by plastic box

MESIN BOR CORDLESS 12V SET (127PC) => HKTHP11281

HKTHP11271



- 127 Pcs Tools Set
- 1 Pcs 12V Lithium-Ion 1.5Ah batteries
- With 1pcs battery pack
- With 1pc 2Hr charger
- With 1pcs Cr-V 65mm bits
- 1 Pcs 4-6mm(25mm) socket adaptor
- 6 Pcs 1/4"" Hexagonal Socket 5mm 6mm 8mm 9mm 10mm 11mm
- 1 Pcs 8Oz Claw Hammer
- 1 Pcs SL5.5x100 Screwdriver
- 1 Pcs PH1x100 Screwdriver
- 1 Pcs 7"" Combination Pliers
- 1 Pcs 6"" Adjustable Wrench
- 1 Pcs Test Pencil
- Test voltage:100-500VAC
- 1 Pcs 3M Steel measuring tape
- 1 Pcs Snap-off blade knife
- 5 Pcs Twist Drill bits 2,3,4,5,6mm
- 4 Pcs Wood Drill bits 4,5,6,8mm
- 1 Pcs PVC Insulating Tape:0.19mmX 18mmX9.15m)
- 20 Pcs Screwdriver bits SL3,SL4,SL5, SL6,PH0,PH1,PH2,PH3,PZ0,PZ1,PZ2, PZ3,T10,T15,T20,T30,H3,H4,H5,H6
- 1 Pcs Magnetic bits holder
- 40 Pcs Screws(20pcs*ST3.5,20pcs* ST4)
- 20 Pcs Plastic plugs(20pcs*6mm)
- 20 pcs Self-tapping
- Screws:20pcs*ST3.5
- Packed by BMC

(SS) MESIN BOR CORDLESS 12V SET (81PCS) => HKTHP10891

HKTHP10811



- 81pcs household tools set
- include:
- 1 Pcs 12V Lithium-Ion 1.5Ah batteries
- With 1pcs battery pack
- With 1pcs 2Hr charger
- Charge volts:220V-240V~50/60Hz
- 1 Pcs Magnetic bits holder
- 1 Pcs SL5.5x100 Screwdriver
- 1 Pcs PH1x100 Screwdriver
- 1 Pcs 7"" Combination Pliers
- 1 Pcs 6"" Adjustable Wrench
- 1 Pcs 8Oz Mini Claw Hammer
- 1 Pcs Test Pencil
- Test voltage:100-500VAC
- 1 Pcs 3M Steel measuring tape
- 1 Pcs 9mm Snap-off blade knife
- 5 Pcs Twist Drill bits 2,3,4,5,6mm
- 4 Pcs Wood Drill bits 4,5,6,8mm
- 20 Pcs Screwdriver bits SL3,SL4,SL5, SL6,PH0,PH1,PH2,PH3,PZ0,PZ1,PZ2, PZ3,T10,T15,T20,T30,H3,H4,H5,H6
- 20 Pcs Screws(10pcs*ST3.5,10pcs* ST4)
- 20 Pcs Plastic plugs(10pcs*6mm* 10pcs*5mm)
- Packed by BMC

BATERAI CDT08120

BAT08120



- Volts:12V
- Suitable for INGCO CDT08120
- Packed in color box

BATERAI 18V

BATLI228180



- Volts:18V
- Suitable for INGCO 18V
- cordless drill CDLI228180 and CIDLI228180
- Packed by color box

MESIN BOR IMPACT CORDLESS 12V* (2B&1C) => CIDLI12202

CIDLI1232



- Voltage:12V
- No-load speed:0-350/0-1350/min
- Max.impact rate:22500/min
- Max.torque:20NM
- Chuck capacity:0.8-10mm
- Torque settings:18+1+1
- Mechanical 2-speed gear
- Charge volts:220V-240V~50/60Hz

- Integrated work light
- With 2pcs battery pack
- With 1pcs 2Hr charger
- With 1pcs Cr-V 65mm bits
- With 3pcs masonry mata bor
- Packed by plastic box

PAKET MESIN BOR DAN MESIN IMPACT DRIVER 12V => CKLI1203

CKLI1201



- Voltage:12V
- With 1PCS Lithium-Ion cordless drill
- With 1PCS Lithium-Ion impact driver
- With 2PCS 1.5Ah battery pack
- With 1PCS charger
- Lithium-Ion cordless drill:
- Drill voltage:12V
- No-load speed:0-350/0-1350/min
- Max.torque:20NM
- Chuck capacity:0.8-10mm
- Torque settings:15+1
- Mechanical 2-speed gear

- Charge volts:220V-240V~50/60Hz
- Integrated work light
- Lithium-Ion impact driver:
- Drill voltage:12V
- No-load speed:0-2000RPM
- Rated impact:0-2600IPM
- Max.torque force:100NM
- Hex.collet:1/4"(6.35mm)
- Charge volts:220V-240V~50/60Hz
- Integrated work light
- Packed by canvas bag

LAMPU SOROT CORDLESS

CWLI2002



- Voltage: 20V
- LED power dissipation:20W
- Lumens:
- High:1500
- Low:750
- NO battery and charger included
- Packed by color box

RAPID CHARGER LITHIUM-ION 20V => FCLI20411

FCLI2003



- Voltage:20V
- Charge current:4A
- Charges 20V 2.0Ah battery in 0.5Hr
- Charges 20V 4.0Ah battery in 1Hr
- Packed by color box

MESIN IMPACT DRIVER CORDLESS 20V

CIRLI2002



- Brushless Motor
- Drill Votage:20v
- Hex shank: 1/4"
- No-load speed: 0-1300/0-2100/min

LOUDSPEAKER CORDLESS 20V

CJRLI2001



- DC Voltage:20V
- AM Frequency: 522-1620KHz
- FM Frequency: 87.5-108MHz
- Auxiliary Jack: 3.5mm
- Speaker Output: 3W
- Bluetooth 4.0
- Battery and charger not included
- Packed by color box

MESIN ROTARY HAMMER CORDLESS 20V

CRHLI1601



- Voltage:20V
- No-load speed:0-900/min
- Impact rate:0-5100bpm
- Single impact force:1.5J
- Max drilling capacity:?13 in concrete
- Integrated work light
- With 3pcs SDS-plus drills
- NO battery and charger included
- Packed by color box

MESIN ROTARY CORDLESS 20V BRUSHLESS * + 1B&1FC

CRHLI2201



- Brushless Motor
- Voltage:20V
- No-load speed:0-1350/min
- Impact rate:0-4700bpm
- Single impact force:1.5J
- Max drilling capacity:22 in concrete
- Integrated work light
- SDS plus chuck system
- With 3pcs drills and 1pcs chisels
- NO battery and charger included
- Packed by color box

SPRAY GUN LISTRIK CORDLESS 20V => CSGLI2003

CSGLI2001



- Brushless Motor
- Voltage:20V
- No-load speed:0-1350/min
- Impact rate:0-4700bpm
- Single impact force:1.5J
- Max drilling capacity:22 in concrete
- Integrated work light
- SDS plus chuck system
- With 3pcs drills and 1pcs chisels
- NO battery and charger included
- Packed by color box

MESIN GUNTING DAHAN CORDLESS

CSSLI2001



- Brushless Motor
- Voltage:20V
- Cutting diameter:20mm/30mm
- Packed by BMC

MESIN POTONG DAHAN CORDLESS 40V (2B&1FC)

CSTLI202522



- Brushless Motor
- Voltage:40V
- No-load speed:0-5500/min
  0-7500/min
- Blade cutting diameter:255mm(10")
- Trimmer cuting :330mm(13")
- Two function: trimmer and bush cutting
- With 2pcs 4.0Ah battery pack
- With 1pcs fast dual-port charger
- With 1pcs Line spool
- With 1pcs 3T 255mm blade
- With 1pcs trimmer head
- Charge volts:220V-240V~50/60Hz
- Packed by color box

MESIN POTONG RUMPUT & RANTING CORDLESS 40V (MATA SENAR)

CSTLI20018



- Brushless Motor
- Voltage:40V
- No-load speed:0-5500/min
  0-7500/min
- Blade cutting diameter:255mm
- Trimmer cutting diameter:330mm
- Battery and charger not included
- Line dia:2.0mm round
- line length:5m
- With 1pcs trimmer head
- With 1pcs 3T blade
- Packed by color box

MESIN RECIPROCATING SAW CORDLESS 20V

CRSLI1151



- Voltage:20V
- No-load speed:0-2800/min
- Cutting capacity:
  Metal:8mm
  Wood:115mm
- With 2pcs sabre saw blade
- NO battery and charger included
- Packed by color box

MESIN OBENG CORDLESS 4V 1/4" 180/MIN => CSDLI0402

CSDLI0401



- Voltage:4V
- Hex Shank:1/4"
- No-load speed:180/min
- Max.torque:4N.m
- Integrated work light
- Charge level indicator
- With 1pc 2Hr charger
- Charger volts:110-240V~50/60Hz
- With 10pcs 25mm Cr-V bits+Holder
- With 1pcs magnetic bit holder
- Packed by color box

KIPAS ANGIN CORDLESS 12V

CFALI1207



- Voltage:4V
- Hex Shank:1/4"
- No-load speed:180/min
- Max.torque:4N.m
- Integrated work light
- Charge level indicator
- With 1pc 2Hr charger
- Charger volts:110-240V~50/60Hz
- With 10pcs 25mm Cr-V bits+Holder
- With 1pcs magnetic bit holder
- Packed by color box

GLUE GUN CORDLESS 12V

CGGLI1201



- Voltage:12V
- Gluing capacity:15-18g/min
- Glue stick diameter:11.2mm
- With 3pcs 150mm glue sticks
- NO battery and charger included
- Packed by double blister

MESIN MULTIFUNGSI CORDLESS 20V

CMLI2001



- Voltage:20V
- No-load speed:5000-20000r/min
- With 1PCS flexibel scraper
- With 1PCS cutting saw blade
- With 1PCS segment saw blade
- With 1PCS hex key
- With 1PCS sanding base
- With 3PCS sanding paper
- Battery and charger not included
- Packed by color box

MESIN GRENDA 7" => AG200018

AG20008



- Voltage:220-240V~50/60Hz
- Input power:2000W
- No-load speed:8000rpm
- Disc diameter:180mm
- Spindle thread:M14
- With 1pcs auxiliary handle
- Packed by color box

MESIN BOR 16MM 1100W

ID211002



- Voltage:220-240V~50/60Hz
- Input power:1100W
- No-load speed:0-1100rpm/0-3000rpm
- Max.drilling capacity:16mm
- Froward/Reverse action
- Hammer function
- Aluminum 2 mechanical gear box
- Packed by color box

MESIN BOR 13MM 750W => ID8108

ID7508



- Voltage:220-240V~50/60Hz
- Input power:750W
- No-load speed:0-3000rpm
- Max.drilling capacity:13mm
- Variable speed
- Froward/Reverse switch
- Hammer function
- Packed by color box

MESIN MULTIFUNGSI

MF3008



- Rated voltage:220-240V~50/60HZ
- Input power:300W
- No-load speed:10000-20000r/min
- With 1PCS flexibel scraper
- With 1PCS cutting saw blade
- With 1PCS segment saw blade
- With 1PCS hex key
- With 1PCS sanding base
- With 3PCS sanding paper
- Pack by color box

MESIN SANDER PUTAR MODEL TANK

PBS12001



- Voltage:220-240V~50/60Hz
- Input power:1200W
- No-load speed:500m/min
- Sanding belt size: 610x100mm
- Quick release belt change system
- Dust suction facility
- Aluminum housing base
- With 1pcs sanding belt
- Packed by color box

MESIN ROUTER INDUSTRIAL

RT22001



- Voltage:220V-240V~50/60Hz
- Input power:2200W
- No-load speed:9000-23000rpm
- Collet size:6,8,12,1/4",1/2"mm
- Plunge capacity:0-60mm
- Variable speed control
- With 6,8,12,1/4",1/2"mm collets
- With 1pcs coping ring
- With 1pcs aluminum guide fence
- With 1set paralle guide
- Packed by color box

MESIN JET CLEANER HIGH PRESSURE 100BAR

HPWR15028



- Voltage: 220-240V~50Hz
- Copper wire induction motor
- Input power:1500W
- Max Pressure:100Bar (1450PSI)
- Flow rate:6.0L/min
- 1 set water spray gun
- 8m high pressure metal hose
- Packed by color box

(SS) MESIN POMPA AIR

VPM37018



- Peripheral Pump
- Voltage:220-240V~50Hz
- Input power:370W(0.5HP)
- Max.head:30M
- Max.flow:30L/min
- Max.suction:8M
- Pipe diameter:1""x1""
- Alumium wire motor
- Brass impeller
- 0.15m length cable
- Packed by color box

SPRAY GUN TABUNG ATAS PROFESSIONAL PAINT

ASG1065



- TOP GRADE SPRAY GUN
- Standard nozzle:1.3mm
- Pattern width:180-260mm
- Paint capacity:600cc
- Suitable for finishing coat,
- Professional for spray car.
- With Europe type connector,
- USA type connector,
- Nitto type connector and
- Italy type connector.
- Operating pressure:2.0bar
- Air cons:5-9cfm(141-253l/min)
- Packed by color box

SPRAY GUN TABUNG BAWAH PROFESSIONAL PAINT

ASG2101



- Standard nozzle:1.4mm
- Pattern width:180-250mm
- Paint capacity:1000cc
- Suitable for finishing coat
- With Europe type connector,
- USA type connector,
- Nitto type connector and Italy
- type connector.
- Optional nozzle:1.3-2.5mm
- Operating pressure:2.5-3.5bar
- Air cons:4.2-7.1cfm(119-200l/min)
- Packed by color box

MESIN STAPLES ANGIN

APS06131-3

DISKON 30%



- Load capacity:100Pcs
- Staple size:6-13mm
- Ga20,1.2X0.6mm
- Staple crown:11.2mm
- Without safety trigger
- Only with Nitto type connector.
- Operation pressure:0.4-0.7Mpa (60-100Psi)
- Packed by color box

CONVERTER USB POWER BANK 5V 1.5A

CUCLI1201

DISKON 20%



- Voltage:12V
- Output power:12V/1A 5V/1.5A
- Battery and charger not included
- Packed by color box

BAN KERETA COR

HHWB64010-P

DISKON 30%



- MAX Load kg):130
- Wheel:16"X4.00-8, pneumatic wheel,
- 4PR, Tyre with diamond lines,
- Suitable for INGCO item HHWB64010, HHWB64008,HHWB64010PU, HHWB64008-1D
- Packed by label

CUP BRUSH

WB10752

DISKON 20%



- 75mm
- Wire Diameter : 0.3mm
- Thread : M10X1.5
- Packed in Double Blister

BULU KUAS ROLL TELESCOPIC

HRC0523007

DISKON 20%



- Suitable for HRHT052301
- Material:Acrylic
- Size:230mm/9"Fibre height:7mm
- Suitable for inner wall
- Packed by plastic bag

BULU POLIS DOMBA

APB0111801

DISKON 30%



- MAX Load kg):130
- Wheel:16"X4.00-8, pneumatic wheel,
- 4PR, Tyre with diamond lines,
- Suitable for INGCO item HHWB64010, HHWB64008,HHWB64010PU, HHWB64008-1D
- Packed by label

CUTTER MINI SERBAGUNA 5MATA) => HUK6128

HUK611

DISKON 10%



- Blade size:61x19mm
- SK5 blade
- With 6 pisau
- Pack by double blister

CUTTER BASIC 1 MATA

HKNS18068

DISKON 20%



- Blade Size:9mmx80mm
- With 1 pcs blade,Auto-Lock
- Length:150mm
- With flat push button
- Packed by Blister card

DIAMOND WHEEL BASIC WET

DMD021152

DISKON 10%



- 1154-1/2")X22.2mm
- Blade width:5mm
- Packed by color box

DIAMOND WHEEL BASIC DRY

DMD011152

DISKON 20%



- 1154-1/2")X22.2mm
- Blade width:7.5mm
- Packed by color box

DIAMOND WHEEL INDUSTRIAL DRY

DMD011151

DISKON 30%



- (1154-1/2")X22.2mm
- Blade width:10mm
- Packed by color box

DIAMOND WHEEL DRY

DMD011152M

DISKON 10%



- (1154-1/2")X22.2mm
- Blade width:7.5mm
- 10pcs/metal box
- Packed by metal box

(SS) BATU POTONG 4" 105X1.0MM

MCD101051



DISKON 20%

- (105mm4")*(1.0mm3/64")*
  (16mm5/8")
- Flat centre
- Cutting disc for metal and inox
- Packed by label

(SS) BATU POTONG 4" X 1.2MM 50 PC/SET

MCD1210550



DISKON 30%

- Plastering trowel
- Size:280x130mm
- INGCO unique design handle
- Packed by label

(SS) DIAMOND WHEEL DRY SET 3PCS

DMD0123023



DISKON 20%

- (2309")X22.2mm
- Blade width:7mm
- 3pcs/set
- Packed by color box

KUNCI INGGRIS INDUSTRIAL 12"

HADW131128



DISKON 20%

- Length : 300mm12"),CRV
- Adjustable Clamp Size : 0-41mm
- INGCO Style Two Tone Soft Handle
- Packed by Plastic Hanger

DIAMOND WHEEL INDUSTRIAL (WET)

DMD021151



DISKON 10%

- 115(4-1/2")X22.2mm
- Blade width:7.5mm
- Packed by color box

BATU POTONG INDUSTRIAL 4 x 1.2 *

MCD121001



DISKON 30%

- 105mm(4"")X1.2mm(3/64"")X
- 16.0mm(5/8"")
- Flat centre
- Cutting disc for metal

HOLE SAW

DISKON 50%



HSB60082

- Diameter:8mm
- Cutting with water
- Packed by sliding card

DISKON 50%



HSB60222

- Diameter:22mm
- Cutting with water
- Packed by sliding card

DISKON 50%



HSB60282

- Diameter:28mm
- Cutting with water
- Packed by sliding card

KLEM C / G CLAMP / ALAT PRESS KAYU BESI

DISKON 20%



HGC0104

- Size:4"/100mm
- Body malleable cast iron
- T-shaped thread
- Packed by paper card

DISKON 20%



HGC0105

- Size:5"/125mm
- Body malleable cast iron
- T-shaped thread
- Packed by paper card

DISKON 20%



HGC0106

- Size:6"/150mm
- Body malleable cast iron
- T-shaped thread
- Packed by paper card

KLEM F CLAMP / CATOK PENJEPIT KAYU KACA

DISKON 10%



HFC021201

- Clamp size:120x300mm
- Max clamp force: 450KGS
- Thickness and width of iron ruler: 8X30mm
- Diameter of screw thread:15.3mm
- Packed by paper card

DISKON 10%



HFC021203

- Clamp size:120x800mm
- Max clamp force: 450KGS
- Thickness and width of iron ruler: 8X30mm
- Diameter of screw thread:15.3mm
- Packed by paper card

DISKON 10%



HFC021401

- Clamp size:140x1200mm
- Max clamp force: 550KGS
- Thickness and width of iron ruler: 10X35mm
- Diameter of screw thread:17.8mm
- Packed by paper card

KRAN ANGSA WASTAFEL

HSLBM23401

DISKON 50%



- Spout height:229mm
- Total height:361mm
- Outer diameter:50mm
- 1/2" input flexible hose connector
- Reliable flow regulator insert
- High quality ceramic cartridge
- Best brass material of faucet body
- Bent hose made of stainless steel
- Multiple polishing and chrome finish
- Packed by carton box

KRAN BATHUP DUA FUNGSI

HSLBM31001

DISKON 50%



- Size:178*175*103mm
- Reliable flow regulator insert
- High quality ceramic cartridge
- Best brass material of faucet body
- Multiple polishing and chrome finish
- Packed by carton box

KRAN BATHUP SATU FUNGSI

HSLBM41201

DISKON 50%



- Size:177*130mm
- Reliable flow regulator insert
- High quality ceramic cartridge
- Best brass material of faucet body
- Multiple polishing and chrome finish
- Packed by carton box

KRAN WASTAFEL PANJANG

HSLBM11501

DISKON 50%



- Spout height:92mm
- Total height:158mm
- Outer diameter:f45mm
- 1/2" input flexible hose connector
- Reliable flow regulator insert
- High quality ceramic cartridge
- Best brass material of faucet body
- Multiple polishing and chrome finish
- Packed by carton box

KUNCI PIPA HEAVY DUTY

DISKON 10%



HPW0814

- Size:14" 350mm
- Max clamping diameter:50mm
- Mobile jaw drop-forged with high quality carbon steel
- Inactivate treatment
- Body material : ductile cast iron
- Black finish and polish
- Solid rivet
- Packed by paper card

DISKON 10%



HPW0818

- Size:18" 450mm
- Max clamping diameter:60mm
- Mobile jaw drop-forged with high quality carbon steel
- Inactivate treatment
- Body material:ductile cast iron
- Black finish and polish
- Solid rivet
- Packed by paper card

DISKON 10%



HPW0824

- Size:24""
- Max clamping diameter:76mm
- Mobile jaw drop-forged with high quality carbon steel
- Inactivate treatment
- Body material:ductile cast iron
- Black finish and polish
- Solid rivet
- Packed by paper card

KUAS INDUSTRIAL

DISKON 50%



CHPTB0501

- Width:1"
- For Oil-Based paint
- High quality bristles
- High quality wooden handle
- Bristle length: 51mm
- Thickness: 12mm
- Packed by color sleeve

DISKON 50%



CHPTB0515

- Width:1.5"
- For Oil-Based paint
- High quality bristles
- High quality wooden handle
- Bristle length: 51mm
- Thickness: 13mm
- Packed by color sleeve

DISKON 50%



CHPTB0502

- Width:2"
- For Oil-Based paint
- High quality bristles
- High quality wooden handle
- Bristle length: 57mm
- Thickness: 15mm
- Packed by color sleeve

DISKON 30%



CHPTB0525

- Width:2.5"
- For Oil-Based paint
- High quality bristles
- High quality wooden handle
- Bristle length: 57mm
- Thickness: 16mm
- Packed by color sleeve

DISKON 50%



CHPTB0503

- Width:3"
- For Oil-Based paint
- High quality bristles
- High quality wooden handle
- Bristle length: 64mm
- Thickness: 18mm
- Packed by color sleeve

DISKON 50%



CHPTB0504

- Width:4"
- For Oil-Based paint
- High quality bristles
- High quality wooden handle
- Bristle length: 70mm
- Thickness: 20mm
- Packed by color sleeve

KUAS HD

DISKON 40%



CHPTB68703

- Width:3"
- For Oil-Based paint
- INGCO unique design plastic handle
- Bristle length: 57mm
- Thickness: 12mm
- Packed by label

DISKON 40%



CHPTB68704

- Width:4"
- For Oil-Based paint
- INGCO unique design plastic handle
- Bristle length: 57mm
- Thickness: 14mm
- Packed by label

KUAS CAT 3"

CHPTB8703

DISKON 30%



- Width:3"
- For Oil-Based paint
- High quality bristles
- Unique design plastic handle
- Bristle length: 64mm
- Thickness: 22mm
- Packed by color sleeve

TAHANAN DONGKRAK / JACK STAND 3 TON

HJS0301

DISKON 10%



- 2pcs/pair
- 3Ton
- Min. height: 285mm
- Max. height:425mm
- Net weight:6.3kg
- Large saddle,more stable
- Packed by color box

MATA BOR BESI BASIC

DISKON 20%

7mm



DBT1100703

- HSS, diameter:7.0mm
- 10pcs/poly bag
- Total length:109mm
- Usable length:69mm
- Packed by poly bag

DISKON 20%

13mm



DBT1101303

- HSS, diameter:13mm
- 5pcs/poly bag
- Total length:151mm
- Usable length:101mm
- Packed by poly bag

MATA BOR BETON COLOK

DISKON 20%



DBH1210605

- 6.0x310mm,
- SDS plus
- Packed by plastic hanger

DISKON 20%



DBH1210805

- 8.0x310mm,
- SDS plus
- Packed by plastic hanger

DISKON 20%



DBH1211005

- 10x310mm,
- SDS plus
- Packed by plastic hanger

DISKON 20%



DBH1211401

- 14x160mm,
- SDS plus
- Packed by plastic hanger

DISKON 20%



DBH1211601

- 16x160mm,
- SDS plus
- Packed by plastic hanger

MATA BOR ENGSEL GELAP 25MM

ADCS2501

DISKON 20%



- TCT blade
- Diameter: 25mm
- Packed by plastic box

MATA MESIN GERGAJI CHAINSAW => AGSB51801

AGSB1801

DISKON 40%



- 18" Oregon Chain Saw Bar
- Suitable for INGCO GCS45182 gasoline chain saw
- Packed by poly bag

MATA BOR COLOK SDS HEX 30MM PAHAT

DBC0324102

DISKON 30%



- 30 X410X 40mm, flat
- Suitable for INGCO item PDB17008 and PDB17018
- Packed by plastic tube

MATA BOR COLOK SDS HEX 30MM RUNCING

DBC0314101

DISKON 30%



- 30X 410mm, point
- Suitable for INGCO item PDB17008 and PDB17018
- Packed by plastic tube

MATA BOR BETON & MATA OBENG 22PCS

AKDL12201

DISKON 20%



- 22PCS drill bits and screwdriver bits set
- 8pcs 25mm screwdriver bits set
- 6pcs glass drill bits 4,5,6,8,10,12mm
- 5pcs masonry drill bits 4,5,6,8,10,mm
- 3pcs SDS plus hammer drill bits 6X160mm,8X160mm,10X160mm
- Packed by double blister

MATA BOR SDS SET 9 PCS

AKDL30901

DISKON 20%



- 9pcs SDS Plus hammer drill bits set
- 9pcs SDS Plus hammer drill bits set
- 5X110mm,6X110mm,8X110mm, 8X160mm,10X160mm,12X160mm, 14X160mm,16X160mm
- 9 pcs SDS Plus hammer drill bits set
- Packed by double blister

MATA BOR SET KOMPLIT 260 PCS

AKD2608M-1

DISKON 30%



- 260pcs mata bor
- M2 HSS mata bor:58pcs
- HSS mata bor:103pcs
- Masonry mata bor:62pcs
- SDS plus hammer mata bor:37pcs
- 260pcs mata bor
- M2 HSS mata bor:58pcs
- 10pcs 3mm, 10pcs 4mm, 10pcs 5mm,10pcs 6mm, 5pcs 8mm, 5pcs 9mm, 5pcs 10mm, 3pcs 12mm
- HSS mata bor:103pcs
- 20pcs 1mm, 20pcs 2mm, 10pcs 3mm,10pcs 4mm, 10pcs 5mm, 10pcs 6mm, 5pcs 7mm, 5pcs 8mm,
- 5pcs 9mm, 5pcs 10mm, 3pcs 12mm,
- Masonry mata bor:62pcs
- 10pcs:4*75mm,6*100mm,6*150mm, 8*120mm
- 6pcs:10*120mm,10*150mm
- 5pcs:12*150mm,12*200mm
- SDS plus hammer mata bor:37pcs
- 5pcs:6*160mm,8*160mm, 10*160mm,8*210mm, 10*210mm,12*210mm
- 4pcs 14*210mm
- 3pcs 16*210mm
- Packed by carton box

MATA SOKET



- 1/2" Dr.6pt.socket
- Material:50BV30,
  Heat treatment,black nickel plated
- Packed by plastic hanger

Item No.	Size (mm)	L (mm)	DISKON
HHAST12081	8.0	38	20%
HHAST12101	10.0	38	30%
HHAST12111	11.0	38	30%
HHAST12121	12.0	38	20%
HHAST12131	13.0	38	30%
HHAST12141	14.0	38	30%
HHAST12151	15.0	38	30%
HHAST12161	16.0	38	30%
HHAST12171	17.0	38	20%
HHAST12181	18.0	38	30%
HHAST12191	19.0	38	20%
HHAST12201	20.0	38	30%
HHAST12211	21.0	38	20%
HHAST12221	22.0	38	30%
HHAST12231	23.0	38	30%
HHAST12241	24.0	38	20%
HHAST12251	25.0	41	30%
HHAST12261	26.0	41	30%
HHAST12271	27.0	43	30%
HHAST12281	28.0	44	30%
HHAST12291	29.0	44	30%
HHAST12301	30.0	44	30%
HHAST12321	32.0	44	30%

OBENG GAGANG KARET MULTIFUNGSI SET 33 BITS

HKSDB0338

DISKON 10%



- Measuring Range:0.05-60m
- Measuring Accuracy:±1.5mm
- Laser Type:635nm, <1mW, Class 2
- Operating temp:-10°C ~ +50°C
- Storage temp:-20°C ~ +65°C
- Historical Measurements:50 values
- Splash Proof/ Dust Protected:IP54
- Batteries:AAA, 2x1.5V, up to 5000 measurements
- Packed by color box

OBENG GAGANG FIBER KOMPLIT 26 PCS

HKSD2658

DISKON 10%



- 26 pcs screwdriver set
- Material:CR-V
- Round blade
- include:
- 7PCS Slotted screwdriver:SL6*38.
- SL3*75.SL5.5*100.SL5.5*100.
- SL6.5*125.SL6.5*150.SL8*200.
- 11PCS Phillips screwdriver:PH2*38.
- PH00*75.PH0*75.PH1*75.PH1*100.
- PH1*100.PH2*100.PH2*125.
- PH2*150.PH3*150.PH3*200.
- 6PCS Torx screwdriver:T15*100.
- T20*100.T25*100.T27*125.
- T30*125.T40*125
- 2PCS Square screwdriver: S1*100.
- S2*100
- With 1 pcs plastic frame
- Packed by double blister

OBENG KETOK GAGANG KARET 6" (-) => HGTS688200

HGTS288150

DISKON 20%



- S2 industrial steel , Hex shank
- Slotted:8.0mm
- Shank:8.0mm
- Length:150mm
- Packed by poly bag

OBENG KETOK GAGANG KARET 6" (+) => HGTS68PH3200

HGTSPH3150

DISKON 20%



- S2 industrial steel,
- Hex shank,PH3
- Shank:8.0mm
- length:150mm
- Packed by poly bag

OBENG KETOK GAGANG KARET 8" (-) => HGTS688200

HGTS288200

DISKON 20%



- S2 industrial steel , Hex shank
- Slotted:8mm
- Shank:8.0mm
- Length:200mm
- Packed by poly bag

OBENG KETOK GAGANG KARET 8" (+) => HGTS68PH3200

HGTSPH3200

DISKON 20%



- S2 industrial steel , Hex shank
- Slotted:8mm
- Shank:8.0mm
- Length:200mm
- Packed by poly bag

PALU BATU BODEM GAGANG FIBER 3 LB

HSLH8803

DISKON 30%



- Weight:3LB
- Drop-forged hammerhead
- Heat treatment,
  45# carbon steel
- INGCO Style Fiberglass handle

PALU BATU BODEM GAGANG PANJANG 4KG

HSTH03498

DISKON 10%



- Weight:4kg45# carbon steel
- Drop-forged
- Heat treatment
- INGCO Style 900mm
- Fiberglass handle
- Packed by Label

PALU BATU BODEM GAGANG PANJANG 5KG

HSTH03598

DISKON 10%



- Weight:3LB
- Drop-forged hammerhead
- Heat treatment,
  45# carbon steel
- INGCO Style Fiberglass handle

PALU SERBAGUNA 12 FUNGSI

HMFH0121

DISKON 30%



- Multi-function hammer
- With 12 Function
- 1.Claw hammer 2.Flat nose Pliers
  3.Regular pliers 4.Wire Cutters
  5.Large knife 6.Wood Saw
  7.Hook remover
  8.Phillips Screwdriver
  9.Metal File 10.Wood File
  11.SL5 Slotted screwdriver
  12.Hex key
- Strong Aluminum Handle
- Packed by double blister

PERKAKAS RUMAH TANGGA SET 10 PCS

HKTV01S101

DISKON 20%



- 10 Pcs Insulated hand tools set
- Include:
- 1 Pcs SL3.0x75mm screwdriver
- 1 Pcs SL4.0x100mm screwdriver
- 1 Pcs SL5.5x125mm screwdriver
- 1 Pcs SL6.5x150mm screwdriver
- 1 Pcs PH0x60mm screwdriver
- 1 Pcs PH1x80mm screwdriver
- 1 Pcs PH2x100mm screwdriver
- 1 Pcs PZ1x80mm screwdriver
- 1 Pcs PZ2x100mm screwdriver
- 1 Pcs Test Pencil
- Test voltage:100-500VAC)
- Packed by stackable plastic box

WATERPASS HEAVY DUTY 12"

HSL08030

DISKON 20%



- Length:30cm
- Double side milled
- 0.5mm/m accurate vials
- Thickness:1.5mm
- V-shape slot for measuring objects
  with round surface
- Packed by color sleeve

RANTAI MESIN GERGAJI LISTRIK => AGSC51802

AGSC1801



- 18" Oregon Saw chain
- Suitable for INGCO GCS45182
- gasoline chain saw
- Packed by poly bag

RASKAM PLAT TEBAL GAGANG FIBER

HPT28138



- Plastering trowel
- Size:280x130mm
- INGCO unique design handle
- Packed by label

SENDOK / CATOKAN SEMEN TEBAL LANCIP



HBT618

- Size: 6""/150mm(plastic handle)
- Diameter of connecting rod:9.5mm
- unique design handle
- Packed by label



HBT718

- Size: 7""/180mmplastic handle)
- Diameter of connecting rod:9.5mm
- INGCO unique design handle
- Packed by label

SKRAP DEMPUL GAGANG KARET



HPUT08060

- Size:60mm
- Stainless steel
- Heat treatment
- Fine polished
- Double color plastic handle
- Packed by label



HPUT08080

- Size:80mm
- Stainless steel
- Heat treatment
- Fine polished
- Double color plastic handle
- Packed by label



HPUT08100

- Size:100mm
- Stainless steel
- Heat treatment
- Fine polished
- Double color plastic handle
- Packed by label



HPUT08125

- Size:125mm
- Stainless steel
- Heat treatment
- Fine polished
- Double color plastic handle
- Packed by label

GAGANG GERGAJI BESI INDUSTRIAL

HHF3008



- Size:300mm/12""
- Heavy duty steel frame
- Aluminum + TPR handle,Strong and Comfortable
- Adjustable tension
- Quick-release blade changing mechanism
- Including 1pcs 65Mn saw blade
- Packed by paper card

GAGANG GERGAJI BESI PADAT INDUSTRIAL

HHF3088



- INGCO Style INDUSTRIAL
- Hacksaw frameSize:300mm/12"
- Heavy duty steel frame
- Aluminum + ABS + TPR handle,
- Strong and Comfortable
- Adjustable tension
- Quick-release blade changing mechanism
- Including 1pcs 65Mn saw blade
- Packed by paper card

(SS) GAGANG GERGAJI BESI 6"

MHHF1505



- Mini Hacksaw
- Size:150mm(6")
- Comfortable ABS handle
- With 1 pcs blade
- Packed by paper card

GUNTING BETON HEAVY DUTY 24"

HBC0824



- Size:24"
- Cr-V blade
- Black finish and polish
- TPR two color handle
- Packed by paper card

(SS) GUNTING BETON



HBC1814

- Size:14"
- Max cutting range:7mm
- Cr-V blade
- New design comfortable handle
- Packed by paper card



HBC1818

- Size:14"
- Max cutting range:7mm
- Cr-V blade
- New design comfortable handle
- Packed by paper card

(SS) MATA CIRCULAR SAW SET 9"40T

TSB1235252



- 235mm(9-1/4")
- 40T,arbor:30mm
- 16mm and 25.4 ring
- Suitable for circular saw item CS2358
- Wood cutting
- Packed by color box

(SS) PALU BATU BODEM GAGANG KAYU 1KG

HSTH041000



- 235mm(9-1/4")
- 40T,arbor:30mm
- 16mm and 25.4 ring
- Suitable for circular saw item CS2358
- Wood cutting
- Packed by color box

(SS) PALU TUKANG/ MASINIS GAGANG FIBER 500G

HMH881500



- Weight:1500g
- Drop-forged hammerhead
- Heat treatment,45# carbon steel
- Unique design fiberglass handle
- Packed by label

(SS) PALU TUKANG/ MASINIS GAGANG KAYU 300G

HMH040300



- Weight:300g
- hardwood handle
- Drop-forged hammerhead
- Heat treatment, 45# carbon steel
- Packed by label

PALU KAMBING GAGANG FIBER 8 OZ

HCH80808



- Weight : 8oz/220gDrop-forged
- hammerhead Heat treatment,
- 45# carbon steel
- INGCO Style Fiberglass handle

GUNTING SENG GAGANG KARET HD 10"

HTS2610



- Size:10"
- Max.cutting thicness:
- Carbon steel =0.8mm
- Stainless steel =0.6mm
- Drop-forged steel
- Double dipped grip handle
- Packed by half double blister

TANG BAIS RATA CHROME HD 7"

HSP0107



- Cr-V
- Size:7"
- HRC42-HRC50
- Nickel plated
- Packed by half double blister

TANG KOMBINASI ELEKTRIK 8"

HICP01200



- Size:8"/200mm
- Satin finish, insulated handle
- Stand high pressure,1000V
- Packed by PP hanger

TANG KOMBINASI HIGH LEVERAGE



HICP28168
Size:6""/160mm
Black finish and polish
Insulated handle
Stand high pressure:1000V
Packed by PP hanger



HICP28188
Size:7""/180mm
Black finish and polish
Insulated handle
Stand high pressure:1000V
Packed by PP hanger



HICP28208
Size:8""/200mm
Black finish and polish
Insulated handle
Stand high pressure:1000V
Packed by PP hanger

TANG RIVET HEAVY DUTY 10.5"

HR104



- Size:10.5"
- Applicable rivet size:2.4mm, 3.2mm, 4mm,4.8mm
- Packed by sliding card

TANG KUPAS KABEL HIGH LEVERAGE 6")

HIWSP28160



- Size:6""/160mm
- Black finish and polish
- Insulated handle
- Stand high pressure:1000V
- Packed by PP hanger

TANG MINI SET 5 PCS 4.5"

HMPS01115



- 1PCS 4.5"" Combination pliers
- 1PCS 4.5"" Diagonal cutting pliers
- 1PCS 4.5"" End cutting pliers
- 1PCS 4.5"" Long nose pliers
- 1PCS 4.5"" Flat nose pliers
- Two color handle
- Packed by double blister

TANG POTONG KABEL HIGH LEVERAGE 6"

HICCB28160



- Size:6""/160mm
- Black finish and polish
- Insulated handle
- Stand high pressure:1000V
- Packed by PP hanger

TANG RUNCING ELEKTRIK 8"

HILNP01200



- Size:8"/200mm
- Satin finish, insulated handle
- Stand high pressure,
- 1000VPacked by PP hanger

TANG AMPERE JEPIT DIGITAL 1000A

DCM100015



- 6000 Counts. Data Hold
- AC Current : 60A/600A/1000A
- ±2.5% +8)
- DC Current : 60A/600A/1000A
- ±2.5% +8). AC Voltage : 60mV/
- 600mV/6V/60V/600V±0.8% +3)
- 750V±1% +4). DC Voltage : 60mV/
- 600mV/6V/60V/600V±0.7% +3)
- 1000V±0.8% +2)
- Resistance :600O/6kO/60kO/600kO/
- 6MO±0.8% +3) 60MO±1.2% +3)
- Capacitance :10nF/100nF/1000nF/
- 10?F/100?F/1000?F/10mF/100mF
- ±4.0% +5.
- Temperature: -20~1000?-8~1832°F).
- Non-contact voltage detection
- Diode test. LCD with back light
- low battery indication.
- Auto power off
- With flash light function

ROBOT VACUUM CLEANER

VCRR30201



- Random style
- The random cleaning path
- Product size(D*H):f300*75mm
- Vacuum pressure:500~800Pa
- Working time:50~70min
- Charging time:3~5H
- 2000mAh Lithium battery
- Only for dry cleaning
- Charge volts:110V-240V~50/60Hz
- 1pcs American outlet plug adapter
- With cliff detect sensors
- Without automatically recharge
- 2pcs cleaning brushes
- Packed by color box

ROBOT VACUUM MODEL GYROSCOPE

VCRG30261



- Gyroscope style
- Schedule the cleaning route
- Product size:300*75mm
- Vacuum pressure:700~1000Pa
- Working time:50~70min
- Charging time:3~5H
- 2000mAh Lithium battery
- Only for dry cleaning
- Charge Voltage:220V-240V~50/60Hz
- With 4pcs side brushes
- With 1pcs remote control
- With 1pcs cleaning brush
- with 1pcs HEPA fliter
- With 1pcs charing base
- With electric brush
- With cliff detect sensors
- With automatically recharge
- Edge mode for wall following cleaning
- Intelligent cleaning path
- Packed by color box

VACUUM SERBAGUNA CORDLESS 22.2V 0.8 LTR => VCH22111


VCH22091



- Voltage:22.2V
- Vacuum pressure(KPa):9 Kpa
- Capacity:0.8L
- Power(W):120W
- Multiple cyclone
- 2200Amh Lithium-Ion batteries
- Pure copper wire motor
- HEPA filter
- Charge volts:110V-240V~50/60Hz
- 1pcs American outlet plug adapter
- Charge time:4.5H
- Working time:35min low speed level
- Working time:18min high speed level
- Product size:230*220*1090mm
- 1pcs metal tube
- 1pcs charger and plastic hanger
- 1pcs crevice nozzle
- 1pcs sofa brush
- Packed by color box

TANGGA TELESCOPIC


DISKON 30%



HLAD08061

- Steps: 6steps
- Material: Aluminium
- Ext.Height: 1980mm
- Step Rise: 300mm
- Fold Height: 645mm
- Fold Width: 470mm
- Max.Load: 150kg
- Easy carry
- Packed in carton box


DISKON 30%



HLAD08081

- Steps: 8steps
- Material: Aluminium
- Ext.Height: 2580mm
- Step Rise: 300mm
- Fold Height: 716mm
- Fold Width: 478mm
- Max.Load: 150kg
- Easy carry
- Packed in carton box


DISKON 20%



HLAD08101

- Steps: 10steps
- Material: Aluminium
- Ext.Height: 3180mm
- Step Rise: 300mm
- Fold Height: 775mm
- Fold Width: 485mm
- Max.Load: 150kg
- Easy carry
- Packed in carton box

DISKON 20%



HLAD08121

- Steps: 12steps
- Material: Aluminium
- Ext.Height: 3780mm
- Step Rise: 300mm
- Fold Height: 843mm
- Fold Width: 494mm
- Max.Load: 150kg
- Easy carry
- Packed in carton box



MESIN SANDER 150MM / 6"

RS4508

DISKON 20%



- Voltage:220-240V~50/60Hz
- Input power:450W
- No-load speed:4000-13000rpm
- Dia of sanding pad:150mm
- Velcrops base
- Variable speed control
- With 5pcs sand papers
- With 1set extra carbon brushes
- Packed by color box

(MESIN JIG SAW INDUSTRIAL*)

JS6508

DISKON 10%



- Voltage:220-240V~50/60Hz
- Input power:650W
- No-load speed:800-2800rpm
- Cutting capacity:
  - Wood:80mm
  - Steel:8mm
- 4 step pendulum function
- With 5pcs saw pisau
- With 1set carbon brushes
- Packed by color box

MESIN MEJA POTONG KAYU

TS15007

DISKON 20%



- Voltage : 220-240V~50/60Hz
- Input Power : 1500W
- No-Load Speed : 4500rpm
- Blade Size : 254mm(10")*16mm
- Max Cutting Capacity : 85mm (90°)
  - 60mm(45 °)
- Blade Tilting Range : 0-45 Degree
- Sheet Metal Table Top. With Big
  - Table Size.
- Main Table Size : 430X638mm
- Extension Table Size(Left/Right) :
  - 638X150mm.
- Extension Tabe Size(Rear) :
- 430X180mm
- With Rip Fence, Push Sticker
- With Miter Gauge
- High Quality Rip Fence Locks From
  - Front & Rear
- Packed by Carton Box

SEPATU KERJA



SSH81SB.39
Sizes assortment:39
Category of protective footwear
SB:steel toe cap
Flyknit upper,Good breathability
Dual density pu sole
Packed by color box



SSH81SB.41
Size:12
Max clamping diameter:42mm
Mobile jaw drop-forged with high quality carbon steel
Inactivate treatment
Solid rivet
Packed by paper card



SSH81SB.42
Size:14
Max clamping diameter:48mm
Mobile jaw drop-forged with high quality carbon steel
Inactivate treatment
Solid rivet
Packed by paper card



SSH81SB.43
Size:18"
Max clamping diameter:60mm
Mobile jaw drop-forged with high quality carbon steel
Inactivate treatment
Solid rivet
Packed by paper card

MESIN VACUUM CLEANER 12 LITER

VC14122



- Voltage: 220V-240V~50/60Hz
- Input power: 800W
- Copper wire motor
- Metal tank
- Dust capacity:12L
- Air flow:1.7m3/min
- Vaccum pressure:16KPa
- 1.5m flexible hose
- Plastic three parts tube

- 1pcs plastic floor brush
- 1set 2 in 1 brush
- Total 2.3m cord length
- HEPA fliter
- Wet and dry cleaning
- Packed by carton box

PEMBUKA RODA ANGIN/AIR IMPACT 25MM (1')

AIW11223



- Square drive:25mm(1")
- No-load speed:4000 rpm
- Max.torque:1800Nm(1328ft)
- Weight: 6.0KG
- Twin hammer mechanism
- With universal connector.
- Air Consumption:256l/min(9cfm)
- Air Pressure:6.2bar(90psi)

- Length:234mm(9.2")
- Weight:5.9kgs(13lbs)
- Air Inlet:3/8"
- Air hose:1/2"
- Packed by color box

(SS) TRAFO LAS LISTRIK 130A

ING-MMA1302

DISKON 20%



- IGBT Inverter technology
- Input voltage(V):1~220-240
- Frequency(HZ):50/60
- Output current(A):15-130
- Duty cycle(%):130A@30%
- LCD Display
- No-load voltage(V):75
- Max.output current(A):130

- Diameter of electrode(mm):1.6-3.2
- With 1pcs electrode holder with cable
- With 1pcs earth clamp with cable
- With 1pcs wire brush and 1pcs helmet
- Packed by color box

TRAFO LAS LISTRIK 130A => ING-MMA16015

ING-MMA1305

DISKON 10%



- IGBT Inverter technology
- Input voltage(V):1~220-240
- Frequency(HZ:50/60
- Output current(A):10-130
- Duty cycle(%):130A@40%
- LCD display
- No-load voltage(V):85
- Max.output current(A):130

- Diameter of electrode(mm):1.6-3.2
- With 1pcs electrode holder with cable
- With 1pcs earth clamp with cable
- With 1pcs wire brush and 1pcs helmet
- Packed by carton box

PISAU LIPAT SERBAGUNA 15 FUNGSI

HMFK8158

DISKON 20%



- Multi-function Knife; ;
- With 15 Function
- 1.Large knife
- 2.Can opener
- 3.Phillips screwdriver
- 4.Leather punch
- 5.Bottle Opener
- 6.Scissors
- 7.Needle
- 8.Slotted Screwdriver

- 9.Fish scaler
- 10.Hook remover
- 11.Saw
- 12.corkscrew
- 13.Nail cleaner
- 14.Nail file
- 15.Key ring
- Strong Aluminium Handle
- Product size:9.5cm
- Packed by display color box