

CONCRETE BATCHING PLANT

ORU ONEDAY

SPARE PARTS CATALOG



Le Officine Riunite - Udine S.p.A.
Via Santa Caterina, 35 -33030-
Basaldella di Campoformido- (UD) Italy
Tel. +39 0432 563939
Fax +39 0432 563926

R0
Cod. :11010013



SERIAL NUMBER: 11010013

- 1 - Contents
- 2 - Order of spare parts
- 3 - Aggregates storage unit with accessories
- 4 - Cement screw feeder
- 5 - Cement rubber gaskets
- 6 - Pneumatic unit components
- 7 - Electrocompressor B6000
- 8 - Pneumatic butterfly valve
- 9 - Water unit scheme and cement weigh hopper acc.
- 10 - Liquid additive system
- 11 - Cement dust remover FC3V12-20
- Pan mixer Saturno mod. MS 2250/1500S**
- 12 - Gearbox support group
- 13 - Upper gearbox group
- 14 - Lower gearbox group
- 15 - Covering group
- 16 - Mixing pan group
- 17 - Lining kit
- 18 - Blade group
- 19 - Hydraulic unit
- 20 - Winch
- 21 - Skip

Warranty application

2 - ORDER OF SPARE PARTS

The exact supply of spare parts is guaranteed only if they are ordered according to the following indications.

For every requested part, the data to be indicated are:

- the code number of the part;
- the relevant description;
- the requested quantity.

In case the code is not indicated the part, as single spare part, is not available: its description appears in order to clarify the composition of the kit in which it is included.

THE ORDER MUST INCLUDE THE SERIAL NUMBER OF THE PLANT

Example of order

Refer to the drawing and to the relevant table indicated herebelow.


You want to order the part drawn on position 9. The order will be:

----- (Serial No.) - **K1005203** (Code No.) - **Fixed scraper belt** (Description) - **1** (Requested quantity)

The supply will consist of the following components already assembled:


- Scraper belt brush (position 9/1)

The part 9/1 is codified, therefore it can be singularly requested.



POS.	CODE	DESCRIPTION	Q.TY
9	K1005203	Fixed scraper belt	1
9/1	L1001401	Scraper belt brush	6


3 - AGGREGATES STORAGE UNIT WITH ACCESSORIES



3 - AGGREGATES STORAGE UNIT WITH ACCESSORIES

POS.	CODE	DESCRIPTION	Q.TE	POS.	CODE	DESCRIPTION	Q.TE
1	K1024171	Load cell group STI 3000 kg	1	4	K1016983	Gate opening	1
1/1	M2500468	Load cell STI 3000 kg	1	5	O2600950	Elastomer	1
2	94100800	Vibrator for storage group	1	6	F7551305	Probe sensor	1
3	K1022224	Vibrating plates	1				

4 - CEMENT SCREW FEEDER



4 - CEMENT SCREW FEEDER

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	13010567	Cement s.f. ES 219-10000-22°30'-M45	1				
-	-	-	-	2	67401414	Rubber tube Ø 235x300	1
1/1	/	Electric motor	1	-	67401434	Rubber tube Ø 225x300	1
1/2	/	Reduction gear	1	3	24703100	Hose clamp Ø 325x9	1
1/3	/	Complete intermediate support	1	4	90501500	Butterfly valve V2 FF/300	1
1/4	/	Complete terminal support	1	5	F5002000	Complete clamp	1
1/5	/	Spiral	1	6	90501600	Manual comand for Ø 300	1


ATTENTION: by requesting screw feed spare parts, indicate the data relevant to screw feed itself.

Example:

For ordering spare part with position 1/2, the order will be as follows:

13010567 (Screw feeder code) - **Reduction gear** (Description) - **1** (Requested quantity)


5 - CEMENT RUBBER GASKETS



5 - CEMENT RUBBER GASKETS

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
INSIDE RUBBER TUBE				OUTSIDE RUBBER TUBE			
1	67401410	Rubber tube Ø180 H300	1	2	67401432	Rubber tube Ø180 H200	1
-	67401411	Rubber tube Ø180 H500	1		67401433	Rubber tube Ø205 H200	1
-	67401412	Rubber tube Ø205 H300	1		67401434	Rubber tube Ø235 H200	1
-	67401414	Rubber tube Ø235 H300	1		67401435	Rubber tube Ø275 H200	1
-	67401415	Rubber tube Ø235 H500	1		67401436	Rubber tube Ø295 H200	1
-	67401416	Rubber tube Ø275 H300	1		67401437	Rubber tube Ø340 H200	1
-	67401417	Rubber tube Ø275 H500	1				
-	67401418	Rubber tube Ø295 H300	1	3	24703100	Hose clamp Ø 325x9	1
-	67401419	Rubber tube Ø295 H500	1	-	24703200	Hose clamp Ø 380x9	1
-	67401420	Rubber tube Ø340 H300	1				
-	67401421	Rubber tube Ø340 H500	1				


6 - PNEUMATIC UNIT COMPONENTS



6 - PNEUMATIC UNIT COMPONENTS

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	12000642	Pneumatic cylinder C80/280	1	5	86801000	Rilsan pipe Ø 10/8 (per metres)	m
2	12003255	Fork	1	6	27250800	Lubricator regulator filter group 1/2"	1
3	F8980508	Complete rapid discharge valve 1/2"	1	-	27250700	Lubricator regulator filter group 1/4"	1
		Pipe fitting 1/2"	1	7	43501000	Pressure gauge	1
		Rapid discharge valve 1/2"	1	8	91704100	Ball valve 1/2" MF	1
		Silencer 1/2"	1	9	85600500	Rubber pipe Ø 10/19 (specify length)	m
		Nipple 1/2"	1	10	27250810	Regulator filter group 1/2"	1
4	F8450311	Solenoid valve E5 for cylinder 24VCC	1	11	27250735	Lubricator 1/2"	1
		Solenoid valve	1	12	23000512	Solenoid valve E3-W-1/4"-24 VCC	1
		Silencer	1	12/1	23000613	Coil 24 VCC	1
		Extension	1	13	F2802535	Condensate discharge tank	1
		Pipe fitting	1	14	67401761	Fluidification plate	1
4/1	23000613	Coil 24 VCC	1	15	F2800990	Nozzle	1
				16	23000608	Solenoid valve E5-W-1/4"-24 VCC	1
				16/1	23000613	Coil 24 VCC	1
				17	74250500	Silencer nylon 1/4"	1
				18	66501000	Discharge regulator 1/4"	1
				19	93101001	Flow regulator 1/4"	1


7 - ELECTROCOMPRESSOR B6000



7 - ELECTROCOMPRESSOR B6000

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	22500834	Electrocompressor group B6000	1	6	22500837	Motor	1
-	22500836	Plate valve group	1	7	22500838	Protections kit	1
-	22500831	Gaskets group	1	8	22510291	Pressure switch 1/4" G F	1
2	22500832	Flywheel	1	9	22510295	Pressure gauge	1
3	22511167	Filter	1	10	22500603	Safety valve 3/8" G	1
4	22511168	Filter cartridge	1	11	22500833	Belt	2
5	22510320	Check valve 3/4"-1/2"G MM	1				
-	22510325	Check valve 3/4"-1/2" G FM	1				


8 - PNEUMATIC BUTTERFLY VALVE



8 - PNEUMATIC BUTTERFLY VALVE

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	90500310	Butterfly valve Ø 150 2T WATER	1	2	F8450204	Electropneumatic drive 24VDC/CC	1
1/1	90500755	Circular gasket Ø 150 2T	1	2/1	90501100	Transmission cylinder	1
				2/2	23000626	Complete solenoid valve 24VDC/CC	1
1	90500700	Butterfly valve Ø 300 CEMENT	1	2/2/1	23000630	Coil 24VDC/CC	1
1/1	90500720	Circular gasket Ø 300	1	2/3	90500920	Microswitches MIC 23	1
				2/4	74250500	Silencer 1/4" G	2




9 - WATER UNIT SCHEME AND CEMENT WEIGH HOPPER



9 - WATER UNIT SCHEME AND CEMENT WEIGH HOPPER

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	F1282099	Load cell group NBC 550 kg	1	5	91751250	Butterfly valve Wafer DN50	1
1/1	M2500487	Elastomer	1	-	F3511559	Non return valve 2"	1
1/2	M2501560	Load cell NBC 550 kg	1	6	F8450226	Butterfly valve Ø 150 T=2	1
1/3	X1750540	Copper plait CEM FL 16-420	1	7	A2301085	Rubber tube Ø 168x300 interior	1
2	94104000	Pneumatic vibrator BG19	1	-	67401432	Rubber tube Ø 180x200 exterior	1
3	K1000216	Sac for airbag 840L	1	8	F8450199	Butterfly valve V1 FS Ø 300	1
4	86002200	PVC Tube D=300	mt	9	A2301170	Rubber tube Ø 320x500 interior	1
				-	67401437	Rubber tube Ø 340x200 exterior	1
				10	3272459	Motor pump C 1.1/RT 2,2KW	1


10 - ADDITIVE WEIGH HOPPER



10 - ADDITIVE WEIGH HOPPER

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	-	Washing pipe	1	7	-	Plexiglass cylindre	1
2	-	Nozzle	1	8	67401796	Motor pump BMF25	1
3	67401886	Load cell 50kg	1	9	-	Discharge pneumatic ball valve	1
-	67401887	Load cell 100kg	1	10	-	Charge pneumatic ball valve	1
-	67401955	Load cell 200kg	1	11	F8984784	Flussostat	1
4	-	Washing ball valve	1				
5	-	Balance swing wheel	1				
6	-	Support frame	1				


11 - CEMENT DUST REMOVER MOD. FC 3V12-20



11 - CEMENT DUST REMOVER MOD. FC 3V12-20

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	-	Vibrator	1	5	24703100	Hose clamp Ø 325x9	1
2	-	Complete electromagnetic switch	1	6	90500500	Butterfly valve	1
3	20002142	Cartridge kit H500 FC 3V12	1	7	90500600	Hand control	1
-	20002252	Cartridge kit H750 FC 3V20	1	8	A3400820	Pipe gasket	1
4	86001300	PVC pipe Ø 120 (per metre)	m	9	91502011	Valve VCP	1
				9/1	91502022	Springs group	1
				9/2	91502013	Valve closing plate	1

12 - GEARBOX SUPPORT GROUP - MOD. MS 2250/1500S




12 - GEARBOX SUPPORT GROUP - MOD. MS 2250/1500S

POS.	CODE	Q.TY	DESCRIPTION
1	45806800		Motor 75KW-1400 rpm-380/660V
2	95006000		Screw TE M16x50
3	69301281		Washer Grover A17
4	41503890		Spline A 18x11x50
5	A4232972		Joint spacer
6	97401600		Screw STEI bit M12x25
7	A4233275		Complete hidrodinamic joint
8	A4233227		Mechanical joint
9	F4250430		Joint rubber kit
		16	Joint rubber
10	-		Hidrodinamic joint
11	95007000		Screw TE M20x45
12	69301601		Washer Grover A21
13	L1004807		Motor flange

POS.	CODE	Q.TY	DESCRIPTION
14	79805000		Vent plug 1"GAS
15	95001701		Screw TE M8x25
16	69300602		Washer Grover A8,4
17	L1004895		Inspection cover
18	K1016463		Gearbox support cowling
19	37800500		Lubricator
20	L1000206		Lower labyrinth
21	95006000		Screw TE M16x50
22	94700480		Screw TCEI TF M4x8
23	94706740		Screw TCEI M16x80
24	F4253353		Fifth wheel with labyrinth

13 - UPPER GEARBOX GROUP - MOD. 2250/1500S




13 - UPPER GEARBOX GROUP - MOD. 2250/1500S

POS.	CODE	Q.TY	DESCRIPTION
1	01401980		Seeger ring for axe Ø 80
2	01506400		Seeger ring for port Ø 130
3	01506700		Seeger ring for port Ø 160
4	07506200		Splining self-centering Bikon 8000
5	95003901		Screw TE M12x30
6	17401000		Bearing 60x130x54 3312
7	17504860		Bearing 50x110x27 6310
8	17505560		Bearing 60x130x31 6312
9	17555000		Bearing 60x130x31 21312
10	17557200		Bearing 80x140x33 22216
11	17558200		Bearing 90x160x40 22218
12	A3870100		Gear D=179 L80 Z15 M10 Ø80
13	A3870120		Gear D=179 L80 Z15 M10 Ø.90
14	A3870145		Gear D=380 L=70 Z=60 M=6
15	A3870130		Gear D=290 L=50 Z=69 M=4
16	A3875100		Pinion D=132 L=355 Z=14 M=8
17	A3875110		Pinion D=132 L=377 Z=14 M=8
18	A3875135		Pinion D=115 L=236 Z=16 M=6
19	A3875120		Pinion D=73 L=415 Z=15 M=4

POS.	CODE	Q.TY	DESCRIPTION
20	L1005141		Axle A spacer joint
21	A4233200		Axle B spacer
22	A4233209		Upper axle C spacer
23	A4233212		Lower axle C spacer
24	95000810		Screw TE M6x10
25	A4233219		Oil-pushing box
26	K1016412		Reduction unit casing
27	K1016414		Cover reduction unit casing
28	69300976		Washer Grower A13
29	41503890		Spline A 18x11x50
30	41504000		Spline A 18x11x125
31	41505400		Spline A 25x14x70
32	41703200		Stubbling spline A 22x9x80
33	69300492		Washer Grower A6,4

14 - LOWER GEARBOX GROUP - MOD. 2250/1500S



14 - LOWER GEARBOX GROUP - MOD. 2250/1500S


POS.	CODE	Q.TY	DESCRIPTION
------	------	------	-------------

1	01003500		Sealing ring BC 90x110x10
2	01108100		Sealing ring 90x120x12A
3	17007000		Bearing 80x140x26
4	A0404300		Axle D
5	A3870110		Gear D=227 L=75 Z=27 M=8
6	A4233210		Upper spacer axle D
7	A4233213		Flange axle D
8	K1016596		Support D
9	L1000547		Cover support D
10	L1000548		Spacer axle D
11	L1000549		Internal labyrinth
12	L1000550		Upper labyrinth
13	V2Z5		Scraper support ring

POS.	CODE	Q.TY	DESCRIPTION
------	------	------	-------------

14	37801601		Lubricator M6x1
15	41504800		Spline A 22x14x70
16	69300602		Washer Grower A 8,4
17	69300976		Washer Grower A 13
18	79803200		Discharge oil plug 1" GAS
19	95003901		Screw TE M12x30
20	95201700		Screw TE M12x45
21	41504865		Spline A 22x14x110
22	17557200		Bearing 80x140x33
23	95003901		Screw TE M12x30
24	01004850		Sealing ring to V 118x136x10
25	01401980		Seeger ring for axle 80


15 - MIXER COVERING GROUP - MOD. 2250/1500S



15 - MIXER COVERING GROUP - MOD. 2250/1500S

POS.	CODE	Q.TY	DESCRIPTION	POS.	CODE	Q.TY	DESCRIPTION
1	K1018261		Mobile cover with inspection door	8	X9200668		Lock MAI for key DE5
2	K1018277		Door		X9200670		Lock MAI for key E4
3	36600504	mt.	Rubber inspection door		X9200672		Lock MAI for key E3
4	10900515		Loking spring		X9200674		Lock MAI for key E5
5	36600503	mt.	Rubber gasket		X9200676		Lock MAI for key E2
6	43301010		Elesa handle	-	X9200636		Spring cover
7	10900505		Reglable enclosure	9	K1018451		Mobile cover
				10	K1017280		Fixed cover

16 - MIXING PAN GROUP - MOD. 2250/1500S




16 - MIXING PAN GROUP - MOD. 2250/1500S

POS. CODE Q.TY DESCRIPTION

1	K1017230	Cover door limit switch
2	95001851	Screw TE TF M8x30
3	68700901	Washer 8,4x17
4	18600804	Nut M6
5	68700860	Washer 6,4x12,5
6	-	Mixing pan group
7A	X2500147	Limit switch Ravasi
7B	X7600169	Limit switch 3RG4011
8	94701700	Screw TCEI TF M6x20
9	L1005046	Limit switch support door
10	K1017231	Hub door cover
11	01107800	Sealing ring 80x110x10 A
12	17506720	Bearing 80x125x22 6016
13	A4243145	Frontal plate
14	L1007495	Sealing dribble
15	L1005061	Frontal gasket
16	18601004	Nut M8
17	68700901	Washer 8,4x17
18	L1005045	Door axle
19	L1007496	Locking plate sealing dribble
20	01506350	Seeger ring for hole Ø125
21	01003900	Sealing ring 95x125x12 AS
22	A4243203	Door spacer
23	41503995	Splite A 18x11x120
24	K1017238	Door
25	A4233213	Flange

POS. CODE Q.TY DESCRIPTION

26	95004001	Screw TE TF M12x35
27	A4243212	Door gasket
28	A4243209	Plate gasket
29	A4242704	Cylinder plug
30	01400700	Seeger ring for axle Ø35
31	95004380	Screw TE TF M12x60
32	68701101	Wascher 13x24
33	L1004289	Locking baffle plate
34	18602021	Nut M12
35	L1004291	Baffle plate
36	L1004290	Rubber baffle plate
37	18603020	Nut M16
38	68701301	Washer 17x30
39	95005802	Screw TE TF M16x40
40	K1022788	Funnel right
41	F4254170	Clamp with screw and nut
		1 Clamp
		1 Nut M10
		1 Washer 10,5x21
		1 Screw TE TF M10x80
42	A0392520	Rubber appendix 500x700
43	61100800	Elbow 1"
-	61101100	Elbow 2"
44	62100500	Pipe fitting T 1"
-	62101001	Pipe fitting T 2"
45	61800900	Nipple
46	62151342	Pipe fitting T 1"1/2
47	90150560	Nozzle 1"
-	90150556	Nozzle 2"




17 - LINING KIT - MOD. 2250/1500S

POS.	CODE	Q.TY	DESCRIPTION
A	K1017224		Antiwear shell kit H400
1	K1017222		Shell element
2	18602021		Nut M12
3	68701101		Washer 13x24

POS.	CODE	Q.TY	DESCRIPTION
B	K1017404		Complete bottom for 1 door H 500
4	K1017209		Left door sector
5	K1017208		Right door sector
6	K1017408		External left door sector
7	K1017407		External right door sector
8	K1017203		Peripheral sector
9	K1017207		Plug sector D=104
10	K1017206		Plug sector D=85
11	K1017205		Peripheral sector with hole da D=114
12	K1017204		Peripheral sector with hole da D=95
13	K1017202		Central sector
14	K1017409		Final part right
15	K1017410		Final part left

18 - BLADE GROUP - MOD. MS 2250/1500S




18 - BLADE GROUP - MOD. MS 2250/1500S

POS.	CODE	Q.TY	DESCRIPTION
1	F4290027		Support scraping arm with screws
		1	Support scraping arm
		1	Locking scraping arm
		10	Washer 17x30
		4	Screw TE TF M16x50
		6	Screw TE FP M16x70
2	K1030236		Scraping arm
3	F4290001		Upper scraping blade with screws
		1	Upper scraping blade
		2	Nut M12
		2	Washer 13x24
		2	Screw TE TF M12x35
4	F4290003		Central scraping blade with screws
		1	Central scraping blade
		2	Nut M16
		2	Washer 17x30
		2	Screw TE FP M16x70
5	F4290002		Lower scraping blade with screws
		1	Lower scraping blade
		2	Nut M12
		2	Washer 13x24
6	F4290005		Discharge tangential support arm with screws
		1	Discharge tangential support arm
		2	Locking mixing arm
		1	Locking mixing arm flange
		8	Washer 17x30
		4	Schnorr Washer 16 C70
		2	Elastic pin 5x26
		4	Screw TE TF M16x50
		4	Screw TE FP M16x65






POS.	CODE	Q.TY	DESCRIPTION
7	F4290008		Discharge tangential arm with protection
		1	Protection arm
		1	Discharge tangential arm
8	K1017188		Protection arm
9	K1017217		Discharge tangential arm
10	F4290011		Cast iron tangential blade with screws
		1	Cast iron tangential blade
		2	Nut M16
		2	Washer 17x30
		2	Schnorr Washer 16 C70
		2	Screw TSPEI TF M16x60
10	F4290010		Rubber tangential blade with screws
		1	Rubber tangential blade
		2	Nut M16
		2	Washer 17x30
		2	Schnorr Washer 16 C70
		2	Screw M16x35
11	F4290004		Rotary arm with screws
		1	Rotary arm
		2	Locking mixing arm
		1	Locking mixing arm flange
		8	Washer 17x30
		8	Schnorr Washer 16 C70
		4	Elastic pin 5x26
		8	Screw TE FP M16x65
12	F4290007		Mixing arm with protection
		1	Protection mixing arm
		1	Mixing arm
13	K1017195		Mixing arm
14	F4290000		Cast iron mixing blade with screws
		1	Cast iron mixing blade
		2	Nut M16
		2	Washer 17x30
		2	Schnorr Washer 16 C70
		2	Screw TSPEI TF M16x60
14	F4290009		Rubber mixing blade with screws
		1	Rubber mixing blade
		2	Nut M16
		2	Washer 17x30
		2	Schnorr Washer 16 C70
		2	Screw M16x35

19 - HYDRAULIC UNIT - MOD. MS 2250/1500S



19 - HYDRAULIC UNIT - MOD. MS 2250/1500S





POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	45600901	Motor 3 KW 2 poles 230/400V50HZ	1	2/4	09601257	Tank 7 litres for K oil gearcase	1
2	09601046	HYDROVEN oil gearcase		2/5	F8980520	Complete solenoid valve 24VCC	1
		1° utilization 7 litres 24VCC	1	2/6	09601258	Hand pump	1
2/1	09601254	Motor flange	1	2/7	43500590	Manometer	1
2/2	09601255	K oil gearcase manifold with valves	1	3	F8980060	Cylinder with ball joint	1
2/3	09601256	Pump for oil gearcase	1	3/1	11502522	Gaskets set for cylinder	1



20 - WINCH

POS.	CODE	DESCRIPTION	Q.TE
1	K1031296	Winch group 33/33 22KW	1
2	45814310	Motor 22 kW 1400 rev. 400/50 HZ	1
2/1	-	Disc brake group	1
-	-	Disc brake 180 D	1
-	-	Electromagnet	1
3	X7600196	Limit switch XS8-C40	3
4	78000940	Support Y type SYJ 70 TF	1
5	L1005223	Drum flange	1
6	K1031273	Drum	1
7	67600610	Gearbox PD 3150	1

POS.	CODE	DESCRIPTION	Q.TE
8	K1031396	Complete slow rope roller group	1
8/1	L1005270	Slow rope roller	2
8/2	K1025693	Right lever	1
-	K1025694	Left lever	1
8/3	44253002	Spring	2
8/4	X7600167	Limit switch BERO	1
9	K1017969	Skip rope Ø 13 L=41000	1
10	K1025697	Complete control slow rope group	1
10/1	L1010999	Roller	1
10/2	K1025382	Lever	2
10/3	44253007	Spring	2



21 - SKIP

POS.	CODE	DESCRIPTION	Q.TY	POS.	CODE	DESCRIPTION	Q.TY
1	K1031195	Hopper	1	6	L1001024	Rope pulley	1
2	A7455110	Mobile cover	1	7	K1015277	Support rope pulley	1
3	F7459900	Mobile cover wheel	1	8	K1024142	Door	1
4	K1017981	Skip wheel group	1	9	78101000	Y support type FY 45 TF	1
5	70007500	Small wheel SKF NUTR 45100	1	10	X2500310	Limit switch D4B 1116N	2



WARRANTY APPLICATION

ATTENTION !

In order to obtain the guarantee acknowledgement for parts of plant/equipment, the attached application form must be filled up, and, duly signed, must reach **Le Officine Riunite - Udine S.p.A.** together with its relevant material or separately. Eventual requests for guarantee submitted by different means will not be considered.

INSTRUCTIONS FOR FILLING APPLICATION FORM (see example on following page)

(NB.: To use the copy, you may photocopy the page without the reference numerals)

SEND TO: **Le Officine Riunite - Udine S.p.A.**

Basaldella di Campofornido (Udine) Italy - Via Santa Caterina n. 35 - 33030 - Fax 0432/563926

Fill in or check the following items

Applicant (to be filled by the Customers or the Service Centre)

(1) Write applicant's name

Machine/Plant (to be filled by the Customers or the Service Centre)

(2) Type

Write type of machine/plant

(3) Serial N.

Write serial number of machine/plant

(4) Customer

Write name of Company using the plant

Warranty beginning date: to be filled in by **Le Officine Riunite - Udine S.p.A.**

Warranty expiry date: to be filled in by **Le Officine Riunite - Udine S.p.A.**

Failure (to be filled by the Customers or the Service Centre)

(5) Date

Write date on which failure occurred

(6) Consequences

Check pertinent item

(7) Type

Check pertinent item

(8) General information. Description of damages and possible causes:

Describe briefly the problems found and the presumed causes

Action taken (to be filled by the Customers or the Service Centre). Check pertinent box to show who carried out the remedial action.

(9) Name of Service Centre (fill in only if action was taken by Service Centre)

(10) Date of remedial action

(11) Type

Check pertinent item; show **Le Officine Riunite - Udine S.p.A.** Waybill N. , in case of parts replacement

(12) Description of remedial action

Brief description of type of remedial action carried out



WARRANTY APPLICATION

Doc. n. _____

Data _____

APPLICANT: _____ (1)**PLANT/MACHINE**

Type _____ (2) Serial No. _____ (3) Customer _____ (4)

Warranty beginning date _____ Warranty expiry date _____

FAILUREDATE _____ (5) CONSEQUENCES (6) ☐ Machine stopped ☐ Impaired operationTYPE: (7) ☐ Mechanical ☐ Hydraulic/pneumatic ☐ Electrical ☐ Software ☐ Other☐ Continuative ☐ At intervals of about.....minutes ☐ Casual☐ Upon starting ☐ After a period ofminutes**GENERAL INFORMATION. DESCRIPTION OF DAMAGES AND POSSIBLE CAUSES: (8)****example for electrical parts:**

- voltage during the different operation phases (min. and max.)

- occurred failures

- verifications carried out before the part replacement

- possibility of electric discharges causes by atmospheric agents or by line overvoltages

- Your comments

example for mechanical parts:- total m³ produced by the plant

- frequency of the periodical maintenance operations effected to the equipment in object

- how long does the mixture remain in the drum mixer or in the pan mixer on an average

- quantity and type of cement and aggregates used for the mixture

- concrete characteristics

- Your comments

SIGNATURE**CORRECTIVE ACTION**☐ SERVICE CENTRE _____ (9) Date _____ (10)☐ Le Officine Riunite - Udine S.p.A Date _____ (10)☐ CUSTOMER Date _____ (10)TYPE: (11) ☐ Repair ☐ Replacement of parts☐ Software modifications Waybill No. _____ of _____**Description of corrective action: (12)**



Le Officine Riunite - Udine S.p.A. - Concrete Machinery Division

Via Santa Caterina, 35 - 33030 Basaldella di Campoformido (Ud) Italy - tel. 0432.563911 - fax 0432.562131 e-mail: oru@oru.it - www.imergroup.com