Pulse sequence hands-on

Session: Hands-on primer on Sequences (Design) for Mapping

Educational Track 2: From Hardware to Map

Qingping Chen

Division of Medical Physics, Dept. Of Radiology,
University Medical Center Freiburg, Germany

Oct. 04, 2024

Outline

- Basic MR spectroscopy
  - **s00_1d_fid**: Free induction decay (FID)
  - **s01_from_1d_fid_to_1d_se**: Spin echo (SE) with gradients
- 3D spin-echo sequence
  - **s10_from_1d_se_to_3d_se**: Basic 3D single-echo SE
  - **s11_optimized_3d_se**: 3D single-echo SE with time-optimized gradient
  - **s12_optimized_3d_se_portableScanner**: 3D single-echo SE with time-optimized gradient for the portable scanner
- 3D multi-echo SE for T2 mapping (**Andreia Gaspar**'s lecture)
  - **s20_ optimized_3d_mse_portableScanner** : 3D multi-echo SE with time-optimized gradient adapted for the portable scanner
- Link to sequence source code and related materials:
  https://github.com/mritogether/ESMRMB2024_Hardware_to_Map/tree/main/02_sequence_design_for_mapping

s00_1d_fid


TR
TE
RF
ex
rf_ringdowntime
rf_deadtime
RF
Gz
Gy
Gx
ADC delay
ADC
t_ex
t_adc
TR_fill

s01_from_1d_fid_to_1d_se



s10_from_1d_se_to_3d_se



s11_optimized_3d_se



s12_optimized_3d_se_portableScanner



s20_optimized_3d_mse_portableScanner



UNIVERSITÄTS KLINIKUM FREIBURG

s20_optimized_3d_mse_portableScanner

3D SE images from the portable scanner



All echoes (the center partition)



All partitions (the 1st echo)

Acknowledgements:

Berkin Bilgic
Borjan Gagoski
Douglas Noll
Frank Zijlstra
Imam Shaik
Jeff Fessler
Jon-Fredrik Nielsen
Juergen Hennig
Mojtaba Shafiekhani
Moritz Zaiss
Naveen Murthy
Niklas Wehkamp
Qiang Liu
Maxim Zaitsev
Scott Peltier
Sebastian Littin
Will Grissom
Yogesh Rathi

THANK YOU FOR YOUR ATTENTION!

Pulseq MATLAB

pypulseq Python

TOPPE

Supported by NIH U24-NS120056 (Nielsen, Zaitsev) and R01-EB032378 (Rathi, Bilgic)

NIH National Institutes of Health