

Week1_RMarkdown

Ivan Lima

2024-03-25

A bulleted list with sub-bullets under at least one item

- A bulleted list
 - A sub-bullet 1
 - A sub-bullet 2

A numbered list

1. A numbered list 1
2. A numberd list 2

Some words italicized

My italicized word

Some words in bold print

My bold word

Two levels of headers

My first level of header

My second level of header

My third level of header


The results of some R code without showing the code

The code is hidden but the result is not

My table of text at least 3 columns wide and 3 rows long

| Table Header 1 | Table Header2 | Table header 3 |
|------------------|------------------|------------------|
| Content Cell 1.1 | Content Cell 2.1 | Content Cell 3.1 |
| Content Cell 1.2 | Content Cell 2.2 | Content Cell 3.2 |
| Content Cell 1.3 | Content Cell 2.3 | Content Cell 3.3 |

A plot (show the code that generates the plot)



Your session info (as output from R)

```
## R version 4.3.1 (2023-06-16 ucrt)
## Platform: x86_64-w64-mingw32/x64 (64-bit)
## Running under: Windows 11 x64 (build 22631)
##
## Matrix products: default
##
## locale:
## [1] LC_COLLATE=English_United States.utf8
## [2] LC_CTYPE=English_United States.utf8
## [3] LC_MONETARY=English_United States.utf8
## [4] LC_NUMERIC=C
## [5] LC_TIME=English_United States.utf8
##
```

```

## time zone: America/New_York
## tzcode source: internal
##
## attached base packages:
## [1] stats      graphics  grDevices utils      datasets  methods   base
##
## loaded via a namespace (and not attached):
## [1] compiler_4.3.1    fastmap_1.1.1     cli_3.6.1         tools_4.3.1
## [5] htmltools_0.5.6.1 rstudioapi_0.15.0 yaml_2.3.7         rmarkdown_2.25
## [9] highr_0.10        knitr_1.45        xfun_0.40         digest_0.6.33
## [13] rlang_1.1.1       evaluate_0.22

```