An h1 header

Paragraphs are separated by a blank line.

2nd paragraph. Italic, bold, and monospace. Itemized lists look like:

- this one
- that one
- the other one

Block quotes are written like so.

They can span multiple paragraphs, if you like.

Use 3 dashes for an em-dash. Use 2 dashes for ranges (ex., "it's all in chapters 12–14"). Three dots ... will be converted to an ellipsis. Unicode is supported.

An h2 header

Here's a numbered list:

- 1. first item
- 2. second item
- 3. third item

Note again how the actual text starts at 4 columns in (4 characters from the left side). Here's a code sample:

```
# Let me re-iterate ...
for i in 1 .. 10 { do-something(i) }
```

As you probably guessed, indented 4 spaces. By the way, instead of indenting the block, you can use delimited blocks, if you like:

```
define foobar() {
    print "Welcome to flavor country!";
}

import time
# Quick, count to ten!
for i in range(10):
    # (but not *too* quick)
    time.sleep(0.5)
    print i
```

An h3 header

Here's a link to a website, to a local doc, and to a section heading in the current doc. Here's a footnote $^{1}.$

Tables can look like this:

Table 1: Shoes, their sizes, and what they're made of

size	material	color
9	leather	brown
10	hemp canvas	natural
11	glass	transparent

(The above is the caption for the table.) Pandoc also supports multi-line tables:

keyword	text
red	Sunsets, apples, and other red or reddish things.
green	Leaves, grass, frogs and other things it's not easy being.

A	horizontal rule follows.		

Here's a definition list:

apples Good for making applesauce. oranges

Citrus! tomatoes

There's no "e" in tomatoe.

Again, text is indented 4 spaces. (Put a blank line between each term/definition pair to spread things out more.)

Here's a "line block":

Line one

Line too

Line tree

¹Footnote text goes here.

and images can be specified like so:

In line math equations go in like so: $\omega=d\phi/dt$. Display math should get its own line and be put in in double-dollar signs:

$$I = \int \rho R^2 dV$$

And note that you can backslash-escape any punctuation characters which you wish to be displayed literally, ex.: 'foo', *bar*, etc.