Data dictionary

for the

HyLogger Hackathon (Pilot) 2026

HyLogger Drillholes Package - Interim Data



Data dictionary
In Geographic Information Systems (GIS), data dictionaries are used as a means to record the names of the attributes (items) in each feature class, together with a description of the attribute values. Tables 1 and 2 list the GIS themes or feature classes and lookup tables used in this digital data package, for which this data dictionary has been provided.

Table 3 provides detailed information about the attributes of each feature class included in this digital data package. Each data dictionary table contains the following information: Feature class, File name, Feature category, Spatial type, Description, and details particular to the feature class described. These details are listed under headings: Item name, Alias, Key, Optional, Type, Width and Description. Tabulated information in italics describes the contents of Microsoft Access database lookup tables (LUT).

This digital data package may contain an Explanatory Notes database, which is designed to be used with GeoMap.WA. Data dictionary information for this database is not available.

For Key, a code is used to indicate whether the item or field is a key used to link information:
P = Primary key
F = Foreign key
Null = Not a key

For Optional, a code is used to indicate whether the items or fields may or may not be provided in a data package:
True = Optional
False = Not optional

For item Type, a code is used to describe the field type:
C = Currency values
D = Date field, may include time
F = Decimal number as an internal floating-point number, single or double precision
H = Hyperlink field for storing URL path
I = Integer field, having whole numbers only, short or long format
M = Memo field
T = Text/character field
Y = One bit field that contains only one of two values (e.g. Yes/No, True/False, On/Off)

Table 1: The following is a listing of the feature classes in this digital package.

Feature class:	Description
Geology	
HyLogger Drillholes Package	It serves as the interim discovery and integration data package for accessing associated HyLogged hole information across Western Australia's geological data repositories for the pilot hackathon challenge.

Table 2: The following is a detailed listing of the feature classes and associated lookup tables.

Feature class:	**hylogger_dataset_index**					
File name:	HyLogger_Dataset_Package.sqlite					
Feature category:	Geology, Metadata					
Spatial type:	Point					
Description:	Compilation list of drillholes and boreholes within the HyLogger Drillholes Statewide dataset, linking records from the AuScope NVCL WA Catalogue with WAMEX and WAPIMS report references. The dataset provides drillhole identifiers, locations, commodities, scan dates, confidentiality status, and the availability of associated collar, survey, assay, logging, geophysics, mineralogy, and spectral datasets.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**
Data_name	HyLogger Dataset Name	F	False	T		Unique HyLogger data name
Primary_report_number	Primary Report ID	F	False	T		Primary report number across WAMEX (Anumber), WAPIMS (Wnumber) and CIMS (Mnumber) associated with the data
WAMEX_report_Anumber	WAMEX Report ID	F	False	T		Primary WAMEX Anumber
WAMEX_report_Anumber_alternate	WAMEX Report ID	F	False	T		Alternate WAMEX Anumber(s)
WAPIMS_report_Wnumber	WAPIMS Report ID	F	False	T		Primary WAPIMS Wnumber
GSWA_file	GSWA Record or Report ID	Null	False	T		GSWA Record or Report reference
Hole_name	Dataset Name	Null	False	T		Drillhole or Borehole name
Database	Database Name	Null	False	T		Source database containing record
NVCL_HoleName	Dataset Name	Null	False			AuScope National Virtual Core Library hole name
Confidentiality_primary_Anumber	WAMEX Confidentiality	Null	False	Y		Primary Anumber confidentiality status (Open File or Confidential)
Confidentiality_alternate_Anumber	WAMEX Confidentiality	Null	False	Y		Alternate Anumber(s) confidentiality status (Open File or Confidential)
Confidentiality_primary_Wnumber	WAPIMS Confidentiality	Null	False	Y		Wnumber confidentiality status (0 = Open File or 1 = Confidential)
Confidentiality_primary_Mnumber	CIMS Confidentiality	Null	False	Y		Mnumber confidentiality status (0 = Open File or 1 = Confidential)
Shapefile_latitude	Latitude	Null	False	F		Collar latitude (decimal degrees) from HyLogger shapefile
Shapefile_longitude	Longitude	Null	False	F		Collar longitude (decimal degrees) from HyLogger shapefile
WAMEX_CollarId	WAMEX Drillhole ID	P	False	T		Primary WAMEX Collar ID
WAMEX_CollarId_alternate	WAMEX Drillhole ID	P	False	T		Alternate WAMEX Collar ID
SCAN_DATE	Scan Date VNIR-SWIR	Null	False	D		Date of HyLogger-2 VNIR-SWIR scan
SCDATE_TIR	Scan Date VNIR-SWIR-TIR	Null	False	D		Date of HyLogger-3 VNIR-SWIR-TIR scan
SCDATE_MIR	Scan Date VNIR-SWIR-MIR-TIR	Null	False	D		Date of HyLogger-4 VNIR-SWIR-MIR-TIR scan
LEV1_REL_D	Level 1 Release Date	Null	False	D		Level 1 processing release date
LEV2_REL_D	Level 2 Release Date	Null	False	D		Level 2 processing release date
PROJECT	Project	Null	False	T		Name of drilling project area
COMMODITY	Commodity	Null	False	T		Primary commodity
WS_TargetCommodity	Target Commodity	Null	False	T		Target commodity extracted from WAMEX report
Commodity_vocab	Standardized Commodity	Null	False	T		Standardized commodity vocabulary term

DRILL_OPER	Drilling Operator	Null	False	T		Name of drilling operator
DRILL_DATE	Drilling Date	Null	False	D		Date of drilling
DATASET_ID	HyLogger Dataset ID	F	False	T		GUID generated by TSG software to identify the dataset
MOSAIC	Tray Mosaic	Null	False	H		Link to view mosaic image of core
SUM_HISTO	Summary Histogram	Null	False	H		Link to view summary histogram if available
SUM_REPORT	Summary Report	Null	False	H		Link to view summary report if available
MINERALLOG	Mineral Logs	Null	False	H		Link to extracted mineral log if available
Collar_data	Collar Data Check	Null	False	Y		Collar data availability flag
Survey_data	Survey Data Check	Null	False	Y		Survey data availability flag
Assay_data	Assay Data Check	Null	False	Y		Assay data availability flag
Logging_data	Logging Data Check	Null	False	Y		Logging data availability flag
Geophysics_data	Geophysics Data Check	Null	False	Y		Geophysics data availability flag

Feature class:	**wamex_collar**					
File name:	HyLogger_Dataset_Package.sqlite					
Feature category:						
Spatial type:	Point					
Description:	Open file collar coordinate information and associated hole identifiers extracted from WAMEX for plotting location of holes in 2D.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**
CollarId	WAMEX Collar ID	P	False	I		Unique WAMEX Collar ID
HoleId	WAMEX Hole ID	F	False	T		Unique drillhole reference name as a concatenation of Anumber, Dataset and CompanyHoleId
Anumber	WAMEX Report ID	F	False	I		WAMEX report Anumber
CompanyHoleId	Company Hole Name	Null	False	T		Company provided hole ID
Dataset	Project Area	Null	False	T		Company provided project area
Longitude	Longitude	Null	False	F		Collar longitude (decimal degrees)
Latitude	Latitude	Null	False	F		Collar latitude (decimal degrees)
HoleType	Hole Type	Null	False	T		Drilling technique (AC = Air Core, DD = Diamond Drilling, RAB = Rotary Air Blast, RC = Reverse Circulation, RM = Mud Rotary and UNKN = Unknown)
MaxDepth	Max Depth	Null	False	F		Maximum depth of drilling achieved
Elevation	Elevation	Null	False	I		Elevation in metres (RL)
TectonicRegion	Tectonic Region	Null	False	T		Tectonic region based on collar location
Company	Company	Null	False	T		Tenement operator
Confidential	Confidential	Null	False	Y		Confidentiality flag (0 = Open File, 1 = Confidential)

Feature class:	**wamex_survey**
File name:	HyLogger_Dataset_Package.sqlite
Feature category:	
Spatial type:	Polyline

Description:	Open file orientation information and associated hole identifiers extracted from WAMEX for plotting holes in 3D and de-surveying.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**
SurveyId	Survey ID	P	False	I		Unique Survey ID not aligned with WAMEX
CollarId	WAMEX Collar ID	P	False	I		Unique WAMEX Collar ID
HoleId	WAMEX Hole ID	F	False	T		Unique drillhole reference name as a concatenation of Anumber, Dataset and CompanyHoleId
CompanyHoleId	Company Hole Name	Null	False	T		Company provided hole ID
Depth	Depth	Null	False	T		Depth down hole the dip and azimuth measurements are taken in metres (Where the start of drilling is 0)
Dip	Dip	Null	False	F		Angle of inclination from a horizontal plane where -90 is a vertical hole
Azimuth	Azimuth	Null	False	F		Direction of the dip as a bearing from North

Feature class:	**wamex_assay_flat_data**					
File name:	HyLogger_Dataset_Package.sqlite					
Feature category:	Geochemistry					
Spatial type:						
Description:	Open file geochemical assay data linked to a sample, collar, to and from depths extracted from WAMEX.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**
AssayFlatDataId	WAMEX Assay ID	P	False	I		Unique WAMEX Assay ID for the harmonized flat table
CollarId	WAMEX Collar ID	F	False	I		Unique WAMEX Collar ID
MidDepth	Depth Midpoint	Null	False	T		Depth in metres as the mid point between the from and to depths of the assay interval
FromDepth	From Depth	Null	False	T		Depth downhole the assay interval begins at in metres
ToDepth	To Depth	Null	False	T		Depth downhole the assay interval finishes at in metres
SiO2_PCT	SiO_2 percent	Null	False	F		Silicon oxide percentage component
TiO2_PCT	TiO_2 percent	Null	False	F		
Al2O3_PCT	Al_2O_3 percent	Null	False	F		Aluminium oxide percentage component
Fe2O3T_PCT	Fe_2O_3 T percent	Null	False	F		Iron(III) oxide T percentage component
Fe2O3_PCT	Fe_2O_3 percent	Null	False	F		Iron(III) oxide percentage component
FeO_PCT	FeO percent	Null	False	F		Iron(II) oxide percentage component
MnO_PCT	MnO percent	Null	False	F		Manganese oxide percentage component
MgO_PCT	MgO percent	Null	False	F		Magnesium oxide percentage component
CaO_PCT	CaO percent	Null	False	F		Calcium oxide percentage component

Na2O_PCT	Na_2O percent	Null	False	F		Sodium oxide percentage component
K2O_PCT	K_2O percent	Null	False	F		Potassium oxide percentage component
P2O5_PCT	P_2O_5 percent	Null	False	F		Phosphorus pentoxide percentage component
LOI_PCT	LOI percent	Null	False	F		Loss on ignition percentage component
H2O_PCT	H_2O percent	Null	False	F		Water percentage component
H2Oneg_PCT	H_2O negative percent	Null	False	F		Negative water percentage component
H2Opos_PCT	H_2O positive percent	Null	False	F		Positive water percentage component
C_PPM	C ppm	Null	False	F		Carbon concentration in parts per million
S_PPM	S ppm	Null	False	F		Sulphur concentration in parts per million
Li_PPM	Li ppm	Null	False	F		Lithium concentration in parts per million
Be_PPM	Be ppm	Null	False	F		Beryllium concentration in parts per million
B_PPM	B ppm	Null	False	F		Boron concentration in parts per million
F_PPM	F ppm	Null	False	F		Fluorine concentration in parts per million
Cl_PPM	Cl ppm	Null	False	F		Chlorine concentration in parts per million
Br_PPM	Br ppm	Null	False	F		Bromine concentration in parts per million
Rb_PPM	Rb ppm	Null	False	F		Rubidium concentration in parts per million
Cs_PPM	Cs ppm	Null	False	F		Caesium concentration in parts per million
Sr_PPM	Sr ppm	Null	False	F		Strontium concentration in parts per million
Ba_PPM	Ba ppm	Null	False	F		Barium concentration in parts per million
Th_PPM	Th ppm	Null	False	F		Thorium concentration in parts per million
U_PPM	U ppm	Null	False	F		Uranium concentration in parts per million
Nb_PPM	Nb ppm	Null	False	F		Niobium concentration in parts per million
Ta_PPM	Ta ppm	Null	False	F		Tantalum concentration in parts per million
Zr_PPM	Zr ppm	Null	False	F		Zirconium concentration in parts per million
Hf_PPM	Hf ppm	Null	False	F		Hafnium concentration in parts per million
Y_PPM	Y ppm	Null	False	F		Yttrium concentration in parts per million
La_PPM	La ppm	Null	False	F		Lanthanum concentration in parts per million
Ce_PPM	Ce ppm	Null	False	F		Cerium concentration in parts per million

Pr_PPM	Pr ppm	Null	False	F		Praseodymium concentration in parts per million
Nd_PPM	Nd ppm	Null	False	F		Neodymium concentration in parts per million
Sm_PPM	Sm ppm	Null	False	F		Samarium concentration in parts per million
Eu_PPM	Eu ppm	Null	False	F		Europium concentration in parts per million
Gd_PPM	Gd ppm	Null	False	F		Gadolinium concentration in parts per million
Tb_PPM	Tb ppm	Null	False	F		Terbium concentration in parts per million
Dy_PPM	Dy ppm	Null	False	F		Dysprosium concentration in parts per million
Ho_PPM	Ho ppm	Null	False	F		Holmium concentration in parts per million
Er_PPM	Er ppm	Null	False	F		Erbium concentration in parts per million
Tm_PPM	Tm ppm	Null	False	F		Thulium concentration in parts per million
Yb_PPM	Yb ppm	Null	False	F		Ytterbium concentration in parts per million
Lu_PPM	Lu ppm	Null	False	F		Lutetium concentration in parts per million
Sc_PPM	Sc ppm	Null	False	F		Scandium concentration in parts per million
V_PPM	V ppm	Null	False	F		Vanadium concentration in parts per million
Cr_PPM	Cr ppm	Null	False	F		Chromium concentration in parts per million
Co_PPM	Co ppm	Null	False	F		Cobalt concentration in parts per million
Ni_PPM	Ni ppm	Null	False	F		Nickel concentration in parts per million
Cu_PPM	Cu ppm	Null	False	F		Copper concentration in parts per million
Ag_PPM	Ag ppm	Null	False	F		Silver concentration in parts per million
Mo_PPM	Mo ppm	Null	False	F		Molybdenum concentration in parts per million
W_PPM	W ppm	Null	False	F		Tungsten concentration in parts per million
Zn_PPM	Zn ppm	Null	False	F		Zinc concentration in parts per million
Cd_PPM	Cd ppm	Null	False	F		Cadmium concentration in parts per million
Hg_PPM	Hg ppm	Null	False	F		Mercury concentration in parts per million
Ga_PPM	Ga ppm	Null	False	F		Gallium concentration in parts per million
Ge_PPM	Ge ppm	Null	False	F		Germanium concentration in parts per million
As_PPM	As ppm	Null	False	F		Arsenic concentration in parts per million

Se_PPM	Se ppm	Null	False	F		Selenium concentration in parts per million
In_PPM	In ppm	Null	False	F		Indium concentration in parts per million
Sn_PPM	Sn ppm	Null	False	F		Tin concentration in parts per million
Sb_PPM	Sb ppm	Null	False	F		Antimony concentration in parts per million
Te_PPM	Te ppm	Null	False	F		Tellurium concentration in parts per million
Tl_PPM	Tl ppm	Null	False	F		Thallium concentration
Pb_PPM	Pb ppm	Null	False	F		Lead concentration in parts per million
Bi_PPM	Bi ppm	Null	False	F		Bismuth concentration in parts per million
Ru_PPM	Ru ppm	Null	False	F		Ruthenium concentration in parts per million
Rh_PPM	Rh ppm	Null	False	F		Rhodium concentration in parts per million
Pd_PPM	Pd ppm	Null	False	F		Palladium concentration in parts per million
Re_PPM	Re ppm	Null	False	F		Rhenium concentration in parts per million
Os_PPM	Os ppm	Null	False	F		Osmium concentration in parts per million
Ir_PPM	Ir ppm	Null	False	F		Iridium concentration in parts per million
Pt_PPM	Pt ppm	Null	False	F		Platinum concentration in parts per million
Au_PPM	Au ppm	Null	False	F		Gold concentration in parts per million
CaCO3_PPM	$CaCO_3$ ppm	Null	False	F		Calcium carbonate concentration in parts per million
MgCO3_PPM	$MgCO_3$ ppm	Null	False	F		Magnesium carbonate concentration in parts per million
Pb204_PPM	Pb^{204} ppm	Null	False	F		Lead-204 concentration in parts per million
Pb206_PPM	Pb^{206} ppm	Null	False	F		Lead-206 concentration in parts per million
Pb207_PPM	Pb^{207} ppm	Null	False	F		Lead-207 concentration in parts per million
Pb208_PPM	Pb^{208} ppm	Null	False	F		Lead-208 concentration in parts per million
HM_PPM	HM ppm	Null	False	F		Heavy mineral concentration in parts per million
LE_PPM	LE ppm	Null	False	F		Light element concentration in parts per million
I_PPM	I ppm	Null	False	F		Iodine concentration in parts per million
Si_PPM	Si ppm	Null	False	F		Silicon concentration in parts per million
Ti_PPM	Ti ppm	Null	False	F		Titanium concentration in parts per million
Al_PPM	Al ppm	Null	False	F		Aluminium concentration in parts per million

Fe_PPM	Fe ppm	Null	False	F		Iron concentration in parts per million
Mn_PPM	Mn ppm	Null	False	F		Manganese concentration in parts per million
Mg_PPM	Mg ppm	Null	False	F		Magnesium concentration in parts per million
Ca_PPM	Ca ppm	Null	False	F		Calcium concentration in parts per million
Na_PPM	Na ppm	Null	False	F		Sodium concentration in parts per million
K_PPM	K ppm	Null	False	F		Potassium concentration in parts per million
P_PPM	P ppm	Null	False	F		Phosphorus concentration in parts per million
CompanySampleId	CompanySampleId	Null	False	F		Company provided sample identifier

Feature class:	**wamex_assay_flat_metadata**					
File name:	HyLogger_Dataset_Package.sqlite					
Feature category:	Metadata					
Spatial type:						
Description:	Associated metadata to the reported assay data detailing analyte lab analysis technique and limit of detection values.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**
MetadataId	Assay Metadata ID	P	False	I		Unique WAMEX Assay Metadata ID
CollarId	WAMEX Collar ID	P	False	I		Unique WAMEX Collar ID
Flatname	Analyte Name	Null	False	T		Harmonized geochemical analyte category
AttrName	Analyte Abbreviation	Null	False	T		Company provided geochemical analyte category
Accuracy	Accuracy	Null	False	F		Analysis accuracy
LabMethod	Lab Method	Null	False	T		Laboratory analysis technique
LowerLimit	Lower Limit of Detection	Null	False	F		Lower limit of detection of a given analyte by associated analysis technique
UpperLimit	Upper Limit of Detection	Null	False	F		Upper limit of detection of a given analyte by associated analysis technique
Laboratory	Laboratory	Null	False	T		Laboratory used for analysis
simplifiedMethod	Lab Method Abbreviated	Null	False	T		Laboratory analysis technique category

Feature class:	**wamex_dh_geology**					
File name:	HyLogger_Dataset_Package.sqlite					
Feature category:	Geology					
Spatial type:						
Description:	Logged interval categories linked to downhole depth to and from, detailing reported rock type, primary colour, weathering status and comments. Abbreviations used are provided by the tenement operator and are not harmonized, lithology code keys are provided with the associated WAMEX reports.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**

DHGeologyID	Downhole Geology ID	P	False	I		Unique WAMEX Downhole Geology interval ID
CollarId	WAMEX Collar ID	F	False	I		Unique WAMEX Collar ID
FromDepth	From Depth	Null	False	F		Interval start depth downhole
ToDepth	To Depth	Null	False	F		Interval end depth downhole
CompanyLithologyCodeMerged	Lithology Code(s)	Null	False	T		Extracted reported primary lithology codes
CompanyLithologyName	Lithology	Null	False	T		Extracted reported primary lithology
GSWARockName	GSWA Rock Type	Null	False	F		Harmonized GSWA rock classification of the reported primary lithology
GSWARegolithName	GSWA Regolith Type	Null	False	F		Simplified harmonized regolith classification
Colour_1_Field	Colour Field Attribute Name	Null	False	T		Extracted reported primary colour category field name
Colour_1_Code	Colour Abbreviation	Null	False	T		Extracted logged primary colour abbreviation
Weathering_Field	Weathering Field Attribute Name	Null	False	T		Extracted reported weathering category field name
Weathering_Code	Weathering Abbreviation	Null	False	T		Extracted logged weathering state abbreviation
Comments	Comments	Null	False	T		Extracted comments included in reported logging data

Feature class:	**wapims_collar**					
File name:	HyLogger_Dataset_Package.sqlite					
Feature category:	Metadata					
Spatial type:	Point					
Description:	Open file collar coordinate information and associated hole identifiers extracted from WAPIMS for plotting location of boreholes in 2D.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**
WellId	Downhole Geology ID	P	False	I		Unique WAMEX Downhole Geology interval ID
HoleName	Borehole Name	Null	False	T		Company provided borehole name
Longitude	Longitude	Null	False	F		Collar longitude (decimal degrees)
Latitude	Latitude	Null	False	F		Collar latitude (decimal degrees)
IsOffshore	Is Offshore Flag	Null	False	Y		Borehole is categorized as drilled Offshore (1)
DrillersTD	Total Depth	Null	False	T		Maximum depth of borehole
GroundElevation	Elevation	Null	False	F		Elevation of ground (RL)
Basin	Basin	Null	False	T		Basin name
SubBasin	SubBasin	Null	False	T		Sub basin name
SeismicLocation	Colour Abbreviation	Null	False	T		Associated seismic line data
Company	Company	Null	False	T		Company
IsConfidential	Is Confidential Flag	Null	False	Y		Confidentiality flag (1 = Confidential)

Feature class:	**wapims_survey**
File name:	HyLogger_Dataset_Package.sqlite
Feature category:	Metadata
Spatial type:	Polyline

Description:	Open file orientation information and associated hole identifiers extracted from WAPIMS for plotting boreholes in 3D and de-surveying.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**
WapimsSurveyId	Survey ID	P	False	I		Unique Downhole Survey ID
WellId	WAPIMS Well ID	P	False	I		Unique WAPIMS Well ID
MD	Measured Depth	Null	False	F		Measured depth downhole
TVD	Total Vertical Depth	Null	False	F		Calculated total vertical depth of hole
Inclination	Inclination	Null	False	F		Inclination of borehole from vertical
Azimuth	Azimuth	Null	False	F		Bearing of borehole from North

Feature class:	**wapims_lithology**					
File name:	HyLogger_Dataset_Package.sqlite					
Feature category:	Geology					
Spatial type:						
Description:	Open file logged core attributes related to depth of interval, recovery and logged lithology.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**
LithologyId	Lithology ID	P	False	I		Unique Downhole Survey ID
BoreholeId	WAPIMS Borehole ID	F	False	I		Unique WAPIMS Borehole / Well ID
WellCoreId	Well Core ID	P	False	F		Unique core run ID
OperatorRunNo	Operator Run Number	Null	False	F		Numerical order of core trays
TopDepth	Top Depth	Null	False	F		Beginning interval depth downhole
BaseDepth	Base Depth	Null	False	F		End interval depth downhole
RecoveredLength	Recovered Length	Null	False	F		Measured core length recovered
LithologyType	Lithology Type	Null	False	T		Logged lithology code
Comments	Comments	Null	False	T		Comments associated with interval
LostCoreLength	Lost Core Length	Null	False	F		Calculated from discrepancy between TopDepth to BaseDepth versus RecoveredLength as drilled material lost during recovery
IsConfidential	Confidentiality Flag	Null	False	Y		Confidentiality flag (1 = Confidential)

Feature class:	**meta_build**					
File name:	HyLogger_Dataset_Package.sqlite					
Feature category:	Metadata					
Spatial type:						
Description:	Details on packaging versioning and metadata.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**
Key	Key Headers	Null	True	T		Metadata fields
Value	Version Details	Null	True	T		Details on versioning and metadata

Feature class:	**meta_sources**					
File name:	HyLogger_Dataset_Package.sqlite					
Feature category:	Metadata					
Spatial type:						
Description:	Details on table source csv data and row counts.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**

FileName	File Name	Null	True	T		Extracted csv data files used to build the SQLite tables
TableName	Table Name	P	True	T		SQLite table names
SizeBytes	File Size	Null	True	I		File Size (Bytes)
Sha256	SHA-256	Null	True	T		Unique digital fingerprint
RowsInCsv	CSV Row Count	Null	True	I		Number of rows in each csv file
RowsLoaded	Loaded Row Count	Null	True	I		Verification count of rows loaded into tables

Feature class:	**meta_data_quality**					
File name:	HyLogger_Dataset_Package.sqlite					
Feature category:	Metadata					
Spatial type:						
Description:	Data quality checks around missing data, null values, duplicate ID values and depth rules.					
Field Name	**Item alias**	**Key**	**Optional**	**Type**	**Width**	**Description**
CheckId	Check ID	P	True	I		Unique ID value for data quality check
TableName	Table Name	F	True	T		SQLite table names
CheckName	File Size	Null	True	I		Data quality rule title
Severity	Severity Tag	Null	True	T		Info, Warning or Error tag based on data quality rule outcome
AffectedRows	Affected Row Count	Null	True	I		Number of rows failing data quality check
TotalRows	Loaded Row Count	Null	True	I		Verification count of rows loaded into tables for data quality check
Description	Description	Null	True	I		Explanation of data rule check