

a.
Young fibroblasts
+TGF-β
Old fibroblasts
+TGF-β
Bulk RNA-seq + ATAC-seq
b.
Extracellular matrix pathway
Edge type
Young only
Old only
Shared
Young-only subset
Other subset
Old-only subset
Other subset
c.
Young-specific contacts
No young-specific
Old-specific contacts
No old-specific
Young fibroblasts
Old fibroblasts
Old fibroblasts
Extracellular matrix (Reactome)
TGF-beta signaling (KEGG+Reactome)
Senescence inhibitors (CellAge)
MYC targets v1 (H)
p=0.0013
p=0.0005
p=0.0002
p=0.0007
p=0.8694
p=0.3688
p=0.6096
p=0.1560
p=0.1697
p=0.6201
p=0.7909
p=0.9988
Density
Log Fold Change (+TGF-β vs Control)
d.
Young fibroblasts
% of pathway genes with accessible promoter
Extracellular matrix (Reactome)
TGF-beta signaling (KEGG+Reactome)
Senescence inhibitors (CellAge)
MYC targets v1 (H)
87
92
80
84
94
96
88
88
98
98
92
93
95
95
94
96
Young-specific
Other
Promoter peak present (accessible)
No promoter peak
Control
TGF-β