ROCSCIENCE

SLIDE - An Interactive Slope Stability Program
Rocscience Inc.
Date Created: 12/12/2016
Software Version: 9.041

Table of Contents

Project Summary 3
General Settings 4
Analysis Options 5
Groundwater Analysis 6
Random Numbers 7
Surface Options 8
Seismic Loading 9
Materials 10
Entity Information 11
Water Table 11
External Boundary 11

Slide2 Analysis Information

SLIDE - An Interactive Slope Stability Program

Project Summary

File Name:	Case5_Hu=Auto.sli
Last saved with Slide2 version:	9.041
Author:	Rocscience Inc.
Company:	Rocscience Inc.
Date Created:	12/12/2016

General Settings

Units of Measurement:	Metric Units
Time Units:	days
Permeability Units:	meters/second
Data Output:	Standard
Failure Direction:	Right to Left

Analysis Options

Slices Type:	Vertical
Analysis Methods Used	
	Bishop simplified
	Spencer
Number of slices:	30
Tolerance:	0.0001
Maximum number of iterations:	50
Check malpha < 0.2:	Yes
Create Interslice boundaries at intersections with water tables and piezos:	Yes
Initial trial value of FS:	1
Steffensen Iteration:	Yes

Groundwater Analysis

Groundwater Method:	Water Surfaces
Pore Fluid Unit Weight [kN/m3]:	9.81
Advanced Groundwater Method:	None

Random Numbers

Pseudo-random Seed:	10116
Random Number Generation Method:	rand

Surface Options

Surface Type:	Circular
Search Method:	Auto Refine Search
Divisions along slope:	10
Circles per division:	10
Number of iterations:	10
Divisions to use in next iteration:	50%
Composite Surfaces:	Disabled
Minimum Elevation:	Not Defined
Minimum Depth:	Not Defined
Minimum Area:	Not Defined
Minimum Weight:	Not Defined

Seismic Loading

Advanced seismic analysis:	No
Staged pseudostatic analysis:	No

Materials

soil	
Color	
Strength Type	Mohr-Coulomb
Unit Weight	18.82 kN/m3
Cohesion	41.65 kPa
Phi	15 °
Water Surface	Water Table
Hu Type	Automatically Calculated
Specify alternate strength type above water surface	No

Entity Information

Water Table

X	Y
0	15
18	15
30	23
48	29
66	32

External Boundary

X	Y
0	0
66	0
66	35
48	35
18	15
0	15