Features For Switches in BDCOM Pallas Cloud Platform

Following are the basic and important features for the switches that we can use from BDCOM Pallas cloud platform https://pallas.bdcom.cn

1. **Network Topology**: From the **Topology Overview** we can see the network topology diagram automatically



2. **Device Information**: Clicking on the switch, we can see the device information in detail such as Device name, Device Info, SN, MAC, Model, Software Version, Associate Project and Management address.



We can also see and monitor CPU and Memory Usage of the device.



3. **Command Line Features**: We can see some of the command line features like LLDP neighbors, show version and even we can do **ping** to test icmp reachability.



4. **Port Info**: We can monitor port info such as port state (up/down), status, port type (copper/SFP), Uplink, PoE, speed, duplex, Keepalive status and also can shut/no-shut the ports.



5. **VLAN Config:** Can configure VLAN, Set IP address in VLAN interface



6. **Set Alarm Level:** Can Set alarm type/category for Pallas.



7. **Port VLAN Configuration:** We can configure VLAN in the port, can change the port either Access or Trunk, can allow specific VLAN also can configure Native VLAN



8. **DHCP & DNS Configuration:** We can configure DHCP Global enable/Disable, DHCP Server and DNS option 43.



9. **Route Configuration**: We can configure Route, Default route, Route Interface, VLAN Interface for route.



10. **Backup and Restore Configuration**: We can take backup and restore the backup of the switch. For taking backup need to go to **Device > Switch**. By clicking Backup/Import we can take the backup and restore the backup manually.



11. **Firmware Upgrade**: We can upgrade switch firmware







12. **Reboot Device:** We can Reboot the switch.



13. **Mac Address Table:** Can check Mac address table of the device along with VLAN entry.



14. Port Flow: Can Check Switch ports flow information. Port Enable/Disable, Line Status, Tx/Rx Bytes, Drop Packages information is shown in this section.



15. Protocol Status: Can check IGMP-Snooping, LLDP, STP Protocol status, Enable/Disable SSH functionality for switch.



16. **PoE Config:** In PoE Switch, can check total PoE consumption, consumption of each port, Total PoE power budget of switch.



We also can schedule PoE for each port depending on weekdays and time frame.



17. Remote login: Can Login to Switch via SSH/HTTP directly from Pallas from this section.

```
Welcome to BDCOM S2510-P Ethernet Switch


witch>ena
witch#show version
DCOM(tm) S2510-P Software, Version 2.2.0D Build 131046
opyright by Shanghai Baud Data Communication CO. LTD.
ompiled: 2024-8-27 17:23:42 by SYS, Image text-base: 0x80008000
OM: System Bootstrap, Version 0.4.9, Serial num:G20011005070
ystem image file is "switch.bin"
ardware version:A
 processor with 131072K bytes of memory, 16384K bytes of flash
ase ethernet MAC Address: 98:45:62:d1:cf:84
mmp info:
  product_ID:437   system_ID:1.3.6.1.4.1.3320.1.437.0
witch uptime is 1:17:58:39, The current time: 2000-1-2 17:58:39
 Reboot history information:
  No. 1: System is rebooted by power-on
witch#
```



THE END