

Land Survey

Engineering Mathematics I for Land Survey

Revision Booklet

Use these questions for CAT, assignment preparation and summative revision.

Formula Recall

1. State where this formula is applied and create one original example.

$$d = \sqrt{(\Delta E)^2 + (\Delta N)^2}$$

2. State where this formula is applied and create one original example.

$$\theta = \tan^{-1} \left(\frac{\Delta E}{\Delta N} \right)$$

3. State where this formula is applied and create one original example.

$$\sin \theta = \frac{O}{H}$$

4. State where this formula is applied and create one original example.

$$\cos \theta = \frac{A}{H}$$

5. State where this formula is applied and create one original example.

$$\tan \theta = \frac{O}{A}$$

Structured Revision

1. A realistic land survey task involves coordinate differences. Formulate the calculation, solve it, and interpret your result.
2. A realistic land survey task involves bearings. Formulate the calculation, solve it, and interpret your result.
3. A realistic land survey task involves heighting. Formulate the calculation, solve it, and interpret your result.
4. A realistic land survey task involves control points. Formulate the calculation, solve it, and interpret your result.
5. A realistic land survey task involves field distances. Formulate the calculation, solve it, and interpret your result.
6. A realistic land survey task involves coordinate differences. Formulate the calculation, solve it, and interpret your result.
7. A realistic land survey task involves bearings. Formulate the calculation, solve it, and interpret your result.
8. A realistic land survey task involves heighting. Formulate the calculation, solve it, and interpret your result.
9. A realistic land survey task involves control points. Formulate the calculation, solve it, and interpret your result.
10. A realistic land survey task involves field distances. Formulate the calculation, solve it, and interpret your result.
11. A realistic land survey task involves coordinate differences. Formulate the calculation, solve it, and interpret your result.
12. A realistic land survey task involves bearings. Formulate the calculation, solve it, and interpret your result.
13. A realistic land survey task involves heighting. Formulate the calculation, solve it, and interpret your result.
14. A realistic land survey task involves control points. Formulate the calculation, solve it, and interpret your result.
15. A realistic land survey task involves field distances. Formulate the calculation, solve it, and interpret your result.
16. A realistic land survey task involves coordinate differences. Formulate the calculation, solve it, and interpret your result.
17. A realistic land survey task involves bearings. Formulate the calculation, solve it, and interpret your result.
18. A realistic land survey task involves heighting. Formulate the calculation, solve it, and interpret your result.

19. A realistic land survey task involves control points. Formulate the calculation, solve it, and interpret your result.
20. A realistic land survey task involves field distances. Formulate the calculation, solve it, and interpret your result.
21. A realistic land survey task involves coordinate differences. Formulate the calculation, solve it, and interpret your result.
22. A realistic land survey task involves bearings. Formulate the calculation, solve it, and interpret your result.
23. A realistic land survey task involves heighting. Formulate the calculation, solve it, and interpret your result.
24. A realistic land survey task involves control points. Formulate the calculation, solve it, and interpret your result.
25. A realistic land survey task involves field distances. Formulate the calculation, solve it, and interpret your result.
26. A realistic land survey task involves coordinate differences. Formulate the calculation, solve it, and interpret your result.
27. A realistic land survey task involves bearings. Formulate the calculation, solve it, and interpret your result.
28. A realistic land survey task involves heighting. Formulate the calculation, solve it, and interpret your result.
29. A realistic land survey task involves control points. Formulate the calculation, solve it, and interpret your result.
30. A realistic land survey task involves field distances. Formulate the calculation, solve it, and interpret your result.
31. A realistic land survey task involves coordinate differences. Formulate the calculation, solve it, and interpret your result.
32. A realistic land survey task involves bearings. Formulate the calculation, solve it, and interpret your result.
33. A realistic land survey task involves heighting. Formulate the calculation, solve it, and interpret your result.
34. A realistic land survey task involves control points. Formulate the calculation, solve it, and interpret your result.
35. A realistic land survey task involves field distances. Formulate the calculation, solve it, and interpret your result.
36. A realistic land survey task involves coordinate differences. Formulate the calculation, solve it, and interpret your result.

37. A realistic land survey task involves bearings. Formulate the calculation, solve it, and interpret your result.
38. A realistic land survey task involves heighting. Formulate the calculation, solve it, and interpret your result.
39. A realistic land survey task involves control points. Formulate the calculation, solve it, and interpret your result.
40. A realistic land survey task involves field distances. Formulate the calculation, solve it, and interpret your result.
41. A realistic land survey task involves coordinate differences. Formulate the calculation, solve it, and interpret your result.
42. A realistic land survey task involves bearings. Formulate the calculation, solve it, and interpret your result.
43. A realistic land survey task involves heighting. Formulate the calculation, solve it, and interpret your result.
44. A realistic land survey task involves control points. Formulate the calculation, solve it, and interpret your result.
45. A realistic land survey task involves field distances. Formulate the calculation, solve it, and interpret your result.
46. A realistic land survey task involves coordinate differences. Formulate the calculation, solve it, and interpret your result.
47. A realistic land survey task involves bearings. Formulate the calculation, solve it, and interpret your result.
48. A realistic land survey task involves heighting. Formulate the calculation, solve it, and interpret your result.
49. A realistic land survey task involves control points. Formulate the calculation, solve it, and interpret your result.
50. A realistic land survey task involves field distances. Formulate the calculation, solve it, and interpret your result.

References and Learning Sources

These learner materials are original notes prepared for Mr Mwirigi Mathematics Training Hub. The topic sequencing and level are informed by standard engineering mathematics references and the uploaded curriculum/OS materials. No textbook pages or solution-manual pages have been reproduced.

1. John Bird, Engineering Mathematics, Newnes / Elsevier.
2. K. A. Stroud and Dexter J. Booth, Engineering Mathematics, Palgrave Macmillan.
3. Uploaded KNEC solved mathematics materials for examination-style orientation.
4. Civil Engineering, Building Technology and Land Survey curriculum and occupational-standard materials used for local alignment.