

WHEELED SKID STEER LOADERS

WS-15W

Capacity 617 lbs | Engine: 14hp | Speed: 3.7 mph (6 km/h)

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	617 lbs (280 kg)	Machine Weight	1,367 lbs (620 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	33.9 in (860 mm)	Overall Height	96.9 in (2,460 mm)
Dumping Height	91.6 in (2,336 mm)	Wheel/Track Width	31.5 in (800 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	500-8 Tubeless
Fuel Tank	6.6 gal (25 L)	Cycle Time	8.9s

WS-20W

Capacity 838 lbs | Engine: 20hp | Speed: 4.2 mph (6.7 km/h)

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,521 lbs (690 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	43.3 in (1,100 mm)	Overall Height	98.8 in (2,510 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	42.5 in (1,080 mm)
Max Speed	4.2 mph (6.7 km/h)	Tires / Tracks	18x8.50-8 Tubeless
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.0s

WS-30W

Capacity 838 lbs | Engine: 24hp | Speed: 3.7 mph (6 km/h)

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,477 lbs (670 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	33.9 in (860 mm)	Overall Height	96.5 in (2,450 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	31.5 in (800 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	18x8.50-8 Tubeless
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.1s

WS-35W

Capacity 838 lbs | Engine: 24hp | Speed: 3.7 mph (6 km/h)

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,477 lbs (670 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	43.3 in (1,100 mm)	Overall Height	98.8 in (2,510 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	42.5 in (1,080 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	18x8.50-8 Tubeless
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.1s

COMPACT TRACK LOADERS

CT-15

Capacity 617 lbs | Engine: 13hp | Speed: 3.7 mph (6 km/h)

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	617 lbs (280 kg)	Machine Weight	1,323 lbs (600 kg)
Bucket Capacity	0.15 m³	Length with Bucket	85.0 in (2,160 mm)
Bucket Width	37.0 in (940 mm)	Overall Height	96.9 in (2,460 mm)
Dumping Height	59.4 in (1,510 mm)	Wheel/Track Width	35.4 in (900 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	Crawler 150x72
Fuel Tank	6.6 gal (25 L)	Cycle Time	8.9s

CT-20

Capacity 838 lbs | Engine: 20hp | Speed: 4.2 mph (6.7 km/h)

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,521 lbs (690 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	39.4 in (1,000 mm)	Overall Height	98.8 in (2,510 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	37.8 in (960 mm)
Max Speed	4.2 mph (6.7 km/h)	Tires / Tracks	Crawler 180x72
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.4s

CT-30

Capacity 838 lbs | Engine: 24hp | Speed: 3.7 mph (6 km/h)

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,477 lbs (670 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	39.4 in (1,000 mm)	Overall Height	96.5 in (2,450 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	37.8 in (960 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	Crawler 180x72
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.2s

CT-35

Capacity 838 lbs | Engine: 24hp | Speed: 3.7 mph (6 km/h)

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,477 lbs (670 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	39.4 in (1,000 mm)	Overall Height	98.8 in (2,510 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	37.8 in (960 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	Crawler 180x72
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.2s

CT-35B

Capacity 838 lbs | Engine: 23hp | Speed: 3.7 mph (6 km/h)

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,543 lbs (700 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.8 in (2,206 mm)
Bucket Width	33.9 in (860 mm)	Overall Height	96.5 in (2,450 mm)
Dumping Height	59.4 in (1,510 mm)	Wheel/Track Width	28.3 in (720 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	Crawler 180x72
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.2s

BACKHOE LOADERS

WZ10-20

Rated Load 3,307 lbs (1,500 kg) | Engine: Yunnei 37kW / 50hp | Max Speed: 15.5 mph (25 km/h)

LOADING		DIGGING	
Rated Load	3,307 lbs (1,500 kg)	Max Dig Depth	6.6 ft (2,000 mm)
Load Bucket	0.5 m³	Max Dig Radius	8.9 ft (2,700 mm)
Max Dump Height	9.2 ft (2,800 mm)	Max Dig Height	10.8 ft (3,300 mm)
MACHINE		Dig Bucket	0.1 m³
Machine Weight	7,496 lbs (3,400 kg)	Dump Height (dig)	5.9 ft (1,800 mm)
Dimensions	18.0 x 5.7 x 8.7 ft	Tires	20.5-16
Engine	Yunnei 37kW / 50hp	Transmission	Torque Converter ZL28F
Max Speed	15.5 mph (25 km/h)	Steering	Hydraulic Articulated

WZ15-26

Rated Load 3,968 lbs (1,800 kg) | Engine: Yunnei 58kW / 78hp | Max Speed: 16.2 mph (26 km/h)

LOADING		DIGGING	
Rated Load	3,968 lbs (1,800 kg)	Max Dig Depth	8.9 ft (2,700 mm)
Load Bucket	0.7 m³	Max Dig Radius	15.1 ft (4,600 mm)
Max Dump Height	10.8 ft (3,300 mm)	Max Dig Height	13.8 ft (4,200 mm)
MACHINE		Dig Bucket	0.15 m³
Machine Weight	10,582 lbs (4,800 kg)	Dump Height (dig)	7.2 ft (2,200 mm)
Dimensions	19.0 x 6.1 x 9.0 ft	Tires	23.5-16
Engine	Yunnei 58kW / 78hp	Transmission	Torque Converter ZL29A
Max Speed	16.2 mph (26 km/h)	Steering	Hydraulic Articulated

WZ20-28

Rated Load 5,512 lbs (2,500 kg) | Engine: Yunnei 76kW / 102hp | Max Speed: 17.4 mph (28 km/h)

LOADING		DIGGING	
Rated Load	5,512 lbs (2,500 kg)	Max Dig Depth	8.5 ft (2,600 mm)
Load Bucket	1.0 m³	Max Dig Radius	15.1 ft (4,600 mm)
Max Dump Height	11.5 ft (3,500 mm)	Max Dig Height	14.1 ft (4,300 mm)
MACHINE		Dig Bucket	0.2 m³
Machine Weight	11,905 lbs (5,400 kg)	Dump Height (dig)	7.5 ft (2,300 mm)
Dimensions	20.3 x 6.4 x 9.2 ft	Tires	16/70-20
Engine	Yunnei 76kW / 102hp	Transmission	Torque Converter ZL29A
Max Speed	17.4 mph (28 km/h)	Steering	Hydraulic Articulated

WZ25-30

Rated Load 6,173 lbs (2,800 kg) | Engine: Yunnei 92kW / 123hp | Max Speed: 17.4 mph (28 km/h)

LOADING		DIGGING	
Rated Load	6,173 lbs (2,800 kg)	Max Dig Depth	8.5 ft (2,600 mm)
Load Bucket	1.2 m³	Max Dig Radius	15.1 ft (4,600 mm)
Max Dump Height	11.5 ft (3,500 mm)	Max Dig Height	14.1 ft (4,300 mm)
MACHINE		Dig Bucket	0.25 m³
Machine Weight	13,228 lbs (6,000 kg)	Dump Height (dig)	7.5 ft (2,300 mm)
Dimensions	21.3 x 6.7 x 9.2 ft	Tires	N/A
Engine	Yunnei 92kW / 123hp	Transmission	Torque Converter
Max Speed	17.4 mph (28 km/h)	Steering	Hydraulic Articulated