

MINI SKID STEER LOADERS

MS-15W

Type: Mini Skid Steer (Wheeled) | Capacity: 617 lbs | Engine: 14hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	617 lbs (280 kg)	Machine Weight	1,367 lbs (620 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	33.9 in (860 mm)	Overall Height	96.9 in (2,460 mm)
Dumping Height	91.6 in (2,336 mm)	Wheel/Track Width	31.5 in (800 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	500-8 Tubeless
Fuel Tank	6.6 gal (25 L)	Cycle Time	8.9s

MS-20W

Type: Mini Skid Steer (Wheeled) | Capacity: 838 lbs | Engine: 20hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,521 lbs (690 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	43.3 in (1,100 mm)	Overall Height	98.8 in (2,510 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	42.5 in (1,080 mm)
Max Speed	4.2 mph (6.7 km/h)	Tires / Tracks	18x8.50-8 Tubeless
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.0s

MS-30W

Type: Mini Skid Steer (Wheeled) | Capacity: 838 lbs | Engine: 24hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,477 lbs (670 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	33.9 in (860 mm)	Overall Height	96.5 in (2,450 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	31.5 in (800 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	18x8.50-8 Tubeless
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.1s

MS-35W

Type: Mini Skid Steer (Wheeled) | Capacity: 838 lbs | Engine: 24hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,477 lbs (670 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	43.3 in (1,100 mm)	Overall Height	98.8 in (2,510 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	42.5 in (1,080 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	18x8.50-8 Tubeless
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.1s

MS-15

Type: Mini Skid Steer (Track) | Capacity: 617 lbs | Engine: 13hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	617 lbs (280 kg)	Machine Weight	1,323 lbs (600 kg)
Bucket Capacity	0.15 m³	Length with Bucket	85.0 in (2,160 mm)
Bucket Width	37.0 in (940 mm)	Overall Height	96.9 in (2,460 mm)
Dumping Height	59.4 in (1,510 mm)	Wheel/Track Width	35.4 in (900 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	Crawler 150x72
Fuel Tank	6.6 gal (25 L)	Cycle Time	8.9s

MS-20

Type: Mini Skid Steer (Track) | Capacity: 838 lbs | Engine: 20hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,521 lbs (690 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	39.4 in (1,000 mm)	Overall Height	98.8 in (2,510 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	37.8 in (960 mm)
Max Speed	4.2 mph (6.7 km/h)	Tires / Tracks	Crawler 180x72
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.4s

MS-30

Type: Mini Skid Steer (Track) | Capacity: 838 lbs | Engine: 24hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,477 lbs (670 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	39.4 in (1,000 mm)	Overall Height	96.5 in (2,450 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	37.8 in (960 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	Crawler 180x72
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.2s

MS-35

Type: Mini Skid Steer (Track) | Capacity: 838 lbs | Engine: 24hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,477 lbs (670 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	39.4 in (1,000 mm)	Overall Height	98.8 in (2,510 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	37.8 in (960 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	Crawler 180x72
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.2s

WHEELED SKID STEER LOADERS

Full model lineup with model numbers pending. Contact us for current availability and specifications.

COMPACT TRACK LOADERS

CT-15

Type: Compact Track Loader | Capacity: 617 lbs | Engine: 13hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	617 lbs (280 kg)	Machine Weight	1,323 lbs (600 kg)
Bucket Capacity	0.15 m³	Length with Bucket	85.0 in (2,160 mm)
Bucket Width	37.0 in (940 mm)	Overall Height	96.9 in (2,460 mm)
Dumping Height	59.4 in (1,510 mm)	Wheel/Track Width	35.4 in (900 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	Crawler 150x72
Fuel Tank	6.6 gal (25 L)	Cycle Time	8.9s

CT-20

Type: Compact Track Loader | Capacity: 838 lbs | Engine: 20hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,521 lbs (690 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	39.4 in (1,000 mm)	Overall Height	98.8 in (2,510 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	37.8 in (960 mm)
Max Speed	4.2 mph (6.7 km/h)	Tires / Tracks	Crawler 180x72
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.4s

CT-30

Type: Compact Track Loader | Capacity: 838 lbs | Engine: 24hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,477 lbs (670 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	39.4 in (1,000 mm)	Overall Height	96.5 in (2,450 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	37.8 in (960 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	Crawler 180x72
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.2s

CT-35

Type: Compact Track Loader | Capacity: 838 lbs | Engine: 24hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,477 lbs (670 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.6 in (2,200 mm)
Bucket Width	39.4 in (1,000 mm)	Overall Height	98.8 in (2,510 mm)
Dumping Height	59.8 in (1,520 mm)	Wheel/Track Width	37.8 in (960 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	Crawler 180x72
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.2s

CT-35B

Type: Compact Track Loader | Capacity: 838 lbs | Engine: 23hp

CAPACITY & PERFORMANCE		DIMENSIONS	
Rated Capacity	838 lbs (380 kg)	Machine Weight	1,543 lbs (700 kg)
Bucket Capacity	0.15 m³	Length with Bucket	86.8 in (2,206 mm)
Bucket Width	33.9 in (860 mm)	Overall Height	96.5 in (2,450 mm)
Dumping Height	59.4 in (1,510 mm)	Wheel/Track Width	28.3 in (720 mm)
Max Speed	3.7 mph (6 km/h)	Tires / Tracks	Crawler 180x72
Fuel Tank	7.9 gal (30 L)	Cycle Time	9.2s

BACKHOE LOADERS

WZ10-20

Rated Load 3,307 lbs (1,500 kg) | Engine: Yunnei 37kW / 50hp | Max Speed: 15.5 mph (25 km/h)

LOADING		DIGGING	
Rated Load	3,307 lbs (1,500 kg)	Max Dig Depth	6.6 ft (2,000 mm)
Load Bucket	0.5 m³	Max Dig Radius	8.9 ft (2,700 mm)
Max Dump Height	9.2 ft (2,800 mm)	Max Dig Height	10.8 ft (3,300 mm)
MACHINE		Dig Bucket	0.1 m³
Machine Weight	7,496 lbs (3,400 kg)	Dump Height (dig)	5.9 ft (1,800 mm)
Dimensions	18.0 x 5.7 x 8.7 ft	Tires	20.5-16
Engine	Yunnei 37kW / 50hp	Transmission	Torque Converter ZL28F
Max Speed	15.5 mph (25 km/h)	Steering	Hydraulic Articulated

WZ15-26

Rated Load 3,968 lbs (1,800 kg) | Engine: Yunnei 58kW / 78hp | Max Speed: 16.2 mph (26 km/h)

LOADING		DIGGING	
Rated Load	3,968 lbs (1,800 kg)	Max Dig Depth	8.9 ft (2,700 mm)
Load Bucket	0.7 m³	Max Dig Radius	15.1 ft (4,600 mm)
Max Dump Height	10.8 ft (3,300 mm)	Max Dig Height	13.8 ft (4,200 mm)
MACHINE		Dig Bucket	0.15 m³
Machine Weight	10,582 lbs (4,800 kg)	Dump Height (dig)	7.2 ft (2,200 mm)
Dimensions	19.0 x 6.1 x 9.0 ft	Tires	23.5-16
Engine	Yunnei 58kW / 78hp	Transmission	Torque Converter ZL29A
Max Speed	16.2 mph (26 km/h)	Steering	Hydraulic Articulated

WZ20-28

Rated Load 5,512 lbs (2,500 kg) | Engine: Yunnei 76kW / 102hp | Max Speed: 17.4 mph (28 km/h)

LOADING		DIGGING	
Rated Load	5,512 lbs (2,500 kg)	Max Dig Depth	8.5 ft (2,600 mm)
Load Bucket	1.0 m³	Max Dig Radius	15.1 ft (4,600 mm)
Max Dump Height	11.5 ft (3,500 mm)	Max Dig Height	14.1 ft (4,300 mm)
MACHINE		Dig Bucket	0.2 m³
Machine Weight	11,905 lbs (5,400 kg)	Dump Height (dig)	7.5 ft (2,300 mm)
Dimensions	20.3 x 6.4 x 9.2 ft	Tires	16/70-20
Engine	Yunnei 76kW / 102hp	Transmission	Torque Converter ZL29A
Max Speed	17.4 mph (28 km/h)	Steering	Hydraulic Articulated

WZ25-30

Rated Load 6,173 lbs (2,800 kg) | Engine: Yunnei 92kW / 123hp | Max Speed: 17.4 mph (28 km/h)

LOADING		DIGGING	
Rated Load	6,173 lbs (2,800 kg)	Max Dig Depth	8.5 ft (2,600 mm)
Load Bucket	1.2 m³	Max Dig Radius	15.1 ft (4,600 mm)
Max Dump Height	11.5 ft (3,500 mm)	Max Dig Height	14.1 ft (4,300 mm)
MACHINE		Dig Bucket	0.25 m³
Machine Weight	13,228 lbs (6,000 kg)	Dump Height (dig)	7.5 ft (2,300 mm)
Dimensions	21.3 x 6.7 x 9.2 ft	Tires	N/A
Engine	Yunnei 92kW / 123hp	Transmission	Torque Converter
Max Speed	17.4 mph (28 km/h)	Steering	Hydraulic Articulated