

PAGE 1 — COVER

Title: Stop Cat Night Zoomies Subtitle: The Science-Based Evening Protocol to End Midnight Hyperactivity and Get Your Sleep Back Audience tag: For cat owners dealing with persistent nighttime zoomies (2-4am sprints and property destruction) Tagline: 10-page guide

PAGE 2 — INTRODUCTION

It's 2:47 AM. Again.

Your cat just launched off the bed, sprinted across the room, and crashed into the nightstand. You heard something break. You're wide awake now. Your partner is annoyed. Tomorrow you have a meeting you cannot miss.

You've tried: ignoring it. Closing the bedroom door (the howling started). Spraying with a water bottle (didn't work). Giving treats to quiet down (made it worse). Yelling.

Nothing changes. This happens three, four, sometimes five nights a week.

You love your cat. You also haven't slept properly in weeks.

Here's what nobody tells you: this isn't a character flaw in your cat, and it's not a reflection of your parenting. Zoomies are a normal feline behavior — but they are a solvable one. Your cat has pent-up energy and an evening cycle that hasn't been properly managed.

This guide gives you the exact protocol to fix it. Between the evening play session setup, the mealtime reset, and the environmental restructuring, you will have a concrete plan before you finish page 10. Most cats show measurable improvement within two weeks.

PAGE 3 — WHAT ARE ZOOMIES (AND WHY YOUR CAT GETS THEM)

The technical term is FRAPs — Frenetic Random Activity Periods. Veterinary behaviorists use this term to describe the sudden bursts of frantic activity that cats (and dogs) experience. The behavior is real, documented, and completely normal.

What drives zoomies:

Your cat's internal clock is not the same as yours. Cats are crepuscular — most active at dawn and dusk. In a natural environment, those are peak hunting times. Your house cat's ancestors used those windows to hunt. Even though your cat eats from a bowl, that hardwired hunting instinct doesn't disappear.

The problem: if your cat sleeps all day (because you're at work) and then gets a small meal in the evening, there's no outlet for that built-up hunting energy. By 2am, the pressure has to release. The sprint is the release valve.

Kittens and young cats zoom more because they have more energy and less impulse control. High-drive breeds — Bengals, Savannahs, Abyssinians, Oriental Shorthairs — zoom harder because they're bred for energy and intelligence. But any cat can develop a zoomie habit if the conditions are right.

When zoomies are normal: your cat is otherwise healthy, eating and drinking normally, zoomies happen after long periods of rest, and the sprints don't cause injury or significant destruction.

When zoomies might signal something else: your cat also grooms excessively during or after zoomies (possible compulsive behavior), zoomies are accompanied by vocalizing or seeming distressed (pain or anxiety), or your adult cat suddenly develops severe zoomies with no prior history (warrants a vet check).

PAGE 4 — THE EVENING ENERGY AUDIT

Before you change anything, map what your cat's current energy picture looks like.

Most cats in zoomie-prone households have one thing in common: the majority of their day is inactive, followed by a small evening meal, followed by chaos.

The Energy Audit — answer these questions:

How many hours per day is your cat actually awake and moving? (Not just alert — actively playing, exploring, stalking.)

How many structured play sessions does your cat get on weekdays? On weekends?

What time do you feed your cat's largest meal?

When does the first zoomie episode of the night typically start?

What triggers the zoomies — is it a specific event (you going to bed, lights going off, a particular time)?

Most owners discover the same pattern: the cat sleeps 18-20 hours, gets minimal play, and gets fed either too early or without any post-meal expectation of rest. The evening energy tank is full and never gets drained before the human's sleep window.

PAGE 5 — THE PRE-ZOOMIES PLAY SESSION (THE CORE FIX)

The single most effective intervention for cat zoomies is a structured play session 2-3 hours before your own bedtime.

Why 2-3 hours before? Your cat needs time to wind down after the hunt. In the wild, a cat would hunt, catch, eat, and then groom and rest. The play session mimics the hunt. The cooldown mimics the post-hunt rest. By the time you're going to bed, your cat is already on the downward energy slope.

How to run the session:

Use a wand toy with a varied end (Da Bird!, Cat Dancer, or similar). Avoid laser pointers as a sole tool — they create frustration without the tactile satisfaction of a "catch."

Run the session in 5-7 minute bursts with 2-minute rests. Three bursts = approximately 20 minutes total.

Let your cat catch the toy at the end of each burst. The catch is the reward and the satisfaction. Without a catch, the hunting loop stays open.

End the session with a treat or a small meal. This mimics the post-hunt eating.

What toy speed matters: fast enough to trigger the stalking and pouncing reflex, slow enough that catches actually happen. When your cat starts grooming instead of watching, the session is over.

What time matters: pick a consistent time every night. Cats respond strongly to routine. The same time every evening builds an association: play time now, rest time soon.

PAGE 6 — THE LATE-NIGHT MEAL RESET

After play, the meal is the final piece of the post-hunt sequence. The timing and size of this meal matters significantly.

Automatic feeders are not optional for most owners with severe zoomie problems. Here's why: your cat's internal clock associates your movement toward the kitchen with food. If you get up in the morning, go to the kitchen, and your cat zooms — the pattern is reinforced. An automatic feeder removes you from the feeding equation at night.

Set the feeder to dispense the largest meal of the day 30-60 minutes before your target bedtime. This means your cat's post-meal rest period coincides with you going to sleep. The natural post-prandial grogginess works in your favor.

If you're home all day: increase daytime feeding frequency using puzzle feeders or multiple small meals. A cat who grazes all day and gets one large meal at night is going to have energy at night.

What about free-feeding? Free-feeding keeps food available continuously, which disrupts the hunting-eat-rest cycle. If your cat is on free-feed, you will struggle to fix the zoomie problem without addressing this.

PAGE 7 — ENVIRONMENTAL SETUP FOR NIGHTTIME CALM

Three changes to the sleeping environment can meaningfully reduce zoomie intensity:

Remove bedroom nightstand hazards. If your cat sprints through the bedroom at 3am, anything fragile or loud on the nightstand becomes a crash hazard. Secure loose items. Move the water glass. Push the lamp back from the edge.

Restrict high-perch access near the bedroom. Cats zoom faster and harder when they have elevation to sprint from. If your cat sleeps on a bookshelf or dresser near your bedroom and then zooms off it at 3am, that's a structural problem. Baby gates or door closings can break the sprint path.

Use a pheromone diffuser. Feliway Classic (not the MultiCat formula) emits a synthetic feline cheek gland scent that promotes calm. It won't stop zoomies on its own, but in a multi-intervention approach, it reduces ambient anxiety that can amplify nighttime hyperactivity.

Keep a low light on. Some cats zoom less when there's ambient light — the room isn't pitch black. A small nightlight in the hallway can reduce the "sprint through a void" sensation that triggers frantic activity.

PAGE 8 — CAT-PROOFING FOR MIDNIGHT SPRINTS

During the first 2-3 weeks of the protocol, before the behavior fully shifts, your cat will still have some zoomies. Protect your home and your cat:

Secure loose cables and cords — not because your cat chews them (that's a different problem), but because a sprinting cat can get tangled.

Move or secure floor-level objects that a sprinting cat might knock over: floor lamps, plants on stands, bathroom scales.

Close toilet lids if your cat has zoomie-triggered jumping episodes near the bathroom.

Break the sprint path in high-risk areas. A baby gate in a hallway can interrupt a sprint cycle before your cat builds full momentum.

Keep bedroom doors closed if your cat targets you specifically during zoomies. A cat who zooms and then attacks your feet under the blankets is signaling that co-sleeping during the transition period isn't working.

PAGE 9 — WHEN ZOOMIES SIGNAL SOMETHING ELSE

Most zoomies are normal. But some patterns warrant a closer look:

Compulsive grooming during or after zoomies: if your cat is frantically licking paws, flanks, or tail during zoomie episodes, this might be a compulsive behavior rather than a normal energy release. This is ARBs (Anxiety-Related Behaviors) territory. A vet visit for a behavioral consult is warranted.

Post-toilet zoomies: if your cat sprints immediately after using the litter box, and this is a new or worsening pattern, it can indicate GI discomfort. A vet check for constipation, inflammatory bowel disease, or food sensitivities is appropriate.

Sudden onset in an adult cat: a cat who never zoomed and suddenly starts, especially if the zoomies come with other behavioral changes (hiding, vocalizing, aggression), needs medical evaluation before behavioral intervention.

PAGE 10 — NEXT STEPS

Your next steps:

Tonight: run a 15-minute play session 2-3 hours before bed. Use a wand toy. Let your cat catch it at the end. Follow with a small treat.

This week: set up a timed automatic feeder. Program it to dispense a larger meal 30-60 minutes before your bedtime.

This week: do a 3-day energy audit. Log when your cat zooms, what time, and what preceded it.

Within 2 weeks: you should notice a reduction in zoomie intensity or a shift in timing toward earlier in the evening. If you're not seeing any change after 2 weeks of consistent play and mealtime protocol, escalate to a veterinary behavioral consult.

Your Bonus: Included — available in your Lemon Squeezy library.

Lemon Squeezy Link for new customers: [INSERT CHECKOUT URL] Member's Area

Link for existing customers: [INSERT MEMBER'S AREA URL]